

Proprietary Materials Cited in this Book

Entries in italics are the CTFA adopted names as listed in the *CTFA Cosmetic Ingredient Dictionary*; they are reprinted with the permission of the Cosmetic, Toiletry and Fragrance Association, Inc., Washington DC, USA.

It should be noted that CTFA does not 'approve', 'certify' or 'endorse' particular ingredients for use in cosmetic products. CTFA has a committee that assigns 'adopted names' to certain cosmetic ingredients for inclusion in the *CTFA Cosmetic Ingredient Dictionary*, which is recognized by regulations of the United States Food and Drug Administration (Title 21, Code of Federal Regulations, Section 701.3) as an authoritative reference of proper nomenclature of an ingredient for purposes of cosmetic ingredient labelling. Assignment of an 'adopted name' and inclusion in the *Dictionary* establishes only proper nomenclature for an ingredient for purposes of ingredient labelling on cosmetic products sold in the United States; it does *not* signify CTFA (or FDA) 'approval' of the ingredient.

In the interests of achieving uniform nomenclature for ingredients available for use in the cosmetic industry, the CTFA adopted names are becoming increasingly used in countries other than the United States of America.

Proprietary name	Chemical description	Supplier
Acetol	<i>Acetylated lanolin alcohol</i>	Emery
Actamer	2,2-Thiobis-(4,6-dichlorophenol)	Monsanto
Aduvex 2211	2-Hydroxy-4-methoxy-4'-methyl-benzophenone	Ward Blenkinsop
Aerosil	Finely divided silica	Degussa
Aerosol OT	Diocetyl sodium sulphosuccinate	American Cyanamid
Aethoxal	Ethoxylated propoxylated fatty alcohol <i>PPG-10-Ceteareth-20</i>	Henkel
Alcloxa	Aluminium chlorhydroxy allantoinate <i>Alcloxa</i>	Hoechst
Alrosal	Fatty acid amide concentrate	Ciba-Geigy
Amerchol CAB	Cholesterol absorption base <i>Petrolatum and Lanolin Alcohol</i>	Amerchol
Amerchol L-101	Mineral oil and lanolin alcohols	Amerchol
Aminoxid WS35	Cocamidopropylamine oxide	Goldschmidt

Proprietary name	Chemical description	Supplier
Ammonyx 4002	Benzyl dimethyl stearyl ammonium chloride <i>Stearalkonium Chloride</i>	Onyx
Amphomer	<i>Octylacrylamide/Acrylates/Butyl-aminoethyl Methacrylate Polymer</i>	National Starch
ANM starch powders	Starch ethers	Neckar-Chemie
Anobial	3',4',5-Trichlorosalicylanilide	Firmenich
Anobial TFC	3-Trifluoromethyl-4,4'-dichlorocarbonyl anilide	Firmenich
Antara opacifiers		GAF
Antifoam AF	Mixture of dimethyl polysiloxane (<i>dimethicone</i>) and silica gel <i>Simethicone</i>	Dow Corning
Antiviray	Homomenthyl salicylate (<i>Homosalate</i>), benzyl salicylate and methyl eugenol	Bush Boake Allen
Arlacel A	Mannide mono-oleate	ICI
Arlacel C	<i>Sorbitan Sesquioleate</i>	ICI
Arlacel 83	<i>Sorbitan Sesquioleate</i>	ICI
Arlacel 165	Glyceryl monostearate and polyoxyethylene stearate <i>Glyceryl Stearate and PEG-100 Stearate</i>	ICI
Arlamol E	Fatty acid propoxylate <i>PPG-15 Stearyl Ether</i>	ICI
Arlatone T	Sorbitan polyoxyethylene fatty acid ester <i>PEG-40 Sorbitan Peroleate</i>	ICI
Arlex	<i>Sorbitol</i>	ICI
Arochlor 5460		Monsanto
Arquad 2HT	Dimethyldi (hydrogenated tallow) ammonium chloride <i>Quaternium-18</i>	Armak
Arquad 16	Alkyltrimethylammonium chloride <i>Cetrimonium Chloride</i>	Armak
Arquad S50	Trimethylsoyammonium chloride <i>Soyatrimonium Chloride</i>	Armak
Atlas G-271	N-soya-N-ethylmorpholinium ethosulphate <i>Quaternium-2</i>	ICI
Atlas G-1086	Polyethylene glycol sorbitol hexaoleate	ICI
Atlas G-1425	Polyoxyethylene sorbitol lanolin derivative	ICI

Proprietary name	Chemical description	Supplier
Atlas G-1441	Polyoxyethylene sorbital lanolin derivative <i>PEG-40 Sorbitan Lanolate</i>	ICI
Atlas G-1690	Polyoxyethylene ether of alkyl phenol	ICI
Atlas G-1790	Polyoxyethylene lanolin condensate <i>PEG-20 Lanolin</i>	ICI
Atlas G-2132	Polyoxyethylene lauryl ether	ICI
Atlas G-2240	Polyoxyethylene sorbitol	ICI
Atlas G-2320	Polyoxyethylene sorbitol	ICI
Atlas G-2859	Polyoxyethylene sorbitol 4, 5-oleate	ICI
Atlas G-3721	Polyoxyethylene-2-butyl octanol	ICI
Atlas G-7596J	Polyoxyethylene sorbitan monolaurate <i>PEG-10 Sorbitan Laurate</i>	ICI
Avicel	Microcrystalline cellulose	FMC
Avitex ML	Cationic emulsifying agent	DuPont
Bentones	Quaternary hectorites	NL Industries
Bentonite	Clay mineral, montmorillonite <i>Bentonite</i>	Berk
Betadine	Iodophor (i.e. mixture of iodine with surface-active agent)	Berk
BHT	Butylated hydroxytoluene (i.e. 2,6-di- <i>tert</i> -butyl-4-methylphenol) <i>BHT</i>	Kodak Chemical
Bithionol	2,2'-thio- <i>bis</i> -(4,6-dichlorophenol)	Hilton Davis Chemicals
Bradosol	β -Phenoxyethyl dimethyldodecylammonium bromide	CIBA
Brij 30	Polyoxyethylene lauryl ether <i>Laureth-4</i>	ICI
Brij 35	Polyoxyethylene lauryl ether <i>Laureth-23</i>	ICI
Brij 93	Polyoxyethylene (2) oleyl ether <i>Oleth-2</i>	ICI
Bronopol	<i>2-Bromo-2-Nitropropane-1,3-Diol</i>	Boots
BTC	Lauryldimethylbenzylammonium chloride	Onyx
BTC 2125M	Tetradecyldimethylbenzylammonium and dodecyldimethyl- <i>p</i> -ethylbenzylammonium chlorides <i>Myristalkonium Chloride</i> and <i>Quaternium-14</i>	Onyx
Cab-o-sil	Fumed silica	Cabot

Proprietary name	Chemical description	Supplier
Calfo E	Calcium silicate	Johns-Manville
Carbopol 934	Polymer of acrylic acid cross-linked with a polyfunctional agent <i>Carbomer-934</i>	Goodrich
Carbopol 940	Polymer of acrylic acid cross-linked with a polyfunctional agent <i>Carbomer-940</i>	Goodrich
Carbopol 941	Polymer of acrylic acid cross-linked with a polyfunctional agent <i>Carbomer-941</i>	Goodrich
Carbopol 960	Ammonium salt of Carbopol 934 <i>Carbopol-960</i>	Goodrich
Carbowax 400	Ethylene oxide polymer <i>PEG-8</i>	Union Carbide
Carbowax 1000	Ethylene oxide polymer <i>PEG-20</i>	Union Carbide
Carbowax 1500	Ethylene oxide polymer <i>PEG-6-32</i>	Union Carbide
Carbowax 1540	Ethylene oxide polymer <i>PEG-32</i>	Union Carbide
Carbowax 4000	Ethylene oxide polymer <i>PEG-75</i>	Union Carbide
Carbowax 6000	Ethylene oxide polymer <i>PEG-150</i>	Union Carbide
Catrex	Interpolymer of aminoethylacrylate phosphate and acrylic acid <i>Aminoethylacrylate Phosphate/Acrylate</i>	National Starch
Ceepryn	Cetylpyridinium bromide or chloride	Merrell
Celacol	Sodium carboxymethylcellulose	British Celanese
Cellofas	Sodium carboxymethylcellulose	ICI
Cellosize	<i>Hydroxyethylcellulose</i>	Union Carbide
Ceraphyl 60	γ -Gluconamidopropyl dimethyl-2-hydroxyethylammonium chloride <i>Quaternium-22</i>	Van Dyk
Ceraphyl 65	Mink aminopropyl dimethyl-2-hydroxyethylammonium chloride <i>Quaternium-26</i>	Van Dyk
Cetavlon	Cetyltrimethylammonium bromide	ICI
Cetiol HE	Polyol fatty acid ester <i>PEG-7 Glyceryl Cocoate</i>	Henkel
Chlorhexidine	1,6-di-(N-p-chlorophenylguanidino)hexane <i>Chlorhexidine</i>	ICI

Proprietary name	Chemical description	Supplier
Chlorhydrol	Aluminium chlorhydrate, 50% solution <i>Aluminium Chlorohydraie</i>	Reheis
Comperlan HS	Stearic monoethanolamide	Henkel
Comperlan KD	Cocamide diethanolamide <i>Cocamide DEA</i>	Henkel
Courlose	Sodium carboxymethylcellulose	British Celanese
Crillet 3	Mixture of stearate esters of sorbitol and sorbitol anhydrides condensed with approx. 20 moles of ethylene oxide <i>Polysorbate 60</i>	Croda
Crodafos N3 acid	Phosphated oleyl ether (3EO) <i>Oleth-3 Phosphate</i>	Croda
Crodafos N3 neutral	Diethanolamine salt of a complex mixture of esters of phosphoric acid and <i>Oleth-3</i> (which is the polyethylene glycol ether of oleyl alcohol) <i>DEA-Oleth-3 Phosphate</i>	
Crodalan IPL	<i>Isopropyl lanolate</i>	Croda
Crodamol CSP	Cetostearyl palmitate	Croda
Crodamol IPP	<i>Isopropyl Palmitate</i>	Croda
Crodamol ML	<i>Myristyl Lactate</i>	Croda
Crodamol OP	<i>Octyl Palmitate</i>	Croda
Crodaterge LS (now named Crodasinic LS)	<i>Lauroyl Sarcosine</i>	Croda
Crodaterge OS (now named Crodasinic OS)	<i>Oleoyle Sarcosine</i>	Croda
Crodesta F70, F160 and F110	Sucrose esters of palmitic acid and stearic acids	Croda
Cromeen	Substituted alkyl amine derivative of various lanolin acids	Croda
Crotein Q	Quaternized hydrolysed animal protein	Croda
DC 200	Dimethylpolysiloxane	Dow Corning
Dehyquart SP	Ethoxylated quaternary ammonium phosphate <i>Quaternium-52</i>	Henkel
Deriphath 170C	Lauryl aminopropionic acid <i>Lauraminopropionic Acid</i>	General Mills
Detergent 1011	Secondary amide of lauric acid	
Dichlorophene	2,2-methylene-bis-(4-chlorophenol)	Givaudan
Dicrylan 325	Acrylate/acrylamide polymer	Ciba-Geigy

Proprietary name	Chemical description	Supplier
Diometam	Di-(n-octyl)-dimethylammonium bromide	British Hydrological
Dioxin	6-Acetoxy-2, 4-dimethyl- <i>m</i> -dioxane	Givaudan
Dowfax 2A		Dow
Dowicil 200	1-(3-chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride <i>Quaternium-15</i>	Dow
Duponol C	Sodium lauryl sulphate	DuPont
Duponol WA	Sodium lauryl sulphate	DuPont
Duponol WAT	Triethanolamine salt of lauryl sulphate <i>TEA-Lauryl Sulfate and TEA-Oleyl Sulfate</i>	DuPont
Edifas	Sodium carboxymethylcellulose	ICI
Emcol CD-18	Propoxylated polyol	Witco
Emcol E-607	<i>N</i> -(Acylcolaminoformylmethyl) pyridinium chloride	Witco
Emcol E-6075	<i>N</i> -Stearoylcolaminoformyl-methylpyridinium chloride <i>Quaternium-7</i>	Witco
Emerest 2400	<i>Glycerol Stearate</i>	Malmstrom
Emersol 132	Stearic acid	Malmstrom
Empicol LZ	Sodium lauryl sulphate	Albright & Wilson
Empigen BB	Alkyl dimethyl betaine	Albright & Wilson
Empigen BT	Alkyl amido betaine	Albright & Wilson
Empigen CDR10	Coconut imidazoline betaine	Albright & Wilson
Empigen CDR30	Modified coconut imidazoline betaine	Albright & Wilson
Emsorb 6915	<i>Polysorbate 20</i>	Malmstrom
Escalol 506	Amyldimethyl- <i>p</i> -aminobenzoic acid <i>Amyl Dimethyl PABA</i>	Van Dyk
Estol 1461	Glycerol monostearate nse	Unichema
Ethomeen C/25	<i>PEG-15 Cocamine</i>	Armak
Eutanol G	2-Octyldodecanol <i>Octyl Dodecanol</i>	Henkel
Eutanol LST		Henkel
Evanol	Proprietary cream base	Evans Chmetics
Extrapones	Herbal extracts	Dragoco
Fentichlor	<i>Bis</i> -(2-hydroxy-5-chlorophenyl) sulphide	Cocker Chemical
F.H.P.	Sodium carboxymethylcellulose	Hercules

Proprietary name	Chemical description	Supplier
Filtrosol A-1000 and B	UV screens—proprietary mixtures	Norda
Fixanol C	Cetylpyridinium bromide or chloride	ICI
Fixanol VR	Tetradecylpyridinium bromide	ICI
Fluilanol	Lanolin oil and <i>Oleth-3</i> (which is the polyethylene glycol ether of oleyl alcohol)	Croda
Fluorophene	3,5-dibromo-3'-trifluoromethylsalicylanilide <i>Fluorosalan</i>	Pfister
F.M.P.	Sodium carboxymethylcellulose	Hercules
Foromycen F10	Antifungal agent	Petrosin Laboratorium
Fungicide DA	Undecylenamide diethanolamide <i>Undecylenamide DEA</i>	Dragoco
Fungicide UMA	Undecylenamide monoethanolamide <i>Undecylenamide MEA</i>	Dragoco
Gafquat 734 and 755	Quaternary ammonium polymers formed by the reaction of dimethyl sulphate and a copolymer of vinyl pyrrolidone and dimethylaminoethylmethacrylate <i>Quaternium-23</i>	GAF
Gantrez ES-225	Monoethyl ester of methylvinylether/maleic acid copolymer (50% in ethanol) <i>Ethyl ester of PVM/MA copolymer</i>	GAF
Gantrez ES-425	Monobutyl ester of methylvinylether/maleic acid copolymer (50% in ethanol) <i>Butyl ester of PVM/MA copolymer</i>	GAF
Genapol S200		Hoechst
Germall 115	Imidazonidyl urea	Sutton Laboratories
Giv-tan F	2-Ethoxy- <i>p</i> -methoxycinnamate <i>Cinoxate</i>	Givaudan
Glucam-P20	<i>PPG-20 methylglucose ether</i>	Amerchol
HD Eutanol	Oleyl alcohol	Henkel
Hexachlorophene	2,2'-methylene- <i>bis</i> -(3,4,6-trichlorophenol)	Givaudan
Hibitane	1,6-di-(<i>N-p</i> -chlorophenylguanidino) hexane	ICI
Hostaphat KL340N	Triester of the polyethylene glycol ether of lauryl alcohol and phosphoric acid <i>Trilaureth-4 Phosphate</i>	Hoechst

Proprietary name	Chemical description	Supplier
Hostapur SAS	Secondary alkane sulphonate	Hoechst
Hyamine 10X	Methylbenzethonium chloride	Rohm & Haas
Hyamine 1622	<i>p</i> -Diisobutylphenoxyethoxyethyl-dimethylbenzylammonium chloride <i>Benzethonium Chloride</i>	Rohm & Haas
Hyamine 2389	Alkyltolylmethyltrimethylammonium chloride <i>Quaternium-28</i> and <i>Quaternium-29</i>	Rohm & Haas
Ionol	Butylated hydroxytoluene, i.e. 2,6-di- <i>tert</i> -butyl-4-methylphenol <i>BHT</i>	Shell
Ionol CP	Purified grade of Ionol <i>BHT</i>	Shell
Irgasan BS200	3,3',4,5'-Tetrachlorosalicylanilide	Ciba-Geigy
Irgasan CF-3	3-Trifluoromethyl-4,4'-dichlorocarbanilide <i>Cloflucarban</i>	Ciba-Geigy
Irgasan DP-300	2,4,4'-Trichloro-2'-hydroxydiphenylether <i>Triclosan</i>	Ciba-Geigy
Isopar E	Isoparaffinic solvent	Esso
Isopropylan 33	<i>Isopropyl Lanolate</i> and <i>Lanolin oil</i>	Robinson-Wagner
Isothan Q	Alkylisoquinolinium bromide	Onyx
Isothan Q-15	<i>Lauryl Isoquinolinium Bromide</i>	Onyx
Kelzan	<i>Xanthan gum</i>	Kelco
Klucel	<i>Hydroxypropylcellulose</i>	Hercules
Klucel HA	Hydroxyalkylcellulose	Hercules
L-43 Silicone		Union Carbide
Laneto 50, 100	Polyethylene glycol-50 lanolin <i>PEG-50 Lanolin</i>	R.I.T.A.
Lanoquats	Quaternized fatty acid amides derived from lanolin acid	Malmstrom
Lanoquat DES	Lanolin quaternary	Malmstrom
Lantrol	Liquid lanolin <i>Lanolin oil</i>	Malmstrom
Laponite	Hectorite-type synthetic clay	Laporte
Lathanol LAL	<i>Sodium Lauryl Sulphoacetate</i>	Stepan
Lexate TA	Glyceryl stearate, isopropyl myristate and stearyl stearate	Inolex
Lexcin X-250	Hydrolysed animal protein	Inolex

Proprietary name	Chemical description	Supplier
Lexemul AR	Glycerol sterate	Inolex
Lexemul AS	Glyceryl stearate and sodium lauryl sulphate	Inolex
Liquid Base CB. 3929	Mineral oil and lanolin alcohols	Croda
Loramine DU 185	Undecylenamide diethanolamide	Rewo
Loramine OM 101	Monoalkylolamide of mixed fatty acids	Rewo
Loramine SBU 185	Disodium monoundecylenamido monoethanolamide sulphosuccinate	Rewo
Loramine U 185	Undecylenamide monoethanolamide	Rewo
Luviset CE 5055	Vinyl acetate/crotonic acid copolymer	BASF
Marinol	Alkyldimethylbenzylammonium chloride	Berk
Maypon 4C	Potassium cocylhydrolysed animal protein	Stepan
Merquat-550	Polymeric quaternary ammonium salt consisting of acrylamide and dimethylallyl ammonium chloride monomers <i>Quaternium-41</i>	Merck
Merquat resins	Dialkyldimethyl ammonium chloride cyclopolymers	Merck
Methocel	<i>Hydroxypropylmethylcellulose</i>	Dow
Methofas	Methylcellulose	ICI
Microdry	Aluminium chlorhydrate fine powder <i>Aluminum Chlorohydrate</i>	Reheis
Miranol C2M, C2M-SF	A long-chain imidazoline type of zwitterion <i>Amphoteric-2</i>	Miranol
Miranol SM	Capryl imidazoline derivative	Miranol
Mirapol A15	Polyquaternary ammonium compound	Miranol
Modulan	<i>Acetylated Lanolin</i>	Amerchol
Morpan CHSA	Cetyltrimethylammonium bromide	Glovers
Myacide SP	2,4-Dichlorobenzyl alcohol	Boots
Myrj 45	Polyoxyethylene monostearate <i>PEG-8 Stearate</i>	ICI
Myrj 52	Polyoxyethylene monostearate <i>PEG-40 Stearate</i>	ICI
Myverol 18-17	Molecularly distilled monoglyceride	Eastman

Proprietary name	Chemical description	Supplier
Nacconal NRSF	Alkylaryl sulphonate	Allied Chemical
Natrosol	<i>Hydroxyethylcellulose</i>	Hercules
Neo-fat 18-55	<i>Stearic Acid</i>	Armak
Neo-PCL, water-soluble	Ethoxylated alkyl phenol and polyethylene glycol ester of 2-ethylhexanoic acid <i>Nonoxynol-14</i> and <i>PEG-4 Octanoate</i>	Dragoco
Neosyl	Finely divided silica	Crosfield
Neutronyx 600	Ethoxylated alkyl phenol <i>Nonoxynol-9</i>	Onyx
Nimlesterol D	<i>Mineral Oil</i> and <i>Lanolin Alcohol</i>	Malmstrom
Ninol 2012	Fatty acid alkanolamine concentrate	Stepan
Nipagin M	Methyl ester of <i>p</i> -hydroxybenzoic acid <i>Methylparaben</i>	Nipa
Nipagin P		Nipa
Nipasol M	Propyl- <i>p</i> -hydroxybenzoate <i>Propylparaben</i>	Nipa
Nonic 218	Polyethylene glycol <i>tert</i> -dodecyl thioether	Sharples Chem.
Novol	<i>Oleyl Alcohol</i>	Croda
Oat-Pro	<i>OatFlour</i>	Quaker Oats
Octaphen	<i>p</i> - <i>tert</i> -Octylphenoxyethoxyethyl dimethylbenzylammonium chloride	Ward Blenkinsop
Omagine	1-Hydroxypyridine-2-thione	Olin Mathieson
Omamids	Polyamide resins	Olin Mathieson
Onamer	Poly(dimethylbutenylammonium chloride)- α , ω - <i>bis</i> -(triethanolamine chloride)	Onyx
Oracid	Urea-formaldehyde foam	Chemische Fabrik Frankenthal
Orvus WA	<i>Sodium Lauryl Sulfate</i>	Procter & Gamble
Ottasept extra	<i>Chloroxylenol</i>	Ottawa Chemical
PCL Liquid	<i>Cetearyl Octanoate</i>	Dragoco
Phemerol	<i>p</i> - <i>tert</i> -Octylphenoxyethoxyethyl dimethylbenzylammonium chloride	Parke-Davis
Phenonip	Combination of parabens and phenoxyethanol	Nipa
Pluronic F-127	A polyoxyethylene- polyoxypropylene block polymer <i>Poloxamer-407</i>	BASF-Wyandotte

Proprietary name	Chemical description	Supplier
Pluronic L64D	A polyoxyethylene-polyoxypropylene block polymer <i>Poloxamer-184</i>	BASF-Wyandotte
Polawax	Nonionic emulsifying wax	Croda
Polawax A.31	Blend of cetyl stearyl alcohol and EO condensate products	Croda
Polychol 5	Polyethylene glycol condensate of wool wax alcohols <i>Laneth-5</i>	Croda
Polychol 15	Polyethylene glycol ester of lanolin alcohol with an average ethoxylation value of 15 <i>Laneth-15</i>	Croda
Polyglycol 400	Polyethylene glycol 400	Hoechst
Polymer JR	Cationic cellulose ether derivative <i>Quaternium-19</i>	Union Carbide
Povidone-Iodine	<i>PVP-iodine</i>	Berk
Procetyl AWS	Polyoxypropylene, polyoxyethylene ether of cetyl alcohol <i>PPG-5-Ceteth-20</i>	Croda
Promulgen D	Cetylstearyl alcohol and its polyethoxylated (20) derivative <i>Cetearyl Alcohol and Cetareth-20</i>	Robinson-Wagner
Prosolal S8	Octyl cinnamate sunscreen	Dragoco
Prosolal 58	Mixture of phenylacrylic esters and oxybenzoic acid esters	Dragoco
Protolate WS	PEG-75-lanolin and hydrolysed animal protein <i>PEG-75 Lanolin oil</i>	Malmstrom
PVP-VA E-735	<i>PVP/VA Copolymer</i>	GAF
Quadramer		American Cyanamid
Renex	Polyoxyethylene esters of mixed resin and fatty acids	ICI
Resyn 28-1310	<i>Vinyl Acetate/Crotonic Acid Copolymer</i>	National Starch
Resyn 28-2930	<i>Vinyl Acetate/Crotonic Acid/Vinyl Neodecanoate Polymer</i>	National Starch
Rewopol SBFA 30	Disodium lauryl alcohol polyglycol ether sulphosuccinate	Rewo
Roccal	Alkyldimethylbenzylammonium chloride <i>Benzalkonium Chloride</i>	Bayer

Proprietary name	Chemical description	Supplier
Sandopan DTC acid	α -(Carboxymethyl)- ω -(tridecyloxy) poly (oxy-1,2-ethanediyl) <i>Trideceth-7-Carboxylic Acid</i>	Sandoz
Sandopan TFL	Sulphoamidobetaine <i>Amphoteric-7</i>	Sandoz
Santicizer 8	Sulphonamide plasticizer	Monsanto
Santicizer 160	<i>Butyl Benzyl Phthalate</i>	Monsanto
Santocel 54	Hydrated silica	Monsanto
Santolite MHP	Toluenesulphonamide/formaldehyde resin	Monsanto
Santolite MS 80%	Toluenesulphonamide/formaldehyde resin	Monsanto
Schercoquat	Quaternized fatty acid amides derived from isostearic acid	Scher Chemicals
Silicone fluid DC-556	Polyphenylmethyl siloxane <i>Phenyl Dimethicone</i>	Dow Corning
Silicone fluid L-45	Dimethyl silicone <i>Dimethicone</i>	Union Carbide
Sodium silicate 'O'	<i>Sodium Silicate</i>	Philadelphia Quartz
Softigen 767	Ethoxylated partial glyceride fatty acid ester <i>PEG-6 Caprylic/Capric Glycerides</i>	Dynamit-Nobel
Solprotex	Digalloyl trioleate	Firmenich
Solulan 98	Acetylated polyoxyethylene (10) lanolin alcohol <i>Laneth-10 Acetate</i>	Amerchol
Sorbo	<i>Sorbitol</i>	ICI
Span 20	Sorbitan monolaurate <i>Sorbitan Laurate</i>	ICI
Span 60	Sorbitan monostearate <i>Sorbitan Stearate</i>	ICI
Span 80	Sorbitan monooleate <i>Sorbitan Oleate</i>	ICI
Span 85	<i>Sorbitan Trioleate</i>	ICI
Standapol OLP	Oleyl betaine	Henkel
Steinapon AM-B13	Alkylamido betaine	Goldschmidt
Stepanhold R-1	<i>PVP/Ethyl Methacrylate/Methacrylic Acid Polymer</i>	Stepan Chemical
Sunscreen 3573	Oil-soluble sunscreen	Merck
Surfynol 82	<i>Dimethyl Octynediol</i>	Air Product.
Syloid 72	<i>Hydrated Silica</i>	Grace
Syncrowax ERLC	<i>C18-C36 Acid Glycol Esters</i>	Croda
Syncrowax HGLC	<i>C18-C36 Acid Triglyceride</i>	Croda

Proprietary Materials

Proprietary name	Chemical description	Supplier
Syncrowax HRC	<i>Glyceryl Tribehenate</i>	Croda
Syncrowax PRLC	Propylene glycol ester of mixed fatty/wax acids	Croda
TBS	3,4',5-Tribromosalicylanilide	Theodore St. Just
TCC	3,4,4'-Trichlorocarbanilide <i>Triclocarban</i>	Monsanto
TCS	2,3,3',5-Tetrachlorosalicylanilide	Ciba-Geigy
Tegin 515	Glyceryl monostearate <i>Glyceryl Stearate</i>	Goldschmidt
Tego 103S		Goldschmidt
Tegobetaine L7	Cocamidopropyl betaine	Goldschmidt
Temasept IV	3,4',5-Tribromosalicylanilide	Fine Organics
Tergitol NPX	Alkylaryl polyethylene glycol ether <i>Nonoxynol-10</i>	Union Carbide
Texapon Extract N25	Sodium lauryl ether sulphate <i>Sodium Laureth Sulfate</i>	Henkel
Timica	Mica coated with titanium dioxide	Mearl
Tinuvin P	UV-absorber	Ciba-Geigy
Tiona G	Titanium dioxide, oil-dispersible	Laporte
Topanol O	Butylated hydroxytoluene, i.e. 2,6-di- <i>tert</i> -butyl-4-methylphenol <i>BHT</i>	ICI
Topanol OC	Purified grade of Topanol O	ICI
Triton X-100	Alkylated aryl polyether alcohol <i>Octoxynol-9</i>	Rohm and Haas
Triton X-200	Sodium salt of alkylated aryl polyether sulphate <i>Sodium Octoxynol-3 Sulfonate</i>	Rohm and Haas
Triton X-400	Stearyl dimethylbenzylammonium chloride <i>Stearalkonium Chloride</i>	Rohm and Haas
Tuasal 100	3,4',5-Tribromosalicylanilide	Dow
Tween 20	Polyoxyethylene sorbitan monolaurate <i>Polysorbate-20</i>	ICI
Tween 40	Polyoxyethylene sorbitan monopalmitate <i>Polysorbate-40</i>	ICI
Tween 60	Polyoxyethylene sorbitan monostearate <i>Polysorbate-60</i>	ICI
Tween 65	Polyoxyethylene sorbitan tristearate <i>Polysorbate-65</i>	ICI

912

Proprietary name	Chemical description	Supplier
Tween 80	Polyoxyethylene sorbitan monooleate <i>Polysorbate-80</i>	ICI
Tylose	Sodium carboxymethylcellulose	Hoechst
Ucon LB-1715	Polypropylene glycol butyl ether <i>PPG-40 Butyl Ether</i>	Union Carbide
Ucon 50-HB-660	Polyoxypropylene, polyoxyethylene monobutyl ether <i>PPG-12-Buteth-16</i>	Union Carbide
Ultrawet 60L	Triethanolamine salt of alkylaryl sulphonate <i>TEA-Dodecylbenzene Sulfonate</i>	ARCO
Uvinul D-50	2,2',4,4'-Tetrahydroxybenzophenone <i>Benzophenone-2</i>	GAF
Uvistat	2-Hydroxy-4-methoxy-4'-methyl benzophenone	Ward Blenkinsop
Vancide 89RE	N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide <i>Captan</i>	Vanderbilt
Vancide BL	2,2'-Thiobis-(4,6-dichlorophenol)	Vanderbilt
Vantoc AL	Alkyltrimethylammonium bromide	ICI
Vantoc B	Tetradecylpyridinium bromide	ICI
Vantoc CL	Alkyldimethylbenzylammonium chloride	ICI
Veegum	<i>Magnesium Aluminum Silicate</i>	Vanderbilt
Veegum HV	<i>Magnesium Aluminum Silicate</i>	Vanderbilt
Veegum K	<i>Magnesium Aluminum Silicate</i>	Vanderbilt
VEM resin	<i>PVP/Ethyl Methacrylate/Methacrylic Acid Polymer</i>	Barr-Stalfort
Versamids	Polyamide resins	General Mills
Versene	Ethylenediamine tetraacetic acid <i>EDTA</i>	Dow
Virac	Iodophor (i.e. mixture of iodine with surface-active agent)	Ruson Laboratories
Volatile Silicone 7158, 7207	Cyclic dimethyl polysiloxane compound <i>Cyclomethicone</i>	Union Carbide
Volpo N3	Oleyl alcohol/ethylene oxide condensate	Croda
Volpo N5	Polyoxyethylene oleyl ether	Croda

Proprietary name	Chemical description	Supplier
Volpo S10	Polyoxyethylene (10) stearyl ether <i>Steareth-10</i>	Croda
Volpo S20	Polyoxyethylene (20) stearyl ether <i>Steareth-20</i>	Croda
Wescodyne	Iodophor (i.e. mixture of iodine with surface-active agent)	Bebgue
Zephiran	Alkyldimethylbenzylammonium chloride	Bayer
Zephirol	Alkyldimethylbenzylammonium chloride	Bayer
Zetesol 856T 78-4329 (now named Celquat)	Alkyl ether sulphate Cationic polymer grafted on a cellulosic chain	Zschimmer & Schwarz National Starch