

Index

Page numbers followed by 'f' indicate figures, 't' indicate tables, and 'b' indicate boxes.

A

- abdomen (abdominal cavity), 51
 - circulation, 108–112
 - lymph nodes, 136
 - pain, 319t
 - wall muscles, 425–427
- abdominal aorta, 103, 111
 - aneurysm, 123
- abducens nerves, 171, 204t
- abduction, 413t
- ABO system, 67, 444
- abscess
 - lung, 268
 - pelvic, 325
 - skin
 - deep, 369–370
 - superficial, 369
 - subphrenic, 324–325
- absorption
 - in GI tract (in general), 287, 305, 313
 - large intestine, 307
 - skin, 367
 - small intestine, 135, 305, 313t
 - iron, 301
 - stomach, 301
 - see also malabsorption; reabsorption
- absorption collapse (lung), 270
- accelerated (malignant) hypertension, 126, 131, 352
- acceleration injury to head, 180
- accessory muscles of respiration, 256
- accessory nerves, 172
- accessory organs/tissues
 - breasts as (to reproductive system), 458
 - digestive system, 12, 285, 287
 - eye, 204–205
- accommodation, 200, 202
- age-related loss, 208
- acetabulum, 409–410
 - labrum, 417–418
- acetylcholine, 149f, 163–164, 173–174, 422
- achalasia, 322
- Achilles tendon, 430
- achondroplasia, 432
- acid(s), 24–26
- acid-base balance
 - disorders, 26
 - regulation, 25
 - see also pH
- acidosis, 26
 - in chronic renal failure, 353
- acne vulgaris, 372
- acoustic meatus, external, 192–193, 398–399
- acoustic nerve (cochlear/auditory part of vestibulocochlear nerve), 172, 192, 194–195
- acquired disorders
 - definition, 18
 - haemolytic anaemia, 76
- acquired immune deficiency syndrome
 - see HIV disease and AIDS
- acquired immunity, 381–383
- acromegaly, 230
- acromioclavicular joint, 407
- acromion process, 407
- ACTH see adrenocorticotrophic hormone
- actin, 421
- action potential, nerves, 10, 145, 422
- active immunity, 382–383
 - artificially acquired (vaccination), 383
 - naturally acquired, 383
- active transport, 29, 37
 - kidney, 342
- acute disseminated encephalomyelitis, 186
- acute inflammatory polyneuropathy, 188
- acute leukaemias, 77–78
- adaptation
 - dark, 203
 - smell, 207
- Addison disease, 235
- Addisonian crisis, 235
- adduction, 413t
- adductors (hip), 430
- adenocarcinoma
 - colorectal, 329
 - oesophageal, 322
 - renal, 355
- adenohypophysis (anterior pituitary), 217–220
 - hypersecretion of hormones, 230
 - hyposecretion of hormones, 230–231
- adenoids, 245
- adenoma
 - salivary, 321
 - thyroid, 232
- adenomyosis, 468
- adenosine triphosphate (ATP), 27–28, 33
 - muscle requirements, 422–423
- adhesions, 369–370
 - complicating appendicitis, 325
- adipocytes, 40–41
- adipose tissue, 40–41
 - leptin, 41, 228t
- adolescents, long bone development, 393f
- adrenal (suprarenal) arteries, 108
- adrenal (suprarenal) glands, 224–226
 - cortex, 224–225
 - ageing, 229
 - disorders, 233–235
 - medulla, 225–226
 - disorders, 235
 - sympathetic stimulation, 176
- adrenal (suprarenal) veins, 110
- adrenaline (epinephrine), 225–226
 - heart rate and, 95
 - tumours secreting, 235
- adrenocorticoids, 224
- adrenocorticotrophic hormone (ACTH; corticotrophin), 219, 220t, 224–226
 - deficiency, 234
 - excess levels, 233
- adventitia, alimentary canal, 288–289
- aerobic respiration, 315–316
- aetiology of illness, 18
- afferent arterioles, renal, 339–341
- afferent nerves see sensory nerves
- afterload, 95
- age and heart rate, 95
- ageing, 15
 - cardiovascular system (incl. heart), 16f, 117
 - cell (senescence), 438, 445
 - digestive system, 16f, 318–320
 - endocrine system, 16f, 229
 - genetics, 445
 - immune system, 16f, 384
 - musculoskeletal system, 16f, 430
 - nervous system, 16f, 177–178
 - nutrition and, 281–282
 - reproductive system, 16f, 464–465
 - respiratory system, 16f, 261
 - skin, 370
 - special senses and, 16f, 207–208
 - urinary system, 16f, 348–349
- agonist/antagonist muscle pairs, 423
- agranulocytes, 67, 69–70
- agranulocytosis, 77
- AIDS see HIV disease and AIDS
- air
 - in bronchi, control of entry, 253
 - cleaning/filtering/warming/moistening
 - see cleaning; filtering;
 - humidification; warming
 - composition, 258
 - flow regulation in lung, 260
 - in pleural cavity, 271

- airways (air passages)
 conducting, 252
 fibrosis see fibrosis
 larynx as, 248
 obstruction see obstruction
 pharynx as, 245
 resistance, 257
 see also respiratory system/tract
- albumins, 62
- alcohol intake, 276
- aldosterone, 118, 225, 226f, 234, 343, 345
 deficiency, 235
 excess, 235
 see also renin-angiotensin-aldosterone system
- alimentary canal (gastrointestinal tract), 12, 287
 endocrine function, 228t
 signs and symptoms of disorders, 319t
 structure, 288–290
- alkalosis, 26
- alleles, 443
 co-dominant, 444
- allergens, 69
- allergic alveolitis, extrinsic, 245
- allergic conjunctivitis, 211
- allergic rhinitis, 262–263
- allergy, 385
- alpha islet cells, 226
- alveolar ridge, 400
- alveoli, 253–254
 air/gases
 composition, 258
 diffusion, 258–259
 phagocytosis, impairment, 268
 ventilation, 258
 hypoventilation, 272
- alveolitis, extrinsic allergic, 245
- Alzheimer's disease, 183
- amenorrhoea, 230
- amino acids, 26–27, 276–277
 deamination, 310, 316–317
 dietary, 276–277
 energy and, 317
 essential, 276–277, 306
 functions, 277
 genetic code for see genetic code
 pool, 316–317
 sources, 316
 transamination, 306, 311
- amniotic sac, 463
- amoebic dysentery, 327
- amylase
 pancreatic, 304, 313t
 salivary, 295, 313t
- anabolism (anabolic reactions), 12, 28, 314
- anaemia, 73–76
 with bleeding peptic ulcer, 324
 in chronic renal failure, 353
 haemolytic see haemolysis
 iron deficiency, 73–74, 280
- anaerobic catabolism/respiration, 316
- anal canal, 305–308
 functions, 307–308
- anal sphincters, 176, 307
- anaphase, 35
- anaphylactic hypersensitivity, 385, 386f
- anaphylactic shock, 118
- anaplasia, 56
- anastomoses between vessels, 83
- anatomy
 definition, 4
 terminology, 46–47
- androgens, 225
- aneurysms, 122–123
 atheroma-related, 122
 berry, 182
- angina pectoris, 121, 127
- angiomas, 124
- angiotensin, 225
 angiotensin I, 225, 345
 angiotensin II, 126, 225, 345
 see also renin-angiotensin-aldosterone system
- angiotensin-converting enzyme, 225, 345
- angiotensinogen, 215, 345
- anion, 24
- ankle bones (tarsal bones), 411, 419–420
- ankle joint, 410, 419–420
- ankylosing spondylitis, 433
- annular ligament, 416
- annulus fibrosus, 404
 protrusion, 187
- anorexia, 319t
- antagonist muscle pairs, 423
- anterior (meaning of term), 46t
- anterior chamber of eye, 197–199
- anterior columns of grey matter, 162, 164t
- anterior segment of eye, 197, 199
- antibiotic-associated diarrhoea, 327
- antibodies (immunoglobulins), 40, 377, 381
 humoral immunity and, 381
 maternal, 115, 383
 in passive artificially acquired immunity, 383
 saliva, 295
 to self-antigens see autoimmune disorders
- antidiuretic hormone (ADH; vasopressin), 99, 220, 230, 337, 343–344
 hyposecretion, 231
- antigen(s), 13, 376
 in antibody-mediated immunity, 381
 in primary response, 381–382
 in secondary response, 382
 autoantibodies to self-antigens see autoimmune disorders
 blood group, 67
 in cell-mediated immunity, 380
 see also allergens
- antigen-presenting cells, 376, 381
- antimicrobial substances, natural, 13, 376–377
 saliva, 295
- anuria, 350t
 in renal tubular acute necrosis, 353
- anus see anal canal
- aorta, 100–103, 113
 abdominal see abdominal aorta
 aneurysm, 123
 coarctation, 130
 aortic body (in aortic arch), 97, 103
 respiration and, 260
 aortic valve, 89, 93, 100
 disease, 127–128
 sounds, 89–90
- aphthous ulceration, acute, 320
- aplastic anaemia, 74
- apneustic centre, 159, 260
- aponeurosis, 420–421
- apoptosis, 35, 54
- appendicitis, 325
- appendicular skeleton, 49, 397f, 406–411
- appendix (vermiform), 306
- aqueous fluid (eye), 197–199
- arachnoid mater, 153
 diverticula/granulations/villi, 153
 spinal cord, 166
- arcuate tracts, 156
- areolar connective tissue, 40–41
- arms see forearm; upper limbs
- arrector pili, 364
- arrhythmias, 128–129
 heart failure with, 126
 in myocardial infarction, 128
- arteries, 9, 83
 atheroma see atheroma
 blood flow/fluid dynamics in capillaries nearer to, 86
 blood pressure see blood pressure
 elasticity (walls), 95–96
 narrowing and occlusion (by atheromatous plaques), 121
 supply by, 113
 to abdomen, 108–109
 to adrenals, 224
 to breast, 459
 to bronchi, 253
 to eye/retina, 199
 to eye/retina, occlusion, 212
 to gall bladder, 312
 to head and neck (incl. brain), 104–106, 154
 to heart, 89–90
 to kidney, 339–341
 to large intestine, 307
 to larynx, 247
 to liver, 309
 to lower limbs, 101f, 111
 to mouth, 292
 to oesophagus, 296
 to ovaries, 455
 to pancreas, 308
 to penis, 462–463
 to pharynx, 245, 295
 to pituitary, 217
 to salivary glands, 294
 to small intestine, 302
 to stomach, 299
 to teeth, 294
 to testes, 461
 to thorax, 108
 to thyroid, 105, 222
 to tongue, 292

to trachea, 249
to upper limbs, 101f, 107
to uterus, 453
to vagina, 452
to vulva, 451

arterioles, 83
blood pressure and resistance in, 96
renal, 339–341

arteriosclerosis, 122

arthritis, 432–434

articular (hyaline) cartilage, 42, 390–391, 413

arytenoid cartilages, 247

asbestos-related disease, 266–267
pleural mesothelioma, 270

ascending colon, 306

ascending thoracic aorta, 100

ascites, 125, 334

ascorbic acid and its deficiency, 280

association cortex (association areas of cerebral cortex), 156, 158–159

association tracts, 156

asthma, 264–265

astigmatism, 213

astrocytes, 150–151
damage, 151

astrocytoma, 189

atheroma (and atheromatous plaques), 120–122
coronary collateral circulation, 127

atherosclerosis, 121

athlete's foot, 371

atlas (C1), 48, 399, 402

atom(s), 4, 22–24
structure, 22

atomic number, 22–23

atomic weight, 22–23

atopic asthma, 264

atopic dermatitis, 371

ATP see adenosine triphosphate

atresia, oesophageal, 322

atria (atrium)
blood flow through, 89
depolarisation, 91–92, 94
septal defect, 130
systole, 92

atrial natriuretic peptide (ANP), 99, 228t, 343–345

atrioventricular bundle (bundle of His), 92–93
branches, 92–93

atrioventricular node, 92–93
block, 129
electrophysiology, 94

atrioventricular septum, 88

atrioventricular valves, 88–89, 92
opening and closing, 92–94

atrophy, 52–53

auditory area of brain, 157

auditory canal (acoustic meatus), external, 192–193, 398–399

auditory nerve (cochlear/acoustic part of vestibulocochlear nerve), 172, 192, 194–195

auditory ossicles, 193

auditory receptors, 194–195

auditory tube, 193, 245

auricle (ear), 192

autoimmune disorders, 385
adrenal gland, 235
connective tissue, 434–435
gastritis, 74, 323
haemolytic anaemia, 76
joints, 432–433
muscle, 435
thrombocytopenic purpura, 78
thyroid gland, 232

autonomic afferent nerves, 149–150, 177

autonomic nervous system, 144, 150, 173–177
blood vessels and, 97t, 176
diameter of, 84–85
renal, 341
effects of stimulation, 176–177
stomach, 176, 299

eye, 176–177, 198

functions (in general), 175–176

heart, 92, 97t
and heart rate, 95

in homeostasis, 216

reflexes, 164

reticular formation in control of, 160
see also parasympathetic nervous system; sympathetic nervous system

autoregulation
blood flow, 85
brain, 154
kidney, 342
pulmonary, 99
blood pressure, 96

autorhythmicity, cardiac, 90–92

autosomal dominant polycystic kidney disease, 354–355

autosomes, 438
inheritance of genes on, 443–444

axial skeleton, 47–49, 396–406

axillary artery, 107, 459

axillary nerve, 167

axillary nodes, 136, 459

axis (C2), 402
odontoid process/dens, 402, 414

axolemma see plasma membranes, nerve axon, 145–147
regeneration, 151

azygos vein, 108

B

B-cells/lymphocytes, 70, 380
lymph nodes, proliferation, 137
memory, 381
T-cell cooperation with, 380–381
thymic, 139

back muscles, 425

bacteraemia, 128
shock in, 118

bacterial colonisation of large intestine, 307

bacterial infection
CNS, 184
eyelid margin, 210
gastrointestinal tract, 327–328

immune response, 383–384
pneumonia due to, 268
renal pelvis and calyces, 352
sexually-transmitted, 466
skin, 371

balance, 195–196

balanitis, 469

ball and socket joints, 413

baroreceptors (and baroreceptor reflex), 97, 105
ageing and, 117
heart rate and, 95

Barrett's oesophagus, 322

Bartholin's glands, 451

basal cell carcinoma, 373

basal ganglia, 156

basal metabolic rate, 281, 314

base (chemistry), 24–26
see also acid-base balance

base (nucleic acid), 438–440
pairing, 439–440

basement membrane, 38

basilar artery, 105–106

basilar membrane, 194–195

basilic vein, 108

basophils, 68–69

beans, 275

Bell's palsy, 188

benign tumours, 55
adrenal medulla, 235
bladder, 356
bone, 432
brain (slow-growing tumours), 189
breast, 468
intestine, 328
myometrium, 468
oesophagus, 322
ovary, 468
salivary gland, 321
thyroid, 232

beriberi, 279

berry aneurysm, 182

beta islet cells, 226

biceps muscles
arm (biceps brachii), 415, 427
leg (biceps femoris), 430

bile, 303–304
composition, 311–312
functions, 311–312
hepatic secretion, 311

bile canaliculi, 309–310

bile ducts, 312
common, 308, 312
diseases, 335–336

bile salts, 304, 311

biliary tract, 312–313
diseases, 335–336
pancreas in relation to, 308f

bilirubin, 67, 304
conjugated, 311–312, 336
excess, 336
excretion, 311–312
unconjugated, 336

biliverdin, 67

binocular vision, 203

biological molecules, important, 26–28

biotin, 280

- birth
 - circulation changes, 117
 - long bone development, 393f
 - see also childbirth
- bladder, 338, 346–348
 - diseases, 355–357
 - sympathetic stimulation, 176
- blastocyst, 463
- blepharitis, 210
- blindness
 - colour, 203, 444–445
- blisters, 362
- blood, 8–9, 42, 61–79
 - circulation see circulation
 - coagulation see clotting; clotting factors
 - disorders, 73–77, 79
 - splenomegaly, 142
 - gases, see also gases
 - pH, 25
 - regulation, 25
 - in pleural cavity, 272
 - splenic storage, 138
 - transfusion reactions, 67, 76
 - volume, stroke volume affected by, 95
 - see also hypovolaemia
 - see also haematemesis; plasma; serum
- blood-brain barrier, 150–151
- blood cells, 8–9, 63–72
 - disorders, 78
 - formation see haemopoiesis
 - red see erythrocytes
 - white see leukocytes
- blood flow
 - blood vessel diameter and, 84–85
 - cutaneous, 367
 - hepatic, 309–310
 - in inflammatory response, 377–378
 - intracardiac, 89
 - local regulation, 85
 - brain, 154
 - lung, 260
 - lung see lung
 - renal, autoregulation, 342
 - resistance
 - arterial/peripheral, 96
 - in lungs, 126
- blood groups, 67
 - ABO system, 67, 444
- blood pressure
 - abnormalities see hypertension; hypotension
 - arterial/systemic, 96–99
 - control, 96–99
 - factors affecting, 96
 - stroke volume affected by, 95
 - pulmonary circulation, 99
 - receptors see baroreceptors
 - venous, increased, 125
- blood supply
 - to abdomen, 108–112
 - to adrenals, 224
 - to blood vessels, 84
 - bronchi, 253
 - to bone, 391
 - deficient, causing fracture healing delay, 396
 - to brain, 104–107, 154
 - to breast, 459
 - to digestive system (incl. aerodigestive tract), 292
 - gall bladder, 312
 - intestine see *subheading below*
 - liver, 309
 - oesophagus, 296
 - pancreas, 308
 - pharynx, 245, 295
 - salivary glands, 294
 - stomach see *subheading below*
 - teeth, 294
 - tongue, 292
 - to eye/retina, 199
 - occlusion, 212
 - to genitalia of females
 - ovaries, 455
 - vagina, 452
 - vulva, 451
 - to genitalia of males
 - penis, 462–463
 - testes, 461
 - to heart, 89–90
 - to intestine/bowel
 - large intestine, 307
 - obstruction due to restriction, 331
 - small intestine, 302
 - to kidney, 339–341
 - to larynx, 247
 - to liver, impaired, 333
 - to lung see pulmonary circulation
 - to pituitary, 217
 - to stomach, 299
 - in protection from peptic ulcer disease, 324
 - to synovial joint, 413
 - to testis, 461
 - to thyroid, 105, 222
 - to trachea, 249
 - see also circulation
- blood vessels (vasculature), 9, 82–87, 120–124
 - ageing, 117
 - appendicular skeleton protective role, 49
 - autonomic nervous system and
 - see autonomic nervous system
 - diabetic disease, 238
 - diameter, control, 84–85
 - infection spread to kidneys via, 352
 - major see great vessels
 - pathology, 120–124
 - in intracranial hypertension, 180
 - in systemic hypertension, 132
 - tumour spread via, 57
 - bronchial, 270
 - colorectal, 329
 - see also *specific (types of) vessels and entries under vaso-*
- body
 - fluid/position/systems/temperature etc.
 - see fluid; position; systems; temperature etc.
 - organisation, 46–52
 - body mass index, calculating, 274
- bolus (food)
 - formation, 296–297
 - peristalsis see peristalsis
 - swallowing see swallowing
- bone(s), 43, 390–396
 - cells, 43, 391–392
 - diseases, 431–432
 - tuberculosis, 269
 - ear (=ossicles), 193–195
 - fractures see fractures
 - functions, 390
 - growth and development, 392–394
 - markings and anatomical terminology, 394, 395t
 - mass/density loss, 430–431
 - causes, 431b
 - skull see skull
 - structure, 390–391
 - microscopic, 391–392
 - types (morphology), 390
 - see also skeleton
- bone marrow
 - blood cell synthesis, 63, 390
 - fat embolism (from fracture), 396
- bony labyrinth, 194
- bowel see intestine
- brachial artery, 107
- brachial plexus, 167–169
- brachialis, 428
- brachiocephalic artery, 103
- brachiocephalic vein, 103, 107–108, 283
- brachioradialis, 428
- bradycardia, 94
- bradykinin, 378t
- brain, 10, 154–160
 - ageing, 177–178
 - blood pressure regulation and, 97
 - olfaction and, 157, 170, 205–206
 - parts, 154
 - respiratory control, 159–160, 260–261
 - taste and, 157, 207
 - tumours, 189
 - venous drainage, 106–107, 152, 154
 - ventricles, 153–154
 - see also blood-brain barrier; central nervous system, *entries under cephalic; encephal- and specific parts*
- brain stem, 159–160
- BRCA1 and BRCA2 genes, 468–469
- bread, 274–275
- breast (mammary gland), 458–459
 - disorders, 468–469
 - males, 470
 - milk production see lactation
- breast bone see sternum
- breathing, 255–258
 - see also respiration
- breathlessness see dyspnoea
- British Nutrition Foundation (2013)
 - recommendations, 274–276
 - vitamin D intake, 282
- brittle bone disease, 432
- broad ligaments, 453
- Broca's area, 157
- bronchi, 252–253
 - carcinoma, 269–270

bronchial arteries, 108, 253
 bronchial veins, 108, 253
 bronchiectasis, 265
 bronchioles, 252–253
 respiratory, 253–254
 bronchitis, 263
 see also laryngotracheobronchitis
 bronchoconstriction, 176, 253
 bronchodilation, 176, 253
 bronchopneumonia, 268
 bronchospasm in asthma, 264
 brown adipose tissue, 41
 buccinator, 424
 buffers, 25, 345
 bulk transport, transmembrane, 37
 bundle of His see atrioventricular bundle
 Burkitt's lymphoma, 141
 burns, 372–373

C

C-cells, 222
 cachexia, 283
 in cancer, 57
 caecum, 302, 305–306
 calcaneal tendon, 430
 calcaneonavicular ligament, plantar, 411
 calcitonin, 222, 224, 394
 calcium
 abnormal levels in blood see hypercalcaemia; hypocalcaemia
 balance, 345
 dietary, and its deficiency, 280
 muscle contraction and, 422
 calcium phosphate storage in bones, 390
 calculi (stones)
 gall bladder/bile duct, 335
 renal, 354
 callus, 395
 calyces, renal, 339
 bacterial infection, 352
Campylobacter food poisoning, 327
 canal of Schlemm, 199
 canaliculi
 bile, 309–310
 lacrimal, 205
 cancellous bone, 43, 390, 392
 cancer see malignant tumours
 candidiasis (thrush)
 oral, 320
 vaginal, 466
 canines, 292
 capillaries
 blood vessel, 9, 83–84
 exchange in, 85–87
 fluid dynamics, 86–87, 125f
 glomerular, 341–342
 refill time, 84
 lymph, 135
 capillary haemangioma, 124
 capsule
 internal (brain), 156
 joint, 413
 carbaminohaemoglobin, 260
 carbohydrates, 26, 276, 313t
 digestion
 by salivary enzymes, 293t, 295
 in small intestine, 304, 313t
 energy and, 276, 315–316
 metabolism, 315–316
 hepatic, 310
 carbon dioxide
 blood, 63
 chemoreceptors and see chemoreceptors
 exchange and transport, 86, 259–260, 316
 elimination, 12
 carcinogens, 55–56
 leukaemia caused by, 77
 carcinoma
 bladder, 356
 bronchial, 269–270
 cervical, 467
 colorectal, 329
 cutaneous, 373
 endometrial, 467–468
 oesophageal, 322
 oral, 320
 prostatic, 470
 salivary gland, 295
 carcinomatosis causing death, 57
 cardiac organ see heart
 cardiac sphincters, 297
 cardiac veins, 90
 cardinal ligaments, 454
 cardiovascular centre, 92, 97, 160
 cardiovascular system, 9, 81–132
 ageing, 16f, 117
 autonomic stimulation, 176
 diseases, 132
 in diabetes, 238
 see also blood vessels; circulation;
 heart
 caries, dental, 320–321
 carotid arteries, 104–105
 common, 84, 103–105
 external, 104–105
 internal, 104–106
 carotid body, 97, 103, 105
 respiration and, 260
 carotid sheath, 104
 carotid sinuses, 105
 carpal bone, 408
 carpal tunnel, 417
 median nerve compression in (=carpal tunnel syndrome), 435
 carrier proteins, 36–37, 62
 cartilage(s), 42–43
 bronchial, 252
 costal, 42, 406
 epiphyseal, 390
 hyaline/articular, 42, 390–391, 413
 joints connected by, 412
 laryngeal, 246–247
 semilunar, 43, 419
 tracheal, 248–250
 catabolism (catabolic reactions), 12, 28, 314
 aerobic, 315–316
 anaerobic, 316
 cataracts, 208, 211–212
 cation, 24
 cauda equina, 166
 cause (aetiology) of illness, 18
 caval veins see vena cavae
 cavities, body, 49–52
 tumour spread via, 57
 CD₄ cells and HIV, 386–387
 cell(s) (in general), 4, 6, 32–37
 connective tissue, 40, 42
 blood see blood cells
 bone, 43, 391–392
 skeletal muscle, 421–422
 death see apoptosis; necrosis
 differentiation (to specialised forms), 4, 464
 tumours and, 56
 division, 442
 fluids within (intracellular), 30
 gas exchange between blood and (=internal respiration), 85, 248
 membranes see membranes
 nervous system, 44, 144–152
 senescence, 438, 445
 size and numbers changes, 52–57
 structure and function, 32–37
 cell cycle, 35–36
 cell-mediated immunity, 380–381
 cellulitis, 371
 cementum, 293–294
 central canal
 compact/cortical bone, 391–392
 spinal cord, 153
 central chemoreceptors (in respiration), 260
 central nervous system, 10, 144, 152–164
 developmental abnormalities, 188–189
 infection see infection
 tumours, 189
 see also brain; spinal cord
 centrilobular emphysema, 264
 centrioles, 34–35
 centromeres, 35, 443
 centrosomes, 34
 cephalic phase of gastric juice secretion, 300
 cephalic vein, 108
 cerebellum, 153, 160
 balance and, 196
 cerebral arteries
 anterior, 106
 middle, 106
 posterior, 106
 cerebrospinal fluid, 153–154
 functions, 154
 hydrocephalus and, 176
 lumbar puncture, 153–154, 160–161
 obstruction of flow, 180
 cerebrovascular accident see stroke
 cerebrovascular disease
 dementia, 183
 stroke in, 181–182
 cerebrum, 154–159
 cortex, 154–155
 functions, 156
 decussation/crossing of motor nerves descending from, 160

- decussation/crossing of sensory nerves
 ascending to, 160, 162
- haemorrhage, spontaneous, 182
 in hypertension, 132, 182
 stroke following, 132
- haemorrhage, traumatic, 181
- hemispheres, 152, 154–156
- hypoxia, 181
- infarction, 121, 182
- lobes, 155
- oedema
 high intracranial pressure and, 180
 traumatic causes, 181
- tracts see tracts
- cerumen and ceruminous glands, 192–193
- cervical ganglia, 173–174, 245, 247, 295
- cervical lymph nodes, 136
- cervical nerves, 165–166
 plexus, 166–167
- cervical vertebrae, 48, 402, 403f
 see also atlas; axis
- cervix, 453
- chalazion, 210
- cheek (zygomatic) bones, 398, 400
- chemical agents
 as carcinogens, 55
 leukaemia, 77
 haemolytic anaemia caused by, 76
 see also toxicology
- chemical digestion (by enzymes), 287
 saliva, 295
 small intestine, 303–305
 stomach, 301
- chemistry, 21–30
- chemoreceptors
 blood pressure and, 97
 olfactory, 205–206, 244
 in respiration
 central, 260
 peripheral, 97, 105, 260
 taste, 207
- chemotaxis and chemotaxins, 68–69, 376, 378–379
- chenodeoxycholic acid, 311
- chest see thorax
- childbirth, oxytocin, 220
 see also birth
- children
 asthma onset in, 264
 long bone development, 393f
 nutritional disorders
 protein-energy malnutrition, 283
 rickets, 278, 280, 431–432
 see also infants; newborns
- Chlamydia trachomatis*, 466
 and Reiter's syndrome, 433
 and trachoma, 211
- cholangitis, 335
- cholecystitis, 335
- cholecystokinin, 228t, 300–301, 312
- cholelithiasis, 335
- cholera, 327
- cholesteatoma, 210
- cholesterol, 27, 32, 277–278
- cholic acid, 311
- cholinergic nerves, sympathetic, 173
- chondrocytes, 42
- chordae tendinae, 88–89
- chorionic gonadotrophin, human, 116, 228t, 457–458
- choroid, 197
 melanoma, 212
- choroid plexuses, 153
- Christmas disease, 79
- chromatids, 35, 443
- chromatin, 33, 438
- chromosomes, 33, 438
 in meiosis, 443
 structural and numerical
 abnormalities, 447
- chronic fatigue syndrome, 185
- chronic leukaemias, 78
- chronic obstructive pulmonary disease, 263
- chyle, 135
- chyme, 299–301, 303
- chymotrypsin, 303, 313t
- cilia (and ciliated cells/epithelia), 34–35
 bronchi, 243, 252
 dysfunction/loss in chronic
 bronchitis, 263
 nose, 244
 trachea, 249–250
- ciliary arteries, 199
- ciliary body, 197
- ciliary muscles, 170, 176–177, 197–198, 201–202
- circle of Willis (circulus arteriosus), 105–106, 154
- circular muscles, iris, 143, 201–202
- circulation (of blood), 100–112
 at birth, changes, 117
 collateral, 83
 disorders (in general)
 hepatitis in, 333
 splenomegaly in, 141–142
 failure see shock
 fetal, 115–117
 pulmonary see pulmonary circulation
 systemic see systemic circulation
 see also blood supply; blood vessels;
 cardiovascular system
- circumduction, 413t
- circumflex nerve, 167
- cirrhosis of liver, 334
- cisterna chyli, 136
- citric acid cycle, 315–316, 318
- claudication, intermittent, 121
- clavicle, 407
- cleaning
 of inhaled air in nose, 244
 by saliva, 295
- cleft lip and palate, 320
- climacteric (menopause), 14–15, 394, 431, 458, 464–465
- clitoris, 451
- closed-angle glaucoma, acute and
 chronic, 211
- Clostridium*
C. difficile, 327
C. perfringens food poisoning, 326
- clotting (coagulation), 70–71
 control, 71–72
- disorders, 79
 liver failure with, 334
 excessive, thrombosis predisposition, 120
- clotting factors, 62, 70–72
- coagulation see clotting; clotting factors
- coal worker's pneumoconiosis, 266
- cobalamin see vitamin B₁₂
- coccygeal nerves, 166
 plexus, 169
- coccygeus, 427
- coccyx, 48, 401–402, 404
- cochlea, 194
- cochlear nerve, 172, 192, 194–195
- co-dominance, 444
- coeliac artery/trunk, 108–109
 left gastric branch, 109, 296, 299
- coeliac disease, 331
- cold, common, 262
- cold sores, 320
- colic
 biliary, 335
 renal, 354
- colitis, ulcerative, 328
- collagen, 40
 skin, 363
- collar bone, 407
- collateral circulation, 83
 with atheroma, 127
- collateral ligament (knee), 419
- colloid, thyroid, 222
- colon, 306
 see also toxic megacolon
- colorectal cancer, 329
- colour
 iris/eye, 198, 443
 perception, 200
 skin, 362–363
- colour blindness, 203, 444–445
- columnar epithelium, 38
 alimentary canal, 289–290
- coma, hypoglycaemic, 237
- commisural tracts, 156
- communicating arteries
 anterior, 106
 posterior, 106
- communicating hydrocephalus, 180
- communicating veins, 111–112
- communication, 8–11
 external, 11
 internal, 10–11
- compact bone, 43, 390
- compensatory mechanisms
 heart failure, 126
 shock, 118
- complement, 377
- compliance (lungs), 257
- compounds, 22–24
- concha, nasal, 389, 399–400
- conducting airways, 252
- conduction
 cardiac impulse, 90–92
 block, 129
 heat loss by, 366
 nerve impulse, 145, 147, 422
 action potential, 10, 145, 422
 sensory, 163t

- conductive hearing loss, 209
 condyles, 395t, 414–415
 femoral, 410
 mandibular, 400–401
 occipital, 399
 tibial, 410
 condyloid joints, 414–415
 cones, 198, 201–203
 congenital disorders, 18
 cataract, 212
 diaphragmatic hernia, 330
 haemolytic anaemia, 75–76
 haemophilias, 79
 hypothyroidism, 232
 pyloric stenosis, 324
 congenital malformations (of development)
 bone, 432
 heart/great vessels (structural), 129–130
 kidney, 354–355
 lip and palate, 320
 nervous system, 188–189
 oesophagus, 322
 congestive cardiac failure, 126–127
 coning, 180
 conjugated bilirubin, 311–312, 336
 conjunctiva, 204
 conjunctivitis, 210–211
 polyarthritis with urethritis and, 433
 connective tissue, 39–43
 diseases, 434–435
 connector neurones, 161
 constipation, 319t
 older adults, 282
 contact dermatitis, 371
 contraction, 43
 heart, 44, 92–94
 factors increasing, 94–95
 heart block and, 129
 pulse and, 99
 see also systole
 skeletal/voluntary muscle see skeletal muscle
 smooth/involuntary muscle see smooth muscle
 contractures, burns, 373
 contre coup injury, 180
 control systems (in homeostasis), 6–7
 convergence, 202
 coracobrachialis, 427
 coracoid process, 407
 cornea, 196–197
 reflex, 205
 ulcer, 211
 coronal plane, 46
 coronary arteries, 89–90
 autonomic stimulation, 176
 disease, 127–128
 coronary sinus, 90
 coronoid process (mandible), 400–401
 corpus callosum, 154–156
 corpus cavernosum (corpora cavernosa), 462–463
 corpus luteum, 116, 455–458
 degeneration, 116, 457–458
 corpus spongiosum, 462–463
 Corti, organ of see spiral organ of Corti
 corticosteroids, 224
 corticosterone, 225
 corticotrophin see adrenocorticotrophic hormone
 corticotrophin-releasing hormone, 219
 cortisol, 219, 225
 hypersecretion, 233
 cortisone, 225
Corynebacterium diphtheriae infection, 262
 coryza, 262
 costal cartilages, 42, 406
 costal surfaces of lungs, 250
 coughing (cough reflex), 250
 impairment in infection, 268
 covalent bonds, 23
 cranial nerves, 170–172
 see also specific nerves
 cranial outflow, 174–175
 cranium, 47–48, 396–400
 bones, 50f, 396–400
 space inside (cranial cavity), 49
 sutures, 396–398, 412
 Creutzfeldt–Jakob disease, 185
 cri-du-chat syndrome, 447
 cricoid cartilage, 246–247
 cricopharyngeal sphincter, 295–296
 Crohn's disease, 327, 328t
 cross-eye, 211
 croup, 262
 cruciate ligaments, 418–419
 cryptorchidism, 469
 cubital vein, median, 108
 cuboidal epithelium, 38
 Cushing's syndrome, 233–234
 cutaneous nerves, 168
 lateral, of thigh, 168
 see also skin
 cystic duct, 304, 312
 cystic fibrosis, 266
 cystic vein, 110, 312
 cystitis, 356
 cytokines, 70, 380
 cytokinesis, 36
 cytoskeleton, 34–35
 cytosol, 32
 cytotoxic hypersensitivity, 385
 cytotoxic T-cells, 380
 delayed-type hypersensitivity and, 385
- ## D
-
- dairy foods, 275
 dark adaptation, 203
 deafness (hearing loss), 209
 deamination, amino acid, 310, 316–317
 death
 cell see apoptosis; necrosis
 person, in cancer, 57
 see also survival
 deceleration injury to head, 180
 deciduous teeth, 292
 decubitus ulcers, 372
 decussation of nerves, 160
 deep vein thrombosis, 123
 defaecation, 13, 287
 defence see protection and defence
 deferent duct (vas deferens), 461
 degeneration, 18
 degenerative joint disease (osteoarthritis), 433t, 434
 deglutition see swallowing
 dehydration
 with burns, 372
 renal stones in, 354
 delayed-type hypersensitivity, 385
 delta islet cells, 226
 deltoid, 427
 dementia, 183
 demyelination diseases, 185–186
 dendrites, 145–147
 dens (odontoid process), 402, 414
 dense connective tissue, 42
 dentine, 293–294
 dentition see teeth
 deoxyribonucleic acid (DNA), 27, 33
 depolarisation
 atrial, 91–92, 94
 nerves, 147
 ventricular, 94
 dermatitis, 371
 dermatome, 166, 168, 171
 dermis, 13, 363–365
 descending colon, 306
 descending thoracic aorta, 103
 detachment, retinal, 212
 detoxification in liver, 311
 detrusor muscle, 347
 ageing and, 349
 development (in utero), 463–464
 long bone, 393–394
 malformations see congenital malformations
 diabetes insipidus, 231
 diabetes mellitus (DM), 236–238
 acute complications, 237
 long-term complications, 237–238
 retinopathy, 212, 238
 pathophysiology, 236–237
 type 1 DM, 236
 type 2 DM, 236
 diaphragm, 49, 255
 hernia
 congenital, 330
 hiatus, 330
 diaphysis, 390
 diarrhoea, 319t
 antibiotic-associated, 327
 diastole, 92–93
 blood pressure, 96
 diencephalon, 159
 diet
 balanced, 274–276
 conditions requiring modification, 284
 groups of people with specific requirements, 276
 nutrient deficiency in see specific nutrients
 see also food; nutrients; nutrition
 diffuse glomerulonephritis, 350, 351t

INDEX

diffusion, 29, 36
 alveolar gases, 258–259
 facilitated, 36–37
digestion, 287, 313, 313t
 by salivary enzymes of carbohydrate, 293t, 295
 in small intestine, 303–305, 313t
 in stomach, 301
digestive system, 12, 51, 285–336
 ageing, 16f, 318–320
 autonomic stimulation, 176
 disorders, 320–321, 336
 signs and symptoms, 319t
 heat production, 366
 organs, 287
 accessory, 12, 285, 287
 see also alimentary canal
digit(s) see fingers; toes
digital arteries, palmar, 107
diphtheria, 262
diploid cells, 437
directional terminology (in anatomy), 46
disaccharides, 26, 276
disease
 genetics, 446–447
 illness and, 18
dislocations, 434
dissecting aneurysm, 123
disseminated intravascular coagulation, 79
distal (meaning of term), 46t
distance vision, 202
diuresis in acute tubular necrosis, 353
diverticular disease, 328
DNA, 27, 33, 438–440
 mitochondrial see mitochondria
 replication/synthesis, 442
 in S phase, 35
 transcription, 441
dominant genes, 444
dopamine (as prolactin inhibiting hormone), 219–221
dorsal (meaning of term), 46t
dorsalis pedis artery, 111
dorsiflexion, ankle joint, 420t
Douglas' (rectouterine) pouch, 453
Down syndrome, 447
drinks, high sugar and fat, 275
drug toxicity see toxicology
Duchenne muscular dystrophy, 435
ductus arteriosus, 116
 closure, 117
 patent (after birth), 130
ductus venosus, 116
 collapse, 117
duodenum, 301–302
 pancreas in relation to, 308f
 regulation of passage of gastric contents into, 301
dura mater, 106–107, 152–153
 spinal cord, 166
dural venous sinuses, 106–107, 154
dust diseases
 inorganic, 266–267
 organic, 267
dwarfism, pituitary, 231

dysentery, 327
dysphagia, 319t, 322
dysplasia, 56
dyspnoea (breathlessness)
 in chronic bronchitis, 263
 nocturnal, 127
 in pulmonary oedema, 125
dysuria, 350t, 356

E

ear, 192–195, 209–210
 disorders, 209–210
 inner, 194
 middle, 193
 outer/external, 192–193
 structure, 192–195
 see also balance; hearing
eardrum (tympanic membrane), 192–195
Eatwell Plate, 275f
ectopic kidney, 354
ectopic pregnancy, 468
eczema, 371
efferent (motor) nerves, 10, 150
efferent arterioles, renal, 339–341
effort angina, 121, 127
effusions, 125
 otitis media with, 209
 pleural, 125, 272
egg see ovum
ejaculation, 454
ejaculatory duct, 461–462
elastic fibres, 40
 skin, 363
elastic fibrocartilage, 43
elastic tissue, 42
elasticity
 arteries, 95–96
 lungs, 257
elbow joint, 408, 415–416
electrical system
 cardiac conduction, 90–92, 94–95
 nerve impulse conduction, 145, 147
electrocardiogram (ECG), 94
 arrhythmias, 128–129
electrolytes, 24
 balance, 345
 in chronic renal failure, disturbances, 353
 plasma, 63
electromagnetic spectrum and vision, 199–200
electrons, 22–23
elements, 22
 trace, 280–281
elimination (of waste), 12–13, 287
 see also excretion
embolism, 18, 120
 fat, from fracture, 396
 pulmonary, 120, 126
 tumour, 57
embryo, 454
 development, 463
 nutrition, 464
emotional state and heart rate, 95
emphysema, 263–264
enamel, 293–294
encephalitis
 myalgic, 185
 viral, 184
encephalomyelitis, acute disseminated, 186
encephalopathy, hepatic, 334
end-arteries, 83
endocardium, 88
 infection/inflammation, 128
endocrine system and glands, 10–11, 45, 215–238
 ageing, 16f, 229
 disorders, 238, 353
 tumours, 57
 organs with secondary endocrine function, 228
 ovaries, 228t, 455–456
endolymph, 194–196
endometriosis, 467
endometrium, 453
 carcinoma, 467–468
 hyperplasia, 467
endomysium, 420–421
endoneurium, 148
endoplasmic reticulum, 34
endothelium, 83
endotoxic shock, 118
energy
 balance, 314
 intake exceeding daily requirements, 283
 metabolism, 314
 amino acids in, 276–277, 306
 carbohydrates in, 276, 315–316
 diabetes mellitus and, 237
 fatty acids in, 318
 glycerol in, 318
 see also protein-energy malnutrition
Entamoeba histolytica and dysentery, 327
enterocytes, 302, 304
enteroendocrine cells, 300
enterohepatic circulation, 311
enterokinase, 303, 313t
enteroviruses, CNS infection, 185
environment
 external, 5–7
 communication, 11
 protection from, 13
 internal, 5
 communication, 10–11
 multiple sclerosis causation, 186
enzymes, 28
 digestion by see chemical digestion
eosinophils, 68–69
ependymal cells, 151
epidermis, 13, 362–363
epididymitis, 469
epidural (extradural) space, 152–153, 161f
epiglottis, 247
epilepsy, post-traumatic, 181
epimysium, 420–421
epinephrine see adrenaline

epineurium, 148
 epiphyses, 63, 390
 epithelium (epithelial tissue), 38–39
 alimentary tract, 289–290
 stomach, reduced replacement of epithelial cells, 324
 germinal, 461
 mucosal see mucosa
 proliferation of cell in wound healing see proliferation
 respiratory/bronchial, 252
 damage in pneumonia, 268
 sheets of (membranes), 44–45
 simple, 38–39
 stratified see stratified epithelium
 transitional (urinary tract) see transitional epithelium
 erector (arrector) pili, 364
 erector spinae, 425
 erythrocytes (red blood cells), 9
 destruction see haemolysis disorders, 73–77, 79
 life span and function, 65–67
 in liver, breakdown, 311
 normal values, 65t
 terminology for describing characteristics, 73t
 erythropoiesis, 65–67, 76–77
 deficiency in acute tubular necrosis, 353
 spleen, 138
 erythropoietin, 66–67, 228t, 338
Escherichia coli food poisoning, 326
 essential hypertension, 131
 essential nutrients, 274
 amino acids, 276–277, 306
 fatty acids, 277
 ethmoid bone, 399–400
 Eustachian tube, 193
 evaporation (of water), heat loss by, 366–367
 eversion (foot), 413t, 419–420
 excretion
 bilirubin, 311–312
 cutaneous, 367
 protein, 317
 of urine see micturition
 exercise
 angina (of effort), 121, 127
 bone and, 394
 heart rate and, 95
 muscle recovery after, 423
 respiration and, 261
 exocrine glands, 45
 exocytosis, 37
 exophthalmos in hyperthyroidism, 231–232
 expiration, 257
 expiratory reserve volume, 257
 extension
 spine, 405
 lateral, 405
 synovial joint, 413t
 extension retinaculum, 417
 extensor carpi radialis longus and brevis, 429
 extensor carpi ulnaris, 429

extracellular fluids (body), 30
 extracellular matrix see matrix
 extradural space see epidural space
 extrapyramidal tracts, 156, 164t
 extrinsic allergic alveolitis, 245
 eye, 196–205, 210–213
 accessory organs, 204–205
 autonomic innervation, 176–177, 198
 colour (iris), 198, 443
 disorders, 210–213
 extraocular/extrinsic muscles, 143, 197, 203
 intraocular/intrinsic, 143
 neonatal infection (ophthalmia neonatorum; neonatal conjunctivitis), 211, 466
 structure, 196–200
 see also exophthalmos; vision
 eye sockets, 396, 401
 eyebrows, 204
 eyelashes, 204–205
 eyelids, 204–205
 inflammatory conditions, 210
 see also levator palpebrae muscles

F

face
 muscles, 423–424
 skeleton/bones, 47–48, 50f, 400–401
 facial artery, 105, 245, 295
 facial nerves, 171, 292
 compression causing paralysis, 188
 mouth, 292
 facial veins, 295
 facilitated diffusion, 36–37
 facioscapulohumeral dystrophy, 435
 factor VIII deficiency, 79
 factor IX deficiency, 79
 faeces, 13, 287
 constituents, 307–308
 expulsion (defaecation), 13, 287
 protein excretion in, 317
 Fallopian tubes see uterine tubes
 Fallot's tetralogy, 130
 falx cerebelli, 152
 falx cerebri, 152
 far (long) sightedness, 213
 fascia
 muscle, 42
 pubocervical, 454
 renal, 338
 fascicles, 420–421
 fascitis, necrotising, 371
 fat, 317–318
 dietary, 277–278
 digestion, 304, 311, 313t
 food/drink high in, 275
 functions, 278
 metabolism, 317–318
 hepatic, 310
 see also lipids; triglycerides
 fat cells, 39–40
 fat embolism from fracture, 396
 fat-soluble vitamins, 27, 278–279
 fatty acids
 digestion of emulsified fats to, 304
 energy and, 318
 essential, 277
 fatty streaks, 120–121
 feedback systems see negative feedback systems; positive feedback systems
 feet see foot
 females
 pelvis, 409
 puberty, 456
 reproductive system, 14–15, 52, 450–459
 ageing, 464–465
 diseases, 467–469
 external genitalia, 450–451
 gonadotrophin and, 220, 455–456
 internal genitalia, 451–458
 femoral artery, 111
 femoral hernia, 330
 femoral nerve, 168
 femoral vein, 112
 femur, 409–410
 fertilisation of ovum, 14, 442, 454–455, 457–458, 463
 fertility problems see infertility
 fetus, 454, 463
 circulation, 115–117
 development see development
 vertebral column curves, 405
 fever, 362, 367
 fibre (non-starch polysaccharide; NSP), 274, 281
 fibrillation, ventricular, in myocardial infarction, 128
 fibrin, 71, 366
 fibrinogen, 62, 70–71, 366
 fibrinolysis, 71
 fibroadenoma, 468
 fibroblasts, 40
 primary healing, 368
 fibrocartilage, 43
 elastic, 43
 fibroid, 468
 fibrosis (fibrous tissue formed in repair), 369
 airway/pulmonary
 in asbestosis, 267
 in chronic bronchitis, 263
 infarct, 369
 tissue shrinkage, 369–370
 see also scar formation
 fibrous pericardium, 87
 fibrous tissue, 42
 heart, 88
 joints with, 412
 ureters, 346
 in wound healing see fibrosis
 fibula, 410–411
 fight or flight response, 106–107, 175–176, 225–226
 filaments (myofilaments), 421
 sliding filament theory, 422
 filtering function
 glomerulus, 341–342

INDEX

inhaled air
 larynx, 248
 nose, 244
 trachea, 250
lymph nodes, 136–137
filum terminale, 152–153
fingers
 bones, 408
 joints, 417
 muscles, 429
 see also thumb opposition
first intention, healing by, 368
fish, 275
fistula, 370
 tracheo-oesophageal, 322
flagella, 35
flat bones, 390–391
flaval ligament (ligamentum flavum), 405
flexion
 plantar, 420t
 spine, 405
 see also dorsiflexion
flexor carpi radialis, 428
flexor carpi ulnaris, 428
flexor retinaculum, 417
flight or fight response, 106–107,
 175–176, 225–226
fluids (body)
 capillary, dynamics, 86–87, 125f
 excess see ascites; effusions; oedema
 extracellular, 30
 intercellular/interstitial/tissue see tissue
 fluid
 intracellular, 30
 measuring substances in, 24
 movements of substances in, 28–29
 pericardial, 87
 pH values, 25
 serous, 45
 synovial, 413
 see also water
fluids (dietary), intake, 276
 small intestine and, 305
focal glomerulonephritis, 350, 351t
focusing of image on retina, 201
folic acid (folate), 279
 deficiency, 279
 anaemia, 74
follicle(s)
 hair, 364–365
 ovarian, 455
 in proliferative phase of
 reproductive cycle, 457
follicle stimulating hormone (FSH), 220,
 455–456
 reproductive cycle, 456–458
fontanelles, 401
food
 bolus see bolus
 five food groups, 274
 high sugar and fat, 275
 lubrication by saliva, 295
 nutrient combinations, 274
 pharynx as passage for, 245
 swallowing see swallowing
 see also absorption; diet; ingestion;
 nutrients; nutrition

food poisoning, 326
foot, 411, 420
 arches, 411
 athlete's, 371
 bones, 411
 diabetic, 238
 joints, 420
foot processes, astrocytes, 150
foramen magnum, 152–153,
 399
foramen ovale, 116–117
 closure, 117
forearm
 movements, 396
 muscles, 396, 428–429
fovea centralis, 198
fractures, 394–396
 complications, 396
 healing, 394–396
 factors delaying, 396
Fröhlich's syndrome, 231
frontal bone, 396
frontalis, 424
fructose, 26
fruit, 275
functional residual capacity,
 257
fundus
 gastric, 298
 uterine, 453
fungal infections (mycoses)
 cutaneous, 371
 oral, 320
 sexually-transmitted, 466
fusiform aneurysm, 123

G

G (gap) phases (G₁ and G₂), 35
galactorrhoea, 230
gallbladder, 312–313
 bile release, 304
 diseases, 335–336
gallstones, 335
gametes (sex cells), 35
 see also ovum; sperm
ganglion (ganglia), 145
 basal, 156
 prevertebral, 174
 root/spinal, 166
 posterior, 162
 sympathetic, 173–174
 cervical, 173–174, 245, 247, 295
 lateral chain, 173–174
gap phases (G₁ and G₂), 35
gases
 alveoli see alveoli
 blood, 63
 chemoreceptors and see
 chemoreceptors
 transport, 66, 260
 see also carbon dioxide; oxygen
blood, exchange, 258–260
 in lung (=external respiration), 85,
 100, 242, 255, 258–259
 with tissues (=internal respiration),
 85–86, 242, 255, 258–259
 bowel, 307
gastrectomy, 74
gastric artery, left, 109, 296, 299
gastric veins, 110, 296
gastrin, 228t, 300
 low levels, 322
gastritis, 323
 acute, 323
 chronic, 74, 323
gastrocnemius, 430
gastroenteritis, viral, 327
gastrointestinal tract see alimentary
 canal
gastro-oesophageal reflux disease,
 322
gender and heart rate, 95
genes, 438
 expression, 442
 mutations, 440, 446–447
genetic abnormalities, 18
genetic code (for amino acids),
 439–440
 mRNA translation and, 441–442
genetic factors
 cancer, 446
 breast, 468–469
 leukaemia, 77
 clotting disorders, 79
 haemolytic anaemia, 75
 iris colour, 198
 multiple sclerosis, 186
genetics, 437–447
 ageing and, 445
 disease, 446–447
geniculate bodies, lateral, 170, 200
genitalia see reproductive system
genitofemoral nerve, 168
genome, 438
germinal epithelial cells, 461
gestation, 463
gestational diabetes, 236
Ghon foci, 269
gigantism, 230
gingivitis, 320
gingivostomatitis, acute herpetic, 320
glands, 45
 alimentary tract, 287
 gastric glands, 299
 intestinal glands, 302
 autonomic innervation, 173
 endocrine see endocrine system and
 glands
glandular fever, 141
glaucoma, 199, 211
glenohumeral (shoulder) joint, 407, 415
glenoid cavity and labrum, 407, 415
glial cells see microglia; neuroglia
gliding joints, 413–414
glioblastoma, 189
globulins, 62
glomerulonephritis, 350–351
glomerulus, 339–341
 filtration, 341–342
glossopharyngeal nerves, 172, 207, 245,
 292

- glottis, 247
glucagon, 226, 228, 310
glucocorticoids, 224–225
 hypersecretion, 233–234
 hyposecretion, 223
gluconeogenesis, 225, 227, 234, 315
 in diabetes mellitus, 237
glucose, 26
 blood
 abnormal levels see hyperglycaemia;
 hypoglycaemia
 regulation, 226
 catabolism, 315–316
glue ear, 209
gluteal muscles, 430
gluten and coeliac disease, 331
glycerol and energy release, 318
glycogenesis, 227
glycogenolysis, 227
glycolysis, 315–316
glycosuria, 350t
 diabetes mellitus, 237
goblet cells, 45, 289–290, 302
goitre
 iron deficiency, 232
 toxic nodular, 232
Golgi apparatus, 34, 37
gonadal arteries, 108
gonadal veins, 110
gonadotrophin(s)
 human chorionic, 116, 457–458
 pituitary, 220, 455–456
 see also follicle stimulating
 hormone; luteinising hormone
gonadotrophin hormone-releasing
 hormone (GnRH), 220
gonorrhoea (and gonococcus), 466, 469
gout, 434
granulation tissue, 40, 368
granulocytes (polymorphonuclear
 leukocytes), 67–69
 abnormal reduction in numbers
 (granulocytopenia), 77
Graves' disease, 231–232
great (major) vessels, 100–104
 congenital abnormalities, 129–130
grey matter, 145
 spinal cord, 161–162
 lateral columns, 161–162, 164t,
 173–175
growth
 bone, 392–394
 tumour, 56–57
 see also development
growth hormone (GH; somatotrophin),
 218–219, 220t, 394
 hypersecretion, 230
growth hormone release-inhibiting
 hormone (GHRH), 218–219, 226–228,
 230
growth hormone-releasing hormone
 (GHRH), 218
 excess, 230
Guillain-Barré syndrome, 188
gustation (taste) area of brain, 157
gynaecomastia, 470
gyri, 155
- H**
- haemangiomas, 124
haematemesis, 319t
 acute gastritis, 323
haematoma, fracture site, 394, 395f
haematuria, 350t
 cystitis, 356
 glomerulonephritis, 350
haemoglobin, 65–66
 normal values, 65t
 oxygen and, 66, 85–86, 260
 skin colour and, 363
haemoglobinaemia, renal tubular acute
 necrosis in, 353
haemolysis, 67
 anaemia due to, 73, 75–76
 newborn, 75–76, 278–279
 jaundice due to, neonatal, 336
haemophilias, 79
Haemophilus influenzae meningitis,
 184
haemopoiesis, 63
 bone marrow, 63, 390
 granulocytes, 68
 red cell see erythropoiesis
haemorrhage (bleeding)
 atheroma-related, 122
 in atheromatous disease, 122
 cessation see haemostasis
 disorders causing/associated with, 78
 malignant disease, 57
 intracranial, spontaneous, 182
 in hypertension, 132, 182
 stroke following, 132
 intracranial, traumatic, 180–181
 oesophageal varices, 124, 321–322
 peptic ulcers, 324
haemorrhagic disease of newborn,
 75–76, 278–279
haemorrhoids, 123–124
haemostasis, 70–72
 disorders, 78–79
haemothorax, 272
hair, 364–365
 eyelash, 204–205
hair cells
 semicircular canals, 196
 spiral organ of Corti, 194–195
hamstrings, 430
hand
 bones, 408
 joints, 417
 rheumatoid arthritis, 433
haploid cells, 437
hard palate, 291
Hashimoto's disease, 232
Haversian systems, 392
hay fever, 262–263
head
 circulation, 104–107
 injury, 180–181
 lymph nodes, 136
 muscles, 423–425
healing, 367–370
 bone fracture see fractures
 complications, 369
 conditions required, 367
 primary (by first intention), 368
 secondary (by second intention),
 368
hearing (audition), 192–195
 age-related changes, 207
 brain in, 157
 loss, 209
 nasopharynx and, 245
 physiology, 194–195
heart (cardiac...), 9, 82, 87–95
 ageing, 117
 block, 129
 conduction system, 90–92
 contraction see contraction; systole
 cycle (during each heartbeat), 92–94
 disease/disorders (in general),
 126–130
 in hypertension, 131–132
 shock relating to (=cardiogenic
 shock), 118
 failure, 126–127
 muscle see myocardium
 output, 94–95
 blood pressure determined by, 96
 pacemaker of the, 44, 91–92
 position, 87
 rate, 92, 95
 sounds, 93–94
 structure, 87–89
heat
 loss, 366
 production, 365–366
 liver, 311, 366
Helicobacter pylori, 323–324
helper T-cells, 380–381
 HIV and, 372
hemiazzygos vein, 108
heparin, 40, 378t
hepatic artery, 109, 309
hepatic ducts, 304, 309–310, 312
hepatic portal vein, 110, 302, 309
hepatic veins, 110, 309
hepatitis
 acute, 332–333
 chronic, 333–334
 viral, 332–333
 hepatitis A, 333
 hepatitis B, 333–334, 466
 hepatitis C, 333–334
 hepatitis D, 333
hepatocytes, 309
hepatopancreatic ampulla, 301–302, 308,
 312
hepatopancreatic sphincter (of Oddi),
 301–302, 308, 312
Hering-Breuer reflex (and reflex
 actions), 261
herniation
 bowel, 329–330
 brain, 179
 nucleus pulposus (intervertebral disc),
 187
herpes simplex virus (HSV)
 HSV1 oral infection, 320
 HSV2 genital infection, 466

- herpes viruses (in general), 371
herpes zoster virus, 184–185, 371
heterozygosity, 443–444
hiatus hernia, 330
high-density lipoproteins (LDLs), 278
higher order (mental) functions, brain areas, 156, 158f
hinge joints, 413
hip
 bones, 409
 muscles, 418, 429–430
hip joint, 409–410, 417–418
His' bundle see atrioventricular bundle
histaminase, 69
histamine, 40, 229, 378t
histones, 438–439
HIV disease and AIDS, 386–387, 466
 neurological involvement, 185, 387
Hodgkin's disease, 141
homeostasis, 6–7
 autonomic control, 216
 endocrine control, 216
 imbalance, 7
homozygosity, 443–444
hordeolum, 210
hormones, 10–11, 216
 actions (overview), 216–217
 bone growth and, 394
 heart rate and, 95
 hepatic inactivation of, 311
 local, 229
 in negative feedback systems
 see negative feedback systems
 plasma, 63
 in pregnancy, 116
 renal selective reabsorption influenced by, 343
 small intestinal see small intestine
 tumours secreting, 57
 adrenal cortex, 233
 adrenal medulla, 235
 pituitary, 230
 see also endocrine system and specific glands and hormones
host factors in tumour causation, 56
HPV see human papilloma virus
HSV see herpes simplex virus
human chorionic gonadotrophin (hCG), 116, 228t, 457–458
Human Genome Project, 438
human immunodeficiency virus see HIV disease and AIDS
human papilloma virus, 371
 cervical carcinoma and, 467
humerus, 407–408
 head, 407–408, 415
 see also facioscapulohumeral dystrophy
humidification (of inhaled air)
 bronchioles and alveoli, 254
 larynx, 248
 nose, 244
 pharynx, 245
 trachea, 250
humoral immunity, 381
Huntington disease, 183
hyaline (articular) cartilage, 42, 390–391, 413
hyaline material, 122
hydrocele, 469
hydrocephalus, 180
hydrochloric acid in stomach, 300, 313t, 376
hydrocortisone see cortisol
hydrogen ions and pH, 24–26, 345
hydronephrosis, 355
hydrostatic pressure, 86
 glomerular capillary, 341–342
 veins, increased, 89–90
5-hydroxytryptamine, (5-HT; serotonin), 70, 229, 378t
hymen, 452
hyoid bone, 292, 401
hyperaldosteronism, 235
hyperbilirubinaemia, 336
hypercalcaemia in hyperparathyroidism, 233
hyperglycaemia (raised glucose plasma levels), 225
 in diabetes, 230, 236–237
hyperopia, 213
hyperparathyroidism, 233
hyperplasia, 53
 endometrial, 467
hyperprolactinaemia, 230
hypersensitivity, 385
hypersensitivity pneumonitis (extrinsic allergic alveolitis), 245
hypertension (elevated blood pressure)
 pulmonary, 132
 systemic/arterial, 131–132
 cerebral haemorrhage in, 132, 182
 malignant/accelerated, 126, 131, 352
 renal disease as cause or result of, 352–353
 venous, 125
 portal, 321–322, 334
hyperthyroidism, 223t, 231–232
hypertonic plasma, 29
hypertrophy, 52–53
hypoaldosteronism, 235
hypocalcaemia, 233
hypoglossal nerves, 172, 292
hypoglycaemia, 237
hypophyseal fossa, 399
hypotension, 132
hypothalamus, 159, 217–221
 blood pressure and, 97
 influence, 217
 osmoreceptors, 221, 344
 reproductive cycle and, 456
 temperature regulation, 366–367
hypothermia, 367
 with burns, 372
hypothyroidism, 223t, 232
hypotonic plasma, 29
hypoventilation, alveolar, 272
hypovolaemia
 burns patient, 372
 shock in, 118
hypoxia, 66
 cerebral, 181
ileocaecal valve, 301–302, 306–307
ileum, 302
ileus, paralytic, 331
iliac arteries
 common, 100, 103, 111–112
 external, 111
 internal, 81, 111, 307
iliac veins
 common, 112
 external, 112
 internal, 112
iliacus, 430
iliofemoral ligament, 417–418
iliohypogastric nerve, 168
ilioinguinal nerve, 168
ilium, 409
illness and disease, 18
immune complex-mediated
 hypersensitivity, 385
immune system, 13, 376, 379–384
 acquired immunity, 381–383
 ageing, 16f, 384
 disorders, 18, 385–387
 infective endocarditis in, 128
 lymphatic organ roles, 135
 spleen, 138
 thymus, 139
 maternal, 115, 383
 surveillance, 379
 see also autoimmune disorders
immunisation see passive immunity, artificially acquired; vaccination
immunodeficiency, 385–387
immunoglobulin (in general) see antibodies
immunoglobulin A, 382t
immunoglobulin D, 382t
immunoglobulin E, 382t
 and type I hypersensitivity, 385
immunoglobulin G, 382t
immunoglobulin M, 382t
impetigo, 371
incisional hernia, 330
incisors, 292
incompetence, heart valve, 127
incontinence (urinary), 348, 350t, 356–357
 ageing and, 349
incus, 193
infants
 polycystic kidney disease, 354–355
 protein-energy malnutrition, 283
 see also newborns; premature infants
infarction, 18, 120–121
 in atheromatous disease, 121–122
 cerebral, 121, 182
 see also multi-infarct dementia
 fibrosis of infarcts, 369
 myocardial, 121, 127–128
 tumour, 57
infection(s)
 bone, 432
 fracture site, 396

- CNS, 184–185
causing dementia, 183
defence against/protection from, 13, 375–387
fetal, 115–116
non-specific, 13, 295, 301
stomach, 301, 376
in diabetes, 238
ear, 209–210
endocardium, 128
epididymis, 469
eye
conjunctiva, 210–211
cornea (keratitis), 211
eyelids, 210
gastrointestinal tract, 325–327
oesophagus, 322
in HIV disease/AIDS, 387
in malignant disease, death from, 57
mouth, 320
penis, 469
prostate gland, 469–470
renal, renal pelvic and calyces, 352
respiratory tract
lower, 267–269
upper, 262–263
salivary gland, 321
sexually-transmitted, 466
skin, 371
see also wound (*subheading below*)
spleen, 141
spread via lymph vessels, 140
urinary tract, 355–356, 369–370
wound, burns, 373
infectious mononucleosis, 141
inferior (meaning of term), 46t
infertility
female, 468
male, 470
inflammation (inflammatory response), 18, 54, 377–379
acute, 377–379
fracture site, 394–395
outcomes, 379
causes, 377
chronic, 379
acute becoming, 379
in primary healing, 368
in secondary healing, 368
inflammatory bowel disease, 327–328
inflammatory conditions/disorders
breast, 468
eye, 210–211
mouth, 320
oesophagus, 322
respiratory tract (upper), 262–263
skin, 371–372
see also *specific inflammatory conditions*
inflammatory joint disease, 432–434
inflammatory polyneuropathy, acute, 188
influenza, 262
ingestion of nutrients, 11–12, 287
inguinal canal, 427, 454
inguinal hernia, 329–330
inheritance, 14
see also *entries under genetic*
inhibin, 228t, 455–458
injury (traumatic)
cystitis due to, 356
eye, protection by eyelids/eyelashes, 205
head, 180–181
joints, 434
pneumothorax caused by, 271
rotator cuff, 415, 435
see also *healing*
innominate bones, 409
inorganic dust diseases, 266–267
inspiration, 48–49, 255–257
inspiratory capacity, 257
inspiratory neurones, 260
inspiratory reserve volume, 257
insulin, 226–227, 308, 310
hypoglycaemia due to excess
administration, 237
insulin-dependent (type 1) diabetes mellitus, 236
intercellular fluid see *tissue fluid*
intercellular matrix see *matrix*
intercostal arteries, 108
intercostal muscles, 48–49, 255
intercostal nerves, 170
intercostal veins, 108
interferons, 377
interleukin-1, 69
intermittent claudication, 121
internal capsule (brain), 156
interneurones, 161
interosseous membrane, 408, 408f, 410f, 411, 416
interphase, 35
interstitial cell (of Leydig), 461
interstitial cell-stimulating hormone (ICSH), 220
interstitial emphysema, 264
interstitial fluid see *tissue fluid*
interstitial lamellae, 392
interventricular foramina, 153
intervertebral discs, 43, 404
prolapsed, 187
intervertebral foramina, 48, 165–166, 404
intestine (bowel), 301–308
disorders, 325–331
large, 305–308
small see *small intestine*
intracerebral haemorrhage see *cerebrum*
intracranial haemorrhage see *haemorrhage*
intracranial pressure, raised, 179–180
intraepithelial neoplasia, cervical, 467
intraocular pressure, 199
raised, 211–212
intrinsic factor, 279, 300–301, 305
lack, 282, 323
intussusception, 330
inversion (foot), 413t, 419–420
iodine, 280–281
ion, 24
ionic bonds, 23–24
ionising radiation
malignancy caused by, 55
leukaemia, 77
vitamin B₁₂ deficiency caused by, 74
iris, 197–198
circular muscles, 143, 201–202
colour, 198, 443
iron
absorption, 301
deficiency, 280
anaemia, 73–74, 280
transport, 66
irregular bones, 390–391
ischaemia, 54, 120
bowel, 331
tubular necrosis (acute) in, 353
tumours affected by, 56
see also *transient ischaemic attack*
ischaemic heart disease, 127–128
ischaemic necrosis, pituitary, 231
ischiofemoral ligament, 417–418
ischium, 409
islets of Langerhans (endocrine pancreas), 226–228
ageing, 229–230
disorders, 236–238
isometric contraction, 423
isotonic contraction, 423
isotonic solutions, 29
isotopes, 23
itching see *pruritus*
- J**
- jaundice, 334, 336
jaws see *mandible*; *maxilla*
jejunum, 302
joints, 14, 412–420
disorders, 432–435
tuberculosis, 269
proprioceptors, 162
jugular vein
external, 106
internal, 107, 154, 222, 294
- K**
- Kaposi's sarcoma, 373, 387
karyotype, 438
keratinised squamous epithelium, 39, 362
keratitis, 211
ketone bodies, 318
ketonuria, 350t
ketosis and ketoacidosis, 318
diabetes mellitus, 237
kidneys, 338–345
ageing, 348–349
diseases, 350–355
failure, 352–353
acute, 352–353
burns patients, 373
chronic, 351

in diabetic disease, 238, 352
 end-stage, 353
 liver failure in, 334
 functions, 341–345
 blood pH, 25
 endocrine, 228t
 gross structure, 339
 in hypertension, 132
 microscopic structure, 339–341
 Klinefelter syndrome, 447, 470
 knee cap, 391
 knee jerk, 164
 knee joint, 418–419
 semilunar cartilages, 43, 419
 Krebs (citric acid) cycle, 315–316, 318
 Kupffer cells, 309, 311–312
 kwashiorkor, 283

L

labia majora, 450
 labia minora, 450
 labyrinth (inner ear), 194
 labyrinthitis, 210
 lacrimal apparatus, 205
 lacrimal bones, 400
 lactase, 304, 313t
 lactation (milk production), 459
 oxytocin and, 220–221, 459
 lactic acid, 316
 lamellae (bone), 392
 lamina, vertebral, 402
 lamina propria, 289
 large intestine, 305–308
 functions, 307–308, 313t
 tumours, 328–329
 large vessels, diabetic disease, 238
 laryngeal nerve, recurrent, 222
 laryngitis, 262
 laryngopharynx, 245, 295
 laryngotracheobronchitis, 262
 larynx, 246–248, 401
 muscles, 172
 lateral (meaning of term), 46t
 lateral columns of gray matter in spinal cord, 161–162, 164t, 173–175
 lateral cutaneous nerve of thigh, 168
 lateral extension of spine, 405
 latissimus dorsi, 425
 legs see lower limbs
 leiomyoma, 468
 lens, 198, 201
 cataracts, 208, 211–212
 light and the, 201
 see also refraction
 suspensory ligaments, 197–198, 201
 leptin, 41, 228t, 284
 leukaemia, 77–78
 leukocytes (white blood cells), 9, 67–70
 connective tissue, 40
 disorders, 77–78
 migration in inflammatory response, 378–379
 normal counts, 68t
 leukocytosis, 77

leukopenia, 77
 leukotrienes, 229
 levator ani muscle, 427
 levator palpebrae muscles, 143, 176–177, 204–205, 400
 Leydig cells, 461
 lifestyle factors in cancer causation, 56
 ligaments, 42
 ankle, 419
 elbow, 416
 foot, 411
 hip, 417–418
 knee, 418–419
 shoulder, 415
 synovial joint (in general)
 capsular, 413
 extracapsular, 413
 uterine, 453–454
 vertebral column, 404–405
 light (and the eye), 200–203
 cornea and, 197
 pupillary response (and diameter control), 164, 201–202
 refraction see refraction
 retinal cells sensitive to, 198, 202–203, 278
 see also cones; rods
 limbs, synovial joints, 415–420
 see also lower limbs; upper limbs
 linea alba, 405–406, 426
 lingual artery, 105
 lingual branch of mandibular nerve, 292
 lingual vessels, 292
 lip and palate, cleft, 320
 lipase
 intestinal, 304
 pancreatic, 313t
 lipid(s) (triglycerides), 27
 breakdown (lipolysis), 225
 synthesis (lipogenesis), 227
 lipid-based hormones, 216
 lipoproteins, 277–278
 liver, 308–312
 ageing, 319
 autonomic stimulation, 176
 diseases, 332–334
 failure, 334
 heat production, 311, 366
 peritoneal covering, 289
 lobar pneumonia, 268
 long (far) sightedness, 213
 long bones, 390–391
 development, 393–394
 longitudinal ligaments, 404–405
 loose connective tissue, 40–41
 Lorain-Lévi syndrome, 231
 low-density lipoproteins (LDLs), 277
 lower limbs (legs), 409–411
 bones, 49, 409–411
 lymph nodes, 136
 muscles, 429–430
 varicose veins, 123
 vessels/circulation, 101f, 111–112
 lower motor neurones, 157, 161, 163–164
 lesions, 186
 lubricatory functions of saliva, 295

lumbar nerves, 166
 plexus, 168
 lumbar puncture, 153–154, 160–161
 lumbar veins, 110
 lumbar vertebrae, 402f, 403
 lumbosacral trunk, 168–169
 lungs, 250–254
 air flow regulation, 260
 blood flow in
 regulation, 260
 resistance, 126
 blood pH and role of, 25
 blood vessels see pulmonary circulation
 in breathing, physiological variables, 257
 collapse, 270–272
 fibrosis see fibrosis
 gas exchange between blood and (=external respiration), 85, 100, 242, 255, 258–259
 interior, 251–252
 obstruction see obstruction
 oedema, 99, 125
 position/gross structure, 250
 restrictive disorders, 266–267
 tumours, 269–270
 lupus erythematosus, systemic, 434
 luteal (secretory) phase of menstrual cycle, 456–458
 luteinising hormone (LH), 220, 455–456
 reproductive cycle, 456–458
 luteinising hormone-releasing hormone (LHRH), 220
 lymph, 9, 134–135
 lymph nodes, 9, 134, 136–137
 functions, 136–137
 small intestinal mucosa, 302
 tuberculosis, 269
 lymph vessels, 9, 135–136
 capillaries, 135
 disease spread via, tumours, 57, 140
 hepatic, 309–310
 larger vessels, 135–136
 obstruction, 140
 pathology, 140
 metastases from colorectal cancer, 327
 tumours, 124, 140
 tumour spread via, 140
 bronchial, 270
 colorectal, 329
 lymphadenitis, 141
 lymphadenopathy, 136–137
 lymphangitis, 140
 lymphatic duct, right, 136
 lymphatic system, 9, 82, 133–142
 disorders, 346
 drainage of tissues by, 134–135
 breast, 459
 bronchi, 253
 impaired, 125
 ovaries, 455
 testes, 461
 trachea, 249
 uterus, 453

vagina, 452
vulva, 451
functions, 134–135
lymphoblastic leukaemia, acute, 78
lymphocytes, 9, 70, 380
 lymph nodes, proliferation, 137
 see also B-cells; natural killer cells;
 T-cells
lymphocytic leukaemia, chronic, 78
lymphoid follicles in small intestine
 aggregated (Peyer's patches), 139, 326
 solitary, 302
lymphoma, 141
lysosomes, 34, 37
 neutrophil, 68–69
lysozyme, 377
 saliva, 295
 tears, 205

M

macroangiopathy, diabetic, 238
macrophages, 40, 69–70, 376, 378
 alveolar, impaired activity, 268
 hepatic, 309, 311–312
 in inflammatory response, 378
macula lutea, 198
malabsorption, 283
 folic acid, 74
 iron, 74
 vitamin B₁₂, 74
males
 pelvis, 409
 puberty, 463
 reproductive system, 14, 52, 459–463
 ageing, 465
 disorders, 469–470
 gonadotrophin and, 220
malignant hypertension, 126, 131, 352
malignant tumours (cancer), 55
 adrenal medulla, 235
 biliary tract, 335
 bladder, 356
 bone, 432
 brain (rapidly growing tumours), 189
 breast, 468–469
 males, 470
 causes, 55–56
 cervix, 467
 colorectal, 329
 differentiation status, 56
 effects, 57
 vitamin B₁₂ deficiency, 74
 endometrium, 467–468
 eye, 212–213
 genetics see genetic factors
 in HIV disease/AIDS, 387
 kidney, 355
 liver, 334
 lung, 269–270
 lymphoid tissue, 141
 mouth, 320
 oesophagus, 322
 ovary, 468
 pancreas, 332
prostate, 470
salivary gland, 321
skin, 373
spleen, 142
spread, 56–57
 by lymph vessels, 57, 140
stomach, 324
testis, 469
white blood cells, 77–78
 see also metastases
malleolus
 lateral, 410–411, 419
 medial, 410, 419
malleus, 193
malnutrition, 283
 older adults, 282
MALT (mucosa-associated lymphoid
 tissue), 139
maltase, 304, 313t
mammary gland see breast
mandible, 400–401
 temporal bone articulation with,
 398–401
mandibular nerves, 171, 294
 lingual branch, 292
manubrium, 48, 405
marasmus, 283
mass movement in large intestine, 307
masseter, 424
mast cells, 40, 69
mastitis, 468
mastoid process of temporal bone, 107,
 398
mastoiditis, 210
matrix (intercellular/extracellular)
 connective tissue, 39–41
 epithelial tissue, 38
maturation phase (in wound healing)
 in primary healing, 368
 in secondary healing, 368
maxilla, 400–401
maxillary artery, 105, 294
maxillary nerves, 171, 294
maxillary sinus, 400
mean cell haemoglobin (MCH) and MCH
 concentration, 65t
meat, 275
mechanical bowel obstruction, 330–331
mechanical breakdown of food, 285, 287
medial (meaning of term), 46t
median cubital vein, 108
median fissure, 161
median nerve, 168
 compression in carpal tunnel, 435
median plane, 46
median septum, posterior, 161
median vein, 108
mediastinum, 51, 250
medulla oblongata, 144
 cardiovascular centre, 92, 97, 160
 intracranial hypertension-related
 damage, 180
 respiration
 central chemoreceptors, 260
 respiratory centre, 159–160, 260
 vasomotor centre, 84, 160
medulloblastoma, 189
megacolon, toxic, 328
megaloblasts, 71
meiosis, 35, 442–443
melaena, 319t
 acute gastritis, 323
melanin, 362–363
melanoma (malignant)
 choroidal, 212
 cutaneous, 373
melatonin, 228
membranes
 cell/plasma see plasma membranes
 tissue, 44–45
 see also specific membranes
membranous glomerulonephritis, 350,
 351t
membranous labyrinth, 194
membranous urethra, 462
memory
 cognitive, and ageing, 178
 immunological, 376, 380
 memory B-cells, 381
 memory T-cells, 381
Ménière's disease, 209
meningeal artery, middle, 105
meninges, 152–154
meningioma, 189
meningitis
 bacterial, 184
 viral, 184
meningocele, 189
meningomyelocele, 189
menisci, 419
menopause, 14–15, 394, 431, 458,
 464–465
menstrual (reproductive) cycle, 454,
 456–458
 oestrogen, 116, 220, 457–458, 458b
 progesterone, 116, 456–458, 458b
menstruation (menstrual phase), 14,
 456–457
mental activities, brain areas, 156, 158f
mesencephalon (midbrain), 159, 164t
mesenteric arteries, 308
 inferior, 109, 307
 superior, 109, 302, 307
mesenteric veins, 308
 inferior, 110, 307
 superior, 110, 302, 307
mesentery, 289, 302
mesothelioma, pleural, 270
messenger RNA, 441–442
metabolism, 12, 313–318
 abnormalities/disorders, 18
 renal stones and, 354
 energy, in diabetes mellitus, 237
 glucocorticoid effects, 224
 hepatic, 310–312
 inborn errors, 446–447
 pathways, 314
 central, 314–315
 rate, 314
 basal, 281, 306
 factors affecting, 314t
 see also anabolism; catabolism
metacarpal arteries, palmar, 107
metacarpal bones, 408

metacarpophalangeal (metacarpal-finger bone) joint, 417
 metaphase, 35
 metastases
 distant (and in general), 56–57
 in bone, 432
 in brain, 189
 from bronchial carcinoma, 269
 from colorectal cancer, 329
 from liver, 334
 in liver, 334
 in ovary, 468
 from skin (melanoma), 373
 lymph node, from colorectal cancer, 329
 metatarsal bones, 411
 microbes
 colonisation of large intestine, 307
 defence against/protection from see protection and defence
 microfilaments, 34
 microglia, 151
 damage, 152
 micronutrients see trace elements; vitamins
 microtubules, 34
 microvessels see small vessels
 microvilli, 34
 small intestine, 34, 302
 micturition (urination), 338, 348
 frequent, 350t, 356
 cystitis, 356
 midbrain, 159, 164t
 miliary tuberculosis, 269
 milk, 275
 mineral(s), 280–281
 storage in bones, 390
 mineralocorticoids, 225
 hypersecretion, 235
 hyposecretion, 235
 mitochondria, 33
 DNA, 440
 ageing and, 445
 disorders relating to, 440, 447
 metabolism, 315–316
 mitosis, 35–36, 442
 mitral valve, 88
 in rheumatic heart disease, 82, 128
 mixed motor and sensory conditions, 187
 mixed nerves (afferent and efferent), 144–152, 166
 cranial, 170–172
 roots, 166
 molars, 292
 molecules, 4, 23–24
 biological, important, 26–28
 monocytes, 69–70
 mononeuropathy, 188
 mononucleosis, infectious, 141
 monosaccharides, 26, 276
 motion sickness, 210
 see also movement
 motor and sensory conditions, mixed, 187
 motor cortex (motor areas of cerebral cortex), 156–157

motor division of nervous system, 144, 145f
 motor end plate, 163–164, 422
 motor nerves (efferent nerves), 10, 150
 cranial, 170–172
 decussation/crossing to opposite hemisphere, 160
 mixed sensory and see mixed nerves
 roots, 166
 spinal cord, 161
 tracts, 163–164
 motor neurone disease, 186–187
 motor neurone lesions, 186–187
 see also lower motor neuron; upper motor neuron
 motor units, 163–164, 422
 mouth (oral cavity), 290–294, 313t
 nutrient digestion, 313t
 swallowing and, 296–297
 movement
 cell extensions allowing, 34–35
 of substances see transport
 voluntary (of body/body parts), 14
 ankle, 419–420
 appendicular skeleton in, 49
 cerebellum in, 160
 elbow, 416
 fingers, 429–430
 foot, 420
 forearm, 416
 hip, 418
 knee, 419
 shoulder, 415
 synovial joint (in general), 413t
 vertebral column, 405
 wrist, 417
 see also motion sickness
 mucociliary escalator, 250
 mucosa (mucous membranes), 45
 digestive system (and incl. aerodigestive tract), 289–290
 gallbladder, 312
 hormones secreted by, 228t
 large intestine, 307
 mouth, 291
 pharynx, 245, 295
 small intestine, 302
 stomach see stomach
 urinary system
 bladder, 347
 ureters, 346
 uterus/cervix, 453
 mucosa-associated lymphoid tissue, 139
 mucoviscidosis, 266
 mucus, 45
 airway, excess secretion in bronchitis, 263
 alimentary canal (in general), 289–290
 stomach, 300
 peptic ulcers and alterations in, 324
 multi-infarct dementia, 183
 multiple myeloma, 141
 multiple sclerosis, 185–186
 mumps, 321
 murmurs, pathological, 127

muscle(s), 43–44
 of breathing (respiratory muscles), 48–49, 255–256
 cardiac (myocardium), 44, 88
 diseases, 435
 fascia, 42
 skeletal/voluntary see skeletal muscle
 smooth see smooth muscle
 sphincters see sphincters
 see also neuromuscular junction
 muscle layers (primarily smooth muscle)
 digestive system, 289
 bladder, 347
 gallbladder, 312
 large intestine, 306–307
 stomach, 298
 ureters, 346
 muscular dystrophies, 435
 muscularis mucosa, 289
 musculoskeletal system, 168–169
 musculoskeletal system, 14, 389–435
 ageing, 16f, 430
 disorders, 431–432, 435
 mutations, 440, 446–447
 myalgic encephalitis, 185
 myasthenia gravis, 142, 435
 Mycobacterium tuberculosis infection, 268–269, 367
 mycoses see fungal infections
 myelinated neurones, 146
 demyelination diseases, 185–186
 myeloblast, 68
 myeloblastic leukaemia, acute, 78
 myelocyte, 68
 myeloid leukaemias, acute, 78
 myeloma, multiple, 141
 myelomeningocele (meningomyelocele), 189
 myenteric plexus, 289
 myocardium (cardiac muscle), 44, 88, 420
 autonomic innervation, 173
 damage causing heart failure, 127
 infarction, 121, 127–128
 myofilaments see filaments
 myoglobin, 421
 myoglobinaemia, renal tubular acute
 necrosis in, 353
 myoma, 468
 myometrium, 453
 disorders, 468
 myopia, 213
 myosin, 421
 myotonic dystrophy, 435

N

nails, 365
 nares, 243
 nasal cavity see nose
 nasolacrimal duct, 205, 243–244, 400
 nasopharynx, 245, 295
 hearing and, 245
 natural killer cells, 379
 nausea, 319t
 near sightedness, 213

- near vision, 202
- neck
circulation, 104–107
lymph nodes, 136
muscles, 425
- necrosis, 54
acute tubular, 353
ischaemic, pituitary, 231
- necrotising fasciitis, 371
- negative feedback systems, 6–7
hormones in, 216–217
glucocorticoid secretion, 225f
hypothalamus and pituitary, 218
in kidney, 343–344
- Neisseria*
N. gonorrhoeae (gonococcus), 466, 469
N. meningitidis meningitis, 184
- neonates see newborns
- neoplasms see tumours
- nephritis, acute, 350
- nephroblastoma, 355
- nephrolithiasis (renal calculi), 354
- nephron, 339–341
- nephropathy
diabetic, 238, 352
reflux, 352
- nephrotic syndrome, 351
- nerve(s), 10, 148–150
appendicular skeleton protective role, 49
decussation/crossing, 160
diseases (peripheral nerves), 188
impulse (and its conduction)
see conduction
mixed (afferent and efferent)
see mixed nerves
motor/efferent, 10, 150
plexuses, 166–169
myenteric plexus, 289
submucosal plexus, 289
regeneration, 151
sensory/afferent, 10, 148–150
somatic see somatic nerves
spinal, 165–169
see also specific nerves
- nerve cells see neurones
- nerve roots, 166
compression, 187
- nerve supply to organs/tissues
alimentary canal (incl. aerodigestive tract), 290
liver, 309
pharynx, 245, 295
teeth, 294
tongue, 292
bone, 391
breast, 459
bronchi, 253
bronchioles, 253
eye muscles, 203
genitalia of females
ovaries, 455
uterus, 453–454
vagina, 452
vulva, 451
- genitalia of males
penis, 462–463
testes, 461
- heart, 92
- larynx, 247
- synovial joint, 413
- trachea, 249
- nervous system, 10, 143–189
ageing, 16f, 177–178
disorders see neurological disorders
injury responses, 151–152
parts, 144
autonomic see autonomic nervous system
central see central nervous system
peripheral see peripheral nervous system
tissues and cells, 44, 144–152
tumours, 189
- neural arch, 402
- neural tube defects, 188
- neuroblastoma, 235
- neurofibrillary tangles, 178
- neurogenic shock in, 118
- neuroglia (glial cells), 44, 150–151
damage, 151–152
- neurohypophysis (posterior pituitary), 220–221
disorders, 231
- neurological disorders/diseases
bowel obstruction due to, 331
developmental, 188–189
in HIV disease/AIDS, 185, 387
peripheral, 188
- neuromuscular junction, 147–148, 163–164, 422
- neurones (nerve cells), 10, 44, 145–152
connector, 161
inspiratory, 260
motor see lower motor neurone;
upper motor neurone
myelinated see myelinated neurones
postganglionic see postganglionic neurones
postsynaptic, 147–148
preganglionic see preganglionic neurone
presynaptic, 147–148
sensory see sensory nerves and neurones
unmyelinated, 146–147
- neuropathy (peripheral), 188
- neurotransmitters, 147–148
- neurotropic viruses, 184
- neutrons, 22
isotopes and number of, 23
- neutropenia, 77
- neutrophils, 40, 68–69
in inflammatory response, 378
- newborns (neonates)
conjunctivitis (ophthalmia neonatorum), 211, 466
haemolytic disease, 75–76
haemolytic jaundice, 336
haemorrhagic disease, 78, 278–279
respiratory distress syndrome, 241
see also premature infants
- niacin and its deficiency, 279
- nipple, 459
- nitric oxide, 85
- nitrogen, 11, 258
balance, 277
blood, 63
food containing, 276–277
- nocturia, 350t
- nocturnal dyspnoea, 127
- nodes of Ranvier, 146
- nodular goitre, toxic, 232
- non-communicating hydrocephalus, 180
- non-Hodgkin's lymphoma, 141
- non-insulin-dependent (type 1) diabetes mellitus, 236
- non-keratinised squamous epithelium, 39
- non-starch polysaccharide (NSP; fibre), 274, 281, 308
- non-verbal communication, 11
- noradrenaline (norepinephrine), 225–226
heart rate and, 95
tumours secreting, 235
- norovirus, 327
- nose (and nasal cavity), 243–244
bones, 400
concha, 389, 399–400
olfaction, 206–207, 244
position and structure, 243–244
respiratory function, 244
see also allergic rhinitis
- nostrils (nares), 243
- nuchal ligament, 405
- nucleolus, 33
- nucleotides, 27, 438–439
- nucleus (cell), 33
- nucleus (nerve cell body groups in CNS), 145
- nucleus pulposus, 404
herniation, 187
- nutrients, 276
absorption see absorption
blood/plasma, 63, 86
fetoplacental, 115
combinations in food, 274
digestion, 287
essential see essential nutrients
ingestion, 11–12, 287
- nutrition, 273–284
ageing and, 281–282
disorders, 283–284
older adults, 281–282
embryonic/fetal, 464
see also diet; food

O

- obesity (and overweight), 283–284
older adults, 282
- oblique muscles
abdomen, 427
eye, 143, 170, 203, 204t

obstruction and occlusion
 airway/lung
 collapsed lung with, 270
 disorders causing, 263–266
 cerebrospinal flow, 180
 gastric outflow see pylorus
 intestinal, 330–331
 lymph vessels, 140
 retinal vessels, 212
 urine outflow, 355
 see also stenosis
 obturator nerve, 168
 obturators, 430
 occipital artery, 105
 occipital bone, 399
 occipital lobes, 170
 occipitofrontalis, 424
 occlusion see obstruction and occlusion
 oculomotor nerves, 170, 203
 Oddi's sphincter, 301–302, 308, 312
 odontoid process, 402, 414
 odour sensation see olfactory sensation
 oedema, 124–125, 334, 378
 cerebral see cerebrum
 optic disc (papilloedema), 180, 189
 pulmonary, 99, 125
 oesophageal arteries, 108
 oesophageal veins, 108
 varices, 124, 321–322
 oesophagitis
 acute, 322
 reflux, 322
 oesophagus, 295–297
 disorders, 321–322
 swallowing, 297
 oestrogen
 bone growth, 394
 reproductive functions, 116, 220, 457–458, 458b
 olfactory bulb, 170, 205–206
 olfactory nerves, 157, 170, 205–206, 244, 399–400
 olfactory sensation (smell/odour sensation), 170, 205–207
 brain in, 157, 170, 205–206
 nose, 206–207, 244
 physiology, 206–207
 olfactory tract, 205–206
 oligodendrocytes, 151
 damage, 152
 oliguria, 334
 in renal tubular acute necrosis, 353
 omentum, greater, 289
 oncogenes, 55
 oncogenic viruses, 55–56
 open-angle glaucoma, primary, 211
 ophthalmia neonatorum (neonatal conjunctivitis), 211, 466
 ophthalmic nerves, 171
 herpes zoster, 185
 optic chiasma, 170, 199–200
 optic disc oedema (papilloedema), 180, 189
 optic foramina, 170, 399
 optic nerves, 158, 170, 196, 199–200, 399
 optic radiations, 200
 optic tracts, 170, 200

oral cavity see mouth
 orbicularis oculi, 205–206, 424
 orbicularis oris, 424
 orbit, 396, 401
 orchitis, 469
 organ(s)/viscera, 4, 32
 in abdominal cavity, 51
 accessory see accessory organs
 afferent impulses from, 177
 ageing, 15, 16f
 associated with specific organs/tissues
 bladder and urethra, 347f
 heart, 87
 kidney, 339
 larynx, 246
 liver, 308–309
 pharynx, 245
 spleen, 137
 stomach, 297
 thymus, 139
 trachea, 248
 digestive system see digestive system
 failure (in malignant disease) causing death, 57
 of respiratory system, 242
 with secondary endocrine function, 228
 organ of Corti see spiral organ of Corti
 organelles, 32–35
 organic dust diseases, 267
 oropharynx, 245, 295
 orthostatic (postural) hypotension, 132
 osmolarity, plasma, 29
 osmoreceptors, hypothalamus, 221, 344
 osmosis, 29, 37
 osmotic pressure, 24, 29
 antidiuretic hormone and, 221
 glomerular filtration and, 341–342
 plasma/blood, 62, 86
 decreased, 125
 water balance and, 344
 ossicles, auditory, 193–195
 ossification, 392–394
 osteoarthritis, 433t, 434
 osteoblasts, 390–391
 osteoclasts, 390–392
 osteocytes, 43, 391
 osteogenesis, 392–394
 osteogenesis imperfecta, 432
 osteomalacia, 278, 280, 431–432
 osteomyelitis, 432
 with fracture, 396
 osteons, 392
 osteopenia, 430
 osteoporosis, 431
 osteosarcoma, 432
 otitis externa (external otitis), 209–210
 otitis media
 acute, 210
 chronic, 210
 serous, 209
 otorrhoea, 184, 210
 otosclerosis, 209
 oval window, 193–195
 ovaries, 216, 455
 disorders, 468
 endocrine function, 228t, 455–456
 follicle see follicle

overflow incontinence, 356
 overweight see obesity
 ovum (egg), 14, 35
 fertilised, 14, 442, 454–455, 457–458, 463
 not fertilised, 14, 453–454, 457–458
 release from follicle (ovulation), 14–15, 455
 oxidative phosphorylation, 315–316
 oxygen
 blood, 63
 chemoreceptors and see chemoreceptors
 transport and exchange, 66, 85–86, 259–260
 intake, 11
 low levels (hypoxia), 66
 therapy, pulmonary toxicity of high concentrations, 267
 oxyhaemoglobin, 66, 85–86, 260
 oxytocin, 7, 220–221, 459

P

P wave, 94
 pacemaker of the heart, 44, 91–92
 Pacinian corpuscle, 363
 packed cell volume, 65t
 Paget's disease (of bone), 431
 pain
 abdominal, 319t
 in inflammatory response, 379
 nerve impulse, 163t
 referred, 177
 visceral, 177
 see also colic
 palate, 291
 cleft lip and, 320
 palatine bones, 400
 palatine tonsil, 245, 291–292
 palatoglossal arches, 291–292
 palatopharyngeal arches, 291–292
 palmar arches, 107
 palmar digital arteries, 107
 palmar metacarpal arteries, 107
 palmaris longus, 429
 palpebrae see eyelids
 panacinar emphysema, 264
 pancreas, 303–304, 308, 331–332
 endocrine see islets
 exocrine, 308
 amylase, 304, 313t
 disorders, 331–332
 juice, 303–304, 308
 lipase, 313t
 pancreatic duct, 308
 pancreatitis, 331–332
 pancytopenia, 74
 panhypopituitarism, 230–231
 pantothenic acid, 280
 papilloedema, 180, 189
 parafollicular cells, 222
 paralytic ileus, 331
 paranasal sinuses see sinuses
 paraquat, pulmonary toxicity, 267

- parasympathetic nervous system, 173–175
 alimentary canal, 285
 stomach, 299
 bronchi, 253
 bronchioles, 253
 eye, 177, 198
 heart, 81, 92, 97t
 and heart rate, 95
 larynx, 247
 pharynx, 245, 295
 reproductive system of females
 ovaries, 455
 uterus, 453–454
 vagina, 452
 reproductive system of males, penis, 462–463
 stimulation, 176
 effects, 176–177
 trachea, 249
- parasympathetic nervous system. renal
 blood vessels, 341
- parathyroid glands, 223–224
 disorders, 233
- parathyroid hormone (parathormone; PTH), 224, 343, 394
- paratyphoid fever, 325–326
- parietal bone, 396–398
- parietal serous membrane, 45
 pericardium, 87
 peritoneum, 288
 pleura, 250, 256
- parieto-occipitotemporal area, 159
- Parkinson disease, 183
- parotid glands, 294
 inflammation/infection, 321
- passive immunity, 382–383
 artificially acquired (=passive immunisation with antibodies), 383
 naturally (maternal antibodies), 115, 383
- passive transport, 29, 36–37
- pasta, 274–275
- patella, 391
- patellar ligament, 419
- pathogenesis, definition, 18
- pathology, definition, 4
- pathophysiology, definition, 4
- pavement epithelium *see* squamous epithelium
- pectoralis major, 427
- pellagra, 279
- pelvic inflammatory disease, 467
- pelvis (bone; pelvic girdle), 49, 409
- pelvis (pelvic region/cavity), 52
 abscess, 325
 circulation, 111–112
 lymph nodes, 136
 muscles of pelvic floor, 427
 uterine support, 454
- penetrating injuries
 joints, 434
 pleura, 271
- penis, 462–463
 infections, 469
- pepsins and pepsinogens, 285
- peptic ulcer, 323–324
- peptide(s)
 digestion of (by peptidases), 304, 313t
 digestion of proteins to, 303
- peptide bond, 26
- peptide hormones, 216
- perforated peptic ulcer, 324
- pericardium, 45, 87
- perilymph, 194, 196
- perimetrium, 453
- perimysium, 420–421
- perineum (female), 451
- perineurium, 148
- periosteum, 42, 390–391
- peripheral arterial resistance and blood pressure, 96
- peripheral chemoreceptors (in respiration), 97, 105, 260
- peripheral nervous system, 10, 144, 165–177
 disorders, 188
see also nerves
- peristalsis
 alimentary tract, 289
 large intestine, 307
 stomach, 299
 ureter, 346
- peritoneum, 45, 288–289
 gallbladder and, 312
 hernia, 330
 small intestine and, 302
- peritonitis, 325
- permanent teeth, 292
- permeability
 cell membrane, selective, 6, 36–37
 small-vessel, increased, 125
- pernicious anaemia, 74
- peroneal artery, 111
- peroneal nerves, 169
- petrous portion of temporal bone, 398
- Peyer's patches, 139, 326
- pH, 24–26, 345
 balance, 345
 hydrogen ions and, 24–26, 345
 low (in tissues), 66
 urine, and renal stone formation, 354
see also acid-base balance
- phaeochromocytoma, 235
- phagocytes in primary healing, 368
- phagocytosis, 37, 68–69, 376, 378
 alveolar, impairment, 268
 of erythrocytes, 67
 in lymph nodes, 136–137
 in spleen, 138
- phalanges
 fingers, 408
 toes, 411
- pharyngitis, 262
- pharyngotympanic tube, 193
- pharynx (throat), 244–246, 295
 diseases *see* diphtheria; pharyngitis;
 tonsillitis
 functions, 245–246, 296–297
 swallowing, 297
 muscles, 172
- pheromones, 206
- phimosis, 469
- phosphate, dietary, 280
see also calcium phosphate
- phospholipids, 27, 32
- phosphorylation, oxidative, 315–316
- photosensitive retinal cells, 198, 202–203, 278
see also cones; rods
- phrenic arteries, 108
- phrenic nerve, 167, 255
- physiology, definition, 4
- pia mater, 153
- pineal gland, 228
- pinna, 192
- pinocytosis, 37
- pitting oedema, 121
- pituitary gland, 217–221, 230–231, 399
 anterior and posterior *see*
 adenohypophysis; neurohypophysis
 disorders, 230–231
 gonadotrophins *see* follicle stimulating hormone; gonadotrophin;
 luteinising hormone
 influence, 217
- pivot joints, 414
- placenta, 115–116, 216, 454, 463
 secondary endocrine function, 228t
- planes of body, 46
- plantar arch, 111
- plantar artery, 111
- plantar calcaneonavicular ligament, 411
- plantar flexion, 420t
- plantar ligaments, 411
- plaques
 atheromatous *see* atheroma
 brain, 178
- plasma, 8, 62–63
 constituents, 62–63
 measuring levels of substances in, 24
 osmolarity, 29
 osmotic pressure *see* osmotic pressure
- proteins, 62
 synthesis, 311
- plasma cells, 40, 381
- plasma membranes (cell membranes), 6, 32
 nerve (axolemma), 146–147
 impulse, 147
 phospholipids, 27
 transport across, 29, 36–37
- plasmin, 71
- plasminogen, 70–71
- platelets *see* thrombocytes
- pleura, 45, 250–251
 cavity and fluid between, 250–251, 256
 effusion, 125, 272
 mesothelioma, 270
see also haemothorax; pneumothorax
- plexuses
 choroid, 153
 nerve *see* nerves
- pluripotent haemopoietic cells, 63
- pneumoconioses, 266–267
- pneumonia, 267–268
 HIV disease, 387
- pneumonitis, hypersensitivity (extrinsic allergic alveolitis), 245

- pneumotaxic centre, 159, 260
 pneumothorax, 271
 poisons see toxicology
 poliomyelitis, 184–185
 polyarthritis, 433–434
 polycystic kidney disease, 354–355
 polycythaemia, 76–77
 polymorphonuclear leukocytes (granulocytes), 67–69
 polyneuropathy, 188
 acute inflammatory, 188
 polysaccharides, 26, 276
 digestible
 digestion, 295
 functions, 276
 non-starch (NSP; fibre), 274, 281, 308
 polyuria, 344
 in chronic renal failure, 353
 in diabetes mellitus, 237
 pons, 153, 159, 164t
 popliteal artery, 111
 popliteal ligament, 419
 popliteal surface of hip joint, 410
 popliteal vein, 112
 portal fissure, 309
 portal system
 pituitary, 217–218
 of veins (portal circulation), 110
 hypertension (elevated blood pressure), 321–322, 334
 portal vein, hepatic, 110, 302, 309
 position (body)
 heart rate and, 95
 venous return and, 95
 positional terminology (in anatomy), 46
 positive feedback systems, 7
 hormones in, 217
 and cervical distension in childbirth, 220
 posterior (meaning of term), 46t
 posterior chamber of eye, 197–199
 posterior columns of grey matter, 162
 posterior segment of eye, 199
 postganglionic neurones
 parasympathetic, 175
 sympathetic, 173
 postpartum pituitary necrosis, 231
 postsynaptic neurone, 147–148
 postural hypotension, 132
 post-viral syndrome, 185
 potassium, 280
 adrenal secretion, regulation, 225
 balance, 345
 dietary, 280
 transport, 37
 nerve impulse and, 147
 potatoes, 274–275
 pouch of Douglas, 453
 precapillary sphincters, 84
 prefrontal area, 158
 preganglionic neurone, 166, 173
 parasympathetic, 174–175
 sympathetic, 173
 pregnancy, 458
 ectopic, 468
 gestational diabetes, 236
 human chorionic gonadotrophin, 116, 228t, 457–458
 iron deficiency in, 74
 placenta in maintenance of, 116
 maternal antibodies, 115, 383
 see also birth; childbirth; fetus
 preload, 94–95
 premature infants
 respiratory distress syndrome, 270–271
 retinopathy, 212
 premolars, 292
 premotor area, 158
 presbycusis, 207
 presbyopia, 208
 pressure
 blood see blood pressure
 cerebrospinal fluid, 153–154
 hydrostatic see hydrostatic pressure
 intestinal obstruction caused by, 331
 intracranial, raised, 179–180
 intraocular see intraocular pressure
 lung collapse due to, 271–272
 osmotic see osmotic pressure
 partial, gases, 258
 tumours causing, 40
 ulcers caused by, 372
 presynaptic neurone, 147–148
 prevertebral ganglia, 174
 prion disease, 185
 progesterone, 220
 reproductive functions, 116, 456–458, 458b
 projection tracts, 156
 prolactin, 219–220, 220t, 459
 hypersecretion, 230
 prolactin inhibiting hormone (PIH; dopamine), 219–221
 proliferation
 in primary healing, 368
 in secondary healing, 368
 proliferative glomerulonephritis, 350, 351t
 proliferative phase of menstrual cycle, 456–457
 pronation, 413t
 pronator quadratus, 428
 pronator teres, 428
 prophase, 35
 proprioception (and proprioceptors), 149, 162
 cerebellum and, 160
 propulsion in alimentary tract, 287
 prostaglandins, 27, 229, 378t
 prostate gland, 462
 enlargement (benign- with age), 349, 462, 470
 infections, 469–470
 malignancy, 470
 urethra passing through, 462
 protection and defence (from external environment), 13, 375–387
 appendicular skeleton in, 49
 fetal, 115–116
 gastric mucosa in, 323–324
 from infection see infection
 metabolism, 316–317
 hepatic, 310–311
 respiratory tract
 bronchioles and alveoli, 254
 larynx, 248
 pharynx, 245
 saliva in, 312, 377
 skin in, 13, 365, 376
 see also immune system
 protein(s), 26–27, 276–277
 as carrier molecules, 36–37, 62
 dietary, 276–277
 biological value, 277
 digestion, 303, 313t
 functions, 277
 membrane, 32
 plasma see plasma
 sparing, with adequate carbohydrate intake, 276
 synthesis, 440–442
 see also enzymes
 protein-energy malnutrition, 283
 proteinuria, 350t
 asymptomatic, 350
 prothrombin, 71
 protons, 22
 see also hydrogen ions
 proto-oncogenes, 55
 proximal (meaning of term), 46t
 pruritus (itching), 371
 jaundice and, 336
 psoas, 430
 psoriasis, 371
 arthritis, 433
 pterygoid, 424
 puberty, 14–15
 females, 456
 males, 463
 pubis, 409
 pubocervical fascia, 454
 pubofemoral ligament, 417–418
 pudendal nerve, 169, 307, 449
 pulmonary artery
 embolism, 120, 126
 left, 100
 main (trunk), 89, 100, 251–252
 right, 100
 pulmonary circulation, 9, 89, 100, 251–252
 hypertension, 132
 pressure, 99
 relationship between systemic and, 82f, 91f
 pulmonary non-vascular tissue see lung
 pulmonary valve, 89, 93–94
 sounds made by, 93–94
 pulmonary veins, 89, 92–93, 100, 251–252
 at birth, 117
 pulp cavity, 293–294
 pulse, 99
 factors affecting, 99
 pressure at, 96, 122
 Punnett squares, 444
 pupil, 197–198
 constriction assisting accommodation, 202
 light reflex (and size/diameter control), 164, 201–202

Purkinje fibres, 92–94
 pus, 369–370, 379
 pyelonephritis, acute, 352
 pylorus (gastric), 298
 sphincters, 297–298, 301
 stenosis (=gastric outflow obstruction), 324
 congenital, 324
 pyogenesis (pus formation) infections, 369–370, 379
 pyramidal (corticospinal) tracts, 156
 decussation/crossing of nerves in, 160
 pyrexia (fever), 367, 379
 pyridoxine and its deficiency, 279
 pyruvic acid, 315–316

Q

QRS complex wave, 94
 quadratus lumborum, 425
 quadriceps femoris, 430

R

rabies, 185
 radial artery, 107
 radial bone (radius), 408
 radial nerve, 167
 radiation (heat), 366
 radiation (ionising) see ionising radiation
 radioulnar joints, 408, 416
 radius, 408
 rami communicans, 166
 ramus, mandibular, 400
 reabsorption (in kidney), selective, 342–343
 receptors, sensory, 149–150
 ear, 194–195
 skin, 162, 363, 367
 see also baroreceptors;
 chemoreceptors
 recessive genes, 444
 rectal arteries, 307
 rectouterine pouch, 453
 rectum, 305–308
 cancer of colon and/or, 329
 functions, 307–308
 rectus muscles
 abdomen (rectus abdominis), 426
 femur (rectus femoris), 430
 orbit, 170–171, 203, 204t
 recurrent laryngeal nerve, 222
 red blood cells see erythrocytes
 red pulp, 137–138
 reflexes (and reflex actions), 10, 164
 autonomic, 164
 corneal, 205
 cough see coughing
 Hering–Breuer, 261
 medulla oblongata and, 160
 pupil (to light), and diameter changes, 164, 201–202

 spinal see spinal reflexes
 stretch, 164
 reflux nephropathy, 352
 reflux oesophagitis, 322
 refraction (of light), 200–201
 errors, 213
 refractory power changes, 211
 refractory period (nerve cell), 147
 regeneration (tissue), 44
 peripheral nerve, 151
 regional terminology (in anatomy), 46
 regurgitation, heart valve, 127
 Reiter's syndrome, 433
 renal arteries, 108, 339–341
 renal organ see kidney
 renal pelvis, 339
 disorders, 355–357
 acute infection (pyelonephritis), 352
 renal veins, 110, 339–341
 renin, 225, 338, 345
 renin–angiotensin–aldosterone system, 225, 234, 345
 blood pressure and, 99
 heart failure and, 126
 shock and, 118
 repolarisation
 cardiac, 91–92, 94
 nerve, 147
 reproductive system (incl. genitalia), 14–15, 449–470
 ageing, 16f, 464–465
 female see females
 male see males
 residual volume, 257
 respiration, 254–261
 aerobic, 315–316
 anaerobic, 316
 control, 260–261
 in brain, 159–160, 260–261
 chemoreceptors see chemoreceptors
 external (gas exchange between blood and lungs), 85, 100, 242, 255, 258–259
 internal (gas exchange between blood and cells), 85, 248
 muscles of, 48–49, 255–256
 see also breathing
 respiratory bronchioles, 253–254
 respiratory distress syndrome
 adult, 271
 neonatal, 241
 respiratory membrane, 251–253, 258–259
 respiratory pump, 95, 257
 respiratory system/tract, 241–272
 ageing, 16f, 261
 autonomic stimulation, 176
 disorders, 262–263, 272
 infection see infection
 upper, 262–263
 see also airways
 resting membrane potential, 147
 restrictive lung disorders, 266–267
 reticular formation, 160, 164t
 reticular tissue, 41–42
 reticulin fibres, 40
 reticuloendothelial cells and system, 70
 phagocytic cells, 67

retina, 196, 198–199, 202–203
 disorders (retinopathies), 212
 in diabetes, 212, 238
 focusing of image on, 201
 functions, 202–203
 retinal artery, central, 199
 occlusion, 212
 retinal vein, central, 199
 occlusion, 212
 retinitis pigmentosa, 212
 retinoblastoma, 213
 retinol (vitamin A) and its deficiency, 278
 retroperitoneal organs, 289
 reverse transcriptase, 386
 Rhesus system, 67
 and haemolytic disease of newborn, 75–76
 rheumatic fever, 434
 heart disease, 128
 polyarthritis, 434
 rheumatoid arthritis, 432–433
 rhinitis, allergic, 262–263
 rhodopsin, 203, 278
 rib(s), 48, 396, 406
 riboflavin and its deficiency, 279
 ribonucleic acid (RNA), 27, 33
 ribosomes, 33–34, 441
 rice, 274–275
 rickets, 278, 280, 431–432
 ringworm, 371
 RNA, 27, 33
 messenger (mRNA), 441–442
 rods, 198, 201–203
 rotation
 spine, 405
 synovial joint, 413t
 rotator cuff and its injury, 415, 435
 rotavirus, 327
 round ligaments, 329–330, 427, 449, 454
 round window, 193–195, 205
 rubrospinal tract, 164t

S

S phase, 35
 saccular aneurysms, 122–123
 sacculle (of semicircular canal), 196
 sacral nerves, 166
 plexus, 169
 sacral outflow, 174–175
 sacroiliac joint, 404
 sacrospinalis, 425
 sacrum, 48, 401–402, 404
 see also lumbosacral trunk
 saddle joints, 415
 sagittal sinus
 inferior, 107
 superior, 106–107, 152
 saliva
 amylase, 295, 313t
 composition/secretion, 294–295
 function, 294–295
 defensive, 312, 377
 salivary glands, 294–295
 diseases, 321

- Salmonella*, 326
S. enteritidis, 326
S. paratyphi, and paratyphoid, 325–326
S. typhi, and typhoid, 325–326
S. typhimurium, 326
salpingitis, acute, 468
salt, dietary, 276, 280
saltatory conduction, 147
saphenous vein
 great, 112
 small, 112
sarcolemma, 421
sarcoma
 Kaposi's, 373, 387
 osteogenic (osteosarcoma), 432
sarcomeres, 421
sarcolemma, 421
sartorius, 430
satiety value, fats, 278
saturated fats, 27, 277
scalene muscles in respiration, 256
scapula (shoulder blade), 407, 415
 acromion process, 407
 see also facioscapulohumeral dystrophy
scar formation, 369
 see also fibrosis
Schlemm's canal, 199
Schwann cells, 146
 in nerve regeneration, 151
sciatic nerve, 169
sclera, 196–197
 venous sinus, 199
scleroderma, 434–435
scrotum, 459
 hydrocele, 469
 varicocele, 124
scurvy, 280
sebaceous glands, 365
 external auditory gland, 192–193
 eyelid, 205
 infection, 210
seborrhoea, 210
second intention, healing by, 368
secretin, 228t, 237, 300–301, 304
secretory phase of menstrual cycle, 456–458
sella turcica, 399
semen, 459, 462
 ejaculation, 454
semicircular canals, 194–196
semilunar cartilages, 43, 419
semilunar cusps
 aortic valve, 89
 pulmonary valve, 89
semimembranosus, 430
seminal vesicles, 461–462
semiferous tubules, 461
semitendinosus, 430
senses
 somatic/common (skin), 10, 149
 skin, 152, 363, 365, 367
 special see special senses
sensorineural hearing loss, 209
sensory and motor conditions, mixed, 187
sensory cortex (sensory areas of cerebral cortex), 156–158
sensory division of nervous system, 144, 145f
sensory nerves and neurones (afferent nerves), 10, 148–150
 autonomic, 149–150, 177
 cranial, 170–172
 decussation/crossing to opposite hemisphere, 160, 162
 mixed motor and see mixed nerves
 receptors see receptors
 roots, 166
 skin, 363, 365, 367
 spinal cord, 161
 tracts, 162
 viscera, 177
septic shock, 118
septum
 atrioventricular, 88
 atrial septal defect, 130
 nasal, 243
 posterior median, 161
serotonin, 70, 229, 378t
serous membranes (serosa), 45, 288–289
 pericardial, 87
 peritoneal see peritoneum
serous otitis media, 209
serum, 62
sesamoid bones, 390–391
sex (gender) and heart rate, 95
sex cells (gametes), 35
 see also ovum; sperm
sex chromosomes, 438
 inheritance of genes on, 444–445
 numerical abnormalities, 447
sex hormones/steroids, 225
sexually-transmitted infections, 466
 neonatal conjunctivitis (ophthalmia neonatorum), 211, 466
Sheehan's syndrome, 231
Shigella, 327
shin bone, 410
shingles (zoster), 184–185, 371
shivering, 366
shock (circulatory failure), 118–119
 with burns, 372
 renal blood flow, 342
short bones, 390–391
short (near) sightedness, 213
shoulder girdle, 49, 406–407
shoulder joint, 407, 415
shoulder muscles, 415, 427–429
sickle cell anaemia, 75
sight see vision
sigmoid colon, 306
sigmoid sinuses, 107
silicosis, 266
Simmond's syndrome, 231
sinoatrial (SA) node, 92–93
 electrophysiology, 94
sinus(es) (paranasal), 243–244, 396, 401
 inflammation (sinusitis), 262
 maxillary, 400
sinus(es) (pathological tract), 370
sinus rhythm, 94
sinusoids, 84
 hepatic, 309
 splenic, 138
skeletal (voluntary) muscle, 14, 43, 420–430
 action, 422–423
 ankle joint, 419–420
 contraction/movement, 43, 163, 422
 all-or-none law, 422–423
 CNS in regulation of activity, 160, 163–164
 isometric, 423
 isotonic, 423
 venous return and, 95
elbow, 416
eye see eye
fatigue, 423
fibres/cells, 421–422
foot, 411, 420
heat production, 366
hip, 418, 429–430
lower limb, 429–430
organisation, 420–422
pelvic floor, 427
performance factors, 423
principal muscles, 423
proprioceptors, 162
recovery (post-exercise), 423
shoulder, 415, 427–429
synovial joint and, 413
terminology, 423
tone, 422–423
upper limb, 427–429
 forearm, 396, 428–429
wrist joint, 417
see also neuromuscular junction; tetany
skeleton, 47–49
 appendicular, 49, 397f, 406
 axial, 47–49, 396–406
 see also bones
skin (cutaneous...), 361–373
 ageing, 370
 disorders, 371–373
 functions, 365–367
 protective, 13, 365
 senses (somatic/common senses), 10, 149, 162, 363, 365, 367
 structure, 362–365
 sympathetic stimulation, 177
 see also cutaneous nerves
skull, 47–48, 396–401
 bones, 49, 396–401
 intracranial hypertension-related changes, 180
 fontanelles, 401
 functions, 48, 401
 see also cranium; face
sliding filament theory, 422
small intestine, 301–305
 absorption in see absorption
 autonomic stimulation, 176
 digestion, 303–305, 313t
 functions (in general), 303
 hormones secreted by (from mucosa), 228t
 gastric juice secretion and, 300–301

- juice, 303
 structure, 302
 lymphoid follicles see lymphoid follicles
 microvilli, 34, 302
 tumours, 328–329
- small vessels (microvessels)
 diabetic disease, 238
 permeability, increased, 125
- smell (sensation) see olfactory sensation
- smooth (involuntary) muscle, 43–44, 420
 autonomic innervation, 173
 bronchial, 252
 contraction/movement, 43, 163
 CNS regulation, 164
 digestive system see muscle layers
 pharyngeal, 245
- sodium, 280
 balance, 345
 dietary, 280
 reabsorption regulation, 225
- sodium–potassium pump, 37
 nerve impulse and, 147
- soft palate, 291
- soleus, 430
- somatic nerves/nervous system, 144, 148, 150
 pain and, 177
- somatic senses (common senses/cutaneous sensation), 10, 149
 skin, 152, 363, 365, 367
- somatosensory area of brain, 157
- somatostatin (growth hormone release-inhibiting hormone; GHRH), 218–219, 226–228, 230
- somatotrophin see growth hormone
- sounds
 heart, 93–94
 perception see hearing
 production
 larynx, 247–248
 pharynx, 245–246
 see also speech
- special senses, 11, 149, 191–213
 ageing, 16f, 207–208
 disorders, 209–210, 213
- species, survival of, 14–15
- speech
 brain areas
 perceiving speech, 158
 producing speech, 157
 larynx and, 248
 pharynx and, 245–246
 see also verbal communication
- sperm, 14, 35, 461
- spermatic cord, 124, 329–330, 427, 453, 459–461
- sphenoid bone, 399
- sphincters
 anal sphincters, 176, 307
 cardiac, 297
 digestive tract, (in general), 289
 hepatopancreatic (of Oddi), 301–302, 308, 312
 oesophageal
 lower, 295–296
 upper, 295–296
 precapillary, 84
 pyloric, 297–298, 301
 urethral, 176
 external, 348, 463
 internal, 176, 348
- sphygmomanometer, 96
- spina bifida, 188–189
- spinal column see vertebral column
- spinal cord, 10, 160–164
 central canal, 153
 dura mater, 152–153
 lesions/diseases, 186–187
 ankylosing spondylitis
 urine outflow affected by, 355
 see also central nervous system
- spinal nerves, 165–169
- spinal reflexes, 161, 164
 micturition and, 348
- spinous process, 402
- spiral arteries, 453
- spiral organ of Corti, 172, 194–195
 disorders/damage, 207, 209–210
- spleen, 137–138
 disorders, 141–142
- splenic artery, 109, 138, 308
- splenic vein, 110
- splenomegaly, 141–142
- spondylitis, ankylosing, 433
- spongy (trabecular/cancellous) bone, 43, 390, 392
- sprains, 434
- spring ligament, 411
- sprue, tropical, 331
- squames, 362
- squamous cell carcinoma
 mouth, 320
 oesophagus, 322
- squamous epithelium (pavement epithelium), 38
 keratinised, 39, 362
 non-keratinised, 39
 stratified, 39, 362
- squamous part of zygomatic bone, 398
- squint, 211
- staghorn calculus, 354
- staging of tumours, 56
- stapes, 193–195
- staphylococcal food poisoning, 326
- stem cells, haemopoietic, 63
- stenosis (narrowing)
 arteries (in atheromatous disease), 121
 bowel, 330–331
 heart valve, 127
 pyloric see pylorus
- stercobilin, 304, 307, 311–312
- stereoscopic vision, 203
- sternoclavicular joint, 407
- sternocleidomastoid muscle, 172, 425
 respiration, 256
- sternum (breast bone), 396, 405–406
 manubrium, 48, 405
- steroids, 27
 adrenal, 224
- stomach (gastric...), 297–301, 313t
 autonomic stimulation, 176, 299
 diseases, 323–324
 functions, 299–301, 313t
 non-specific defence, 301, 376
- juices
 function, 299
 secretion, 300–301
 mucosa, 299
 hormone secreted by, 228t
 see also gastrectomy; gastritis;
 gastro-oesophageal reflux disease
- stomatitis, 320
 see also gingivostomatitis
- stones see calculi
- strabismus, 211
- straight sinus, 107, 152
- strains, 434
- strangulated hernia, 329
- stratified epithelium, 39
 alimentary canal, 289–290
 squamous, 39, 362
- Streptococcus pneumoniae* meningitis, 184
- stress incontinence, 356
- stress response, 106–107, 226
- stretch reflexes, 164
- striated muscle see myocardium; skeletal muscle
- stroke (cerebrovascular accident), 178, 181–182
 haemorrhagic, 132
 stroke volume, 94–95
- structural complexity, levels, 4
- stye, 210
- styloid process, 395t
 temporal bone, 399
- subacute combined degeneration of spinal cord, 187
- subarachnoid space, 153
 haemorrhage, 182
- subclavian arteries, 103, 107
- subclavian veins, 107
- subcostal nerves, 170
- subdural space, 153
 haemorrhage, acute and chronic, 181
- sublingual glands, 294
- submandibular glands, 294
- submucosa
 alimentary canal, 289
 pharyngeal, 245
- subphrenic abscess, 324–325
- sucrase, 304, 313t
- sucrose, 26
- sugar (dietary), food/drink high in, 275
- sugars (molecules), functions, 26
- sulci (cerebral), 155
- superficial thrombophlebitis, 123
- superior (meaning of term), 46t
- supination, 413t
- supinator, 428
- suppressor T-cells, 381
- suppuration (pus formation), 369–370, 379
- suprarenal arteries, 108
- suprarenal glands see adrenal glands
- suprarenal veins, 110
- supraspinous ligament, 405
- sural nerve, 169

surfaces, body, defence at, 376
 skin, 13, 365, 376
 surfactant, 253
 premature babies, deficient
 production, 270–271
 survival
 body's needs for, 8–15
 species, 14–15
 see also death
 suspensory ligaments (of lens), 197–198,
 201
 sutures, cranial, 396–398, 412
 swallowing (deglutition), 297
 difficulties (dysphagia), 319t,
 322
 sweat glands, 364, 367
 sympathetic nervous system, 173–174
 alimentary canal, 290
 stomach, 299
 blood vessels and, 97t, 176
 diameter of, 85
 renal, 341
 breast, 459
 bronchi, 253
 bronchioles, 253
 eye, 176–177, 198
 ganglia see ganglion
 genitalia of females
 ovaries, 455
 uterus, 453–454
 vagina, 452
 heart, 81, 92
 and heart rate, 95
 larynx, 247
 pharynx, 245, 295
 spinal cord, 166
 stimulation, 175–176
 effects, 176–177
 trachea, 249
 symphysis pubis, 409
 synapse, 147–148
 neuromuscular junction, 147–148,
 163–164, 422
 synovial fluid, 413
 synovial joints, 412–415
 limbs, 415–420
 synovial membrane, 45, 413
 syphilis, 466
 syringomyelia, 187
 system(s) (body), 4, 32
 ageing, 16f
 see also organs
 systemic circulation, 9, 100–112
 abdomen, 108–112
 blood pressure see blood pressure
 head and neck, 104–107
 limbs
 lower, 101f, 111–112
 upper, 101f, 107–108
 relationship between pulmonary and,
 82f, 91f
 thorax, 108
 systemic factors in wound healing,
 367
 systemic lupus erythematosus,
 434
 systemic sclerosis, 434–435

systole, 92
 atrial, 92
 blood pressure, 96
 ventricular, 88–89, 92

T

T-cells/lymphocytes, 70, 380
 cytotoxic see cytotoxic T-cells
 delayed-type hypersensitivity and, 385
 helper see helper T-cells
 lymph nodes, proliferation, 137
 memory, 381
 suppressor, 381
 T wave, 94
 tachycardia, 94
 tarsal bones, 411, 419
 tarsal glands, 205
 infection, 210
 tarsal plate, 204
 taste sensation (gustation), 207
 brain, 157, 207
 saliva and, 295
 tears (lacrima secretions), 205
 tectospinal tract, 164t
 teeth (dentition), 292–294
 caries, 320–321
 telomerase and ageing, 438
 telophase, 36
 temperature
 body
 heart rate and, 95
 in inflammatory response, increased,
 379
 oxygen and haemoglobin and, 66
 regulation, 6–7, 365–367
 respiration and, 261
 see also fever; hypothermia
 sensation, sensory nerve impulse, 163t
 temporal artery, 105
 temporal bone, 398–399, 401
 mastoid process, 107, 398
 temporal lobe
 hearing and, 157
 olfaction and, 157, 170, 205–206
 temporalis, 424
 temporary (deciduous) teeth, 292
 temporomandibular joint, 398–401
 tendons, 42, 420–421
 feet, 420
 proprioceptors, 162
 stretch reflexes, 164
 synovial joint and, 413
 tension pneumothorax, 271
 tentorium cerebelli, 152
 teratogen, 115–116
 teres major, 425
 testes (testicles), 14, 216, 459–461
 inflammation, 469
 secondary endocrine function, 228t
 tumours, 469
 undescended, 469
 testosterone, 220
 bone growth and, 394
 tetany in hypoparathyroidism, 233
 thalamus, 159
 sight and, 170
 thalassaemia, 75
 thermoregulation, 6–7, 365–367
 thiamin and its deficiency, 279
 thigh, lateral cutaneous nerve of, 168
 thigh bone, 409–410
 thoracic aorta, 100–103
 descending, 103
 thoracic artery, internal, 107
 thoracic duct, 136
 thoracic nerves, 170
 thoracic vertebrae, 403
 thorax (chest; thoracic cage), 48–49,
 405–406
 circulation in, 108
 thoracic cavity, 49
 throat see pharynx
 thrombin, 71
 thrombocytes (platelets), 9, 70–72
 plug formation, 70
 thrombocytopenia, 74, 78
 thrombocytopenic purpura,
 autoimmune, 78
 thrombophlebitis, superficial, 123
 thromboplastin, 71, 366
 thrombosis (formation of thrombus/
 blood clot), 18, 119–120
 in atheromatous disease, 121–122
 tumour-associated, 57
 venous, 123
 thromboxanes, 229
 thrombopoietin, 70
 thrush (oral), 320
 thumb opposition, 417
 thymosin, 139, 228t
 thymus gland, 138–139
 disorders, 142
 secondary endocrine function, 228t
 thyroglobulin, 222
 thyroid artery, 105, 222, 249
 thyroid cartilage, 246
 thyroid gland, 221–223, 231–232
 disorders, 231–232
 hypersecretion of hormones
 (hyperthyroidism), 223t,
 231–232
 hyposecretion of hormones
 (hypothyroidism), 223t, 232
 thyroid-stimulating hormone
 (thyrotrophin; TSH), 219, 220t,
 222–223
 thyroid vein, 222, 247, 249
 thyroiditis
 autoimmune, 232
 Graves', 231–232
 thyrotoxicosis (hyperthyroidism), 223t,
 231–232
 thyrotrophin (thyroid-stimulating
 hormone; TSH), 219, 220t, 222–223
 thyrotrophin-releasing hormone (TRH),
 219, 222–223
 thyroxine (T₄), 219, 222–223, 281,
 394
 tibia, 410
 tibial artery, anterior, 111
 tibial nerve, 169

- tibialis
 anterior, 430
 posterior, 411
- tidal volume, 257
- tinea pedis, 371
- tinnitus, 209
- tissue(s), 4, 32, 38–45
 associated with specific organs/tissues
 see organs
 drainage
 by lymphatic system see lymphatic system
 by veins see veins
 gas exchange between blood and
 (=internal respiration), 85, 248
 nervous system, 44, 144–152
 regeneration see regeneration
 shrinkage (in healing), 369–370
 types, 38–45
- tissue fluid (interstitial/intercellular fluid), 5, 30, 134
 in inflammatory response, increased formation, 378
- TNM staging system, 56
- tocopherol and its deficiency, 278
- toes
 bones, 411
 joints, 420
- tolerance, immunological, 380
- tongue, 292
 tongue-rolling, 443–444
- tonsil(s)
 mucosa-associated lymphoid tissue, 139
 palatine, 245, 291–292
 pharyngeal, 245
- tonsillitis, 262
- total body water, 30
- total lung capacity, 257–258
- touch, nerve impulse, 163t
- toxic megacolon, 328
- toxic nodular goitre, 232
- toxicology (poisons incl. drugs)
 brain, 183
 detoxification in liver, 311
 hepatic, 333
 peripheral nerves, 188
 pulmonary, 267
 renal tubular acute necrosis, 353
- trabecular (cancellous/spongy) bone, 43, 390, 392
- trace elements, 280–281
- trachea, 248–250
- tracheitis, 262
 see also laryngotracheobronchitis
- tracheo-oesophageal fistula, 322
- trachoma, 211
- tracts (axon groups in CNS/spine/
 cerebrum), 145–146, 150, 156
 corticospinal see pyramidal
 (corticospinal) tracts
 sensory nerve/ascending (spinal cord), 162
- transamination, 306, 311
- transcription of DNA, 441
- transferrin, 66
- transfusion reactions, 67, 76
- transient ischaemic attack, 181–182
- transitional epithelium, 39
 bladder, 347
 carcinoma arising from, 356
 ureter, 346
- transport (and transport systems), 8–9
 active see active transport
 blood gases, 66, 260
 in body fluids, 28–29
 large intestine, 307
 passive, 29, 36–37
 transmembrane, 29, 36–37
 see also absorption; reabsorption
- transverse cervical ligaments, 454
- transverse colon, 306
- transverse commissure, 161–162
- transverse ligament, 404
- transverse plane, 46
- transverse process, 402
- transverse sinuses, 106–107, 152
- transversus abdominis, 427
- trapezius muscle, 172, 425
- trauma see injury
- Treponema pallidum* infection, 466
- triceps, 428
- Trichomonas vaginalis*, 466
- tricuspid valve, 88
- trigeminal nerves, 157, 170, 294
 herpes zoster, 185
- triglycerides (fats), 27, 277, 318
- tri-iodothyronine (T₃), 219, 281, 394
- trisomy 21 (Down syndrome), 447
- trochlear nerves, 170, 204t
- trophoblast, 463
- tropical sprue, 331
- trunk muscles, 425–427
- trypsin, 303, 313t
- tuberculosis, 268–269, 367
- tubules, renal, 339–341
 acute necrosis, 353
 secretion by, 343
 selective reabsorption, 342–343
- tumour(s), 18, 55–57
 adrenal medulla, 235
 biliary tract, 335
 bladder, 356
 blood and lymph vessels, 124
 bone, 432
 breast, 468–469
 male, 470
 causes, 55–56
 cervical, 467
 effects, 57
 encapsulation, 56
 endometrium, 467–468
 eye, 212–213
 growth, 56–57
 hormone-secreting see hormones
 intracranial, causing dementia, 183
 kidney, 355
 liver, 334
 lung, 269–270
 lymph vessel-obstructing tumours, 124, 140
 malignant see malignant tumours
 mouth, 320
 myometrium, 468
- nervous system, 189
- oesophagus, 322
- ovary, 468
- pancreas, 332
- salivary gland, 321
- skin, 373
- spleen, 142
- spread, 56–57
 by lymph vessels see lymph vessels
- stomach, 324
- testes, 469
- thymus, 142
- thyroid, 232
- tumour suppressor genes, 55
- tunica adventitia, 83
- tunica albuginea, 460
- tunica intima, 83
 atheromatous plaque development, 120–121
 damage, 120
- tunica media, 83
- tunica vaginalis, 460
- tunica vasculosa, 460
- Turner syndrome, 447
- tympanic cavity, 193
- tympanic membrane, 192–195
- typhoid fever, 325–326

U

- ulcer(s)
 aphthous, acute, 320
 corneal, 211
 peptic, 323–324
 pressure/decubitus, 372
- ulcerative colitis, 328
- ulna, 408
- ulnar artery, 107
- ulnar nerve, 168
- umbilical cord, 115, 464
- umbilical vessels, 115
- umbilicus, 115
 herniation through, 330
- unconjugated bilirubin, 336
- unmyelinated neurones, 146–147
- unsaturated fats, 27, 277
- upper limbs (arms), 407
 bones, 49, 407
 circulation, 101f, 107–108
 muscles see skeletal muscle
 nerves, 168
- upper motor neurones, 157, 163–164
 lesions, 186
- urea, 310, 316–317
- ureter(s), 338, 345–346
- ureteritis, 355
- urethra, 14, 338, 348, 462
 autonomic stimulation, 176
 male, 462
 infection, 469
 organs associated with, 347f
 sphincters see sphincters
- urethritis, 356
 polyarthritis with conjunctivitis and, 433

urge incontinence, 356
 uric acid, 310
 urinary system/tract, 337–357
 ageing, 16f, 348–349
 autonomic stimulation, 176
 diseases, 350–355, 357
 signs and symptoms, 350t
 transitional epithelium see transitional epithelium
 urine, 12–13
 composition, 344
 excretion see micturition
 formation, 341–344
 obstructed outflow, 355
 output, and water balance, 344–345
 pH, and renal stone formation, 354
 see also anuria; dysuria; glycosuria; haematuria; ketonuria; nocturia; oliguria; polyuria; proteinuria
 urobilinogen, 311–312
 uterine (Fallopian) tubes, 454
 disorders, 468
 uterosacral ligaments, 454
 uterus, 14, 452–454
 disorders, 467–468
 growth and development in see development
 utricle (ear), 196
 uveal tract, 196
 see also choroid; ciliary body; iris
 uvula, 291–292

V

vaccination (active artificially-acquired immunity), 383
 vagina, 14, 451–452
 vagus nerves, 92, 172
 alimentary tract (incl. aerodigestive tract), 290
 gastric juice secretion, 300
 pharynx, 245, 295
 valves
 heart, 88–89, 93
 disorders (in general), 127
 disorders in rheumatic heart disease, 128
 sounds made by, 93–94
 lymph vessel, 81
 veins, 84
 varicella-zoster (herpes zoster) virus, 184–185, 371
 varices/varicose veins, 123–124
 oesophageal, 124, 321–322
 varicocele, scrotal, 124
 vas deferens (deferent duct), 461
 vasa vasorum, 84
 vascular dementia, 183
 vascular system see blood vessels; lymphatic system
 vasoconstriction, 70, 85
 ageing and, 117
 regulation, 85

vasodilation, 85
 ageing and, 117
 regulation, 85
 vasomotor centre, medulla oblongata, 84, 160
 vasopressin see antidiuretic hormone
 vasti, 430
 vegetables, 275
 vegetative state, post-traumatic, 181
 veins, 9, 84
 blood flow/fluid dynamics in capillaries nearer to, 86
 blood pressure increases see hypertension
 drainage by/return from, 113
 from abdomen, 110
 from adrenals, 224
 from breast, 459
 from bronchi, 253
 from eye/retina, occlusion, 212
 from eye/retina, 199
 from gall bladder, 312
 from head and neck (incl. brain), 106–107, 152, 154
 from heart muscle/wall, 90
 into heart, 89, 94–95, 100
 from kidney, 339–341
 from large intestine, 307
 from laryngeal, 247
 from liver, 309
 from lower limbs, 101f, 111–112
 from oesophagus, 296
 from ovaries, 455
 from pancreas, 308
 from penis, 462–463
 from pharynx, 245, 295
 from pituitary, 217
 from salivary glands, 294
 from small intestine, 302
 from stomach, 299
 from teeth, 294
 from testes, 461
 from thorax, 108
 from thyroid, 222
 from tongue, 292
 from trachea, 249
 from upper limbs, 101f, 107–108
 from uterus, 453
 from vagina, 452
 from vulva, 451
 thrombosis, 123
 varicosed see varices
 vena cavae (caval veins), 103–104
 inferior, 103, 112
 venous return from, 89, 94–95
 superior, 103–104, 107–108
 venous return from, 89, 94–95, 100
 ventilation
 alveolar see alveoli
 pulmonary (=breathing), 255–258
 ventral (meaning of term), 46t
 ventricles (brain), 153–154
 ventricles (heart)
 arrhythmias, in myocardial infarction, 128
 blood flow through, 89

depolarisation, 94
 left ventricular failure, 127
 stroke volume, 94–95
 systole, 88–89, 92
 venules, 84
 verbal communication, 11
 see also speech
 verrucae, 371
 vertebrae, 48, 402
 arch, 402
 body, 402
 foramen, 48, 402
 vertebral arteries, 105–107
 vertebral column, 48, 396, 401–405
 features, 404–405
 functions, 405
 vertigo, 209
 vesicles (membrane-bound), 34
 vesicouterine, 453
 vestibular glands, 451
 vestibular nerve, 196
 vestibule
 inner ear
 balance and, 195–196
 hearing and, 194
 oral, 291
 vulval, 450
 vestibulocochlear nerve, 157, 171–172, 192, 194–195
 cochlear part, 172, 192, 194–195
 vestibular part, 196
 vestibulospinal tract, 164t
Vibrio cholerae and cholera, 327
 villi
 arachnoid, 153
 small intestinal, 302
 viruses
 CNS infection, 184–185
 cutaneous infection, 371
 gastroenteric infection, 327
 liver infection, 332–333
 oncogenic, 55–56
 oral infections, 320
 respiratory infections, 262
 salivary gland infection, 321
 viscera see organs
 visceral serous membrane, 45
 pericardium, 87
 peritoneum, 288
 pleura, 250, 256
 vision (sight), 170, 196–205
 brain areas, 158, 170
 impairments
 age-related, 207–208
 cataracts, 211
 diabetes, 212, 238
 physiology, 200–203
 vital capacity, 257
 vital centres of medulla oblongata, 159–160
 damage in intracranial hypertension, 180
 vitamin(s), 278–280, 313t
 deficiencies in older adults, 282
 fat-soluble, 27, 278–279
 water-soluble, 279–280

vitamin A (retinol) and its deficiency, 278
 vitamin B complex, 279–280
 vitamin B₁ and its deficiency, 279
 vitamin B₂ and its deficiency, 279
 vitamin B₃ and its deficiency, 279
 vitamin B₆ and its deficiency, 279
 vitamin B₁₂ (cobalamin), 279
 deficiency, 279
 anaemia, 74
 subacute combined degeneration of spinal cord, 187
 vitamin C and its deficiency, 280
 vitamin D, 278
 deficiency, 278, 431–432
 older adults, 282
 synthesis in skin, 367
 vitamin E and its deficiency, 278
 vitamin K, 278–279
 deficiency, 78–79, 278–279
 vitreous body, 199
 vocal cords, 247–248
 volumes
 blood see blood, volume;
 hypovolaemia
 lung, 257–258
 stroke, 94–95
 volvulus, 330
 vomer, 400
 vomiting, 319t
 blood (haematemesis), 319t
 see also winter vomiting virus
 von Willebrand disease, 79
 vulva, 450–451

W

warming (inhaled air)
 bronchioles and alveoli, 254
 larynx, 248
 nose, 244
 pharynx, 245
 trachea, 250
 warts, 371
 waste products
 in blood/plasma, 63
 fetoplacental unit and, 115
 elimination, 12–13, 287
 water (body), 281, 313t
 balance, and urine output, 344–345
 functions, 281
 heat loss by evaporation of, 366–367
 insensible loss, 367
 metabolic water, 314, 316, 344
 reabsorption, 342–343
 total, 30
 see also fluids
 water-soluble vitamins, 279–280
 weight (body)
 excess see obesity
 loss in diabetes mellitus, 237
 Wernicke's area, 158
 white adipose tissue, 41
 white blood cells see leukocytes
 white matter, 145–146
 spinal cord, 162–164
 white pulp, 137–138
 WHO classification, body mass index, 274b
 Willis' circle see circle of Willis

Wilms' tumour, 355
 winter vomiting virus, 327
 World Health Organization (WHO)
 classification, body mass index, 274b
 wound healing see healing
 wrist bones, 408
 wrist joint, 408, 416–417

X

X chromosome, 438
 inheritance of genes on, 444–445
 xiphoid process, 406
 XO karyotype (Turner syndrome), 447
 XXY karyotype (Klinefelter syndrome), 447

Y

Y chromosome, 438
 sex-linked inheritance and, 444–445
 yellow (flaval) ligament (ligamentum flavum), 405

Z

Z line, 421–422
 zoster (shingles), 184–185, 371
 zygomatic bones, 398, 400
 zygote, 14, 32, 463

Rinconmedico.me