

Index

Note: Page numbers followed by *f* indicate figures and *t* indicate tables.

A

- Action level, 2, 5, 8, 87, 88, 123, 124, 125, 203, 210, 212, 259, 260, 261, 264–267
- Air sampler, 79, 207, 208, 208*t*, 210, 211*t*, 241, 258, 264, 266, 277–278, 282–283, 285
- Alert level, 7–8, 87, 124–125, 203, 264, 265, 266, 267, 268–269
- Antibacterial, 68, 171
- Antibiotics, 16, 18, 30, 75, 78, 84–85, 171–177, 188–189, 194, 249, 254, 262, 277, 279, 292
- Antimicrobials, 2, 4–5, 7, 9, 10, 67*t*, 70, 71, 76, 84, 86–87, 98, 99–100, 104, 151, 157, 171–172, 173, 174, 175, 176, 177–182, 187, 188, 288, 292, 293
- Antimicrobial susceptibility testing (AST), 2, 9, 171, 172, 173, 175, 177
- Aseptic filling, 88–89, 152, 153–154, 159, 201*t*, 202, 204, 208, 212, 250, 266
- Aseptic technique, 2, 10, 56, 64–65, 107, 122–123, 125*t*, 186–187, 212–213
- Auditing, 271–280
- Autoclave, 42, 43, 57, 116, 150*f*, 155, 157, 162, 163–164, 165, 252–253, 276–277, 278, 289

B

- Bacterial endotoxin Test (BET), 2, 4, 67*t*, 132
- Bacterial spore, 107–108, 108*f*, 147, 157, 161
- Bacterial spore stain, 107–108
- Batch manufacturing records, 33, 249–250
- Bile tolerant gram-negative bacteria, 4, 73*t*, 94
- Bioburden, 5, 6, 6*f*, 7, 9, 10, 12, 35, 42, 63, 67*t*, 69, 70, 71, 81–89, 90, 93–94, 96, 115, 121, 124, 150, 153, 159, 167, 168, 195, 221, 225, 257–258, 263, 264, 281, 287
- Biocontamination control, 199, 281
- Biofilm, 7, 119–120, 121–122, 123, 127, 128, 134, 156–157, 189

- Biological indicators, 2, 67*t*, 88, 149, 150*f*, 156, 161–167, 168–169, 205, 277

Blow-fill-seal (BFS), 153–154

Broth dilution method, 173

C

- Candida albicans*, 4, 53*t*, 70, 73*t*, 94, 171–172, 179*t*
- Cell component analysis, 223–224
- Challenge testing, 278, 292–293
- Chromogenic, 78, 127, 139, 140, 143
- Cleaning validation, 9, 10–11, 253–254
- Cleanroom, 8, 52, 76, 116, 151, 185, 199, 200–206, 239
- Cleanroom classification, 201–202
- Clostridia, 4, 72, 94, 95
- Colony forming unit (CFU), 5, 35, 54–55, 69, 82, 116, 171–172, 209, 220, 264
- Computerised systems, 249, 276
- Contact plate, 58, 194, 195, 208*t*, 209, 211*t*, 247
- Contamination
 - sources, 4, 22, 38, 158, 200–201, 240–241, 243, 285–286
 - transfer, 237, 238–240, 246
- Control charts, 124–125, 261–262, 268
- Culture media, 2, 7, 8, 12–13, 37–38, 47–59, 65, 68, 74, 82, 83, 96–97, 104, 109, 117, 142, 151, 168, 180, 207, 261, 276–277

D

- Data transformation, 262–264, 266
- Detergent, 115, 116, 117, 185, 186, 189, 191, 192, 193, 196, 215
- Disinfectant, 8, 41, 116, 154, 186–194, 209, 254, 261, 283
- Disinfectant efficacy test, 9
- Disk diffusion method, 171, 173–175, 176
- Dry heat sterilization, 88, 154–155, 161, 162
- D*-value, 165

E

- Electronic systems, 42, 277
- Endospore, 95, 107–108, 108*f*, 149, 154, 161, 162, 188–189, 190, 192, 210, 238, 283, 284, 288, 289–290
- Endotoxin, 1, 30, 35, 77–78, 115, 133–136, 147–148, 223, 287
- Environmental monitoring, 2, 7–9, 35, 42, 50–52, 58, 63, 74, 76, 78–79, 81, 86, 192, 193, 194, 196, 206–213, 214–216, 220, 235–236, 237, 246, 247, 257, 259, 261–262, 264, 265, 268–269, 275–276, 279
- Escherichia coli*, 4, 53*t*, 72, 73*t*, 93–94, 116, 138, 171–172, 179*t*, 221, 271, 279, 287
- Ethylene oxide sterilization, 140, 155
- European Union (EU) GMP, 25, 26, 76, 117, 152–154, 193, 199, 201, 201*t*, 202, 205, 208, 233, 265
- Expiry time, 37, 56, 58, 187, 188

F

- Failure modes and effects analysis (FMEA), 21–22, 234, 235
- Filtration, 5, 7, 9, 57–58, 69, 71, 74–75, 76–77, 84–85, 86–87, 88–89, 117, 118, 123, 148, 151, 152, 153, 154, 155, 179–180, 182, 194, 200, 205, 208, 209, 244*t*, 282–283
- Final product, 3, 4, 5–6, 136, 152, 220, 221, 248
- Fungal stain, 108, 108*f*

G

- Gel-clot, 36, 78, 137, 139, 143
- Generic drug products, 18–19
- Glucans, 137, 142
- Good Laboratory Practice (GLP), 26, 35, 64, 272
- Good manufacturing practice (GMP), 25–28, 37, 63, 74, 86–87, 116, 122–123, 148, 151, 158, 192–194, 196, 225, 233, 247, 249, 264, 271, 272, 273, 282
- Gowning, 148, 211*t*, 212–213, 214, 237, 283, 286

- Gram negative, 4, 10–11, 73*t*, 77, 78, 83, 94–95, 105–106, 106*f*, 107, 117, 119, 131, 132, 133, 133*f*, 134, 137, 188–189, 190–191, 210, 284–285, 287, 288, 290–291
- Gram positive, 10–11, 83, 95, 105–107, 106*f*; 132, 133, 190–191, 210, 237, 287, 290–291
- Gram stain, 32, 105–107, 132
- Growth-based methods, 12, 219, 222–223
- Growth promotion, 53, 53*t*, 54, 69, 70, 75, 76–77, 96–97, 180, 228, 276–277, 278

H

- Hazard analysis critical control points (HACCP), 21–22, 235
- High efficiency particulate air (HEPA) filter, 44, 70, 200, 205–206, 210, 215
- Highly purified water, 2, 7, 117
- Hold time, 5, 237
- Human microbiome, 13, 15, 99–100
- Hydrogen peroxide vapor, 162

I

- Identification
 - genotypic, 103
 - phenotypic, 109, 163
- Incubation, 8, 35, 37, 39–40, 53, 54–55, 65, 69, 71, 75, 81–82, 83, 84–85, 90, 94, 105, 123, 125*t*, 139, 168, 173, 174, 175, 194, 207, 209, 210, 220, 221, 250, 261, 276, 282
- In-process, 3, 5, 9, 10, 35, 63, 67*t*, 69, 77, 81, 82, 84, 86–88, 90, 153, 221, 227, 233, 257–258
- Installation qualification (IQ), 42–43, 112, 229, 252, 253
- Irradiation, 52, 58, 153, 162
- ISO 14644, 199, 201*t*
- ISO 14698, 199
- Isolator, 70, 76, 151, 151*f*, 153–154, 155, 202–203, 279, 283

L

- Laboratory design, 40–45, 276
- Laboratory information management system (LIMS), 39, 176, 226, 277
- Laboratory management, 35, 36–40, 44

Laboratory safety, 38, 64

Lean labs, 39–40

Limulus ameobocyte lysate (LAL), 4, 67*t*,
78, 105, 124, 131, 132, 136–142, 143,
224

Lipopolysaccharide (LPS), 77, 77*t*, 78, 107,
116, 117, 131, 132–133, 134, 135, 135*f*,
136, 139, 140, 287, 288

M

Marketing, 17–18, 26, 30, 31, 147

Maximum valid dilution (MVD), 141

Medical device, 2, 21, 26, 27, 32, 75, 89,
143, 150–151, 153–154, 158, 205

Membrane filtration, 7, 9, 57–58, 69, 71,
74–75, 76–77, 84–85, 86–87, 117,
179–180, 182, 194, 208, 209, 258

Microbial distribution, 259–261, 282

Microbial growth curve, 119, 259

Microbial growth factors, 11

Microbial identification, 7, 9, 12, 42, 65, 67*t*,
103–113, 279, 282

Microbial Limits Test (MLT), 2, 4, 81–82,
83–87, 90, 96, 278–279, 284

Microbial resistance, 171, 172, 173,
176, 194

Microscopy, 66

Most probable number (MPN), 69, 82,
85–86, 165

N

Non-sterile products, 1–2, 4, 7, 12, 63, 67*t*,
69–72, 81, 83–86, 96, 116, 152, 249,
264, 281, 282, 291, 292–293

Nucleic acid amplification, 176, 224

O

Objectionable microorganism, 1–2, 4, 7, 9,
10–11, 12, 72, 93, 97, 98, 99–100, 126,
221

Operational qualification (OQ), 112, 121,
202, 229, 253

Optical spectroscopy, 224

Out of limits, 8, 9, 36, 121, 210, 212, 247,
261

Out of specification, 7, 123, 212,
221, 252

P

Parametric release, 6, 74, 150, 151–152, 249

Particle counter, 200, 207, 224

Percentiles, 124, 265–266

Performance qualification (PQ), 42–43, 112,
121, 202, 229

Personnel, microbiology, 275–276

Pharmacy, 15, 18–19

Pour plate, 9, 69, 71, 85, 86–87, 182, 209,
258

Preservative, 72, 99–100, 171–182, 248, 267,
279, 286, 288, 292–293

Preservative efficacy test (PET), 67*t*,
171–172, 178, 279

Process definition, 149, 152

Product licence, 26

Pseudomonas aeruginosa, 4, 53*t*, 70, 73*t*, 94,
116, 171–172, 179*t*, 284–285

Purified water, 7, 22, 32, 116–117, 119,
120–121, 122, 123, 236, 248

Pyrogenicity, 131–133, 135, 138–139

Pyrogens, 1, 2, 6, 67*t*, 77–78, 117, 131–135,
142–143, 287, 288–289

Pyrogen test, 6, 77–78, 131–143

Q

Quality assurance (QA), 25, 52, 63, 67, 148,
219, 221, 227, 228, 247

Quality control (QC), 8, 13, 25, 26, 31, 35,
39, 43, 52–57, 58–59, 63, 78, 82, 86,
174, 178, 233, 250, 276, 284

R

Radiation sterilization, 155–156

Rapid microbiological method, 5, 12–13, 47,
77, 127, 207, 219–224, 225–230, 258

Raw material, 4, 9, 10, 11, 12, 27, 35, 63,
67*t*, 69, 71, 73*t*, 77, 81, 84, 87, 88, 93,
99, 117, 148, 159, 212, 220, 225, 241,
257–258, 259, 284–285

Reasoner's 2A medium (R2A), 123

Reference standards, 30, 139, 173, 277, 279

Regulatory department, 31

Research and Development (R&D), 16, 220

Risk assessment, 1, 2–3, 5, 6, 9, 11, 21–22,
64, 93, 97, 98, 100, 158–159, 209–210,
234–238, 242, 243–246, 255, 282

S

SAL. *See* Sterility assurance level (SAL)
Salmonella, 4, 53*t*, 72, 93–94, 95, 238, 279
Sampling, 3, 5, 8, 9, 10, 33, 37, 58, 76, 86–87, 115, 120, 121, 122–124, 125*t*, 141, 207–208, 209, 210, 212, 248, 258–259, 261, 266, 271, 276
Specification, 6, 7, 30, 33, 72, 88, 98, 117, 123, 124, 174, 178, 193, 199, 212, 221, 229, 237, 247, 248–249, 250, 251, 252–253, 264
Specified microorganism, 2, 4, 67*t*, 72, 73*t*, 93–94, 96, 126
Spectrophotometric, 207
Spread plate, 9, 54, 69, 71, 85, 258
Stability trials, 168
Standard operating procedure (SOP), 8, 32–33, 36, 37, 192, 229–230, 250, 274
Staphylococcus aureus, 4, 53*t*, 70, 73*t*, 94, 103–104, 171–172, 179*t*, 287
Steam sterilization, 140, 155, 162, 163, 168
Sterile products, 1–2, 4, 6, 7, 16, 19, 63, 74, 83, 84, 87, 88, 90, 147, 148, 152–154, 158, 250, 254, 279, 281–282, 289, 292, 293
Sterilization, 1, 5, 30, 35, 43, 57, 58, 74, 77–78, 81, 115, 133–136, 140, 147–148, 154–158, 161, 222, 223, 249, 287, 288
Sterility, 52, 53, 58, 67*t*, 74, 76, 88, 132, 147–150, 153, 159, 161–162, 247, 249, 292
Sterility assurance level (SAL), 88, 148–150, 165
Sterility test, 2, 6, 30, 32, 33, 35, 42, 50–52, 53, 58, 67*t*, 74–77, 150–151, 202, 219, 225, 257, 259, 264, 276, 279, 293
Swab, 79, 142, 194, 195, 208*t*, 209, 211*t*, 254

T

Terminal sterilization, 87, 88, 117, 148–149, 150, 152–153, 237, 287, 292
Total aerobic microbial count (TAMC), 7, 69, 70, 71, 73*t*, 81–82, 84
Total viable aerobic count, 67*t*, 69–72, 82
Total viable count (TVC), 5, 82, 86–87, 283
Total yeast and mould count (TYMC), 69, 70, 71, 73*t*, 81–82, 84
Training, 9, 27, 28, 32, 36–37, 40, 87, 152, 193, 212–213, 214, 226, 229–230, 249, 253, 272, 274, 275–276, 277, 286
Trend analysis, 8, 87, 122, 123, 124–125, 261
Tryptone soya agar (TSA), 50, 123, 207
Turbidimetric, 78, 139, 140, 143

V

Validation master plan (VMP), 251, 252
Validation protocol, 251

W

Water
activity, 9, 50, 56, 67*t*, 98–99, 236–237, 238, 288, 289–291
analysis, 35, 79
pharmaceutical grade, 2, 7, 10, 52, 116, 117, 118, 119, 127, 258
sampling, 115
testing, 68, 79, 81, 127, 247, 264, 268–269
Water-for-injections (WFI), 7–8, 116, 117–118, 120–121, 122, 123, 124, 140, 141, 190, 265, 284–285

Z

Z-value, 166