

Index

Information
contained
in this

TRADE NAMES

Trade names for the most frequently prescribed drugs (top 200 drugs) are shown in CAPITAL LETTERS.

MAJOR CITATION

Page numbers shown in **bold** indicate the location of the most extensive discussion of the drug or topic.

Acetaminophen (TYLENOL), 401*f*, 412, **412-413**

CITATION IN FIGURES

Page number followed by "f" indicates information about the drug appears in a figure.

PRONUNCIATION

Page number in *italics* indicates location of pronunciation of drug.

"See" cross-references direct the reader to the synonymous term. "See also" cross-references direct the reader to related topics. [Note: Positional and configurational designations in chemical names (for example, "-3-", "- α -", "-N-", "-D-") are ignored in alphabetizing.]

Abortion, drugs for, 419
Absence seizures, 144, 144*f*-145*f*
 treatment, 149
Absorption, drug, 1, 1*f*, **4-6**
Abstinence, percent use, 268*f*
Acarbose, **261**, 261
ACCUPRIL. *See* Ramipril
Acebutolol, 71*f*, **77**, 77, 79*f*
 actions, 75*f*
 clinical applications, 78*f*
 contraindication, 177
 drug elimination, 74*f*
Acetaminophen (TYLENOL), 401*f*, 412,
 412-413
 actions, 405*f*
 drug interactions, 140
 metabolism, 413*f*
 for migraine, 428
 for Reye's syndrome, 407
Acetazolamide, 223*f*, **226-227**
 and changes in urine composition, 226*f*,
 233*f*
 drug interactions, 292
 for glaucoma, 41
 site of action, 224*f*
Acetohexamide, 255*f*, 260, 260
 properties, 261*f*
Acetylcholine, 35*f*, 39, **39-40**
 binding, 36-37, 37*f*

degradation, 37, 37*f*
drug interactions, 236
interaction with membrane receptors, 21
 and muscarinic receptor, 46*f*
 as neurotransmitter, 32*f*, 33
release, 36, 37*f*
sites of action, 36*f*
storage, 35, 37*f*
structure, 39*f*
synthesis, 35, 37*f*
Acquired immunodeficiency syndrome
 (AIDS), treatment, **368-371**
ACTH. *See* Corticotropin
Actinomycetes, 290*f*
Actinomycin D. *See* Dactinomycin
Activated attapulgite, 244, 244*f*
Acycloguanosine. *See* Acyclovir
Acyclovir (ZOVIRAX), 363*f*, 365, **365-366**
 mechanism of action, 365, 366*f*
 survival rate with, 367*f*
Acylureido penicillins, 301
 drug elimination, 303
ADALAT. *See* Nifedipine
Addison's disease, treatment, 274
Adenosine, 163*f*, **174**
 antiarrhythmic effects, 164*f*
Administration routes, drug, **1-4**, 2*f*
Adrenal androgens, production, 272
Adrenal corticosteroids, **272-277**
 drug interactions, 270
 inhibitors, 277
 therapeutic uses, 274-276
 β -Adrenergic agents, for chronic
 obstructive pulmonary disease, 222
Adrenergic agonists, **55-70**
 adverse effects, 68*f*
 for asthma, 218, 218*f*

characteristics, 59-61
direct-acting, **61-67**
 mechanism of action, 61
sites of action, 62*f*
indirect-acting, **67-68**
 mechanism of action, 61
sites of action, 62*f*
mechanism of action, 61
mixed-action, **68-69**
 mechanism of action, 61
sites of action, 62*f*
sites of action, 56*f*, 62*f*
specific agents, 55*f*
structures, 61*f*
summary, 69*f*
 β -Adrenergic agonists, 151*f*
 for asthma, 217*f*
 for chronic obstructive pulmonary
 disease, 217*f*
 for congestive heart failure, 161
sites of action, 161*f*
 α -Adrenergic agonists, for rhinitis, 221
 specific agents, 217*f*
Adrenergic agonists, specific agents
albuterol, 55*f*, 67*f*, 69*f*, 218, 431-432,
 441
clonidine, 55*f*, **67**, 67, 69*f*, 180*f*, 189,
 189-190, 442
dobutamine, 55*f*, **66**, 66, 69*f*, 151*f*, 159,
 161, 161*f*
dopamine, 55*f*, 56, 61*f*, 65, **65-66**, 66*f*,
 69*f*, 161*f*, 248*f*
epinephrine, 3, 32*f*, **33**, 40-41, 55*f*, 58*f*,
 58-59, 60*f*, 61, 61, 61*f*, **61-63**, 63*f*,
 67*f*, 69*f*, 72, 72*f*, 118, 164*f*, 218, 424
isoproterenol, 55*f*, 58, 58*f*, 61, 61*f*, 64,
 64-65, 65*f*-67*f*, 69*f*, 72*f*, 75
metaproterenol, 55*f*, **67**, 67, 67*f*, 69*f*

- methoxamine, 55f, 66, **66-67**, 69f
 norepinephrine, 32f, **33**, 36f, 55, 55f, 56, 57f-58f, 58-59, 61, 61f, 64, **64**, 64f, 69f, 72f, 78-79
 phenylephrine, 47, 55f, 58, 60, 60f, 61, 66, **66**, 69f, 113, 221
 ritodrine, 55f, 69f
 terbutaline, 55f, 62-63, 67, **67**, 67f, 69f, 218
Adrenergic blockers, 71-80
α-Adrenergic blockers, 58, 58f-59f, 71-73
 adverse effects, 73f
 blood pressure and, 72f
 effects, 60f
 for hypertension, 189
 specific agents, 71f, 180f
β-Adrenergic blockers, 58f, 58-59, 73-78, 163f, 419f, 436, 442
 actions, 60f, 75f
 adverse effects, 79f
 for angina, 176-177
 specific agents, 175f
 treatment with concomitant diseases, 178f
 clinical applications, 78f
 contraindications, 185
 drug interactions, 188f, 409
 elimination, 74f
 for hypertension, **184-187**
 actions, 184f
 adverse effects, 185, 185f
 with concomitant diseases, 182f
 specific agents, 179f
 for migraine, 427f, 428
 summary, 79f
Adrenergic blockers, specific agents, 71f
 acebutolol, 71f, 74f-75f, 77, **77**, 78f-79f, 177
 atenolol, 71f, 75f, **77**, **77**, 79f, 176, 179f, 185
 doxazosin, 71f, **73**, 73, 180f
 labetalol, 71f, 74f, 78, **78**, 79f, 179f, 191
 metoprolol, 71f, 74f-75f, 77, **77**, 78f-79f, 171, 176, 179f, 185
 nadolol, 71f, 74f, 76, **76**, 78f, 179f, 428
 phenoxybenzamine, 71, 71f, **71-72**, 72f
 phentolamine, 71f, **72**, 72, 124
 pindolol, 71f, 74f, 77, **77**, 79f, 171, 177
 prazosin, 71f, **73**, 73, 124, 180f, 189
 propranolol, 7, 71f, 74, 74f, **74-76**, 75f-76f, 78f-79f, 163f-164f, 171, 175f, 176, 179f, 185, 190, 334f, 427f, 428, 436-437
 terazosin, 71f, **73**, 73, 180f, 189
 timolol, 71f, 74f, 76, **76**, 78f-79f, 179f
- β-Adrenergic blockers, specific agents, 71f**
 Adrenergic, definition, **33**
 Adrenergic neuron, **55-59**
 Adrenergic receptors (adrenoceptors), **57-59**
 types, 58f
 Adrenocortical insufficiency
 primary, treatment, 274
 secondary, treatment, 274
 tertiary, treatment, 274
 treatment, 274
 Adrenocorticotropic hormone. *See* Corticotropin
ADRIAMYCIN. See Doxorubicin
 Adsorbent agents, 244
ADVIL. See Ibuprofen
 Afferent neuron, **28**
 African sleeping sickness, 353
 Agar, 245
 Agonists. *See also* β-Adrenergic agonists; Adrenergic agonists; α-Adrenergic agonists
 cholinergic, **35-44**, 36f. *See also* Cholinergic agonists, specific agents
 adverse effects, 49f
 antidote for, 47
 indirect, 41, 42f
 reversible, 41, 42f
 sites of action, 36f
 structures, 39f
 indirect-acting, 61
 opioid
 actions, 134f
 adverse effects, 137f
 moderate, **140**
 onset and duration of action, 139f
 strong, **135-140**
 AIDS. *See* Acquired immunodeficiency syndrome
 Albumin
 binding capacity, 11
 drug binding to, 11-12, 12f
Albuterol (VENTOLIN, PROVENTIL), 55f, 69f, 431-432, 441
 for asthma, 218
 and bronchodilation, 67f
ALDOMET. See Methyldopa
 Aldosterone, production, 272, 272f
 Alkylamines, therapeutic advantages and disadvantages, 422f
 Alkylating agents
 actions, 374f
 in cancer therapy, **387-390**
- specific agents, 373f
 Allergic conjunctivitis, treatment, 411
 Allergic rhinitis, treatment, 276, 424
 Allergies, treatment, 276, 423-424, 438-439
Allopurinol, 402f, 416, **416-417**
 drug interactions, 260f, 382
 for hyperuricemia, 415
 for leishmaniasis, 356
 Aloe, 244, 244f
Alprazolam (XANAX), 90, 242f, 438
 adverse effects of, 94f
 for chemotherapy-induced nausea and vomiting, 243
 duration of action, 92f
 for panic disorders, 90
 therapeutic advantages and disadvantages, 97f
 withdrawal reactions, 93f
Alprostadil, for erectile dysfunction, 420
ALTACE. See Ramipril
Alteplase (tPA), 193f, 201, 202, **202**
 activation of plasminogen, 202f
 properties, 202f
 Aluminum acetate, 438
 Aluminum hydroxide, 236f, 240, 439-441
 Alveolar wash-in, 111
Amantadine, 81f, **87, 87, 363, 363f, **363-364**, 364f**
AMBIEN. See Zolpidem
Amebiasis
 chemotherapy, 345f, **345-348**
 extraintestinal, treatment, 351
Amebic dysentery. See Amebiasis
Amebicides
 luminal, 346, **348**
 sites of action, 346f
 mixed, 346, **347-348**
 sites of action, 346f
 systemic, 346, **348**
 sites of action, 346f
American sleeping sickness. *See* Chagas' disease
Amikacin, 311f, 315, 315, 433
 adverse effects, 316
 therapeutic applications, 315f
Amiloride, 223f, **233, 233**
 site of action, 224f
Amine nitrogen, substitution on, 61
γ-Aminobutyric acid, binding, 89-90, 91f
Aminocaproic acid, 193f, **204, 204**
Aminoglutethimide, **277, 277, 373f**
 in cancer therapy, 395, 395
Aminoglycosides, **314-317**

- adverse effects, 316-317, 317f
classification, 287f
drug interactions, 51, 338
penicillins and, 301
resistance to, 285f
for urinary tract infections, 328f
- Aminoglycosides, specific agents, 311f**
- amikacin, 311f, 315, 315, 315f, 316, 433
 - gentamicin, 51, 311f, 315, 315, 315f, 316, 435
 - neomycin, 311f, 316, 316, 317
 - netilmicin, 311f, 316, 316
 - streptomycin, 311f, 314, 314, 315, 315f, 331
 - tobramycin (TOBREX), 51, 311f, 315, 315f, 316, 316f, 431
- p*-Aminomethylbenzenesulfonamide, for burns, 291
- 5-Aminosalicylate, in inflammatory bowel disease, 291
- Aminosalicylic acid, 331f, **335**, 335
- Amiodarone, 163f, **172**, 172
- antiarrhythmic effects, 164f
 - drug interactions, 160f
- Amitriptyline (ELAVIL), 96, 119, 119, 119f
- therapeutic advantages and disadvantages, 125f
- Amlodipine (NORVASC), 180f, 188, 188
- for angina, 188f
 - for congestive heart failure, **157**, 188f
 - drug interactions, 188f
 - for hypertension, 188f
- Amobarbital, 90f, 94
- duration of action, 95
 - therapeutic advantages and disadvantages, 97f
- Amoxapine, 119, 119, 119f
- therapeutic advantages and disadvantages, 125f
- Amoxicillin (AMOXIL, POLYMOX, TRIMOX, WYMOX), 235f, 298f, 300, 300
- absorption, 302
 - administration route, 302
 - cost, 282, 282f
 - drug interactions, 308, 308f
 - to eliminate *Helicobacter pylori*, 236
- stability
- to acid, 300f
 - to penicillinase, 300f
- for urinary tract infections, 328f
- AMOXIL. See Amoxicillin**
- Amphetamines, 55f, 67, **67-68**, 69f, 99f, **103-104**
- adverse effects, 105
- dependence potential, 100f
drug interactions, 138
- as indirect-acting agonist, 61
 - mechanism of action, 104f
 - non-catecholamine, 60
- Amphotericin B, 337, 337f, 337-339, 338f**
- for cryptococcal meningitis, 284f
 - drug interactions, 339-340
 - for leishmaniasis, 356
- Ampicillin (PRINCIPEN), 298f, 300, 300, 435**
- administration route, 302
 - as chemotherapeutic agent, 283
 - for listeriosis, 299f
 - stability
 - to acid, 300f
 - to penicillinase, 300f - therapeutic applications, 290, 301
 - for urinary tract infections, 328f
- Amrinone, 151f, 161, 161, 161f**
- Anabolic steroids, 270**
- adverse effects, 271
- Analgesic(s)**
- for migraine, 427f, 428
 - morphine as, 137
 - non-narcotic, **411-413**
 - specific agents, 401f
 - salicylates as, 404, 406
- Anaphylactic shock, treatment, 62-63
- Anaphylaxis, acute, treatment, 218
- ANAPROX. See Naproxen**
- Ancylostoma duodenale infection, 361f**
- treatment, 359
- Androgenic steroids, 270**
- Androgens, 269-272**
- Androgens, specific agents, 263f**
- danazol, 263f, 270, 270, 271
 - fluoxymesterone, 263f, 271, 271
 - nandrolone, 263f, 271, 271
 - stanazolol, 263f, 271, 271
 - testosterone cypionate, 263f, 271, 271
- Anemia**
- megaloblastic, and folate deficiency, 205
 - treatment, 205-206
 - specific agents, 193f
- Anesthesia, 107-118**
- adjuncts to, specific agents, 107f
 - components, 109f
 - induction, 109
 - maintenance, 109
 - patient selection for, 107-108
- recovery, 109
- stages, 110, 110f
- Anesthetics**
- barbiturates as, 95
 - cocaine as, 102
 - epinephrine in, 63
 - inhalation, **110-115**
 - changes in alveolar blood concentrations, 112f
 - therapeutic advantages and disadvantages, 116f - intravenous, **115-117**
 - therapeutic advantages and disadvantages, 116f
- uptake, 111-112
- uptake curves, 112, 112f
- vapor (gas), minimal alveolar concentrations (MAC), 111, 111f
- Anesthetics, specific agents, 107f-108f**
- Angina pectoris**
- with concomitant diseases, treatment, 178f
 - with hypertension, 182f-183f, 185
 - treatment, 73, 75, 77, 78f, 173, **175-178**, 187, 188f, 189, 196, 204-206, 406
- Angiotensin converting enzyme inhibitors, 151f, **156-157**, 442**
- drug interactions, 409
 - effects, 156f
 - for hypertension, 186-187
 - actions, 186, 186f
 - adverse effects, 186f, 186-187
 - with concomitant diseases, 182f
 - specific agents, 179f
- Angiotensin II antagonists, for hypertension, 187**
- specific agents, 179f
- Anisoylated plasminogen streptokinase activator complex. *See Anistreplase*
- Anistreplase, 193f, **203**, 203**
- properties, 202f
- Ankylosing spondylitis, treatment, 409-411
- Anorexia nervosa, treatment, 122
- ANSAID. See Flurbiprofen**
- Antacids**
- drug interactions, 408f
 - for peptic ulcer disease, 236f, 240
- Antagonists, 22f**
- angiotensin II, for hypertension, 187
 - specific agents, 179f
- Benzodiazepine, 94
- specific agents, 90f
- Cholinergic, **45-54**
- for asthma, 220
- Sites of action, 46f

specific agents, 45f
summary, 49f

folate, 289-296
specific agents, 289f

histamine H₂-receptor, 440

opioid, 133-142, 141-142
actions, 134f
specific agents, 133f

reversible, 22

serotonin, antiemetic potency, 243f

steroid, for cancer, 392-395
specific agents, 373f

Anterior pituitary hormones, 247f, 247-250
actions, 248f

Anthelmintic drugs, 359-362
specific agents, 359f

Antiandrogens, 272

Antiandrogens, specific agents
cyproterone acetate, 272, 272
finasteride, 73, 272, 272
flutamide, 272, 272, 373f, 394, 394-395, 399f

Antianginal drugs, 175-178

Antianginal drugs, specific agents, 175f
diltiazem (CARDIZEM CD, DILACOR XR), 163f, 173, 173, 173f, 175f, 177, 177, 180f, 187, 187, 187f-188f

isosorbide dinitrate, 157, 175f, 176, 176, 177f

nifedipine (ADALAT, PROCARDIA XL), 173, 173f, 175f, 177, 177, 187, 187f, 187-188, 188f

nitroglycerin (NITROSTAT), 2, 4, 175f, 175-176, 176, 177f, 442

propranolol (INDERAL), 7, 71f, 74, 74f, 74-76, 75f-76f, 78f-79f, 163f-164f, 171, 175f, 176, 179f, 185, 190, 334f, 427f, 428, 436-437

verapamil (ISOPTIN, VERELAN), 160f, 163f-164f, 167, 169, 173, 173, 173f, 175f, 177, 177, 180f, 187, 187, 187f, 188f, 189, 377

Antianxiety drugs, specific agents
alprazolam (XANAX), 90, 90, 92f-94f, 97f, 242f, 243, 438

buspirone (BUSPAR), 93, 93, 94f, 97f

chlordiazepoxide, 91, 92f, 97f

clonazepam (KLOONOPIN), 91, 91, 97f, 143f, 145f, 149

clorazepate (TRANXENE), 91, 91, 92f, 97f, 143f, 149

diazepam (VALIUM), 50, 90, 90, 90f, 91, 91, 92f-93f, 97f, 103, 108, 108f, 116, 143f, 145f, 149, 239

estazolam, 92f

flurazepam, 91, 91, 92, 92f-93f, 97f, 137

hydroxyzine, 93, 93, 97f, 138, 422f

lorazepam (ATIVAN), 92f-93f, 97f, 108f, 116, 242f, 243, 243f

midazolam, 97f, 108f, 116

quazepam, 92f-93f, 97f

temazepam (RESTORIL), 91, 92, 92f-93f, 97f

triazolam (HALCION), 91, 92, 92f-93f, 97f

zolpidem (AMBIEN), 93, 93, 97f

Antiarrhythmic drugs, specific agents
adenosine, 163f-164f, 174

amiodarone, 160f, 163f-164f, 172, 172

bretilyium, 163f-164f, 172, 172

digoxin (LANOXIN), 151f, 156, 158, 158, 159, 160f, 163f-164f, 169, 174, 177, 188, 213, 320, 352, 395, 410, 439-441

diltiazem (CARDIZEM CD, DILACOR XR), 163f, 173, 173, 173f, 175f, 177, 177, 180f, 187, 187, 187f-188f

disopyramide, 167f, 169, 169

disopyramide (IA), 163f

esmolol, 74f, 77, 77, 78f, 163f, 171, 171

flecainide, 170, 170, 170f

flecainide (IC), 163f

lidocaine, 3, 7, 108f, 117f, 164f, 169, 169, 169f, 174

lidocaine (IB), 163f

metoprolol and pindolol, 163f

mexiletine, 147, 169f, 170, 170, 171, 172f

mexiletine (IB), 163f

procainamide, 167f, 168, 168, 171, 172f

procainamide (IA), 163f

propafenone, 170, 170, 170f, 171, 172f

propafenone (IC), 163f

propranolol (INDERAL), 7, 71f, 74, 74f, 74-76, 75f-76f, 78f-79f, 163f-164f, 171, 175f, 176, 179f, 185, 190, 334f, 427f, 428, 436-437

quinidine, 147, 160f, 164f, 167, 167f, 167-168, 169, 171, 172f, 214, 334f, 345f

quinidine (IA), 163f

quinidine sulfate, 168

sotalol, 163f-164f, 171, 171-172, 214

tocainide, 169f, 170, 170

tocainide (IB), 163f

verapamil (ISOPTIN, VERELAN), 160f, 163f-164f, 167, 169, 173, 173, 173f, 175f, 177, 177, 180f, 187, 187, 187f, 188f, 189, 377

Antiarrhythmics, 163-174, 164f

class I, 163f, 166-170

class II, 163f, 170-171

class III, 163f, 171f, 171-172

class IV, 163f, 173

effects, 173f

long-term effects, 166, 166f

Antiarrhythmics, specific agents, 163f

Antiarthritis drugs, specific agents, 402f
chloroquine, 345f-346f, 350, 350f, 351, 351-352, 352, 352f, 402f, 414

chloroquine phosphate, 432-433

gold salts, 402f, 413-414

methotrexate, 205, 241f, 292-293, 295, 373f-374f, 378, 378, 378f, 378-380, 379f, 384, 399f, 402f, 410, 415, 415, 419

D-Penicillamine, 402f, 414, 414

Antibiotics. See also Antimicrobial agents; specific agent
for cancer, 384-387

specific agents, 373f

complications, 286

Anticancer drugs, 373-400
adverse effects, 399f

emetic potential, 241f

Anticancer drugs, specific agents, 373f
asparaginase, 241f

bleomycin, 241f, 373f, 378, 378f, 386, 386-387, 387f, 395, 399f

carboplatin, 241f, 373f, 378f, 395, 395-396

carmustine, 241f, 373f, 389, 389-390

cisplatin, 241f, 242-243, 316, 373f-374f, 387, 395, 395-396, 399f

cyclophosphamide, 241f, 373f, 378f, 388, 388-389, 389f, 395, 399f

cytarabine, 373f-374f, 378f, 383, 383-384, 399f

dactinomycin, 21, 241f, 373f-374f, 377, 384, 384-385, 399f

daunorubicin, 373f-374f, 382, 385, 385-386

doxorubicin, 241f, 242, 373f-374f, 378, 378f, 385, 385f, 385-386, 399f, 429

estrogens (PREMARIN), 263, 263-266, 266, 266f, 268, 268f, 373f, 394, 399f

etoposide, 241f, 373f, 378f, 386, 396, 396, 397f, 399f

fludarabine, 373f, 384, 384

5-fluorouracil, 373f-374f, 378f, 382, 382-383, 383f, 399f

flutamide, 272, 272, 373f, 394, 394-395, 399f

goserelin, 247f, 250, 250, 373f, 394, 394, 395, 395f

goserelin acetate, 394

idarubicin, 373f, 385

ifosfamide, 373f, 388, 388-389, 389f

interferons, 363f, 371, 371, 371f, 373f, 397-398, 399f

leuprolide, 247f, 250, 250, 373f, 394, 394, 395, 395f, 399f
 mechlorethamine, 241f, 373f, 387, **387-388**, 388f, 399f
 6-mercaptopurine, 373f-374f, 380, **380-381**, 381f, 399f, 417
 navelbine, 373f
 paclitaxel, 373f, 391, **391-392**, 392f, 399f
 plicamycin, 373f, 387, **387**, 399f
 prednisone (DELTASONE, ORASONE), 219, 275f, 276, 334f, 373f, **393**, 393, 397, 399f, 438-439
 procarbazine, 373f, 378f, 396, **396-397**, 399f
 streptozocin, 241f
 tamoxifen (NOLVADEX), 263f, **266**, 266, 373f, 393, **393-394**, 399f
 6-thioguanine, 373f, 382, **382**, 399f
 vinblastine, 373f, 378f, 386, 390, **390-391**, 395, 399f
 vincristine, 241f, 373f, 378f, 384, 390, **390-391**, 397, 399f
Anticholinergics, 107f
 antiemetic potency, 243f
 for chronic obstructive pulmonary disease, 222
 preanesthetic, 108
Anticholinergics, specific agents
 atropine (DONNATAL), 4, 40-41, 41f, 42-43, 45, 45f, **45-48**, 46f, 49f, 64, 220, 220f
 ipratropium (ATROVENT), 45f, **48**, 48, 49f, 217f, 220, 220, 220f, 222
 scopolamine, 45f-46f, 48, **48**, 48, 48f-49f, 108, 129f, 130, 242, 438
Anticholinesterases
 irreversible, 43
 reversible, **41-43**
Anticoagulants, **197-201**
 for atrial fibrillation, 164f
 drug interactions, 147
Anticoagulants, specific agents, 193f
 enoxaparin, 193f, 198-199, 199
 heparin, 193f, **197-199**, 198, 198f, 199, 204, 339, 408f
 warfarin (COUMADIN), 22f, 22-23, 188, 193f, 196, 199, **199-201**, 200, 200f, 201f, 213, 239, 292, 295, 320, 326, 334f, 341, 411
Anticonvulsive drugs. See also Antiepileptic drugs
 barbiturates as, 95
 therapeutic indications, 145f
Antidepressants, 90f, 96, **119-126**
 onset, 121f
 polycyclic. *See* Polycyclic

antidepressants
 receptor specificity, 121f
 therapeutic advantages and disadvantages, 125f
 tricyclic. *See* Tricyclic antidepressants
Antidepressants, specific agents, 119f
 amitriptyline (ELAVIL), 96, 119, 119, 119f, 125f
 amoxapine, 119, 119, 119f, 125f
 desipramine, 119, 119, 119f, 125f
 doxepin, 96, 119, 119, 119f, 125f
 fluoxetine (PROZAC), 119f, 121f, 122, 122f, **122-123**, 123f, 125f
 fluvoxamine, 119f, 123, 123, 125f
 imipramine, 56, 119, 119, 119f, 120-121, 121f, 125f, 171, 172f
 isocarboxazid, 119f, 123, 123, 125f
 lithium salts, **125**
 maprotiline, 119, 119, 119f, 125f
 nefazodone, 119f, 123, 123, 125f
 nortriptyline (PAMELOR), 119, 119, 119f, 125f
 paroxetine (PAXIL), 119f, 123, 123, 125f
 phenelzine, 86, 119f, 123, 123, 125f
 protriptyline, 119, 119, 119f, 125f
 sertraline (ZOLOFT), 119f, 123, 123, 125f
 tranylcypromine, 119f, 123, 123, 125f
 trazodone, 96, 119f, 123, 123, 125f
 trimipramine, 119f, 125f
 venlafaxine, 119f, 123, 123, 125f
Antidiarrheal agents, **243-244**
 specific agents, 244f
Antidiuretic hormone, **251**
Antiemetic agents, 107f, 129f, 242-243
 administration route, 2
 potency, 243f
 preanesthetic, 108
Antiemetic drugs, specific agents
 alprazolam (XANAX), 90, 90, 92f-94f, 97f, 242f, 243, 438
 dexamethasone, 235, 242f, 243, 243f, 275f-276f, 277, 362, 392, 395
 domperidone, 129f, 242f, 242-243
 dronabinol, **105**, 105, 242f, 243, 243
 droperidol, 108, 117, 129f, 130, 130, 139, 242f, 242-243, 243f
 granisetron, 242f, 243, 243
 haloperidol, 84, 105, 127, 127, 127f-129f, 130-131, 131f-132f, 242f, 242-243
 haloperidol decanoate, 3, 130
 lorazepam (ATIVAN), 92f-93f, 97f, 108f, 116, 242f, 243, 243f
 methylprednisolone, 219, 242f, 243,
 275f-276f
 metoclopramide (REGLAN), 129f, 242, 242f, 242-243, 243f
 nabilone, 242f, 243
 ondansetron, 242f, 243, 243, 243f
 prochlorperazine (COMPAZINE), 127f, 129, 129f, 242, 242, 242f, 243
Antiepileptic drugs, **145-150**. *See also* Anticonvulsive drugs
 drug interactions, 147
 mechanism of action, 145
Antiepileptic drugs, specific agents, 143f
 carbamazepine (TEGRETOL), 143f, 145f, 147, 147, **147**, 147f-148f, 150, 319-320, 362
 clonazepam (KLONOPIV), 91, 91, 97f, 143f, 145f, 149
 clorazepate (TRANXENE), 91, 91, 92f, 97f, 143f, 149
 diazepam (VALIUM), 50, 90, 90, 90f, 91, 91, 92f-93f, 97f, 103, 108, 108f, 116, 143f, 145f, 149, 239
 ethosuximide, 143f, 145f, 149, **149**
 gabapentin, 143f, 149, **149-150**
 lamotrigine, 143f, 149, **149-150**
 phenobarbital, 23-24, 90f, 94, 95, 97f, 143f, 145f, 148, 148f, 213, 253, 343, 347, 438
 phenytoin (DILANTIN), 13, 143f, 145f, 146, 146, 146f, **146-147**, 147f, 150, 174, 239, 253, 295, 333, 341, 362, 408f
 primidone, 143f, 145f, 148, **148**, 148f
 valproic acid (DEPAKOTE), 143f, 145f, 148, **148-149**, 149f, 150
Antiestrogens, **266**
 mechanism of action, 393f
Antiestrogens, specific agents, 263f
 clomiphene, 263f, **266**, 266
 tamoxifen (NOLVADEX), 263f, **266**, 266, 373f, 393, **393-394**, 399f
Antifungal drugs, **337-344**
Antifungal drugs, specific agents, 337f
 amphotericin B, 284f, 337, 337f, **337-339**, 338f, 339-340, 356
 clotrimazole, 3-4, 337f, **343**, 343
 econazole, 337f, **343**, 343
 fluconazole, 337f, **341-342**, 342, 342f, 429
 flucytosine, 284f, 337, 337f, 339, 339, 339f, **339-340**, 340
 griseofulvin, 201f, 337f, 342, **342-343**, 343f
 itraconazole, 215, 337f, **342**, 342, 342f
 ketoconazole (NIZORAL), 272, 277,

- 277, 334f, 337f, 340, 340f, **340-341**, 342f
 miconazole (MONISTAT), 337f, **343**, 343
 nystatin, 337f, **343**, 343
- Antigout drugs, specific agents**
- allopurinol, 260f, 356, 382, 402f, 415, 416, **416-417**
 - colchicine, 377, 402f, 415, 416, **416**, 416f
 - probencid, 260f, 303, 402f, 408f, 415, 417, **417**
 - sulfapyrazone, 402f, 408f, 415, 417, **417**
- Antihelminthic drugs, specific agents**
- ivermectin, 359f, **360**, 360
 - mebendazole, 359, **359**, 359f, 361f
 - niclosamide, 359f, **362**, 362
 - praziquantel, 359f, **360-362**, 362, 362
 - pyrantel pamoate, 359, 359f, **359-360**, 361f
 - thiabendazole, 359f, **360**, 360, 361f
- Antihistamines, 90f, 96, **96**, 107f**
- antiemetic potency, 243f
 - as autacoids, 420-425
 - in combination therapy, 243
 - preanesthetic, 108
 - for rhinitis, 221
 - specific agents, 217f
- Antihistamines, specific agents**
- astemizole (HISMANAL), 214, 221, 341, 422f
 - azatadine, 422f
 - brompheniramine, 422f
 - carbinoxamine, 422f
 - cetirizine, 422f
 - chlorpheniramine, 221, 422f
 - cimetidine (TAGAMET), 108, 147, 147f, 201f, 235f, 236, **236-238**, 237f, 326, 340, 347, 362, 419f, 440
 - clemastine (TAVIST), 422f
 - cyclizine, 242, 419f, 422f, 424, 424
 - ciproheptadine, 422f
 - dexchlorpheniramine, 422f
 - dimenhydrinate, 129f, 242, 419f, 422f, 424, 424
 - diphenhydramine, 96, 108, 221, 243, 243f, 392, 419f, 422f, 423-424, 424, 438
 - doxylamine, 96, 422f
 - famotidine (PEPCID), 235f, 236, **236-238**, 419f, 440, 440f
 - hydroxyzine, **93**, 93, 97f, 138, 422f
 - loratadine (CLARITIN), 221, 422f
 - meclizine, 129f, 242, 419f, 422f, 424, 424
 - methdilazine, 422f
 - nizatidine (AXID), 235f, 236, **236-238**, 419f, 440
 - promethazine (PHENERGAN), 127f, 129f, 130, 130, 422f
 - pyrilamine, 422f
 - ranitidine (ZANTAC), 235f, 236, **236-238**, 419f, 438, 440
 - terfenadine (SELDANE), 214, 221, 320, 341, 422f
 - timeprazine, 422f
 - tripelennamine, 422f
 - triprolidine, 422f
- Antihyperlipidemic drugs, 207-216**
- Antihyperlipidemic drugs, specific agents, 207f**
- cholestyramine (QUESTRAN), 207f, 212, 212, 212f, **212-213**, 215
 - clofibrate, 207f, 211, 211f, **211-212**, 260f, 334f
 - colestipol, 207f, 212, 212, 212f, **212-213**
 - fluvastatin, 207f, 213, 214, **214-215**
 - gemfibrozil (LOPID), 207f, 211, 211, 211f, **211-212**, 215
 - lovastatin (MEVACOR), 207f, 214, **214-215**
 - niacin, 207f, 210, 210f, **210-211**, 211, 212, 215
 - pravastatin (PRAVACHOL), 207f, 213, 214, **214-215**
 - probucol, 207f, 213, 213, 213f, **213-214**
 - simvastatin (ZOCOR), 207f, 214, **214-215**
- Antihypertensive drugs, 179-192**
- Antihypertensive drugs, specific agents, 179f-180f**
- amlodipine (NORVASC), **157**, 180f, 188, 188, 188f
 - atenolol (TENORMIN), 71f, 75f, 77, **77**, 79f, 176, 179f, 185
 - benazepril, 179f
 - bumetanide (BUMEX), 151f, 179f, 223f, 224f, **227-228**, 292, 316
 - captopril (CAPOTEN), 151f, 179f
 - clonidine (CATAPRES), 55f, **67**, 67, 69f, 180f, **189-190**, 442
 - diazoxide, 180f, **191**, 191, 292
 - diltiazem (CARDIZEM CD, DILACOR XR), 163f, **173**, 173, 173f, 175f, 177, 177, 180f, 187, 187f-188f
 - doxazosin (CARDURA), 71f, **73**, 73, 180f
 - enalapril (VASOTEC), 151f, 156, 156, 157f, 179f
 - felodipine, **157**, 180f, 188, 188, 188f
 - fosinopril, 151f
 - furosemide (LASIX), 151f, 179f, 223f, 224, 224f, 227, **227-228**, 292, 316,
- 409, 439-441
- hydrochlorothiazide, 151f, 179f, 183, 183, 223f, 229, **231**, 441
- isradipine (DYNACIRC), 180f, 188, 188, 188f
- labetalol (NORMODYNE), 71f, 74f, 78, **78**, 79f, 179f, 191
- lisinopril (ZESTRIL, PRINIVIL), 151f, 179f
- losartan, 179f, **187**, 187
- α -Methyldopa, 180f, **190**, 190
- metoprolol (LOPRESSOR), 71f, 74f-75f, 77, **77**, 78f-79f, 171, 176, 179f, 185
- minoxidil (ROGAINE), 151f, 180f, 190, **190-191**
- moexipril, 179f
- nadolol (CORGARD), 71f, 74f, 76, **76**, 78f, 179f, 428
- nicardipine, 180f, 188, 188, 188f
- nifedipine (ADALAT, PROCARDIA XL), 173, 173f, 175f, 177, **177**, 187, 187f, 187-188, 188f
- nisoldipine, 180f, 188, 188
- prazosin (MINIPRESS), 71f, **73**, 73, 124, 180f, 189
- propranolol, 7, 71f, 74, 74f, **74-76**, 75f, 76f, 78f-79f, 163f-164f, 171, 175f, 176, 179f, 185, 190, 334f, 427f, 428, 436-437
- propranolol (INDERAL), 190
- quinapril (LOTENSIN), 151f, 179f
- ramipril (ACCUPRIL, ALTACE), 179f
- sodium nitroprusside, 151f, 180f, **191**, 191
- spironolactone, 179f, 183, 183, 223f-224f, **232-233**, 233, 274, 277
- terazosin (HYTRIN), 71f, **73**, 73, 180f, 189
- timolol (TIMOPTOL, TIMOPTIC), 71f, 74f, 76, **76**, 78f-79f, 179f
- triamterene (DYAZIDE), 179f, 223f-224f, 233, **233**
- verapamil (ISOPTIN, VERELAN), 160f, 163f-164f, 167, 169, **173**, 173, 173f, 175f, 177, **177**, 180f, 187, 187, 187f, 188f, 189, 377
- Antiinflammatory agents, 401-418. See also Nonsteroidal antiinflammatory drugs**
- slow-acting, **413-415**
 - specific agents, 401f-402f
- Antimetabolites, for cancer, 378-384**
- specific agents, 373f
- Antimicrobial agents**
- classification, 287, 287f
 - combinations, 284, 284f
 - for peptic ulcer disease, 235f, 235-236

- resistance to, 284-286
 selection, 279f, **279-282**
 therapy with, principles, **279-288**
- Antimigraine drugs, specific agents**
- β-Adrenergic blockers, 58f, 58-59, 60f, **73-78**, 74f-75f, 78f-79f, 163f, 176-177, 178f, 182f, 184f, **184-187**, 185, 185f, 188f, 409, 419f, 427f, 428, 436, 442
 - dihydroergotamine, 419f, **428**, 428
 - ergotamine, 419f, 427f, 428, **428**, 437
 - methysergide, 419f, 427f, 428, 428
 - sumatriptan (IMITREX), 419f, 426, **426-427**, 427f, 437
- Antimotility agents**, 244
- Antimuscarinic agents**, **45-48**, 81f
- for Parkinson's disease, 87-88
 - for peptic ulcer disease, 236f, 239-240
- Antimycobacterial agents**, **331-336**
- specific agents, 331f
- Antiparkinson's drugs, specific agents**, 81f
- amantadine, 81f, **87**, 87, 363, 363f, **363-364**, 364f
 - antimuscarinic agents, **45-48**, 81f, 87-88, 236f, 239-240
 - bromocriptine, 81f, **87**, 87, 87f
 - carbidopa (SINEMET), 81f, 84-86, 85f
 - deprenyl, 81f, **87**, 87, 87f
 - levodopa, 8, 81f, 84-86, 85f-86f, 147, 240
 - selegiline, 81f
- Antiprogestin, 263f, **267**
- Antiprogestin, specific agent**, mifepristone, 263f, 267-268, 277
- Antiprotozoal drugs**, **345-358**
- Antiprotozoal drugs, specific agents**, 345f
- dehydroemetine, 345f-346f, 348, **348**
 - diloxanide furoate, 345f-346f, 347, 348, 348
 - emetine, 345f-346f, 348, **348**
 - mefloquine, 345f, 350f, 352, **352-353**
 - melarsoprol, 345f, 353, 353f, **353-354**
 - metronidazole, 201f, 235f, 236, 282, 282f, 345f-346f, 347, **347-348**, 357
 - nifurtimox, 345f, 353f, **355**, 355
 - paromomycin, 345f-346f, 348, **348**
 - pentamidine, 339, 345f, 353f, 356, 370
 - pentamidine isethionate, 354, **354-355**
 - primaquine, 345f, 349, **349-350**, 350, 350f-351f, 432-433
 - quinacrine, 345f, 357
 - quinidine, 147, 160f, 163f-164f, 167, 167f, **167-168**, 169, 171, 172f, 214, 334f, 345f
 - quinidine sulfate, 168
 - quinine, 345f, 350f, **352**, 352
 - sodium stibogluconate, 345f, 356, **356-357**
 - suramin, 345f, 353f, **356**, 356
- Antipseudomonal penicillins**, 300f, **301**
- adverse reactions, 303
- Antipsychotic drugs**, **127-132**
- actions, 128f
 - adverse effects, 130f
 - antiemetic uses, 129f
 - dopamine-blocking agents, 128f
 - and LSD, 105
 - summary, 132f
- Antipsychotic drugs, specific agents**
- chlorpromazine, 90f, 127, 127, 127f-128f, 129-131, 131f-132f
 - clozapine, 127f, 128, 128, 128f, 130-131, 131f-132f
 - fluphenazine, 127, 127, 127f-128f, 130, 131f-132f
 - haloperidol, 84, 105, 127, 127, 127f-129f, 130-131, 131f-132f, 242f, 242-243
 - haloperidol decanoate, 3, 130
 - prochlorperazine (COMPAZINE), 127f-129f, 242, 242, 242f, 243
 - promethazine (PHENERGAN), 127f-129f, 130, 130, 422f
 - risperidone, 127f, 128, 128, 128f, 130-131, 132f
 - thioridazine, 127f-128f, 129, 129, 130, 132f
 - thiothixene, 127, 127, 127f-128f, 132f
- Antipyretic agents, salicylates as**, 404, 406
- Antischizophrenic drugs**. *See Antipsychotic drugs*
- Antisecretory agent, atropine as, 47
- Antispasmodic agent, atropine as, 47
- Antistaphylococcal penicillins**, **300**, 300f
- Antithyroid drugs, specific agents**
- iodide, 247f, 254
 - levothyroxine (LEVOXYL), 247f, 253
 - methimazole, 247f, 253, 253-254, 436
 - propylthiouracil, 247f, 253, 253-254, 436
 - thyroxine, 247f, 251, 252f, 408f
 - triiodothyronine, 247f, 251, 252f, 408f
- Antituberculosis drugs, specific agents**
- aminosalicylic acid, 331f, **335**, 335
 - cycloserine, 331f, **335**, 335
 - ethambutol, 331, 331f, 334, **334-335**, 335f, 437
 - ethionamide, 331f, **335**, 335
 - isoniazid, 147, 147f-148f, 283, 283f-284f, 331, 331f, 332, 332, 332f, **332-333**, 333, 333f, 334, 335f, 437
 - pyrazinamide, f, 284f, 331, 334, **334**, 334, 335, 437
 - rifampin, 201f, 253, 284f, 285, 285f, 287f, 300, 331, 331f, 333, **333-334**, 334, 340-341, 437
- Antiviral drugs**, **363-372**
- Antiviral drugs, specific agents**, 363f
- acyclovir (ZOVIRAX), 363f, 365, 365, **365-366**, 366f-367f
 - amantadine, 81f, **87**, 87, 363, 363f, **363-364**, 364f
 - didanosine (ddI), 363f, 369, 369f, **369-370**
 - famciclovir, 363f, **367**, 367
 - foscarnet, 363f, **367**, 367
 - ganciclovir (DHPG), 363f, 366, **366-367**
 - interferons, 363f, **371**, 371, 371f, 373f, **397-398**, 399f
 - ribavirin, 363f, 364, **364-365**
 - rimantadine, 363, 363f, **363-364**
 - stavudine (d4T), 363f, 369f, **370**, 370
 - trifluridine, 363f, **368**, 368
 - vidarabine (ara-A), 363f, 367, 367f, **367-368**
 - zalcitabine (ddC), 363f, 369f, 370, **370**
 - zidovudine (AZT), 339, 363f, 367, 368, **368-369**, 369f
- Anxiety disorders**
- benzodiazepines and, 90
 - treatment, 90, 95, 148
- Anxiolytic agents**, **89-98**
- specific agents, 89f-90f
 - therapeutic advantages and disadvantages, 97f
- APSAC**. *See Anistreplase*
- Ara-A**. *See Vidarabine*
- Arabinofuranosyl adenine**. *See Vidarabine*
- Ara-C**. *See Cytarabine*
- Arrhythmias**, **163-166**. *See also specific arrhythmia*
- atrial, treatment, 164f, 168, 173
 - atrioventricular, treatment, 168
 - causes, 165
 - treatment, 73, 78f, 169, 171, 172f
 - types, 164f
- Arterial thrombosis**, treatment, 203
- Arthralgia**, treatment, 406
- Arthritis**
- rheumatoid, treatment, 351, 406, 408, 411, 413-415
 - treatment. *See Antiarthritis drugs, specific agents*
- Ascaris lumbricoides** infection, 361f-362f
- treatment, 359, 361f
- L-Asparaginase**, 373f, 397, **397**, 399f
- mechanism of action, 398f

- Asparaginase, emetic potential, 241f
- Aspergillosis, treatment, 342
- Aspirin, 193f, 196, **196**, 196, 401f, 403, **403-408**, 439-440
for diarrhea, 244, 244f
dose, 407f
drug interactions, 140, 201f, 211, 213
half-life, 407f
metabolism, 13, 404f
for migraine, 427f, 428
and prostaglandin synthesis inhibition, 405f
therapeutic advantages and disadvantages, 412f
- Astemizole (HISMANAL)
drug interactions, 214, 341
for rhinitis, 221
therapeutic advantages and disadvantages, 422f
- Asthma, 431
and angina, 178f
and hypertension, 182f-183f
treatment, 3, 48, 62-63, 67-68, 189, **217-220**, 218f, 276
specific agents, 217f
- Atenolol (TENORMIN), 71f, **77**, 77, 79f, 179f
actions, 75f
for angina, 176
for hypertension, 185
- ATIVAN. *See* Lorazepam
- Atracurium, 45f, 107f
with anesthesia, 109
onset and duration of action, 52f
therapeutic advantages, 52f
- Atrial fibrillation, treatment, 164f, 173-174
- Atrial flutter, treatment, 164f, 173-174
- Atrioventricular nodal reentry, treatment, 164f
- Atropine (DONNATAL), 45, 45f, **45-48**, 49f
and acetylcholine, 40
actions, 41, 41f
administration route, 4
dose-dependent effects, 47
drug interactions, 42-43, 64
and muscarinic receptor, 46f
structure, 220, 220f
- ATROVENT. *See* Ipratropium
- Attention deficit syndrome, treatment, 104
- Atypical depression, treatment, 124
- Auranofin, 413-414
- Aurothioglucose, 413-414
- Autacoids, **419-428**
specific agents, 419f
- Autolysins, 299
- Autonomic hyperreflexia, treatment, 72
- Autonomic nervous system, 27f, **27-34**, 32f
cholinergic agonists in, 35-44, 36f
- AXID. *See* Nizatidine
- Azacytidine, emetic potential, 241f
- Azatadine, therapeutic advantages and disadvantages, 422f
- Azathioprine, 380
drug interactions, 417
- 3'-Azido-3'-Deoxythymidine. *See* Zidovudine
- Azithromycin (ZITHROMAX), 311f, 317-320
antimicrobial activity, 318, 319f
- Azlocillin, 298f, 301, 301
administration route, 302
stability to acid, 300f
- AZMACORT. *See* Triamcinolone
- AZT. *See* Zidovudine
- Aztreonam, 298f, **307**, 307
structure, 307f
- Bacilli
gram-negative, 283f
gram-positive, 283f
- Bacillus anthracis infection, treatment, 299f
- Bacitracin, 298f, **309**, 309
- Baclofen, 50
- Bacterial prostatitis, treatment, 281
- Bactericidal drugs, 282f, 283
- Bacteriostatic drugs, 282f, 283
- Bacteroides fragilis infection, treatment, 304, 305f, 321
- BACTRIM. *See* Trimethoprim
- Barbiturates, **94-96**, 107f, 115-116
dependence potential, 100f
drug interactions, 201f
duration of action, 95
preanesthetic, 108
specific agents, 90f
therapeutic advantages and disadvantages, 97f
toxicity (poisoning), 96
- Barbiturates, specific agents**
amobarbital, 90f, 94, 95, 97f
pentobarbital, 90f, 94, 95, 97f, 108
phenobarbital, 23-24, 90f, 94, 95, 97f, 143f, 145f, 148, 148f, 213, 253, 343, 347, 438
secobarbital, 90f, 94, 95, 97f
- Beclomethasone (BECONASE, VANCENASE, VANCERIL), 431
administration route, 276f
for asthma, 219
drug elimination, 276f
for rhinitis, 221
- Beclomethasone dipropionate, 276, 276
- BECONASE. *See* Beclomethasone
- Benazepril, 179f
- Benign prostatic hyperplasia, treatment, 73, 272
- Benzathine penicillin G, administration route, 302
- Benzisoxazoles, 127f
- Benzodiazepine receptor antagonists, 94
- Benzodiazepine receptor antagonists, specific agents**, 90f
flumazenil, 90f, **94**, 94
- Benzodiazepines, **89-93**, 107f, 116
antiemetic potency, 243f
antiepileptics effects, 149
for chemotherapy-induced nausea and vomiting, 242f, 243
in combination therapy, 243
duration of action, 92f
preanesthetic, 108
therapeutic advantages and disadvantages, 97f
withdrawal reactions, 93f
- Benzodiazepines, specific agents**, 89f
alprazolam (XANAX), 90, 90, 92f-94f, 97f, 242f, 243, 438
buspirone (BUSPAR), **93**, 93, 94f, 97f
chlordiazepoxide, 91, 92f, 97f
clonazepam (KLOONOPIN), 91, 91, 97f, 143f, 145f, 149
clorazepate (TRANXENE), 91, 91, 92f, 97f, 143f, 149, 239
diazepam (VALIUM), 50, 90, 90, 90f, 91, 91, 92f-93f, 97f, 103, 108, 108f, 116, 143f, 145f, 149, 239
estazolam, 92f
flurazepam, 91, 91, 92, 92f-93f, 97f, 137
hydroxyzine, **93**, 93, 97f, 138, 422f
lorazepam (ATIVAN), 92f-93f, 97f, 108f, 116, 242f, 243, 243f
midazolam, 97f, 108f, 116
quazepam, 92f-93f, 97f
temazepam (RESTORIL), 91, 92, 92f-93f, 97f
triazolam (HALCION), 91, 92, 92f-93f, 97f
zolpidem (AMBIEN), **93**, 93, 97f
- Benzothiazepines, 187, 187
- Benztropine
and neuroleptic drugs, 130
for Parkinson's disease, 88
- Benzylpenicillin. *See* Penicillin G
- Betamethasone, 438-439
properties, 275f
- BETAPEN VK. *See* Penicillin V
- Bethanechol, 35f, **40**, 40

- drug interactions, 236
structure, 39f
- BIAXIN.** See Clarithromycin
- Biguanides,** 261
- Bile acid binding resins,** 212-213
- Bilirubin,** drug interactions, 408f
- Bioavailability,** 6-7
determination, 7f
- Bioequivalence,** 7
- Biotransformation,** of epinephrine, 62
- Biperiden,** for Parkinson's disease, 87-88
- Bisacodyl,** as laxative, 244, 244f
- Bishydroxycoumarin.** See also Dicumarol
adverse effects, 292
- Bismuth (compounds),** 235f
to eliminate *Helicobacter pylori*, 236
- Bismuth subsalicylate,** 244, 244f
cost, 282, 282f
- Bladder carcinoma,** treatment, 395
- Blastomyces dermatitidis* infection,** treatment, 338
- Blastomycosis,** systemic, treatment, 355
- Bleeding,** drug treatment, 204
- Bleomycin,** 373f, 386, 386-387, 387f, 399f
adverse effects, 378
drug interactions, 395
emetic potential, 241f
myelosuppressive potential, 378f
- Bleomycin peptide antibiotics,** actions, 374f
- Blood**
anesthetic solubility in, 111, 111f
coagulation, 196, 196f
drugs affecting, 193-206
specific agents, 193f
- Blood-brain barrier,** 8
and antibiotics, 281
- Blood flow,** and drug distribution, 8
- Blood pressure**
acetylcholine and, 39-40
factors affecting, 180f
mechanisms for controlling, 180-181
phenylephrine and, 66
- Borrelia burgdorferi* infection,** treatment, 312f
- Brain tumors,** treatment, 389
- Bran,** 244f, 245
- Breast cancer**
metastatic, treatment, 392, 395
treatment, 277, 379, 382, 386, 389, 393, 395
effect on endocrine system, 395f
- Bretylium,** 163f, 172, 172
as antiarrhythmic, 164f
- Bromocriptine,** 81f, 87, 87
adverse effects, 87f
- Brompheniramine,** therapeutic advantages and disadvantages, 422f
- Bronchitis,** treatment, 324
- Bronchodilators,** 431-432, 432f
adrenergic agonists as, 67f
- Bronchospasm,** treatment, 62-63, 67
- Brugia malayi*,** 361f
- Bulimia nervosa,** treatment, 122
- Bulking agents,** 244-245
- Bumetanide (BUMEX),** 151f, 179f, 223f, 227, 227-228
drug interactions, 292, 316
site of action, 224f
- BUMEX.** See Bumetanide
- Bupivacaine,** 108f
pharmacokinetic properties, 117f
- Buprenorphine,** 133f, 141, 141
- Burkitt's lymphoma,** treatment, 379, 389
- Burns,** treatment, 270, 291
- BUSPAR.** See Buspirone
- Buspirone (BUSPAR),** 93, 93
adverse effects, 94f
therapeutic advantages and disadvantages, 97f
- Butalbital (FIORINAL),** 437
for migraine, 428
- Butyrophenones,** 127f
antiemetic potency, 243f
for chemotherapy-induced nausea and vomiting, 242f, 242-243
in combination therapy, 243
- Caffeine,** 99, 99f, 99-100
dependence potential, 100f
drug interactions, 326, 428
for migraine, 428
- CALAN SR.** See Verapamil
- Calcitonin,** administration route, 3
- Calcium carbonate,** 236f, 240
- Calcium channel blockers,** 163f
adverse effects, 189f
for angina, 177
specific agents, 175f
treatment with concomitant diseases, 178f
- classes, 187-188
drug interactions, 51
for hypertension, 187-189
actions, 187f
with concomitant diseases, 182f
therapeutic applications, 188f
- Calcium channel blockers, specific agents,** 180f
- Calcium gluconate,** drug interactions, 317
- Calluses,** treatment, 406
- Cancer**
anemia with, treatment, 206
bladder, treatment, 395
breast
metastatic, treatment, 392, 395
treatment, 277, 379, 382, 386, 389, 393, 395f
- chemotherapy.** See also Anticancer drugs
principles, 373-378
- choriocarcinoma**
gestational, treatment, 384
treatment, 379, 399f
- colorectal,** treatment, 382, 406
- gastric,** treatment, 382
- head and neck,** 379
- lung**
oat cell carcinoma, treatment, 396
small-cell, treatment, 392
treatment, 386, 396
- ovarian,** treatment, 382, 392, 395
- pancreatic,** treatment, 382
- prostatic,** treatment, 272, 394
effect on endocrine system, 395f
treatment, 386
- Candida* infection,** 314
candidemia, treatment, 342
drug interactions, 340
treatment, 338-339, 343
- Candidiasis.** See *Candida* infection
- Cannabinoids**
antiemetic potency, 243f
for chemotherapy-induced nausea and vomiting, 242f, 243
in combination therapy, 243
- Cannabis,** dependence potential, 100f
- Canrenone,** 232, 232
- Capillary**
permeability, 8, 8f
structure, 8, 8f
- CAPOTEN.** See Captopril
- Captopril (CAPOTEN),** 151f, 179f
- CARAFATE.** See Sucralfate
- Carbachol,** 35f, 40, 40-41
structure, 39f
- Carbamazepine (TEGRETOL),** 143f, 147, 147
drug interactions, 147, 147f-148f, 150, 319-320, 362
for seizures, 145f
- Carbamylcholine.** See Carbachol
- Carbapenems,** 306-307
specific agents, 298f

- Carbenicillin, 298f, 301, 301
administration route, 302
adverse reactions, 303
stability to acid, 300f
therapeutic applications, 301f
- Carbidopa (SINEMET), 81f
dopamine synthesis with, 85f
for Parkinson's disease, 84-86
- Carbinoxamine, therapeutic advantages and disadvantages, 422f
- Carbonic anhydrase inhibitors, 223f
diuretic effects, 226-227
and sodium retention, 226, 226f
- Carboplatin, 373f, 395
in cancer therapy, 395-396
emetic potential, 241f
myelosuppressive potential, 378f
- Carboprost, 419, 419, 419f-420f
- Cardiac glycosides, 151f. *See also* Digitalis
- Cardiac muscle, contraction, 153-154, 154f
- Cardiac output, acetylcholine and, 39
- CARDIZEM CD. *See* Diltiazem
- CARDURA. *See* Doxazosin
- Carmustine, 373f, 389, 389-390
emetic potential, 241f
- Cascara, 244
- Case studies, 429-442
- Castor oil, 244, 244f
- CATAPRES. *See* Clonidine
- Catecholamines, 69f
- Catechol, structure, 61f
- CECLR. *See* Cefaclor
- Cefaclor (CECLR), 298f
therapeutic advantages and disadvantages, 305f
- Cefadroxil (DURICEF), 298f
therapeutic advantages and disadvantages, 305f
- Cefamandole, 298f, 306, 306
adverse effects, 306
therapeutic advantages and disadvantages, 305f
vitamin K with, 204
- Cefazolin, 298f, 306, 306
therapeutic advantages and disadvantages, 305f
- Cefixime (SUPRAX), 298f
therapeutic advantages and disadvantages, 305f
- Cefmetazole, 298f, 304, 304
therapeutic advantages and disadvantages, 305f
- Cefonicid, 298f
therapeutic advantages and disadvantages, 305f
- Cefoperazone, 298f, 306, 306
adverse effects, 306
therapeutic advantages and disadvantages, 305f
vitamin K with, 204
- Ceforanide, therapeutic advantages and disadvantages, 305f
- Cefotaxime, 298f, 304, 304
for meningitis, 306
therapeutic advantages and disadvantages, 305f
- Cefotetan, 298f, 304, 304
therapeutic advantages and disadvantages, 305f
- Cefoxitin, 298f, 304, 304, 433
for *bacteroides fragilis* infection, 304
therapeutic advantages and disadvantages, 305f
- Ceftazidime, 298f, 304, 304, 430-431
therapeutic advantages and disadvantages, 305f
- CEFTIN. *See* Cefuroxime axetil
- Ceftizoxime, 298f
therapeutic advantages and disadvantages, 305f
- Ceftriaxone, 298f, 304, 304, 435
for gonorrhea, 299f
for meningitis, 306
therapeutic advantages and disadvantages, 305f
for urinary tract infections, 328f
- Cefuroxime, 298f
therapeutic advantages and disadvantages, 305f
- Cefuroxime axetil (CEFTIN), therapeutic advantages and disadvantages, 305f
- Cell-cycle specificity, in anticancer drugs, 374, 376f
- Cell wall synthesis inhibitors, 297-310
specific agents, 298f
- Centrally-acting adrenergic drugs, for hypertension, 189-190
- Central nervous system (CNS), 27, 27f
in autonomic control of viscera, 30, 31f
infections, 281
neurotransmission in, 81-82
stimulation by ephedrine, 68
- Central nervous system depressants, dependence potential, 100f
- Central nervous system stimulants, 99-106
dependence potential, 100f
- Central nervous system stimulants, specific agents, 99f**
amphetamine, 55f, 60-61, 67, 67-68,
- 69f, 99f-100f, 103-104, 104f, 105, 138
- caffeine, 99, 99f, 99-100, 100f, 326, 428
- cocaine, 3, 56, 63, 71f, 79, 79, 99f-100f, 101, 101-103, 102f-103f
- methylphenidate (RITALIN HYDROCHLORIDE), 99f, 104
- nicotine, 45f, 49, 49, 49f, 99f, 100, 100f, 100-101, 101, 101f
- nicotine gum, 101f
- theobromine, 99, 99f
- theophylline (SLO-BID, THEO-DUR), 99, 99f, 100, 220, 222, 319-320, 326, 395
specific agents, 217f
- Cephadrine, 298f
- Cephalexin (KEFLEX, KEFTAB), 298f
therapeutic advantages and disadvantages, 305f
- Cephalosporins, 304-305**
first generation, 304
specific agents, 298f
therapeutic advantages and disadvantages, 305f
- second generation, 304
specific agents, 298f
therapeutic advantages and disadvantages, 305f
- third generation, 304
specific agents, 298f
therapeutic advantages and disadvantages, 305f
- structure, 304f
therapeutic advantages and disadvantages, 305f
for urinary tract infections, 328f
vitamin K with, 204
- Cephalosporins, specific agents, 298f**
first generation
cefadroxil (DURICEF), 298f, 305f
cefazolin, 298f, 305f, 306, 306
cephadrine, 298f
cephalexin (KEFLEX, KEFTAB), 298f, 305f
cephalothin, 298f, 305f
cephapirin, 298f, 305f
- second generation
cefaclor (CECLR), 298f, 305f
cefaclor, 204, 298f, 305f, 306, 306
cefmetazole, 298f, 304, 304, 305f
cefonicid, 298f, 305f
cefotetan, 298f, 304, 304, 305f
cefoxitin, 298f, 304, 304, 305f, 433
cefuroxime, 298f, 305f
cefuroxime axetil (CEFTIN), 305f

- third generation
cefixime (SUPRAX), 298f, 305f
cefoperazone, 204, 298f, 305f, 306, 306
cefotaxime, 298f, 304, 304, 305f, 306
ceftazidime, 298f, 304, 304, 305f, 430-431
ceftizoxime, 298f, 305f
ceftriaxone, 298f-299f, 304, 304, 305f, 306, 328f, 435
moxalactam, 204, 298f
- Cephalothin, 298f
therapeutic advantages and disadvantages, 305f
- Cephapirin, 298f
therapeutic advantages and disadvantages, 305f
- Cephadrine, therapeutic advantages and disadvantages, 305f
- Cerebral palsy, treatment, 90
- Cerebrospinal fluid, drug penetration, 281
- Cestodes, chemotherapy, 359f, 362
- Cetirizine, therapeutic advantages and disadvantages, 422f
- Chagas' disease, 353, 353f
- Chemotherapeutic agents, emetic actions/potential, 241f, 242
- Chemotherapy
for amebiasis, 345f, 345-348
cancer. *See also* Anticancer drugs
curative, 375f
nausea and vomiting with, 241f, 242
treatment, 241-243, 242f
palliative, 375f
principles, 373-378
problems with, 377-378
- for cestodes, 359f, 362
- for giardiasis, 345f, 357
- for helminthic infections, 359f
- for leishmaniasis, 345f, 356-357
- for leprosy, 335-336
- for malaria, 345f, 349-353
- for nematodes, 359f, 359-360
- for toxoplasmosis, 345f, 357
- for trematodes, 359f, 360-362
- for trypanosomiasis, 345f, 353-356
- for tuberculosis, 332-335
- Chicken pox, treatment, 412
- Chlamydia infection, 283f, 290f
lymphogranuloma venereum, 290f
treatment, 290, 312f, 317-318, 318f, 324, 328f
- Chloral hydrate, 90f, 96, 96
- Chloramphenicol, 282f, 283, 311f, 320, 320-321
- classification, 287f
drug interactions, 147, 147f, 201f, 260f
effect on neonates, 282
metabolism, 15
resistance to, 285f
safety, 282
- Chlordiazepoxide, 91
for alcohol withdrawal, 91
duration of action, 92f
therapeutic advantages and disadvantages, 97f
- Chloroform, 107
- Chloroguanide, 350f
- Chloroquine, 345f, 350f, 351, 351-352, 402f
adverse effects, 352, 352f
antiinflammatory effects, 414
drug interactions, 350
sites of action, 346f
- Chloroquine phosphate, 432-433
- Chlorothiazide, 223f, 229-231, 231
hyperuricemia with, 224
- Chlorotriansene, 263, 263, 263f
- Chlorpheniramine
for rhinitis, 221
therapeutic advantages and disadvantages, 422f
- Chlorpromazine, 127, 127, 127f, 129, 132f
actions, 128f
affinities at dopaminergic receptors, 131f
for hiccups, 130
ratio of lethal to effective dose, 90f
for schizophrenia, 131
- Chlorpropamide, 255f, 260, 260-261
properties, 261f
- Chlorthalidone, 223f, 229, 231, 231
- Cholera, treatment, 312f
- Cholesterol, niacin for, 210
- Cholestyramine (QUESTRAN), 207f, 212, 212-213
in combination drug therapy, 215
mechanism of action, 212, 212f
- Choline magnesium salicylate, 406
- Choline, recycling, 37, 37f
- Cholinergic agents, adverse effects, 40f
- Cholinergic agonists, 35-44
adverse effects, 49f
antidote for, 47
indirect, mechanisms of action, 41, 42f
reversible, mechanisms of action, 41, 42f
sites of action, 36f
structures, 39f
- Cholinergic agonists, specific agents,** 35f
acetylcholine, 21, 32f, 33, 35f, 36-37, 37f, 39, 39f, 39-40, 46f, 236
bethanechol, 35f, 39f, 40, 40, 236
carbachol, 35f, 39f, 40, 40-41
pilocarpine, 35f, 41, 41f, 75, 227
- Cholinergic antagonists, 45-54**
for asthma, 220
sites of action, 46f
specific agents, 45f
summary, 49f
- Cholinergic, definition, 33
- Cholinergic neurons, 35-37
- Cholinergic receptors, 38-39
types, 38f
- Choline salicylate, 406
- Cholinesterase inhibitors, drug interactions, 51
- Cholinesterase inhibitors, specific agents**
- echothiophate, 35f, 43, 43
edrophonium, 35f, 43, 43, 50-51, 433, 434f
isofluorophate, 35f, 43, 43
neostigmine, 35f, 42, 42, 50-51, 317
physostigmine, 35f, 42, 42, 47, 51
pyridostigmine, 35f, 42, 42
- Cholinoreceptors. *See* Cholinergic receptors
- Choriocarcinoma
gestational, treatment, 384
treatment, 379, 399f
- Chromoblastomycosis, treatment, 339
- Chronic obstructive pulmonary disease and angina, 178f
and hypertension, 182f
treatment, 3, 48, 221-222
specific agents, 217f
- Cigarettes, nicotine concentration, 101f
- Cilastatin, 298f
with imipenem, 306-307
- Cimetidine (TAGAMET), 235f, 236, 236-238, 419f, 440
drug interactions, 147, 147f, 201f, 326, 340, 347, 362
and gastric acid regulation, 237f
preanesthetic, 108
- CIPRO. See Ciprofloxacin**
- Ciprofloxacin (CIPRO), 323, 323, 324, 325-326
for methicillin-resistant *staphylococcus aureus*, 300
therapeutic applications, 325f
- Cirrhosis, 226
edema with, treatment, 229
- Cisplatin, 373f, 395, 399f

- actions, 374f
in cancer therapy, 395-396
drug interactions, 242-243, 316, 387
emetic potential, 241f
Clarithromycin (BIAxin), 235f, 311f, 317-320, 433
antimicrobial activity, 317, 319f
cost, 282, 282f
to eliminate *Helicobacter pylori*, 236
- CLARITIN.** See Loratadine
- Class I drugs,** 12, 12f
- Class II drugs,** 12, 12f
- Clavulanic acid,** 298f, 307, **307-308**, 308f
administration route, 302
drug interactions, 300-301
stability to penicillinase, 300f
- Clemastine (TAVIST),** therapeutic advantages and disadvantages, 422f
- CLEOCIN-T.** See Clindamycin
- Clindamycin (CLEOCIN-T),** 311f, **321**, 321, 435
classification, 287f
resistance to, 285f
- CLINORIL.** See Sulindac
- Clofazimine,** 331f, **336**, 336
- Clofibrate,** 207f, 211, **211-212**
drug interactions, 260f, 334f
mechanism of action, 211f
- Clomiphene,** 263f, **266**, 266
- Clonazepam (KLOPIN),** 91, 143f
antiepileptic effects, 149
for seizures, 91, 145f
therapeutic advantages and disadvantages, 97f
- Clonidine (CATAPRES),** 55f, **67**, 67, 69f, 180f, 189, **189-190**, 442
- Clorazepate (TRANXENE),** 91, 143f
for alcohol withdrawal, 91
as antiepileptic, 149
duration of action, 92f
therapeutic advantages and disadvantages, 97f
- Clostridia infection,** treatment, 347
- Clostridium difficile infection**
resistance, 304, 321
treatment, 308
- Clostridium perfringens infection,** treatment, 299f
- Clot,** formation, 193-194
- Clotrimazole,** 337f, **343**, 343
administration route, 3-4
- Cloxacillin,** 298f, 300, 300
stability to penicillinase, 300f
- Clozapine,** 127f, 128, 128, 130-131, 132f
actions, 128f
affinities at dopaminergic receptors, 131f
- Cluster headache,** characteristics, 425f
- Cocaine,** 71f, **79**, 79, 99f, 101, **101-103**
administration route, 3
dependence potential, 100f
drug interactions, 63
effects, 103f
mechanism of action, 102f
and norepinephrine removal, 56
- Cocci**
gram-negative, 283f
gram-positive, 283f
- Coccidioides immitis infection**
(coccidioidomycosis), treatment, 338, 342
- Codeine,** 133f, **140**, 140
absorption, 137
actions, 134f, 140f
for cough, 137, 222
efficacy and addiction/abuse liability, 135f
- Codeine sulfate,** for migraine, 427f
- Colchicine,** 402f, **416**, 416
adverse effects, 416f
for hyperuricemia, 415
resistance to, 377
- Colestipol,** 207f, 212, **212-213**
mechanism of action, 212, 212f
- Colloidal bismuth,** 236f, 241
- Colorectal cancer,** treatment, 382, 406
- COMPazine.** See Prochlorperazine
- Condom**
failure rate, 268f
percent use, 268f
- Congenital adrenal-hyperplasia (CAH),** treatment, 274-275
- Congestive heart failure**
edema with, treatment, 229
and hypertension, 182f-183f
kidney function during, 225
physiological responses, 154-155, 155f
treatment, 66, **151-162**, 188f, 228, 230
specific agents, 151f
ventricular function curves, 159f
- Congestive heart failure drugs, specific agents,** 151f
amrinone, 151f, 161, 161, 161f
bumetanide (BUMEX), 151f, 179f, 223f-224f, 227, **227-228**, 292, 316
captopril (CAPOTEN), 151f, 179f
digitoxin, 151f, 158, 158, 160f, 334f
digoxin (LANOXIN), 151f, 156, 158, 158, 159, 160f, 163f-164f, 169, 174, 177, 188, 213, 320, 352, 395, 410, 439-441
- dobutamine,** 55f, **66**, 66, 69f, 151f, 159, 161, 161f
- enalapril (VASOTEC),** 151f, 156, 156, 157f, 179f
- fosinopril,** 151f
- furosemide (LASIX),** 151f, 179f, 223f, 224, 224f, 227, **227-228**, 292, 316, 409, 439-441
- hydralazine,** 151f, 157, 180f, 190, **190**, 442
- hydrochlorothiazide,** 151f, 179f, 183, 183, 223f, 229, **231**, 441
- isosorbide (ISORDIL),** 151f
- isosorbide dinitrate,** **157**, 175f, **176**, 176, 177f
- isosorbide mononitrate,** 176
- lisinopril (ZESTRIL, PRINIVIL),** 151f, 179f
- metolazone,** 151f, 223f, **231**, 231
- milrinone,** 151f, 161, 161
- minoxidil (ROGAINE),** 151f, 180f, 190, **190-191**
- quinapril (LOTENSIN),** 151f, 179f
- sodium nitroprusside,** 151f, 180f, **191**, 191
- Constipation,** treatment, specific agents, 244f
- Contraception,** **267-269**
failure rate, 268f
implantable, **267-269**
oral, **267-269**
percent use, 268f
- CORGARD.** See Nadolol
- Corns,** treatment, 406
- Coronary artery disease,** 207
- Coronary artery thrombosis,** treatment, 406
- Corticosteroids**
administration route, 276f
adverse effects, 277f
antiemetic potency, 243f
for asthma, 218-220
specific agents, 217f
for chemotherapy-induced nausea and vomiting, 242f, 243
for chronic obstructive pulmonary disease, specific agents, 217f
in combination therapy, 243
drug interactions, 160f
elimination, 276f
properties, 275f
for rhinitis, 221
specific agents, 217f
secretion, regulation, 272f
- Corticosteroids, specific agents**

- beclomethasone (BECONASE, VANCENASE, VANCERIL), 219, 221, 276f, 431
- beclomethasone dipropionate, 276, 276
- betamethasone, 275f, 438-439
- cortisone, 275f, 276f
- desoxycorticosterone, 276f
- dexamethasone, 235, 242f, 243, 243f, 275f-276f, 276f, 277, 362, 392, 395
- fludrocortisone, 274, 274, 275f
- hydrocortisone, 274, 274, 275f-276f, 438-439
- methylprednisolone, 219, 242f, 243, 275f-276f
- paramethasone, 275f
- prednisolone, 275f, 393
- prednisone (DELTASONE, ORASONE), 219, 275f, 276, 334f, 373f, 393, 393, 397, 399f, 438-439
- triamicinolone (AZMACORT), 219, 221, 275f, 276, 276, 276f
- Corticotropin (ACTH), 247f, 249, 249, 249f
- Corticotropin-releasing hormone, 249f actions, 248f
- Cortisol, 272, 274 production, 272, 272f suppression of synthesis, 340
- Cortisone administration route, 276f elimination, 276f properties, 275f
- Corynebacterium diphtheriae* infection, treatment, 299f, 318f
- Cosyntropin, 249, 249
- COTRIM. *See* Co-trimoxazole
- Cotrimoxazole (COTRIM), 289, 289, 289f, 290, 293-295 drug interactions, 201f for gonorrhea, 299f for Kaposi's sarcoma, 429 therapeutic application, 290
- Cough, treatment, 137, 140, 222 specific agents, 217f
- COUMADIN. *See* Warfarin
- Coumarin, drug interactions, 215
- Cramps, treatment, 441-442
- Cromolyn (INTAL), 423, 431 for asthma, 218f, 220, 220 specific agents, 217f for rhinitis, 221 specific agents, 217f
- Cryptococcal meningitis, treatment, 284f
- Cryptococcus neoformans* infection (cryptococcosis), treatment, 338-339, 341-342
- Crystalline zinc suspension, 258-259
- Cushing's syndrome diagnosis, 274 treatment, 277
- Cutaneous larva migrans, treatment, 360
- Cutaneous leishmaniasis, 356
- Cyanide, nitroprusside and, 191f
- Cyanocobalamin (B₁₂), 193f, 205. *See also* Vitamin B₁₂
- Cyclizine, 419f, 424 for motion sickness, 242, 424 therapeutic advantages and disadvantages, 422f
- Cyclophosphamide, 373f, 388, 388-389, 389f, 399f drug interactions, 395 emetic potential, 241f myelosuppressive potential, 378f
- Cycloserine, 331f, 335, 335
- Cyclosporine, drug interactions, 147, 215, 239, 320, 326, 339, 341, 410
- Cyproheptadine, therapeutic advantages and disadvantages, 422f
- Cyproterone acetate, 272, 272
- Cystinuria, treatment, 414
- Cystitis, treatment, 328f
- Cytarabine, 373f, 383, 383-384, 399f actions, 374f myelosuppressive potential, 378f
- Cytochrome P-450, 14, 14f thyroid hormones and, 253
- Cytomegalic retinitis, treatment, 366-367
- Cytomegalovirus infection resistance, 366 treatment, specific agents, 363f
- Cytopenia, treatment, 398
- Cytosine arabinoside. *See* Cytarabine
- Dacarbazine, emetic potential, 241f
- Dactinomycin, 373f, 384, 384-385, 399f actions, 374f emetic potential, 241f interaction with nucleic acids, 21 resistance to, 377
- Danazol, 263f, 270, 270, 271
- Dantrolene, 50 with anesthesia, 113 for hyperthermia, 53
- Dapsone, 331f, 335, 335-336
- DARVOCET-N. *See* Propoxyphene
- DARVON. *See* Propoxyphene
- Daunorubicin, 373f, 382, 385, 385-386 actions, 374f
- DAYPRO. *See* Oxpazoprin
- ddC. *See* Zalcitabine
- ddl. *See* Didanosine
- Deep-vein thrombosis, treatment, 198, 201, 203
- Dehydroemetine, 345f, 348, 348 sites of action, 346f
- Dehydroepiandrosterone, production, 272
- DELTASONE. *See* Prednisone
- Demeocycline, 311f, 314, 314
- DEMULEN. *See* Ethinyl estradiol
- Deoxycorticosterone, properties, 275f
- DEPAKOTE. *See* Valproic acid
- Deprenyl, 81f, 87, 87 in dopamine metabolism, 87f
- Depression, treatment, 120, 122-124
- Dermatophytosis, treatment, 4
- Desipramine, 119, 119, 119f therapeutic advantages and disadvantages, 125f
- Desmopressin, 247f, 251, 251 administration route, 3
- DESOGEN. *See* Ethinyl estradiol
- Desoxycorticosterone administration route, 276f elimination, 276f
- Dexamethasone, 242f administration route, 276f antiemetic effects, 235 for chemotherapy-induced nausea and vomiting, 243 in combination therapy, 243, 243f drug interactions, 277, 362, 392, 395 elimination, 276f properties, 275f
- Dexamethasone suppression test, 274
- Dexchlorpheniramine, therapeutic advantages and disadvantages, 422f
- Dextromethorphan, 140, 222 for cough, 137, 222 specific agents, 217f
- DFP. *See* Isoflurophate
- DHPG. *See* Ganciclovir
- DIABETA. *See* Glyburide
- Diabetes insipidus, treatment, 3, 230
- Diabetes mellitus, 255-257 and angina, 178f insulin-dependent, 255, 256, 256f and hypertension, 182f-183f insulin release, 256f non-insulin-dependent, 255, 256f, 256-257

- insulin release, 256f
treatment, 257f, 261
treatment, 77, 189
- Diabetic neuropathy**, treatment, 122
- Diaphragm (contraceptive)**
failure rate, 268f
percent use, 268f
- Diarrhea**, treatment, 137, 235
specific agents, 244f
- Diazepam (VALIUM)**, 50, 90, 108f, 116, 143f
for alcohol withdrawal, 91
antiepileptic effects, 149
for anxiety disorders, 90
and cocaine, 103
drug interactions, 239
duration of action, 92f
for epilepsy, 91
preanesthetic, 108
ratio of lethal to effective dose, 90f
for seizures, 145f
therapeutic advantages and disadvantages, 97f
withdrawal reactions, 93f
- Diazoxide**, 180f, 191, 191
drug interactions, 292
- Dibenzodiazepines**, 127f
- Diclofenac (VOLTAREN)**, 401f, 411, 411
- Dicloxacillin**, 298f, 300, 300
stability to penicillinase, 300f
- Dicumarol**, 199, 199-201
drug interactions, 147, 147f, 260f
- Didanosine (ddl)**, 363f, 369, 369f, 369-370
- Dideoxycytidine**. *See* Zalcitabine
- Dideoxyinosine**. *See* Didanosine
- Diethylcarbamazine**, 361f
- Diethyl ether**, 107
- Diethylstilbestrol**, 263, 263, 263f, 268
adverse effects, 266
in cancer therapy, 394
- Diflunisal (DOLOBID)**, 401f, 403, 403, 406, 408
therapeutic advantages and disadvantages, 412f
- Digitalis**, 157-161
distribution, 11
drug interactions, 160f, 184, 214, 339
epinephrine and, 63
mechanism of action, 158f
ventricular function curves, 159f
- Digitoxin**, 151f, 158, 158
drug interactions, 334f
properties, 160f
- Digoxin (LANOXIN)**, 151f, 158, 158, 163f, 439-441
antiarrhythmic effects, 164f, 174
for congestive heart failure, 159
drug interactions, 156, 160f, 169, 188, 213, 320, 352, 395, 410
properties, 160f
verapamil and, 177
- Dihydroergotamine**, 419f, 428, 428
- Dihydropyridines**, 187-188
- 5- α -Dihydrotestosterone (DHT)**, 270
- Dihydroxyphenylalanine**, in norepinephrine synthesis, 55
- Diisopropylfluorophosphate**. *See* Isofluorophate
- DILACOR**. *See* Diltiazem
- DILANTIN**. *See* Phenytoin
- Diloxanide furoate**, 345f, 348, 348
drug interactions, 347
sites of action, 346f
- Diltiazem (CARDIZEM CD, DILACOR XR)**, 163f, 173, 173, 175f, 177, 177, 180f, 187, 187
actions, 187f
for angina, 188f
drug interactions, 188f
effects, 173f
for hypertension, 188f
for supraventricular tachyarrhythmia, 188f
- Dimenhydrinate**, 419f, 424
antiemetic effects, 129f
for motion sickness, 242, 424
therapeutic advantages and disadvantages, 422f
- Dimercaprol**, drug interactions, 414
- Dinoprost**, 419, 419, 419f-420f
- Dinoprostone**, 419, 419, 419f-420f
- Diphenhydramine**, 96, 419f, 423, 424, 438
in combination therapy, 243, 243f
drug interactions, 392
for motion sickness, 424
preanesthetic, 108
for rhinitis, 221
therapeutic advantages and disadvantages, 422f
- Diphenhydramine**, therapeutic advantages and disadvantages, 422f
- Diphenoxylate**, 244, 244, 244f
for diarrhea, 235
- Diphenylalkalines**, 187
- Diphenylhydantoin**. *See* Phenytoin
- Dipyridamole (PERSANTINE)**, 193f, 196, 196
- Discoid lupus erythematosus**, treatment, 351
- Disopyramide**, 163f, 169, 169
effects, 167f
- Distribution**, drug, 1, 1f, 7-9, 7-9
with elimination, 10f
volume, 9f, 9-11
and elimination, 25
without elimination, 10f
- Disulfiram**, 96
drug interactions, 201f
- Dithromycin**, 317, 317
- Diuretics**, 157
and changes in urine composition, 233f
for hypertension, with concomitant diseases, 182f
sites of action, 224f
- Diuretics, specific agents**, 151f, 179f, 223f
acetazolamide, 41, 223f-224f, 226f, 226-227, 233f, 292
amiloride, 223f-224f, 233, 233
bumetanide (BUMEX), 151f, 179f, 223f-224f, 227, 227-228, 292, 316
chlorothiazide, 223f, 224, 229-231, 231
chlorthalidone, 223f, 229, 231, 231
ethacrynic acid, 224f, 227, 227-228, 316
furosemide (LASIX), 151f, 179f, 223f, 224, 224f, 227, 227-228, 292, 316, 409, 439-441
hydrochlorothiazide, 151f, 179f, 183, 183, 223f, 229, 231, 441
indapamide (LOZOL), 223f, 231, 231
mannitol, 223f, 233, 233
metolazone, 151f, 223f, 231, 231
spironolactone, 179f, 183, 183, 223f-224f, 232-233, 233, 274, 277
torsemide, 223f-224f, 227, 227-228
triamterene (DYAZIDE), 179f, 223f-224f, 233, 233
urea, 223f, 233, 233
- Dobutamine**, 55f, 66, 66, 69f, 151f
for congestive heart failure, 159, 161, 161f
- Docusate sodium**, 244f, 245
- DOLOBID**. *See* Diflunisal
- Domperidone**, 242f
antiemetic effects, 129f
for chemotherapy-induced nausea and vomiting, 242-243
- DONNATAL**. *See* Atropine
- DOPA**. *See* Dihydroxyphenylalanine
- L-Dopa**. *See* Levodopa
- Dopamine**, 55f, 65, 65-66, 69f
actions, 66f, 248f
for congestive heart failure, 161f
and neurotransmission, 56

- treatment, 294*f*, 301*f*, 304, 308, 308*f*, 315*f*, 324, 325*f*, 329
- Esmolol**, **77**, **77**, **163*f***, **171**, **171**
clinical applications, 78*f*
drug elimination, 74*f*
- Estazolam**, duration of action, 92*f*
- ESTRACE**. *See* Estradiol
- ESTRADERM**. *See* Estradiol
- Estradiol (ESTRACE, ESTRADERM)**, **263**, **263**, **263*f***, **270**
menstrual cycle and, 266, 267*f*
metabolism, 265
transdermal path for, 264
- Estriol**, **263**, **263**, **263*f***
- Estrogen replacement therapy**, **264**, **265*f***
- Estrogens (PREMARIN)**, **263**, **263-266**, **268**, **373*f***, **399*f***
adverse effects, 266, 266*f*
in cancer therapy, 394
failure rate, 268*f*
- Estrogens, specific agents**, **263*f***
chlorotrianisene, **263**, **263**, **263*f***
diethylstilbestrol, **263**, **263**, **263*f***, **266**, **268**, **394**
estradiol (ESTRACE, ESTRADERM), **263**, **263**, **263*f***, **264-266**, **267*f***, **270**
estriol, **263**, **263**, **263*f***
estrone, **263**, **263**, **263*f***
ethynodiol estradiol (TRI-LEVLYN, DEMULEN, LO/OVRAL, OVCN, TRI-NORINYL, TRIPHASIC, LOESTRIN-FE, DESOGEN), **263**, **263*f***, **265**, **268**, **394**
mestranol, **263*f***, **265**, **268**
quinestrol, **263**, **263**, **263*f***
- Estrone**, **263**, **263**, **263*f***
- Ethacrynic acid**, **223*f***, **227**, **227-228**
drug interactions, 316
site of action, 224*f*
- Ethambutol**, **331**, **331*f***, **334**, **334-335**, **437**
adverse effects, 335*f*
- Ethanol**
dependence potential, 100*f*
metabolism, 13
- Ethanol**, **96**
- Ethanolamines**, therapeutic advantages and disadvantages, 422*f*
- Ether**, minimal alveolar concentration, 111*f*
- Ethinodiol estradiol (TRI-LEVLYN, DEMULEN, LO/OVRAL, OVCN, TRI-NORINYL, TRIPHASIC, LOESTRIN-FE, DESOGEN)**, **263**, **263*f***, **265**, **268**
in cancer therapy, 394
pharmacokinetics, 268
- Ethionamide**, **331*f***, **335**, **335**
- Ethosuximide**, **143*f***, **149**, **149**
for seizures, 145*f*
- Ethylenediamines**, therapeutic advantages and disadvantages, 422*f*
- Etodolac (LODINE)**, **401*f***, **409**, **410**
- Etomidate**, **108*f***, **116**, **116**
- Etoposide**, **373*f***, **396**, **396**, **399*f***
drug interactions, 386
emetic potential, 241*f*
mechanism of action, 397*f*
myelosuppressive potential, 378*f*
- Ewing's soft tissue sarcoma**, **390**
- Excitatory postsynaptic potentials (EPSP)**, **82**, **82*f***
- Exophthalmos**, treatment, **435*f***, **435-436**
- Famciclovir**, **363*f***, **367**, **367**
- Familial combined (mixed) hyperlipidemia**, **209*f***. *See also* Hyperlipoproteinemia, type IIB
- Familial dysbetalipoproteinemia**, **209*f***. *See also* Hyperlipoproteinemia, type III
treatment, 211
- Familial hypercholesterolemia**, **209*f***. *See also* Hyperlipoproteinemia, type IIA
combination drug therapy, 215, 215*f*
- Familial hyperchylomicronemia**, **209*f***. *See also* Hyperlipoproteinemia, type I
- Familial hypertriglyceridemia**, **209*f***. *See also* Hyperlipoproteinemia, type IV
- Familial mixed hypertriglyceridemia**, **209*f***. *See also* Hyperlipoproteinemia, type IV
- Famotidine (PEPCID)**, **235*f***, **236**, **236-238**, **419*f***, **440**, **440*f***
- Fansidar**, **352**
- Fatigue**, treatment, **441-442**
- 5-FC**. *See* Flucytosine
- Febrile seizures**, **144**, **144*f*-145*f***
treatment, 148
- FELDENE**. *See* Piroxicam
- Felodipine**, **180*f***, **188**, **188**
for congestive heart failure, **157**, **188*f***
drug interactions, **188*f***
for hypertension, **188*f***
- Fenamates**, **401*f***, **410**
therapeutic advantages and disadvantages, 412*f*
- Fenoprofen**, **401*f***, **408**, **408-409**
drug interactions, **327**
therapeutic advantages and disadvantages, 412*f*
- Fentanyl**, **108*f***, **117**, **133*f***, **139**, **139**
action, **134*f***
distribution, **137**
efficacy and addiction/abuse liability, **135*f***
onset and duration of action, **139*f***
preanesthetic, **108**
therapeutic advantages and
- disadvantages, **116*f***
- Ferrous sulfate**, for anemia, **205**
- Fetal distress**, drug contraindications, **251**
- Fetal presentation**, abnormal, drug contraindications, **251**
- Fever**, treatment, **432**
- Fibrinolysis**, **194**
- Fibrin**, role in clotting, **194**
- Filariasis**, treatment, **361*f***
- Filgrastim**
drug interactions, **392**
for Kaposi's sarcoma, **429**
for neutropenia, **378**
- Finasteride**, **272**, **272**
for benign prostatic hypertrophy, **73**
- FIORINAL**. *See* Butalbital
- Flecainide**, **163*f***, **170**, **170**
effects, **170*f***
- FLOXIN**. *See* Ofloxacin
- Fluconazole**, **337*f***, **341-342**, **342**
for Kaposi's sarcoma, **429**
properties, **342*f***
- Flucytosine**, **337*f***, **339**, **339-340**
for cryptococcal meningitis, **284*f***
drug interactions, **337**, **340**
mode of action, **339**, **339*f***
- Fludarabine**, **373*f***, **384**, **384**
- Fludrocortisone**, **274**, **274**
properties, **275*f***
- Flumazenil**, **90*f***, **94**, **94**
- Flunisolide (NASACORT)**, **219**
for asthma, **219**
for rhinitis, **221**
- Fluoroquinolones**, **323-327**
classification, **287*f***
effect on children, **282**
resistance to, **285*f***
- Fluoroquinolones, specific agents**, **323*f***
ciprofloxacin (CIPRO), **300**, **323**, **323**, **324**, **325**, **325*f***, **326**
enoxacin, **324**, **324**, **326-327**
lomefloxacin, **324**, **324**, **325**
norfloxacin (NOROXIN), **323**, **323**, **324**, **325**, **325*f***, **326**
ofloxacin (FLOXIN), **324**, **324**, **325-326**
- 5-Fluorouracil**, **373*f***, **382**, **382-383**, **399*f***
actions, **374*f***
drug interactions, **242**
emetic potential, **241*f***
mechanism of action, **383*f***
myelosuppressive potential, **378*f***
- Fluoxetine (PROZAC)**, **119*f***, **122**, **122-123**
adverse effects, **123*f***

- structure, 61f
- Dopaminergic neurons, and Parkinson's disease, 84-85, 85f
- Dose-response curve, 21, 21f
- Dose-response quantitation, 20-22
- Douche, percent use, 268f
- Doxacurium, 45f
- onset and duration of action, 52f
 - pharmacokinetics, 51
- Doxazosin (CARDURA), 71f, 73, 73, 180f
- Doxepin, 96, 119, 119, 119f
- therapeutic advantages and disadvantages, 125f
- Doxorubicin, 373f, 385, 385f, 385-386, 399f
- actions, 374f
 - adverse effects, 378
 - drug interactions, 242
 - emetic potential, 241f
 - for Kaposi's sarcoma, 429
 - myelosuppressive potential, 378f
- Doxycycline (VIBRAMYCIN), 311f, 313, 313
- for cholera, 312f
 - drug interactions, 147
 - phototoxicity, 314
 - for urinary tract infections, 328f
- Doxylamine, 96
- therapeutic advantages and disadvantages, 422f
- Dronabinol, 105, 105, 242f, 243, 243
- Droperidol, 117, 130, 130, 242f
- antiemetic effects, 129f
 - for chemotherapy-induced nausea and vomiting, 242-243
 - in combination therapy, 243f
 - drug interactions, 139
 - plus fentanyl, 108f
 - preanesthetic, 108
- Drug binding, to proteins, 8-9, 11-12
- Drug receptors, 17-26
- Drug structure
- chemical, 8
 - and distribution, 8
- d4T. *See* Stavudine
- Duodenal ulcers, treatment, 239-241
- DURICEF. *See* Cefadroxil
- DYAZIDE. *See* Triamterene
- DYNACIRC. *See* Isradipine
- Dysphoria, treatment, 243
- Dysrhythmias. *See* Arrhythmias
- Echothiophate, 35f, 43, 43
- for glaucoma, 41
- Eclampsia, treatment, 95
- Econazole, 337f, 343, 343
- Edema
- kidney function during, 226
 - treatment, 223, 229, 440-441
- Edrophonium, 35f, 43, 43, 433, 434f
- drug interactions, 51
 - and neuromuscular blockers, 50
- E.E.S. *See* Erythromycin
- Efferent neurons, 28, 28f
- ELAVIL. *See* Amitriptyline
- Elimination, drug, 1, 1f, 23-25
- by kidney, 23, 23f
- Emboli, 194. *See also* Pulmonary embolism
- treatment, 201
- Emesis, chemotherapy-induced, 241f, 242
- treatment, 241-243, 242f
- Emetine, 345f, 348, 348
- sites of action, 346f
- Emodin, 244
- Emodinmeg, 244
- E-MYCIN. *See* Erythromycin
- Enalapril (VASOTEC), 151f, 156, 156, 179f
- success rate, 157f
- Enanthate, 271
- Endocarditis, treatment, 315
- Endometriosis, treatment, 270
- Enflurane, 107f, 113, 113-114
- blood/gas partition coefficient, 111f
 - characteristics, 114f
 - minimal alveolar concentration, 111f
 - therapeutic advantages and disadvantages, 116f
 - uptake curve, 112, 112f
- Enoxacin, 324, 324, 326-327
- Enoxaprin, 193f, 198, 199
- adverse effects, 199
- Entamoeba histolytica infection, 345-346
- life cycle, 346
 - treatment, 347-348
- Enteral administration, 2
- Enteric rods, gram-negative, 283f, 290f
- Enterobacter infection, treatment, 290, 301f, 304, 315f, 325f, 361f
- Enterobius vermicularis infection, 361f
- treatment, 359
- Enterococcal endocarditis, treatment, 284f
- Enterococcus faecalis infection
- resistance, 308
 - treatment, 435
- Enterococcus faecium infection
- resistance, 308
- ENTEX LA. *See* Phenylephrine
- Ephedrine, 55f, 68, 68, 69f
- as mixed-action agonist, 61
 - non-catecholamine, 60
 - structure, 60f
- Epidermophyton infection
- (epidermophytosis), treatment, 343, 406
- Epilepsy
- classification, 144f, 144-145
 - drug treatment, 143-150
 - etiology, 143
 - primary, 143
 - secondary, 143
 - treatment, 90-91, 227
- Epinephrine, 33, 55f, 61, 61-63, 69f
- for acute anaphylaxis, 218
 - administration route, 3
 - and adrenergic receptors, 58f, 58-59
 - and amine nitrogen, 61
 - with anesthesia, 118
 - antiarrhythmic effects, 164f
 - in autonomic nervous system, 32f
 - and bronchodilation, 67f
 - and carbachol, 40
 - cardiovascular effects, 63f
 - as direct-acting agonist, 61
 - effect on blood pressure, 72f
 - for glaucoma, 41
 - and histamines, 424
 - reversal, 72
 - structure, 60f-61f
- Equilin, 263
- Erectile dysfunction, treatment, 420
- Ergotamine, 419f, 428, 428, 437
- for migraine, 427f
- Erosive esophagitis, treatment, 239
- ERYC. *See* Erythromycin
- ERY-TAB. *See* Erythromycin
- Erythromycin (E.E.S., ERYC, E-MYCIN, ERY-TAB), 311f, 317, 317, 317-320, 435
- antimicrobial activity, 317, 319f
 - contraindications, 282
 - drug interactions, 148f, 215
 - for mycoplasma pneumonia, 312f
 - therapeutic applications, 290, 318f
 - for urinary tract infections, 328f
- Erythromycin base, drug interactions, 160f
- Erythromycin ethylsuccinate, 434
- Erythropoietin, 193f, 206, 206
- for Kaposi's sarcoma, 429
- Escherichia coli infection, 290f, 327
- and insulin, 257
 - resistance, 300

- and p-450 metabolism, 122f
receptor specificity, 121f
therapeutic advantages and disadvantages, 125f
- Fluoxymesterone, 263f, 271, 271
- Fluphenazine, 127, 127, 127f, 132f
actions, 128f
anticholinergic activity, 130
schizophrenia relapse after, 131f
- Fluphenazine decanoate, metabolism, 130
- Flurazepam, 91
duration of action, 92f
for sleep disorders, 91
as sleep-inducer, 137
therapeutic advantages and disadvantages, 97f
withdrawal reactions, 92, 93f
- Flurbiprofen (ANSAID), 401f, 408, **408-409**
- Flutamide, 373f, 399f
as antiandrogen, 272, 272
in cancer therapy, 394, 394-395
- Fluticasone
administration route, 276f
elimination, 276f
for rhinitis, 221
- Fluvastatin, 207f, **214-215**
drug interactions, 213
- Fluvoxamine, 119f, 123, 123
therapeutic advantages and disadvantages, 125f
- Folate antagonists, **289-296**
- Folate antagonists, specific agents, 289f**
cotrimoxazole (COTRIM), 201f, 289, 289, 289f, 290, **293-295**, 299f, 429
mafenide, 289f, 290
mafenide acetate, 291
pyrimethamine, 289f, 290, 290, 293, 345f, 350f, 352-353, 357, 357
silver sulfadiazine, 289f, 290-291
succinylsulfathiazole, 289f, 291, 291
sulfacetamide, 289f, 290
sulfadiazine, 290
sulfamethoxazole, 289, 289, 289f, 290, 293, 293f, 294, 315f. *See also* Co-trimoxazole
sulfasalazine, 289f, 291, 291
sulfisoxazole, 289f, 290, 292, 292, 328f
trimethoprim (BACTRIM), 20, 205, 281, 281f, 285, 285f, 287f, 289, 289, 289f, 290, 292f, 293, 293, **293**, 293f, 294, 315f. *See also* Co-trimoxazole
- Folate reduction inhibitors, 289f
- Folate synthesis inhibitors, 289f
- Folic acid, 193f, **205**
deficiency, 205f
with vitamin B₁₂, 205
- Folinic acid, 379
for megaloblastic anemia, 378
- Follicle-stimulating hormone, 250, **250**
secretion, 250, 250f
- 5-Formyltetrahydrofolic acid. *See* Folinic acid
- Foscarnet, 363f, **367**, 367
- Fosinopril, 151f
- 5-Fu. *See* 5-Fluorouracil
- Furosemide (LASIX), 151f, 179f, 223f, **227-228**, 439-441
drug interactions, 292, 316, 409
hyperuricemia with, 224
site of action, 224f
- Gabapentin, 143f, 149, **149-150**
- Ganciclovir (DHPG), 363f, 366, **366-367**
- Ganglionic blockers, **48-50**, 49f
- Ganglionic blockers, specific agents**
mecamylamine, 45f, 49f, **50**, 50
trimethaphan, 45f, 49, **49**, 49f
- Gastric acid secretion, regulation, 236
- Gastric cancer, treatment, 382
- Gastroesophageal reflux disease, treatment, 237
- Gastrointestinal drugs, **235-246**
- Gastrointestinal tract
absorption in, 4
infections, treatment, 325f
- Gemfibrozil (LOPID), 207f, 211, **211-212**
drug interactions, 215
mechanism of action, 211, 211f
- General anesthetics, 107f-108f
inhaled, 107f
intravenous, 108f
- General anesthetics, specific agents**
diazepam (VALIUM), 50, 90, 90, 90f, 91, 91, 92f-93f, 97f, 103, 108, 108f, 116, 143f, 145f, 149, 239
droperidol plus fentanyl, 108f
enflurane, 107f, 111f, 112, 112f, 113, **113-114**, 114f, 116f
etomidate, 108f, 116, 116
fentanyl, 108, 108f, 116f, 117, 133f-135f, 137, 139, **139**, 139f
halothane, 51, 53, 67, 107f, 111, 111f, 112, 112f, 113, **113**, 114f, 116f
isoflurane, 107f, 111f, 112, 112f, 114, **114**, 114f, 116f
ketamine, 108f, 116f, 117, **117**
lorazepam (ATIVAN), 92f-93f, 97f, 108f, 116, 242f, 243, 243f
methohexitol, 108f, 115
methoxyflurane, 107f, **114**, 114
- morphine, 90f, 100f, 108f, 117, 133f-135f, **135-138**, 139, 139f, 141, 141f, 142
- nitrous oxide, 107f, 111, 111f, 112, 112f, 113, 114, 114f, **114-115**, 116f, 117
- propofol, 108f, 116f, **117**, **117**
- sevoflurane, 107f, **115**, **115**
- thiamylal, 108f, 115
- thiopental, 9, 90f, 94, 95, 97f, 108f, 109, 115, 115f, 115-116, 116f, 408f
- Genital infections, treatment, 294f
- Gentamicin, 311f, 315, 315, 435
adverse effects, 316
drug interactions, 51
therapeutic applications, 315f
- Gestational choriocarcinoma, treatment, 384
- GHRH. *See* Growth hormone releasing hormone
- Giardia lamblia** infection, 357
treatment, 347
- Glaucoma
concomitant with hypertension, treatment, 185
treatment, 41-42, 63, 74-76, 78f, 227
- Glipizide (GLOUCOTROL), 255f, 260, 260
properties, 261f
- Glucocorticoids, **272-273**
inhaled, for asthma, 218f-219f
production, 272
properties, 275f
- α-Glucosidase inhibitor, **261**
- GLUCOTROL. *See* Glipizide
- Glutethimide, drug interactions, 201f
- Glyburide (DIABETA, MICRONASE, GLYNASE PRESTAB), 255f, 260, 260
properties, 261f
- Glycerine suppositories, 244f, 245
- GLYNASE. *See* Glyburide
- Gold salts, 402f, **413-414**
- Gold sodium thiomalate, 413-414
- Gonadal hormone, 250
- Gonadotropin-releasing hormone (GnRH), 247f, **250**
actions, 248f
and testosterone, 270
- Gonadotropins, **250**
- Gonococcal ophthalmia, treatment, 299f
- Gonococcal urethritis, acute, treatment, 294f
- Gonorrhea
opharyngeal, treatment, 294f
treatment, 294f, 299f, 324, 325f
- Goserelin, 247f, 250, 250, 373f, 394, 395f

- in cancer therapy, 394
drug interactions, 395
Goserelin acetate, 394
Gout
 chronic, 416
 treatment, 406, 412, **415-417**
 specific agents, 402f
Gouty arthritis, acute, treatment, 409
Gouty attacks, acute, treatment, 410, 415-416
Gram-negative microorganisms
 bacilli, 283f
 cocci, 283f
 enteric rods, 283f, 290f
 identification, 279-280, 280f
 resistance, 284
Gram-positive microorganisms
 bacilli, 283f
 cocci, 283f
 identification, 279-280, 280f
Grand mal seizures. *See Seizures, tonic-clonic*
Granisetron, 242f, 243, 243
Granulocyte stimulating factor, for
 Kaposi's sarcoma, 429-430
Griseofulvin, 337f, 342, **342-343**, 343f
 drug interactions, 201f
Group IA agents, 167
 effects, 167f
Group IB agents, 167, 169
 effects, 169f
Group IC agents, 167, 170
 effects, 170f
Growth fractions, of tumors, 374
Growth hormone, 249
Growth hormone-inhibiting hormone (GHIH), **250**
Growth hormone-releasing hormone (GHRH), 247f, 249
 actions, 248f
Guanethidine, 71f, 78, **78-79**
 and norepinephrine release, 56
Haemophilus influenzae infection
 resistance, 300
 treatment, 294f, 301f, 304, 306, 317-318, 324, 325f
Hairy cell leukemia, treatment, 384, 398
HALCION. *See Triazolam*
Hallucinogens, **104-105**
 dependence potential, 100f
Halogenated hydrocarbon anesthetics,
 drug interactions, 51
Haloperidol, 127, 127, 127f, 132f, 242f
 actions, 128f
 affinities at dopaminergic receptors,
 131f
 anticholinergic activity, 130
 antiemetic effects, 129f
 for chemotherapy-induced nausea and
 vomiting, 242-243
 and LSD, 105
 and parkinsonian symptoms, 84
 for schizophrenia, 131
 schizophrenia relapse after, 131f
Haloperidol decanoate
 administration route, 3
 metabolism, 130
Halothane, 107f, **113**, 113
 blood/gas partition coefficient, 111, 111f
 characteristics, 114f
 drug interactions, 51, 53
 elimination, 112
 methoxamine and, 67
 minimal alveolar concentration, 111, 111f
 therapeutic advantages and
 disadvantages, 116f
 uptake curve, 112, 112f
Hansen's disease. *See Leprosy*
Headache, treatment, 406, 412, 437-438
Heartburn, treatment, 237
Heart rate, and acetylcholine, 39
Heavy metal poisoning, treatment, 414
Helicobacter pylori infection, 439
 elimination, 239-240
 and peptic ulcer disease, 235-236, 236f
Helminthic infections
 chemotherapy, 359f
 incidence, 360f
Hemicholinium, and acetylcholine, 35
Heparin, 193f, **197-199**, 199
 binding to antithrombin III, 198, 198f
 drug interactions, 204, 339, 408f
Hepatic ascites, kidney function with, 226
Hepatitis A virus, treatment, 365
Hepatitis, treatment, specific agents, 363f
Heroin, 133f, **140**, 140
 action, 134f
 dependence potential, 100f
 distribution, 137
 naloxone and, 141f, 142
 naltrexone and, 142
Heroin withdrawal, treatment, 139
Herpes simplex encephalitis, treatment,
 367f
Herpes simplex virus type 1, treatment, 367
Herpes simplex virus type 2, treatment, 367
Herpes virus infection, treatment, **365-368**
 specific agents, 363f
Hexamethonium, and nicotinic receptors,
 39
- H₁-Histamine receptor antagonists**
 adverse effects, 424f
 sites of action, 423f
 specific agents, 419f
 therapeutic advantages and
 disadvantages, 422f
Hiccups, treatment, 130
High-ceiling diuretics. *See Loop diuretics*
Hirsutism, treatment, 272
HISMANAL. *See Astemizole*
Histamine, 420-425
 actions, 421f
 biosynthesis, 421f
Histamine H₁-receptor antagonists, 423-425. *See also Antihistamines*
Histamine H₂-receptor antagonists, **425**,
 440. *See also Antihistamines*
 as gastric acid inhibitors, 236-238
 for peptic ulcer disease, 235f
 specific agents, 419f
***Histoplasma capsulatum* infection**
 (histoplasmosis), treatment, 338, 342
Histrelin, 247f, 250, 250
Hodgkin's disease, 390
 treatment, 388, 393, 396, 399f, 409
Hookworm infection, treatment, 359, 361f
Hormones, **31**
Hormones, specific agents
 androgens, 263f, 270, 270, 271, 271
 danazol, 263f, 270, 270, 271
 fluoxymesterone, 263f, 271, 271
 nandrolone, 263f, 271, 271
 stanazolol, 263f, 271, 271
 testosterone cypionate, 263f, 271, 271
 antiandrogens, 73, 272, 272, 373f, 394, 394-395, 399f
 cyproterone acetate, 272, 272
 finasteride, 73, 272, 272
 flutamide, 272, 272, 373f, 394, 394-395, 399f
 antiestrogens, 263f, 266, **266**, 266, 373f, 393, **393-394**, 399f
 clomiphene, 263f, **266**, 266
 tamoxifen (NOLVADEX), 263f, 266, 266, 373f, 393, **393-394**, 399f
 antiprogestin, 263f, 267-268, 277
 mifepristone, 263f, 267-268, 277
 corticosteroids, 219, 221, 235, 242f, 243, 243f, 274, 274, 275f, 275f, 276, 276f, 276f, 277, 334f, 362, 373f, 392-393, **393**, 393, 395, 397, 399f, 431, 438-439
 beclomethasone (BECONASE,

- VANCENASE, VANCERIL), 219, 221, 276*f*, 431
beclomethasone dipropionate, 276, 276
betamethasone, 275*f*, 438-439
cortisone, 275*f*, 276*f*
desoxycorticosterone, 276*f*
dexamethasone, 235, 242*f*, 243, 243*f*, 275*f*-276*f*, 276*f*, 277, 362, 392, 395
fludrocortisone, 274, 274, 275*f*
hydrocortisone, 274, 274, 275*f*-276*f*, 438-439
methylprednisolone, 219, 242*f*, 243, 275*f*-276*f*
paramethasone, 275*f*
prednisolone, 275*f*, 393
prednisone (DELTASONE, ORASONE), 219, 275*f*, 276, 334*f*, 373*f*, 393, **393**, 397, 399*f*, 438-439
triamcinolone (AZMACORT), 219, 221, 275*f*, 276, 276, 276*f*
corticotropin (ACTH), 247*f*, **249**, 249, 249*f*
desmopressin, 3, 247*f*, **251**, 251
estrogens, 263, 263, **263**, 263, 263*f*, 263*f*, 264-266, 265, 266, 267*f*, 268, 270, 394
chlorotrianisene, 263, 263, 263*f*
diethylstilbestrol, 263, 263, 263*f*, 266, 268, 394
estradiol (ESTRACE, ESTRADERM), 263, 263, 263*f*, 264-266, 267*f*, 270
estriol, 263, 263, 263*f*
estrone, 263, 263, 263*f*
ethynodiol estradiol (TRI-LEVLIN, DEMULEN, LO/OVRAL, OVCONE, TRI-NORINYL, TRIPHASIC, LOESTRIN-FE, DESOGEN), 263, **263**, 263*f*, 265, 268, 394
mestranol, 263*f*, 265, 268
quenestrol, 263, 263, 263*f*
gonadotropin-releasing hormone (GnRH), 247*f*-248*f*, **250**, 270
goserelin, 247*f*, 250, 250, 373*f*, 394, 394, 395, 395*f*
growth hormone-releasing hormone (GHRH), 247*f*-248*f*, 249
histrelin, 247*f*, 250, 250
leuprolide, 247*f*, 250, 250, 373*f*, 394, 394, 395, 395*f*, 399*f*
luteinizing hormone-releasing hormone (LHRH), 247*f*-248*f*
nafarelin, 247*f*, 250, 250
octreotide, 247*f*, **250**, 250
oxytocin, 247*f*, 250, **251**, 251
progesterins, 3, 263*f*, 267, 267, 268, 268*f*-269*f*
hydroxyprogesterone, 263*f*, 267, 267
levonorgestrel, 3, 268, 269*f*
medroxyprogesterone (PROVERA), 263*f*, 267, 267
norethindrone, 263*f*, 267, 267, 268
norgestrel, 263*f*, 267, 267, 268, 268*f*
somatostatin, 247*f*-248*f*, **250**
somatotropin, 247*f*, **249**, 249
vasopressin, 247*f*, 250, **251**, 251
5-HT₃ Serotonin receptor blockers, for chemotherapy-induced nausea and vomiting, 242*f*, 243
Human chorionic gonadotropin (hCG), **250**
Human immunodeficiency virus anemia with, treatment, 206
treatment, **368-371**
specific agents, 363*f*
Human immunodeficiency virus protease inhibitors, **371**
Human insulin (HUMULIN N), 257
Human menopausal gonadotropin (hMG), **250**
HUMULIN. See Human insulin
Hydralazine, 151*f*, 180*f*, **190**, 190, 442
for congestive heart failure, 157
Hydrochlorothiazide, 151*f*, 179*f*, 183, 183, 223*f*, 229, **231**, 441
Hydrocodone, for cough, 222
Hydrocortisone, 274, 274, 438-439
administration route, 276*f*
elimination, 276*f*
properties, 275*f*
Hydromorphone, for cough, 222
Hydrophilic colloids, 244*f*, 244-245
Hydroxychloroquine, as antiinflammatory agent, 414
Hydroxymethylglutaryl-CoA reductase inhibitors, 214*f*, **214-215**
adverse effects, 215*f*
Hydroxyprogesterone, 263*f*
Hydroxyprogesterone acetate, 267, 267
Hydroxyurea, 193*f*
for sickle cell disease, 193, 206
Hydroxyzine, **93**, 93
drug interactions, 138
therapeutic advantages and disadvantages, 97*f*, 422*f*
Hyoscyamine, 236*f*
for peptic ulcer disease, 239
Hyperaldosteronism
secondary, 226
treatment, 232
treatment, 274, 277
Hypercalcemia, treatment, 228
Hypercalciuria, treatment, 230
Hypercholesterolemia
type IIA, treatment, 213
type IIB, treatment, 213
Hypercholesterolemias, treatment, 210
Hyperlipidemias, 207, 208*f*-209*f*
and hypertension, 182*f*-183*f*
primary, 207
secondary, 207
treatment, 214
type I, 209*f*
type IIA, 209*f*
type IIB, 209*f*
type III, 209*f*
type II, treatment, 215
type IV, 209*f*
type V, 209*f*
Hyperlipoproteinemia
treatment, 210
type IIA, treatment, 212
type IIB, treatment, 210, 212
type III, treatment, 211
type IV, treatment, 210-211
type V, treatment, 211
Hypertension
and angina, 178*f*
concomitant disease with, 183*f*
etiology, 179
treatment, 73, 75-78, 78*f*, 173, 188*f*, 223, 230-231, 441-442
treatment strategies, 181-183
with concomitant diseases, 182*f*
Hypertensive emergency, **191**
Hyperthyroidism, 252
and epinephrine, 63
treatment, 75, 253-254
Hypertriglyceridemias, treatment, 211
Hyperuricemia, 415
treatment, 417
Hypnotic drugs, **89-98**
specific agents, 89*f*-90*f*
Hypoalbuminemia, and drug binding, 11
Hypochromic microcytic anemia, and folate deficiency, 205
Hypoglycemic drugs
oral, 255*f*, **255-262**, **260-261**
adverse effects, 261*f*
drug interactions, 260*f*
oral, specific agents
acetohexamide, 255*f*, 260, 260, 261*f*
chlorpropamide, 255*f*, 260, 260-261,

- 261f
glipizide (GLOUCOTROL), 255f, 260, 260, 261f
glyburide (DIABETA, MICRONASE, GLYNASE PRESTAB), 255f, 260, 260, 261f
metformin, 255f, 261, 261, 261f
tolazamide, 255f, 260, 260, 261f
tolbutamide, 255f, 260, 260, 261f, 292, 341
properties, 261f
- Hypoglycemic drugs, specific agents**
human insulin (HUMULIN N), 257
insulin, 2-3, 7, 77, 255f, 255-262, 257, 257-258, 258f-259f, 259-260, 260f
insulin zinc suspension, 255f
intermediate action insulin preparations, 258-259
isophane insulin suspension (ILETIN), 255f, 258-259
lente insulin, 259
prolonged action insulin preparations, 259
rapid action insulin preparations, 258
semilente insulin, 255f, 259f
semilente insulin suspension, 258
ultralente insulin, 255f, 259
zinc insulin, 255f
- Hypogonadism
primary, treatment, 264
treatment, 270
- Hypomania, treatment, 125
- Hypothalamic hormones, 247f, 247-250
actions, 248f
- Hypothyroidism, 251
treatment, 253
- HYTRIN.** See Terazosin
- Ibuprofen (ADVIL, MOTRIN), 401f, 408, 408-409, 440
therapeutic advantages and disadvantages, 412f
- Idarubicin, 373f, 385
- Idoxuridine, 368, 368
- IFN.** See Interferon
- Ifosfamide, 373f, 388, 388-389, 389f
- ILETIN.** See Insulin; Isophane
- Imipenem, 298f, 306, 306-307
structure, 307f
- Imipramine, 119, 119, 119f
for arrhythmias, 171, 172f
half-life, 120
and norepinephrine removal, 56
precautions, 121
receptor specificity, 121f
therapeutic advantages and disadvantages, 125f
- IMITREX. *See* Sumatriptan
- IMODIUM. *See* Loperamide
- Indapamide (LOZOL), 223f, 231, 231
- INDERAL. *See* Propranolol
- Indinavir, 371, 371
- Indoleacetic acids, 409-410
therapeutic advantages and disadvantages, 412f
- Indomethacin, 401f, 409, 409
adverse effects, 409f
for diarrhea, 244, 244f
drug interactions, 417
therapeutic advantages and disadvantages, 412f
- Infertility, treatment, 250
- Inflammation, treatment, 275-276
- Inflammatory bowel disease, treatment, 291
- Influenza A infection, treatment, 363, 364f, 365
- Influenza B infection, treatment, 365
- Inhalation administration, 3
- Inhibitory postsynaptic potentials (IPSP), 82-83, 83f
- INNOVAR,** 117
- Inotropic drugs, 157-161
specific agents, 151f
- Insomnia, treatment, 424, 435-436
- Insulin, 255f, 255-262, 257, 257-258
administration route, 2-3
adverse effects, 258, 258f
bioavailability, 7
β-blockers and, 77
extent and duration of action, 259f
intermediate-acting preparations, 258-259
in pregnancy, 260
preparations, 258-260
prolonged action preparations, 259
rapid action preparations, 258
standard vs. intensive treatment, 259-260, 260f
- Insulin zinc suspension, 255f
- INTAL.** *See* Cromolyn
- Interferons, 363f, 371, 371, 371f, 373f, 397-398, 399f
- Intra-arterial injection, 3
- Intramuscular (IM) administration, 3
- Intranasal administration, 3
- Intrathecal administration, 3
- Intrauterine device (IUD)
failure rate, 268f
percent use, 268f
- Intravascular administration, 2-3
- Intravenous (IV) injection, 2-3, 3f
kinetics, 17-19
multiple, kinetics, 20, 20f
single, kinetics, 19, 20f
- Intraventricular administration, 3
- Invermectin, 361f
contraindications, 359f
- Iodide, 247f, 254
- Ipratropium (ATROVENT), 45f, 48, 48, 49f, 220
for asthma, 217f, 220
for chronic obstructive pulmonary disease, 217f, 222
structure, 220f
- Iron, 193f, 205
erythropoietin and, 206
- Isocarboxazid, 119f, 123, 123
therapeutic advantages and disadvantages, 125f
- Isoflurane, 107f, 114, 114
blood/gas partition coefficient, 111f
characteristics, 114f
minimal alveolar concentration, 111f
therapeutic advantages and disadvantages, 116f
uptake curve, 112, 112f
- Isofluorophate, 35f, 43, 43
for glaucoma, 41
and reactivation of acetylcholinesterase, 43, 43f
- Isoniazid, 283, 283f, 331, 331f, 332, 332-333, 437
adverse effects, 333f
distribution, 332, 332f
drug interactions, 147, 147f-148f, 334, 335f
for tuberculosis, 284f
- Isophane insulin suspension (ILETIN), 255f, 258-259
- Isoproterenol, 55f, 64, 64-65, 69f
actions, 66f
and adrenergic receptors, 58, 58f
and amine nitrogen, 61
blockage by β-blockers, 75
and bronchodilation, 67f
cardiovascular effects, 65f
as direct-acting agonist, 61
effect on blood pressure, 72f
structure, 61f
- ISOPTIN.** *See* Verapamil
- ISORDIL.** *See* Isosorbide
- Isosorbide (ISORDIL), 151f
- Isosorbide dinitrate, 175f, 176, 176
for congestive heart failure, 157
onset and duration of action, 177f

- Isosorbide mononitrate, onset of action, 176
- Isradipine (DYNACIRC), 180f, 188, 188
for congestive heart failure, 188f
drug interactions, 188f
for hypertension, 188f
- Itraconazole, 337f, 342, 342
drug interactions, 215
properties, 342f
- Ivermectin, 359f, 360, 360
- Kaolin, 244, 244f
- Kaposi's sarcoma, treatment, specific agents, 363f
- K-DUR. *See* Potassium
- KEFLEX. *See* Cephalexin
- KEFTAB. *See* Cephalexin
- Ketamine, 108f, 117, 117
therapeutic advantages and disadvantages, 116f
- Ketoconazole (NIZORAL), 337f, 340, 340-341
as adrenocorticoid inhibitor, 277, 277
as antiandrogen, 272
drug interactions, 334f
mode of action, 340f
properties, 342f
- Ketoprofen (ORUDIS), 401f, 408, 408-409
drug interactions, 417
therapeutic advantages and disadvantages, 412f
- Ketorolac (TORADOL), 411, 411
- Kidney
collecting ducts, 225, 225f
collecting tubules, 225, 225f
distal convoluted tubule, 225
drug elimination by, 23, 23f
function during disease, 225-226
loop of Henle, 223-224
proximal convoluted tubule, 223-224
regulation of fluid and electrolytes by, 223-225
- Klebsiella* infection, resistance, 301
- Klebsiella pneumonia* infection, 327
treatment, 304, 315f, 325f, 433
- KLONOPIN. *See* Clonazepam
- KLOR-CON. *See* Potassium
- Labetalol (NORMODYNE), 71f, 78, 78, 79f, 179f
drug elimination, 74f
for hypertensive emergency, 191
- Labor, premature, terbutaline in, 67
- β-Lactam antibiotics
classification, 287f
resistance to, 285f
specific agents, 298f
- structure, 297f
- β-Lactamase, drug interactions, 300
- β-Lactamase inhibitors, 307-308
- β-Lactamase inhibitors, specific agents, 298f
clavulanic acid, 298f, 300, 300f, 301-302, 307, 307, 307-308, 308f
sulbactam, 298f, 300, 300f, 302, 307, 307
tazobactam, 298f, 300f, 301-302, 307, 307
- Lactulose, 244f, 245
- Lamivudine, 370-371, 371
- Lamotrigine, 143f, 149, 149-150
- Lanoprazole, 235f, 239, 239
- LANOXIN. *See* Digoxin
- LASIX. *See* Furosemide
- Lassa fever, treatment, 365
- Laxatives, 244-245
specific agents, 244f
- Legionella* infection, treatment, 294f, 317, 324, 325f, 326
- Legionellosis. *See* Legionnaires' disease
- Legionnaires' disease, treatment, 318f
- Leishmaniasis
chemotherapy, 345f, 356-357
treatment, 355
- Lente insulin, 259
extent and duration of action, 259f
- Leprosy, treatment, 331f, 335-336
- Leptotrichia buccalis infection, treatment, 299f
- Leucovorin, 379, 379f, 380. *See also* Folinic acid
for anemia, 353
drug interactions, 382, 415
myelosuppressive potential, 378f
- Leukemia
acute lymphoblastic, treatment, 381, 390
acute lymphocytic, treatment, 3, 376-377, 379, 386, 393, 397, 399f
acute myelocytic, treatment, 386
acute non-lymphocytic (myelogenous), treatment, 382-383
- chronic lymphocytic, treatment, 384
- chronic myelogenous, for sickle cell disease, 206
- treatment, specific agents, 363f
- Leuprolide, 247f, 250, 250, 373f, 394, 395f, 399f
in cancer therapy, 394
drug interactions, 395
- Levamisole, drug interactions, 382
- Levarterenol, 64, 64
- Levodopa, 81f
and blood-brain barrier, 8
distribution, 8
dopamine synthesis with, 85f
drug interactions, 86f, 147, 240
for Parkinson's disease, 84-86
- Levonorgestrel, 268, 269f
administration route, 3
- Levothyroxine (LEVOXYL), 247f, 253
- LEVOXYL. *See* Levothyroxine
- Lidocaine, 108f, 163f, 169, 169
as antiarrhythmic, 164f
for arrhythmias, 174
effects, 169f
with epinephrine, 3
metabolism, 7
pharmacokinetic properties, 117f
- Lisinopril (ZESTRIL, PRINIVIL), 151f, 179f
- Listeria monocytogenes* infection
resistance, 304
treatment, 299f, 300
- Listeriosis, treatment, 299f
- Lithium, drug interactions, 410
- Lithium salts, 125
- Local anesthesia, 108f, 117-118
cocaine as, 102
epinephrine in, 63
- Local anesthetics, specific agents
bupivacaine, 108f, 117f
lidocaine, 3, 7, 108f, 117f, 163f-164f, 169, 169f, 174
procaine, 108f, 117f
procaine penicillin G, 302
tetracaine, 108f, 117f
- LODINE. *See* Etodolac
- LOESTRIN-FE. *See* Ethinyl estradiol
- Log kill, 374
- Lomefloxacin, 324, 324, 325
- Lomustine, 373f, 389, 389-390
- Loop diuretics, 223f, 227-228
adverse effects, 228f
and changes in urine composition, 227f, 233f
drug interactions, 160, 160f
- LO/OVRAL. *See* Ethinyl estradiol
- Loperamide (IMODIUM), 244, 244, 244f
- LOPID. *See* Gemfibrozil
- LOPRESSOR. *See* Metoprolol
- Loratadine (CLARITIN)
for rhinitis, 221
therapeutic advantages and disadvantages, 422f
- Lorazepam (ATIVAN), 108f, 116, 242f
for chemotherapy-induced nausea

- and vomiting, 243
in combination therapy, 243f
duration of action, 92f
therapeutic advantages and disadvantages, 97f
withdrawal reactions, 93f
Losartan, 179f, **187**, 187
LOTENSIN. *See* Quinapril
Lovastatin (MEVACOR), 207f, 214, **214-215**
LOZOL. *See* Indapamide
Lung cancer
 oat cell carcinoma, treatment, 396
 small-cell, treatment, 392
 treatment, 386, 396
Luteinizing hormone, 250
 secretion, 250, 250f
Luteinizing hormone-releasing hormone (LHRH), 247f
 actions, 248f
Lyme disease, treatment, 312f
Lymphogranuloma venereum, treatment, 312f
Lymphomas. *See also* Hodgkin's disease
 non-Hodgkin's, 390
 treatment, 393
 squamous cell, treatment, 387
 treatment, 386, 393
Lysergic acid diethylamide (LSD), 99f, **105**
 dependence potential, 100f
Maalox TC, drug interactions, 370
MACRO-BID. *See* Nitrofurantoin
MACRODANTIN. *See* Nitrofurantoin
Macrolides, **317-329**
 classification, 287f
 resistance to, 285f
Macrolides, specific agents, 311f
 azithromycin (ZITHROMAX), 311f, 317-320, 319f
 clarithromycin (BIAXIN), 235f, 236, 282, 282f, 311f, 317-320, 319f, 433
 erythromycin (E.E.S., ERYC, E-MYCIN, ERY-TAB), 148f, 215, 282, 290, 311f, 312f, 317, 317, 317-320, 318f, 319, 319f, 328f, 435
Mafenide, 289f
 therapeutic application, 290
Mafenide acetate, for burns, 291
Magnesium aluminum silicate, 244
Magnesium hydroxide, 236f, 240, 244f, 245, 439-441
Magnesium sulfate, 244f, 245
Major tranquilizers. *See* Neuroleptic drugs
Malaria, treatment, 345f, **349-353**, 432
Mania, treatment, 119f, 125
Manic-depression, treatment, 125, 147
Mannitol, 223f, 233, 233
Maprotiline, 119, 119, 119f
 therapeutic advantages and disadvantages, 125f
Marijuana. *See* Tetrahydrocannabinol
Mebendazole, 359, **359**, 359f, 361f
 contraindications, 359f
Mecamylamine, 45f, 49f, **50**, 50
Mechlorethamine, 373f, 387, **387-388**, 388f, 399f
 emetic potential, 241f
Meclizine, 419f, 424
 antiemetic effects, 129f
 for motion sickness, 242, 424
 therapeutic advantages and disadvantages, 422f
Meclofenamate, **410**, 410
 for migraine, 427f
Meclofenamic acid, therapeutic advantages and disadvantages, 412f
Medroxyprogesterone (PROVERA), 263f
Medroxyprogesterone acetate, 267, 267
Mefenamic acid, **410**, 410
 therapeutic advantages and disadvantages, 412f
Mefloquine, 345f, 350f, 352, **352-353**
Melarsoprol, 345f, 353, 353f, **353-354**
Meningitis
 cryptococcal, treatment, 284f
 treatment, 281, 306, 333, 339
Menotropin, 250
Menstrual cycle
 irregular, treatment, 435-436
 progesterone in, 266, 267f
Mepenzolate, 236f
Meperidine, 133f, **138**, **138-139**, 244
 drug interactions, 338
 efficacy and addiction/abuse liability, 135f
 for migraine, 427f
 onset and duration of action, 139f
6-Mercaptopurine, 373f, 380, **380-381**, 399f
 actions, 374f, 381f
 drug interactions, 417
Mersalyl oxide, 353
Mestranol, 263f, 265, 268
 pharmacokinetics, 265
Metabolism, drug, 1, 1f, 12-15, 14f
 effect of drug dose on, 13f
 elimination in, 24, 25f
 hepatic, 7
Metamucil, 441-442
Metaproterenol, 55f, **67**, 67, 69f
 and bronchodilation, 67f
Metaraminol, 55f, **69**, 69
 as mixed-action agonist, 61
Metformin, 255f, **261**, 261
 properties, 261f
Methadone, **139**, 139
 drug interactions, 147
 efficacy and addiction/abuse liability, 135f
Methdilazine, therapeutic advantages and disadvantages, 422f
Methenamine, 327, 327f, **327-328**
 drug interactions, 292
Methicillin, 298f, 300, 300
 administration route, 302
 resistance to, 285
 stability to penicillinase, 300f
Methimazole, 247f, 253, 253-254, 436
Methohexitol, 108f, 115
Methotrexate, 373f, 378, **378-380**, 399f, 402f, 415
 for abortion, 419
 actions, 374f
 adverse effects, 292, 378
 as antiinflammatory, 415
 drug interactions, 295, 384, 410
 emetic potential, 241f
 and folate deficiency, 205
 as folate reductase inhibitor, 293
 mechanism of action, 379f
 myelosuppressive potential, 378f
Methoxamine, 55f, 66, **66-67**, 69f
Methoxyflurane, 107f, **114**, 114
Methylcellulose, 244, 244f, 245
α-Methyldopa, 180f, **190**, 190
Methylphenidate (RITALIN HYDROCHLORIDE), 99f, 104
 for attention deficit syndromes, 104
Methylprednisolone, 242f
 administration route, 276f
 for asthma, 219
 for chemotherapy-induced nausea and vomiting, 243
 elimination, 276f
 properties, 275f
Methylsalicylate, 401f, 406, 408
Methylxanthines, **99-104**
Methysergide, 419f, 428
 for migraine, 427f, 428
Metoclopramide (REGLAN), 242, 242, 242f
 antiemetic effects, 129f
 for chemotherapy-induced nausea and vomiting, 242-243

- in combination therapy, 243, 243f
Metocurine, 45f
onset and duration of action, 52f
pharmacokinetics, 51
Metolazone, 151f, 223f, 231, 231
Metoprolol (LOPRESSOR), 71f, 77, 77, 79f, 179f
actions, 75f
for angina, 176
antiarrhythmic effects, 171
clinical applications, 78f
drug elimination, 74f
for hypertension, 185
Metoprolol and pindolol, 163f
Metronidazole, 235f, 345f, 347, 347-348
cost, 282, 282f
drug interactions, 201f
to eliminate *Helicobacter pylori*, 236
for giardiasis, 357
sites of action, 346f
Metyrapone, 277, 277
MEVACOR. See Lovastatin
Mexiletine, 163f, 170, 170
for arrhythmias, 171, 172f
drug interactions, 147
effects, 169f
Mezlocillin, 298f, 301, 301
administration route, 302
stability to acid, 300f
Miconazole (MONISTAT), 337f, 343, 343
MICRO-K. See Potassium
Micromonospora, aminoglycosides from, 314
MICRONASE. See Glyburide
Microsporum infection, treatment, 343
Microtubule inhibitors, 390-392
for cancer, specific agents, 373f
mechanism of action, 391f
Midazolam, 108f, 116
therapeutic advantages and disadvantages, 97f
Mifepristone, 263f, 267-268
as adrenocorticoid inhibitor, 277
Migraine headache
characteristics, 425f
concomitant with hypertension, treatment, 185
treatment, 75, 78f, 187, 425-428, 427f
specific agents, 419f
Milrinone, 151f, 161, 161
Mineralocorticoids, 273-274
production, 272
properties, 275f
Mineral oil, 244f, 245
Minimal alveolar concentrations (MAC), for anesthetic gases, 111, 111f
MINIPRESS. See Prazosin
MINOCIN. See Minocycline
Minocycline (MINOCIN), 311f, 313, 313, 314
Minoxidil (ROGAINE), 151f, 180f, 190, 190-191
Misoprostol, 235f, 238, 238-239, 267, 267, 419f, 420, 420, 420f
for abortion, 419
drug interactions, 380, 407
and gastric acid regulation, 237f
Mithramycin. See Plicamycin
Mitomycin, emetic potential, 241f
Mivacurium, 45f
onset and duration of action, 52f
pharmacokinetics, 51
therapeutic advantages, 52f
Moexipril, 179f
MONISTAT IV. See Miconazole
Monoamine oxidase, 123-125
Monoamine oxidase inhibitors, 119f, 123-125
drug interactions, 86, 86f, 138, 260f, 425
mechanism of action, 124f
therapeutic advantages and disadvantages, 125f
Monobactams, 307
specific agents, 298f
MOPP regimen, 388
Moraxella catarrhalis infection, treatment, 318, 324
Morganella infection, treatment, 315f
Morning-after pill, 268
Morphine, 108f, 117, 133f, 135-138
action, 134f
dependence potential, 100f
drug interactions, 141
efficacy and addiction/abuse liability, 135f
naloxone and, 141f, 142
onset and duration of action, 139f
ratio of lethal to effective dose, 90f
withdrawal, treatment, 139
Motion sickness, treatment, 48, 48f, 130, 242, 424
MOTRIN. See Ibuprofen
Mountain sickness, treatment, 227
Moxalactam, 298f
vitamin K with, 204
6-MP. See 6-Mercaptopurine
MTX. See Methotrexate
Mucocutaneous leishmaniasis, 356, 356f
Mucosal protective agents, for peptic ulcer disease, 236f, 241
Multidrug resistance gene, 377, 377f
Multiple sclerosis, treatment, 90
Muscarinic blockers, 49f
Muscarinic receptors, 38f, 38-39
Muscle contraction, physiology, 152f, 153-155
Muscle relaxants. See Neuromuscular blockers
Muscular disorders, treatment, 90
Myalgia, treatment, 406
Myasthenia gravis, treatment, 68, 433, 434f
Mycobacterium avium intracellulare infection, treatment, 318, 333, 336
Mycobacterium infection, 436-437
Mycobacterium kansasii infection, treatment, 332, 334
Mycobacterium leprae infection, 335 treatment, 333
Mycobacterium tuberculosis infection, 331. *See also* Tuberculosis
resistance, 285
treatment, 332-334
Mycoplasma, 283f
pneumonia, treatment, 312f, 318f
Mycoplasma pneumoniae infection, treatment, 312f
Mycoses
subcutaneous, treatment, 337-342
specific agents, 337f
superficial, treatment, 342-343
specific agents, 337f
systemic, treatment, 337-342
specific agents, 337f
Myocardial infarction
acute, treatment, 171, 201, 203
and angina, 178f
and hypertension, 182f-183f
treatment, 185
treatment, 74-76, 186, 196, 198, 202
Nabilone, 242f, 243
Nabumetone (RELAFEN), 401f, 411, 411
Nadolol (CORGARD), 71f, 76, 76, 179f
clinical applications, 78f
drug elimination, 74f
for migraine, 428
Nafarelin, 247f, 250, 250
Nafcillin, 298f, 300, 300
elimination, 303
stability to penicillinase, 300f
Nalidixic acid, 323, 323, 327
Naloxone, 133f, 141, 141-142

- action, 134f
and anesthesia, 117
competition with opioid agonists, 141f
drug interactions, 140
Naltrexone, 133f, **142**, 142
 action, 134f
Nandrolone, 263f, 271, 271
NAPROSYN. *See* Naproxen
Naproxen (ANAPROX, NAPROSYN),
 401f, 408, **408-409**
 drug interactions, 408f, 417
 for migraine, 427f, 428
 therapeutic advantages and
 disadvantages, 412f
Narcolepsy, treatment, 104
Narcotic analgesics, drug interactions,
 138, 138f
Narcotics, dependence potential, 100f
NASACORT. *See* Flunisolide
Nasal decongestant
 ephedrine as, 68
 phenylephrine as, 66
Nausea. *See also* Emesis
 treatment, 129-130, 424
Navelbine, 373f
Necator americanus infection, 361f
 treatment, 359
Nedocromil, **220**, 220, 431
 for asthma, 217f
Nefazodone, 119f, 123, 123
 therapeutic advantages and
 disadvantages, 125f
Neisseria gonorrhoeae infection,
 treatment, 294f, 299f, 305f, 325f
Neisseria infection, treatment, 304
Neisseria meningitidis infection, treatment,
 294f, 299f
Nematode infections
 characteristics, 361f
 treatment, 359f, **359-360**, 361f
Neomycin, 311f, 316, 316
 adverse effects, 317
Neostigmine, 35f, **42**, 42
 drug interactions, 51, 317
 and neuromuscular blockers, 50
Nephrotic syndrome
 kidney function during, 226
 treatment, 230, 389
Nervous system, organization, 27f, **27-31**
Netilmicin, 311f, 316, 316
 adverse effects, 316
Neuroleptanesthesia, 117
Neuroleptic drugs, **127-132**
 actions, 128f
 adverse effects, 130f
 antiemetic uses, 129f
 dopamine-blocking agents, 128f
 and LSD, 105
 summary, 132f
Neuroleptic drugs, specific agents,
 127f
 chlorpromazine, 90f, 127, 127, 127f-
 128f, 129-131, 131f-132f
 clozapine, 127f, 128, 128, 128f, 130-
 131, 131f-132f
 fluphenazine, 127, 127, 127f-128f, 130,
 131f-132f
 haloperidol, 84, 105, 127, 127, 127f-
 129f, 130-131, 131f-132f, 242f, 242-
 243
 haloperidol decanoate, 3, 130
 prochlorperazine (COMPAZINE), 127f,
 129, 129f, 242, 242, 242f, 243
 promethazine (PHENERGAN), 127f-
 129f, 130, 130, 422f
 risperidone, 127f, 128, 128, 128f, 130-
 131, 132f
 thioridazine, 127f-128f, 129, 129, 130,
 132f
 thiothixene, 127, 127, 127f-128f, 132f
Neuromuscular blockers, **50-53**, 107f
 depolarizing, 53, 53f
 duration of action, 52f
 mechanism of action, 50f
 nondepolarizing (competitive) agents,
 50-51
 onset of action, 52f
**Neuromuscular blockers, specific
 agents**
 atracurium, 45f, 52f, 107f, 109
 doxacurium, 45f, 51, 52f
 metocurine, 45f, 51, 52f
 mivacurium, 45f, 51, 52f
 pancuronium, 45f, 51, 52f
 pipercuronium, 45f, 52f
 rocuronium, 45f, 51, 52f
 succinylcholine, 45f, 52f, 53, 53, **53**, 53f,
 107f, 109
 tubocurarine, 39, 42, 45f, 50, 50, 50f,
 51, 52f
 vecuronium, 45f, 51, 52f, 107f, 109
Neurotransmission
 at adrenergic neurons, 55
 in central nervous system, 81-82
 at cholinergic neurons, 35-37
Neurotransmitters, **31-33**
 cellular effects, 33f
 summary, 32f, 32-33
 types, 32
Neutral protamine Hagedorn. *See*
 Isophane insulin suspension
Niacin, 207f, **210-211**, 211
 cholesterol levels during, 210f
 in combination drug therapy, 215
 drug interactions, 212, 215
 mechanism of action, 210, 210f
Nicardipine, 180f, 188, 188
 for angina, 188f
 drug interactions, 188f
 for hypertension, 188f
Niclosamide, 359f, **362**, 362
NICORETTE. *See* Nicotine gum
Nicotine, 45f, 49, **49**, 49f, 99f, 100, **100-101**
 actions, 100f
 blood concentration, 101f
 dependence potential, 100f
 withdrawal from, 101
 Nicotine gum, nicotine concentration, 101f
Nicotinic acid. *See* Niacin
Nicotinic receptors, 38f, 39
Nifedipine (ADALAT, PROCARDIA XL),
 173, 175f, **177**, 177, 187, 187-188
 actions, 187f
 for angina, 188f
 drug interactions, 188f
 effects, 173f
 for hypertension, 188f
Nifurtimox, 345f, 353f, **355**, 355
Nisoldipine, 180f, 188, 188
Nitrates
 for angina, treatment with concomitant
 diseases, 178f
 effects on smooth muscle, 176, 176f
Nitrites, effects on smooth muscle, 176,
 176f
NITRO-DUR. *See* Nitroglycerin
Nitrofurantoin (MACRODANTIN, MACRO-BID), **329**, 329
Nitroglycerin (NITROSTAT), 175f, **175-176**, 176, 442
 administration route, 2, 4
 onset and duration of action, 177f
Nitroprusside, **191**, 191
 and cyanide, 191f
Nitrosoureas, 399f
 actions, 374f
 in cancer therapy, 389-390
 myelosuppressive potential, 378f
NITROSTAT. *See* Nitroglycerin
Nitrous oxide, 107f, 114, **114-115**, 117
 blood/gas partition coefficient, 111, 111f
 characteristics, 114f
 elimination, 112
 with halothane, 113
 minimal alveolar concentration, 111,

- 111f
therapeutic advantages and disadvantages, 116f
uptake curve, 112, 112f
- Nizatidine (AXID), 235f, 236, **236-238**, 419f, 440
- NIZORAL. *See* Ketoconazole
- Nocardia asteroides*, 290f
- Nocardia* infection, treatment, 290, 290f
- NOLVADEX. *See* Tamoxifen
- Nonbarbiturate sedatives, **96**
- Nonbarbiturate sedatives, specific agents**, 90f
- antihistamines, 90f, **96**, **96**, 107f, 108, 221, 243, 243f, 419f, 420-425
specific agents, 217f
- chloral hydrate, 90f, **96**, **96**
- polycyclic antidepressants, 119f, **119-121**, 120f, 125f
- tricyclic antidepressants, 42, 119f, **119-121**, 120f-122f, 125f, 138
- Non-catecholamines, 60, 69f
- Non-Hodgkin's lymphomas, 390
treatment, 393
- Non-narcotic analgesics, **411-413**
- Non-narcotic analgesics, specific agents**, 401f
- acetaminophen (TYLENOL), 140, 401f, 405f, 407, 412, **412-413**, 413f, 428
- phenacetin, 401f, 412, **412-413**
- Nonsteroidal antiinflammatory drugs, **403-411**, 439, 440f
- Actions, 405f
for diarrhea, 244
for migraine, 428
and prostaglandins, 401
summary, 412f
- Nonsteroidal antiinflammatory drugs, specific agents**, 401f
- aspirin, 13, 140, 193f, 196, **196**, 201f, 211, 213, 244, 244f, 401f, 403, **403-408**, 404f-405f, 407f, 412f, 427f, 428, 439-440
- diclofenac (VOLTAREN), 401f, **411**, 411
- diflunisal (DOLOBID), 401f, 403, 403, 406, 408, 412f
- etodolac (LODINE), 401f, 409, **410**
- fenamates, 401f, **410**, 412f
- fenoprofen, 327, 401f, 408, **408-409**, 412f
- flurbiprofen (ANSAID), 401f, 408, **408-409**
- ibuprofen (ADVIL, MOTRIN), 401f, 408, **408-409**, 412f, 440
- indomethacin, 244, 244f, 401f, **409**, 409, 409f, 412f, 417
- ketoprofen (ORUDIS), 401f, 408, **408-**
- 409**, 412f, 417
- methylsalicylate, 401f, 406, 408
- nabumetone (RELAFEN), 401f, **411**, 411
- phenylbutazone, 201f, 260f, 401f, 410, **410-411**, 411f-412f
- piroxicam (FELDENE), 401f, **410**, 410, 412f
- sulindac (CLINORIL), 401f, **409**, **410**, 412f
- tolmetin, 401f, **411**, 411, 412f
- NORDETTE**. *See* Ethinyl estradiol
- Norepinephrine, **33**, **55f**, **64**, **64**, 69f
adrenergic neurons and, 55
and adrenergic receptors, 58f, 58-59
and amine nitrogen, 61
in autonomic nervous system, 32f
binding, 56, 57f
cardiovascular effects, 64f
as direct-acting agonist, 61
effect on blood pressure, 72f
guanethidine and, 79
indirect-acting agonists and, 61
metabolism, 57f
recapture, 56
release, 56, 57f
removal, 56, 57f
reserpine and, 78
sites of action, 36f
storage, 56, 57f
structure, 61f
synthesis, 55, 57f
- Norethindrone, 263f, 267, 267, 268
- Norfloxacin (NOROXIN), 323, 323, **324**, 325-326
for urinary tract infections, 325f
- Norgestrel, 263f, 267, 267, 268
implants, failure rate, 268f
- NORMODYNE**. *See* Labetalol
- NOROXIN**. *See* Norfloxacin
- NORPLANT**. *See* Levonorgestrel
- Nortestosterone progestins, 267
- Nortriptyline (PAMELOR), 119, **119**, 119f
therapeutic advantages and disadvantages, 125f
- NORVASC**. *See* Amlodipine
- Nystatin, 337f, **343**, 343
- Oat cell carcinoma, of lung, treatment, 396
- Obsessive-compulsive disorder, treatment, 122
- Octreotide, 247f, **250**, 250
- Ofloxacin (FLOXIN), **324**, 324, 325-326
- Oil of wintergreen, 406
- Omeprazole (PRILOSEC), 235f, 239, 239, 440
- to eliminate *Helicobacter pylori*, 236
and gastric acid regulation, 237f
- Onchocerca volvulus* infection, treatment, 356, 360, 361f
- Ondansetron, 242f, 243, 243
in combination therapy, 243f
- Opiates, for cough, specific agents, 217f
- Opioid agonist-antagonist, **140-141**
- Opioid agonists
- actions, 134f
adverse effects, 137f
moderate, **140**
onset and duration of action, 139f
- Opioid antagonists, **133-142**, **141-142**
actions, 134f
- Opioid antagonists, specific agents**, 133f
- naloxone, 117, 133f-134f, 140, 141, 141f, **141-142**
naltrexone, 133f-134f, 142, **142**
- Opioid receptors, **133-135**
- Opioids, 107f, 116-117, **133-142**
preanesthetic, 108
- Opioids, specific agents**, 133f
- buprenorphine, 133f, **141**, 141
codeine, 133f-135f, 137, 140, **140**, 140f, 222, 427f
fentanyl, 108, 108f, 116f, 117, 133f-135f, 137, 139, **139**, 139f
heroin, 100f, 133f-134f, 137, 139, 140, **140**, 141f, 142
meperidine, 133f, 135f, 138, **138-139**, 139f, 244, 338, 427f
methadone, 135f, **139**, 139, 147
morphine, 90f, 100f, 108f, 117, 133f-135f, **135-138**, 139, 139f, 141, 141f, 142
pentazocine, 133f-134f, **141**, **141**
propoxyphene (DARVON COMP 65, DARVOCET-N-100), 133f, 135f, **140**, **140**, 148f, 428
sufentanil, 133f, 139, 139
- Oral administration, drug, **2**, 3f
kinetics, 20, 21f
- Oral contraception
drug interactions, 147
failure rate, 268f
percent use, 268f
- Oral surgery, antibiotics in, 300
- ORASONE**. *See* Prednisone
- Organic nitrates, for angina, **175-176**
specific agents, 175f
- ORUDIS**. *See* Ketoprofen
- Osmotic diuretics, 223f, **233**
- Osteoarthritis

- of hip, treatment, 409
treatment, 275, 408, 410-411
- Osteogenic sarcoma, 379
- Osteoporosis
senile, treatment, 270
treatment, 3
- Ovarian cancer, treatment, 382, 392, 395
- OVCON. *See* Ethinyl estradiol
- Oxacillin, 298f, 300, 300
stability to penicillinase, 300f
- Oxaprozin (DAYPRO), 401f, 408, 408-409
- Oxazepam, 91
for alcohol withdrawal, 91
duration of action, 92f
therapeutic advantages and disadvantages, 97f
- Oxazosin, for hypertension, 189
- Oxicam derivatives, 410
therapeutic advantages and disadvantages, 412f
- Oxymetazoline, 221
for rhinitis, 221
- Oxytocin, 247f, 250, 251, 251
- Paclitaxel, 373f, 391, 391-392, 392f, 399f
- PAMELOR. *See* Nortriptyline
- Pancreatic cancer, treatment, 382
- Pancuronium, 45f
onset and duration of action, 52f
pharmacokinetics, 51
therapeutic disadvantages, 52f
- Panic disorders, treatment, 120, 122
- Para-aminobenzoic acid (PABA), 289
structure, 290f
- Paramethasone, properties, 275f
- Parasympathetic nervous system, 27f, 29f, 30, 30f
- Parasympathetic neurons, 28
- Parenteral administration, 2-3
- Parkinsonism, secondary, 84
- Parkinson's disease
etiology, 83-84
treatment, 81-88
- Paromomycin, 345f, 348, 348
sites of action, 346f
- Paroxetine (PAXIL), 119f, 123, 123
therapeutic advantages and disadvantages, 125f
- Patent ductus arteriosus, treatment, 406, 409
- PAXIL. *See* Paroxetine
- Pectin, 244, 244f
- Pencyclovir, 367, 367
- D-Penicillamine, 402f, 414, 414
- Penicillinases, drug interactions, 300
- Penicillin-binding proteins, 298, 302
- Penicillin G, 298f, 300
absorption, 302
adverse reactions, 303
bioavailability, 7
metabolism, 302
stability to acid, 300f
substitutes for, 304
- Penicillins, 282f, 297, 297-303, 318f, 434-435
administration route, 2
antipseudomonal, 300f, 301
adverse reactions, 303
antistaphylococcal, 300, 300f
diffusion, 281f
distribution, 302, 303f
drug interactions, 315, 417
for enterococcal endocarditis, 284f
extended spectrum, 300, 300f
for listeriosis, 299f
natural, 300, 300f
resistance to, 301-302
safety, 282
therapeutic index, 22-23, 23f
- Penicillins, specific agents, 298f**
- amoxicillin (AMOXIL, POLYMOX, TRIMOX, WYMOX), 235f, 236, 282, 282f, 298f, 300, 300, 300f, 302, 308, 308f, 328f
 - ampicillin (PRINCIPEN), 283, 290, 298f-299f, 300, 300, 300f, 301-302, 328f, 435
 - azlocillin, 298f, 300f, 301, 301, 302
 - carbenicillin, 298f, 300f, 301, 301, 301f, 302-303
 - cloxacillin, 298f, 300, 300, 300f
 - dicloxacillin, 298f, 300, 300, 300f
 - methicillin, 285, 298f, 300, 300, 300f, 302
 - mezlocillin, 298f, 300f, 301, 301, 302
 - nafcillin, 298f, 300, 300, 300f, 303
 - oxacillin, 298f, 300, 300, 300f
 - penicillin G, 7, 298f, 300, 300f, 302-304
 - penicillin V (PEN-VEE K, VEETIDS, BETAPEN VK), 298f, 300, 300f, 302
 - piperacillin, 298f, 300f, 301, 301, 301f, 302
 - ticarcillin, 298f, 300f, 301, 301, 301f, 302-303
- Penicillin V (PEN-VEE K, VEETIDS, BETAPEN VK), 298f, 300
administration route, 302
stability to acid, 300f
- Penicillium chrysogenum, and penicillin formation, 300
- Pentamidine, 345f, 353f
- drug interactions, 339, 370
for leishmaniasis, 356
- Pentamidine isethionate, 354, 354-355
- Pentazocine, 133f, 141, 141
action, 134f
- Pentobarbital, 90f, 94
duration of action, 95
preanesthetic, 108
therapeutic advantages and disadvantages, 97f
- PEN-VEE K. *See* Penicillin V
- PEPCID. *See* Famotidine
- Peptic ulcers, treatment, 235-241, 241, 282, 282f, 420
specific agents, 235f-236f
- Pepto-Bismol. *See* Bismuth subsalicylate
- Peripheral arterial thrombosis, treatment, 201
- Peripheral nervous system, 27, 27f
afferent division, 27, 27f
efferent division, 27, 27f
- Peripheral vascular disease, treatment, 189
- Pernicious anemia, treatment, 205
- PERSANTINE. *See* Dipyridamole
- Petit mal seizures. *See* Absence seizures
- pH, and drug absorption, 4-5, 6f
- Pharmacokinetics, 17-26
- Phase I reactions, 13-14, 14f
- Phase II reactions, 14f, 14-15
- Phenacetin, 401f, 412, 412-413
- Phencyclidine (PCP), 99f, 105, 105
dependence potential, 100f
opioid receptors and, 133
- Phenelzine, 119f, 123, 123
drug interactions, 86
therapeutic advantages and disadvantages, 125f
- PHENERGAN. *See* Promethazine
- Phenformin, 261
- Phenobarbital, 90f, 94, 143f, 438
as anticonvulsant, 95
drug interactions, 213, 343, 347
duration of action, 95
overdose, 23-24
primidone and, 148, 148f
ratio of lethal to effective dose, 90f
for seizures, 145f
therapeutic advantages and disadvantages, 97f
and thyroid hormone metabolism, 253
- Phenolphthalein, as laxative, 244, 244f
- Phenothiazines, 127f
antiemetic potency, 243f
for chemotherapy-induced nausea and

- vomiting, 242, 242f
in combination therapy, 243
drug interactions, 138
and parkinsonism symptoms, 84
and physostigmine, 42
therapeutic advantages and disadvantages, 422f
- Phenoxybenzamine**, 71, 71f, **71-72**, 72f
- Phentolamine**, 71f, **72**, 72
for hypertension, 124
- Phenylbutazone**, 401f, 410, **410-411**
adverse effects, 411f
drug interactions, 201f, 260f
therapeutic advantages and disadvantages, 412f
- Phenylephrine** (ENTEX LA), 55f, **66**, 66, 69f
and adrenergic receptors, 58
with anesthesia, 113
as direct-acting agonist, 61
as non-catecholamine, 60
in ophthalmic therapy, 47
for rhinitis, 221
structure, 60f
- β-Phenylethylamine**, structure, 61f
- Phenylethylmalonamide**, primidone and, 148, 148f
- Phenytoin** (DILANTIN), 143f, 146, **146-147**
for arrhythmias, 174
drug interactions, 147f, 150, 239, 295, 333, 341, 362, 408f
metabolism, 13
and plasma concentration, 146, 146f
for seizures, 145f
and thyroid hormone metabolism, 253
- Pheochromocytoma**
diagnosis, 72
treatment, 72
- Phosphodiesterase inhibitors**, 151f
for congestive heart failure, 161, 161f
- Physostigmine**, 35f, **42**, 42
and atropine, 47
drug interactions, 51
- Phytanadione**. *See* Vitamin K
- Pilocarpine**, 35f, **41**, 41
actions, 41f
for glaucoma, 75, 227
structure, 39f
- Pindolol**, 71f, **77**, 77, 79f
as antiarrhythmic, 171
contraindication, 177
drug elimination, 74f
- Pinworm infection**, 360f
treatment, 359, 361f
- Pipercuronium**, 45f
onset and duration of action, 52f
- Piperacillin**, 298f, 301, **301**
administration route, 302
stability
to acid, 300f
to penicillinase, 300f
therapeutic applications, 301f
- Piperazines**, therapeutic advantages and disadvantages, 422f
- Piperidines**, therapeutic advantages and disadvantages, 422f
- Pirbuterol**, for asthma, 218
- Pirenzepine**, 236f, 240
and gastric acid regulation, 237f
and gastrointestinal problems, 46
and muscarinic receptors, 38
- Piroxicam** (FELDENE), 401f, **410**, 410
therapeutic advantages and disadvantages, 412f
- Pituitary dwarfism**, treatment, 270
- Pituitary hormones**, **247-254**
- Plague**, treatment, 315
- Plasma lipoproteins**, metabolism, 208f
- Plasma proteins**, binding of drugs to, **11-12**
- Plasmodium falciparum** infection, 349
chloroquine-resistant, 351
treatment, 349, 351-353
- Plasmodium**, life cycle, 350f
- Plasmodium malariae** infection, 349
treatment, 353
- Plasmodium ovale** infection, 349
treatment, 349
- Plasmodium vivax** infection, 349, 432, 432f
treatment, 349, 351
- Platelet activation**, 194-196, 195f
- Platelet aggregation**, 195-196
- Platelet inhibitors**, **196-197**
- Platelet inhibitors, specific agents**, 193f
aspirin, 13, 140, 193f, 196, **196**, 201f, 211, 213, 244, 244f, 401f, 403, **403-408**, 404f-405f, 407f, 412f, 427f, 428, 439-440
- dipyridamole (PERSANTINE), 193f, **196**, 196
- ticlopidine, 193f, **196**, 196
- Platelets**, role in clotting, 193, 194f
- Plicamycin**, 373f, 387, **387**, 399f
- Pneumococcal pneumonia**, treatment, 299f
- Pneumocystis carinii** pneumonia, 294f
treatment, 289-290, 335, 354-355
- Pneumonia**
mycoplasmal, treatment, 312f, 318f
- pneumococcal, treatment, 299f
- Pneumocystis carinii**, 294f
treatment, 289-290, 335, 354-355
treatment, 315f, 433
- Poisoning**, heavy metal, treatment, 414
- Polycyclic antidepressants**, 119f, **119-121**
mechanism of action, 120f
therapeutic advantages and disadvantages, 125f
- Polycythemia vera**, for sickle cell disease, 206
- Polyethylene glycol**, 244f, 245
- POLYMOX**. *See* Amoxicillin
- Pork insulin**, 257
- Postcoital contraception**, 268
- Posterior pituitary hormones**, 247f, **250-251**
- Postganglionic neuron**, **28**
- Postmenopausal hormone therapy**, 264, 265f
- Potassium channel blockers**, 163f
- Potassium-sparing diuretics**, 223f, **232-233**
and changes in urine composition, 232f-233f
- Pralidoxime**, 35f
and reactivation of acetylcholinesterase, 43, 43f
- PRAVACHOL**. *See* Pravastatin
- Pravastatin** (PRAVACHOL), 207f, 214, **214-215**
cardiac death rate with, 214f
drug interactions, 213
- Praziquantel**, 359f, **360-362**, 362
drug interactions, 362
- Prazosin** (MINIPRESS), 71f, **73**, 73, 180f
for hypertension, 124, 189
- Prednisolone**, 393
properties, 275f
- Prednisone** (DELTASONE, ORASONE), 373f, 399f, 438-439
for asthma, 219
in cancer therapy, 393, 393
in chemotherapy, 276
drug interactions, 334f, 397
properties, 275f
- Preganglionic neuron**, **28**
- Pregnancy-induced hypertension**, treatment, 78
- PREMARIN**. *See* Estrogens
- Premature births**, drug contraindications, 251
- Premenstrual edema**, kidney function during, 226
- Premenstrual syndrome**, treatment, 122
- PRILOSEC**. *See* Omeprazole

- Primaquine, 345f, 349, **349-350**, 350f, 432-433
adverse effects, 350, 351f
- Primidone, 143f, **148**, 148
metabolism, 148
for seizures, 145f
- PRINCIPEN.** See Ampicillin
- PRINIVIL.** See Lisinopril
- Probencid, 402f, **417**, 417
drug interactions, 260f, 303, 408f
for hyperuricemia, 415
- Probucol, 207f, 213, **213-214**
mechanism of action, 213, 213f
- Procainamide, 163f, **168**, 168
for arrhythmias, 171, 172f
effects, 167f
- Procaine, 108f
pharmacokinetic properties, 117f
structure, 117f
- Procaine penicillin G, administration route, 302
- Procarbazine, 373f, 396, **396-397**, 399f
myelosuppressive potential, 378f
- PROCARDIA XL.** See Nifedipine
- Prochlorperazine (COMPAZINE), 127f, 242, 242, 242f
antiemetic effects, 129f
in combination therapy, 243
for nausea, 129
- Progesterone, 266-267
menstrual cycle and, 266, 267f
- Progestin implants, 268
- Progestins, **266-267**, 268
failure rate, 268f
- Progestins, specific agents,** 263f
hydroxyprogesterone, 263f, 267, 267
- levonorgestrel, 3, 268, 269f
- medroxyprogesterone (PROVERA), 263f, 267, 267
norethindrone, 263f, 267, 267, 268
norgestrel, 263f, 267, 267, 268, 268f
- Pro-insulin, 257
- Prolactin-inhibiting hormone, actions, 248f
- Prolactin-releasing hormone, actions, 248f
- Promethazine (PHENERGAN), 127f, 130, 130
actions, 128f
antiemetic effects, 129f
therapeutic advantages and disadvantages, 422f
- Propafenone, 163f, **170**, 170
for arrhythmias, 171, 172f
effects, 170f
- Prophylactic antibiotics, 286, 286f
- Propionic acid
- derivatives, **408-409**
therapeutic advantages and disadvantages, 412f
- Propofol, 108f, **117**, 117
therapeutic advantages and disadvantages, 116f
- Propoxyphene (DARVON COMP 65, DARVOSET-N-100), 133f, **140**, 140
drug interactions, 148f
efficacy and addiction/abuse liability, 135f
for migraine, 428
- Propranolol (INDERAL), 71f, 74, **74-76**, 79f, 163f, 175f, 179f, 436-437
actions, 75f
adverse effects, 76f
for angina, 176
as antiarrhythmic, 164f, 171
clinical applications, 78f
drug interactions, 334f
elimination, 74f
with hydralazine, 190
for hypertension, 185
metabolism, 7
for migraine, 427f, 428
- Propylthiouracil, 247f, 253, 253-254, 436
- Prostaglandin E1, 267
- Prostaglandins, **401-403**
as autacoids, 419-420
for peptic ulcer disease, 235f, 238-239
specific agents, 419f
structure, 402f
synthesis, 403f
therapeutic applications, 420f
- Prostaglandins, specific agents**
carboprost, 419, **419**, 419f-420f
dinoprost, 419, **419**, 419f-420f
dinoprostone, 419, **419**, 419f-420f
misoprostol, 235f, 237f, 238, 238-239, 267, 267, 380, 407, 419, 419f, 420, 420, 420f
- Prostate
cancer
metastatic, treatment, 394
treatment, 272, 394
effect on endocrine system, 395f
infections, 281
treatment, 294f, 328f
- Prostatic hyperplasia, benign, treatment, 73, 272
- Prostatitis. *See* Prostate, infections
- Protamine sulfate, 193f, **204**, 204
for excessive bleeding, 199
- Protamine zinc suspension, 255f
- Proteins
- binding of drugs to, 8-9
drugs binding to, 8-9
- Protein synthesis inhibitors, **311-321**
specific agents, 311f
- Proteus**
infection (iodide positive), treatment, 301f, 315f
resistance, 328
- Proteus mirabilis** infection, 327
treatment, 294f, 301f, 304, 325f
- Proton pump inhibitors, for peptic ulcer disease, 235f, 239
- Proton pump inhibitors, specific agents**
lansoprazole, 235f, 239, 239
omeprazole (PRILOSEC), 235f, 236, 237f, 239, 239, 440
- Protriptyline, 119, **119**, 119f
therapeutic advantages and disadvantages, 125f
- PROVENTIL.** See Albuterol
- PROVERA.** See Medroxyprogesterone
- PROZAC.** *See* Fluoxetine
- Pruritus, treatment, 130, 212
- Pseudomonas aeruginosa** infection, 430-431
treatment, 301, 301f, 304, 305f, 307, 315f, 324, 325f
- Pseudomonas** infection, treatment, 324
- Psittacosis, treatment, 312f
- Psychomotor stimulants, **99-104**
specific agents, 99f
- Psychotomimetic drugs, specific agents,** 99f
lysergic acid diethylamide (LSD), 99f-100f, **105**, 105, 133
phencyclidine (PCP), 99f-100f, 105, 105, 133
tetrahydrocannabinol (THC), 99f, **105**, 105, 243
- Psyllium seeds, 244f, 245
- PTU.** *See* Propylthiouracil
- Pulmonary edema, acute, treatment, 228
- Pulmonary embolism
acute, treatment, 203
massive, treatment, 202
treatment, 198, 201, 203
- Purkinje fiber, action potential, 152f
- Pyelonephritis, acute, treatment, 328f
- Pyrantel pamoate, 359, 359f, **359-360**, 361f
- Pyrazinamide, 331, **334**, 334, 437
adverse effects, f, 335
drug interactions, 334
for tuberculosis, 284f
- Pyrazoles, therapeutic advantages and disadvantages, 412f

- Pyridostigmine, 35f, **42**, 42
 Pyridoxine, drug interactions, 86f
 Pyrilamine, therapeutic advantages and disadvantages, 422f
 Pyrimethamine, 289f, 290, 290, 345f, 350f, 357
 as folate reductase inhibitor, 293
 for malaria, 352-353
 for toxoplasmosis, 357
 Quazepam
 duration of action, 92f
 therapeutic advantages and disadvantages, 97f
 withdrawal reactions, 93f
 QUESTRAN. *See* Cholestyramine
 Quinacrine, 345f
 for giardiasis, 357
 Quinapril (LOTENSIN), 151f, 179f
 Quinestrol, 263, 263, 263f
 Quinidine, 163f, 167, **167-168**, 169, 345f
 antiarrhythmic effects, 164f, 171, 172f
 drug interactions, 147, 160f, 169, 214, 334f
 effects, 167f
 Quinidine sulfate, 168
 Quinine, 345f, 350f, **352**, 352
 Quinolones, **323-330**
 specific agents, 323f
 Ramipril (ACCUPRIL, ALTACE), 179f
 Ranitidine (ZANTAC), 235f, 236, **236-238**, 419f, 438, 440
 Raynaud's disease, treatment, 72
 Rectal administration, **2**
 Reentry, 165, 165f
 REGLAN. *See* Metoclopramide
 Regulation, with second messenger molecules, 34
 RELAFEN. *See* Nabumetone
 Renal disease
 anemia with, treatment, 206
 chronic
 and angina, 178f
 and hypertension, 182f-183f
 Renal elimination, **23-24**, 24f
 Renal failure, acute, treatment, 233
 Renin-angiotensin-aldosterone system, and blood pressure, 180-181, 181f
 Reserpine, 71f, **78**, 78
 and norepinephrine storage, 56
 Respiratory infections, 294f
 lower, treatment, 324
 treatment, 300, 325f
 specific agents, 363f
 viral, treatment, **363-365**
 Respiratory syncytial virus, treatment, 365
 Respiratory system, drugs affecting, **217-222**
 specific agents, 217f
 RESTORIL. *See* Temazepam
 Rheumatic fever, treatment, 406
 Rheumatoid arthritis
 acute, treatment, 410
 intractable, treatment, 389
 treatment, 351, 406, 408, 410-411, 413-415
 Rheumatoid inflammations, treatment, 275
 Rhinitis
 causes, 220, 221f
 drug treatment, specific agents, 217f
 treatment, **220-221**
 Rhythm method, of contraception, failure rate, 268f
 Ribavirin, 363f, 364, **364-365**
 Rifabutin, 333
 for Kaposi's sarcoma, 429
 Rifampin, 331, 331f, 333, **333-334**, 437
 classification, 287f
 drug interactions, 201f, 334, 340-341
 for methicillin-resistant *staphylococcus aureus*, 300
 resistance to, 285, 285f
 and thyroid hormone metabolism, 253
 for tuberculosis, 284f
 Rimantadine, 363, 363f, **363-364**
 Risperidone, 127f, 128, 128, 130-131, 132f
 actions, 128f
 RITALIN HYDROCHLORIDE. *See* Methylphenidate
 Ritodrine, 55f, 69f
 Ritonavir, **371**, 371
 River blindness, treatment, 360, 361f
 Rocky Mountain spotted fever, treatment, 312f
 Rocuronium, 45f
 onset and duration of action, 52f
 pharmacokinetics, 51
 therapeutic advantages, 52f
 ROGAINE. *See* Minoxidil
 Rolaids. *See* Calcium carbonate
 Roundworm infection, treatment, 359, 361f
 RU 486. *See* Mifepristone
 Salicylates, **403-408**
 dose-dependent effects, 406f
 drug interactions, 260f, 408f
 therapeutic advantages and disadvantages, 412f
 Salicylate salts, therapeutic advantages and disadvantages, 412f
 Salicylic acid, 406
 Salmeterol xinafoate
 for asthma, 218, 218
 and bronchodilation, 67f
Salmonella infection
 non-typhoid, treatment, 294f
 treatment, 289, 291
Salmonella typhi infection, treatment, 294f
 Saquinavir, **371**, 371
 Sarcoma. *See also* Kaposi's sarcoma
 Ewing's soft tissue, 390
 osteogenic, 379
 soft tissue, treatment, 384
 treatment, 386
 Schizonticides
 blood, for malaria, 351-353
 tissue, for malaria, 349-350
 Schizophrenia, **127**
 rates of relapse, 131f
 treatment, 129, 131
 Scopolamine, 45f, **48**, 48, 48f-49f, 438
 antiemetic effects, 129f
 for motion sickness, 130, 242
 and muscarinic receptor, 46f
 preanesthetic, 108
 Secobarbital, 90f, 94
 duration of action, 95
 therapeutic advantages and disadvantages, 97f
 Second messenger systems, **33-34**
 Seizures
 absence, **144**, 144f-145f
 treatment, 149
 classification, 144f, **144-145**
 complex partial, **144**, 144f-145f
 treatment, 146-147, 150
 febrile, **144**, 144f-145f
 treatment, 148
 generalized, 144f, **144-145**, 145f
 grand mal. *See* Seizures, tonic-clonic
 myoclonic, **144**, 144f-145f
 treatment, 149
 partial, **144**, 144f-145f
 treatment, 146-150
 petit mal. *See* Seizures, absence
 simple partial, **144**, 144f-145f
 treatment, 146-148, 150
 tonic-clonic, **144**, 144f-145f, 148
 treatment, 91, 146-150
 treatment, 90-91, 95
 SELDANE. *See* Terfenadine
 Selegiline, 81f
 Semilente insulin, 255f
 extent and duration of action, 259f
 Semilente insulin suspension, **258**

- Senna, 244, 244f
 Sermorelin, 247f, 249, 249
 Serotonin antagonists, antiemetic potency, 243f
 Serotonin reuptake inhibitors, 119f, 122-123
 receptor specificity, 121f
 therapeutic advantages and disadvantages, 125f
Serratia marcescens infection, treatment, 304, 315f, 325f
Sertraline (ZOLOFT), 119f, 123, 123
 therapeutic advantages and disadvantages, 125f
 Serum lipoprotein, 207, 208f
 drugs that lower concentration, 210-215
Sevoflurane, 107f, 115, 115
Shigella infection (shigellosis), treatment, 291, 294f, 325f
 Shock
 blood flow with, 5-6
 treatment, 64-66, 69
 Sickle cell disease (anemia)
 specific agent for, 193f
 treatment, 206
 Silver sulfadiazine, 289f
 for burns, 291
 therapeutic application, 290
Simvastatin (ZOCOR), 207f, 214, 214-215
SINEMET. See Carbidopa
 Skin infections, treatment, 324
 Sleep disorders, treatment, 91
SLO-BID. See Theophylline
SLOW-K. See Potassium
 Smooth muscle
 effects of nitrates and nitrites on, 176, 176f
 relaxants, direct, 157
 Sodium bicarbonate, 236f, 240
 Sodium channel blockers, 163f
Sodium nitroprusside, 151f, 180f, 191, 191
 Sodium pentothal, with anesthesia, 110
 Sodium salicylate, 406
Sodium stibogluconate, 345f, 356, 356-357
 Soft tissue sarcomas, treatment, 384
 Solid tumors, treatment, 388
 Somatic nervous system, 27f, 31, 32f
 cholinergic agonists in, 36f
Somatostatin, 247f, 250
 actions, 248f
Somatotropin, 247f, 249, 249
Somatrem, 247f, 249, 249
Sotalol, 163f, 171, 171-172
 antiarrhythmic effects, 164f
 drug interactions, 214
 Spacer, for asthma, 219, 220f
Spectinomycin, 311f
 for gonorrhea, 299f
Spermicide
 failure rate, 268f
 percent use, 268f
Spirochetes, 283f
Spironolactone, 179f, 183, 183, 223f, 232-233, 233
 as adrenocorticoid inhibitor, 277
 for hyperaldosteronism, 274
 site of action, 224f
Sporontocide, blood, 353
Squamous cell carcinoma
 of head and neck, treatment, 392
 treatment, 387
Stanozolol, 263f, 271, 271
Staphylococcal infections, treatment, 308
Staphylococcus aureus infection, 435
 methicillin-resistant, 298, 300, 304, 308, 429-430
 resistance, 285
 treatment, 299f, 306
Staphylococcus epidermiditis infection, methicillin-resistant, 308
Staphylococcus saprophyticus infection, 327
Status epilepticus, 144f, 145, 145f
 treatment, 91, 95, 146, 149
Stavudine (d4T), 363f, 369f, 370, 370
Steady-state, 17f, 17-19, 18f-19f
Sterilization, contraceptive
 failure rate, 268f
 percent use, 268f
Steroid antagonists, in cancer therapy, 392-395
 specific agents, 373f
Steroid hormones, 263-278
 for cancer, 392-395
 specific agents, 373f
 mechanism of action, 393f
 specific agents, 263f-264f
Stool softeners, 245
Streptococcus pneumoniae infection, treatment, 294f, 299f
Streptococcus pyogenes infection, treatment, 299f
Streptococcus viridans infection, 434
 treatment, 299f
Streptokinase, 193f, 201, 202, 202-203, 204f
 activation of plasminogen, 202f
 mechanism of action, 202, 203f
 properties, 202f
Streptomyces, aminoglycosides from, 314
Streptomycin, 311f, 314, 314, 331
 antibacterial spectrum, 315
 therapeutic applications, 315f
Streptozaocin, emetic potential, 241f
Streptozotocin, 373f
 Stress ulcers, acute, treatment, 237
 Stroke, treatment, 72
Strongyloides stercoralis infection (strongyloidiasis), 361f
 treatment, 360, 361f
Subcutaneous (SC) administration, 3
Sublingual administration, 2
 Substance abuse, potential for, 100f
 Substituted benzamides
 antiemetic potency, 243f
 for chemotherapy-induced nausea and vomiting, 242f
 Substituted benzodiazepines, for chemotherapy-induced nausea and vomiting, 242
Succinylcholine, 45f, 53, 53, 53f, 107f
 adverse effects, 53
 with anesthesia, 109
 onset and duration of action, 52f
 therapeutic disadvantages, 52f
Succinylsulfathiazole, 289f, 291
 administration, 291
Sucralfate (CARAFATE), 236f, 241, 241
 drug interactions, 341
Sufentanil, 133f, 139, 139
Sulbactam, 298f, 307, 307
 administration route, 302
 drug interactions, 300
 stability to penicillinase, 300f
Sulfacetamide, 289f
 therapeutic application, 290
Sulfadiazine, 289f, 290, 290, 292
 therapeutic application, 290
Sulfadoxine, for malaria, 352
Sulfamethoxazole, 289, 289, 289f, 290.
 See also Co-trimoxazole
 antimicrobial activity rate, 293f
 drug interactions, 293
 mechanism of action, 294
 for urinary tract infection, 315f
Sulfanilamide, 289, 289
 mechanism of action, 292f
Sulfapyridine
 in inflammatory bowel disease, 291
 metabolism, 291
Sulfasalazine, 289f, 291
 administration, 291
 metabolism, 291

- Sulfinpyrazone, 402f, **417**, 417
drug interactions, 408f
for hyperuricemia, 415
- Sulfisoxazole, 289f, 292, 292
therapeutic application, 290
for urinary tract infections, 328f
- Sulfonamides**
classification, 287f
drug interactions, 147, 147f, 260f
effect on neonates, 282
and folate inhibition, 290
inactivation, 291
for malaria, 352
mechanism of action, 292f
resistance to, 285f
- Sulfonamides, specific agents**
mafénide, 289f, 290
mafénide acetate, 291
silver sulfadiazine, 289f, 290-291
succinylsulfathiazole, 289f, 291, 291
sulfacetamide, 289f, 290
sulfadiazine, 290
sulfamethoxazole, 289, 289, 289f, 290, 293, 293f, 294, 315f. *See also* Co-trimoxazole
sulfasalazine, 289f, 291, 291
sulfisoxazole, 289f, 290, 292, 292, 328f
- Sulfonylureas, 260-261**
drug interactions, 260f, 292, 334f
- Sulindac (CLINORIL), 401f, 409, 410**
therapeutic advantages and disadvantages, 412f
- Sumatriptan (IMITREX), 419f, 426, 426-427, 437**
for migraine, 427f
- SUMYCIN. See Tetracycline**
- Supraventricular tachyarrhythmia**
concomitant with hypertension, treatment, 185
treatment, 187, 188f
- Supraventricular tachycardia**
acute, treatment, 164f
treatment, 66, 78f, 164f, 172-173
- SUPRAX. See Cefixime**
- Suramin, 345f, 353f, 356, 356**
- Sympathetic nervous system, 27f, 29f, 29-30f**
and blood pressure, 180, 181f
- Sympathetic neurons, 28**
- SYNTHROID. See Levothyroxine**
- Syphilis, treatment, 299f, 318f**
- TAGAMET. See Cimetidine**
- Tamoxifen (NOLVADEX), 263f, 266, 373f, 399f**
in cancer therapy, 393, **393-394**
- Tapeworm infection, treatment, 362
- TAVIST. See Clemastine**
- Taxol, 373f**
- Tazobactam, 298f, 307, 307**
administration route, 302
drug interactions, 301
stability to penicillinase, 300f
- 3TC. See Lamivudine**
- TEGRETOL. See Carbamazepine**
- Temazepam (RESTORIL), 91**
duration of action, 92f
for sleep disorders, 92
therapeutic advantages and disadvantages, 97f
withdrawal reactions, 93f
- Teniposide, 396, 396**
- TENORMIN. See Atenolol**
- Tension headache, characteristics, 425f**
- Terazosin (HYTRIN), 71f, **73**, 73, 180f**
for hypertension, 189
- Terbutaline, 55f, **67**, 67, 69f**
for asthma, 62-63, 218
and bronchodilation, 67f
- Terfenadine (SELDANE)**
drug interactions, 214, 320, 341
for rhinitis, 221
therapeutic advantages and disadvantages, 422f
- Testicular carcinoma**
metastatic, treatment, 395
refractory, treatment, 396
- Testicular tumors, treatment, 386, 399f**
- Testosterone, 269, 269-271**
production, 272f
secretion, regulation, 270f
synthesis, suppression, 340
- Testosterone cypionate, 263f, 271, 271**
- Tetracaine, 108f**
pharmacokinetic properties, 117f
- Tetracycline (SUMYCIN), 235f, 283, 283f, 311f, 345-346**
classification, 287f
contraindications, 282
cost, 282, 282f
drug interactions, 160f, 213, 240
to eliminate *Helicobacter pylori*, 236
phototoxicity, 314
resistance to, 285f
sites of action, 346f
- Tetracyclines, 311, **311-314****
absorption, 313, 313f
adverse effects, 314f
effect on children, 282
for listeriosis, 299f
- therapeutic applications, 290, 312f
for urinary tract infections, 328f
- Tetracyclines, specific agents, 311f**
demeclocycline, 311f, 314, 314
doxycycline (VIBRAMYCIN), 147, 311f, 312f, 313, 313, 314, 328f
minocycline (MINOCIN), 311f, 313, 313, 314
tetracycline (SUMYCIN), 160f, 213, 235f, 236, 240, 282, 282f, 283, 283f, 285f, 287f, 311f, 314, 345-346, 346f
- Tetrahydrocannabinol (THC), 99f, **105**, 105**
for chemotherapy-induced nausea and vomiting, 243
- 6-TG. See 6-Thioguanine**
- Theobromine, 99, 99f**
- THEO-DUR. See Theophylline**
- Theophylline (SLO-BID, THEO-DUR), 99, 99f, **220****
for asthma, 100, 217f
for chronic obstructive pulmonary disease, 222
drug interactions, 319-320, 326, 395
- Therapeutic equivalence, 7**
- Therapeutic index, 22f, 22-23**
- Thiabendazole, 359f, **360**, 360, 361f**
- Thiamylal, 108f, 115**
- Thiazide diuretics, 157, 223f, 228-231**
adverse effects, 230f, 230-231
for angina, **183-184**
actions, 183f
and changes in urine composition, 229f, 233f
drug interactions, 160, 160f, 213, 292, 409
site of action, 224f
therapy with, 441
- Thiethylperazine, antiemetic effects, 129f**
- Thioamides, 253-254**
- 6-Thioguanine, 373f, 380, **382**, 382, 399f**
actions, 374f
- Thiopental, 90f, 94, 108f, 109**
as anesthetic, 95, 115-116
distribution, 9
drug interactions, 408f
duration of action, 95
redistribution, 115, 115f
therapeutic advantages and disadvantages, 97f, 116f
- Thioridazine, 127f, 129, 129, 132f**
actions, 128f
anticholinergic activity, 130
- Thiothixene, 127, 127, 127f, 132f**
actions, 128f
- Thioxanthenes, 127f**

- Threadworm infection, treatment, 360, 361f
- Thrombolytic agents, 201-204
adverse effects, 202, 203f
comparison, 202f
specific agents, 193f
- Thrombus, 194
- Thyroid
drugs affecting, 247f
removal, 253
- Thyroid hormones, 251-254
biosynthesis, 252f
- Thyroid-stimulating hormone, 252-253
- Thyroid storm, treatment, 254
- Thyrotoxicosis, treatment, 78f, 253-254
- Thyrotropin, 252-253
- Thyrotropin-releasing hormone, 252-253
actions, 248f
- Thyroxine, 247f, 251
biosynthesis, 252f
drug interactions, 408f
- Ticarcillin, 298f, 301, 301
administration route, 302
adverse reactions, 303
stability
to acid, 300f
to penicillinase, 300f
therapeutic applications, 301f
- Ticlopidine, 193f, 196, 196
- Timolol (TIMOPTOL, TIMOPTIC), 71f, 76, 76, 79f, 179f
clinical applications, 78f
drug elimination, 74f
- TIMOPTIC. See Timolol
- TIMOPTOL. See Timolol
- Tissue-type plasminogen activator (tPA).
See Alteplase
- Tobramycin (TOBREX), 311f, 315, 315, 431
adverse effects, 316
concentration, 316f
drug interactions, 51
therapeutic applications, 315f
- TOBREX. See Tobramycin
- Tocainide, 163f, 170, 170
effects, 169f
- Tolazamide, 255f, 260, 260
properties, 261f
- Tolbutamide, 255f, 260, 260
adverse effects, 292
drug interactions, 341
properties, 261f
- Tolmetin, 401f, 411, 411
therapeutic advantages and
disadvantages, 412f
- Topical administration, 3-4
- Topoisomerase, 323, 324f
- TORADOL. See Ketorolac
- Torsemide, 223f, 227, 227-228
site of action, 224f
- Total body clearance, 24-25
- Toxoplasma gondii* infection
(toxoplasmosis), 357
treatment, 290, 345f, 353, 357
- Trachoma infections, 290f
- Tranexamic acid, 193f, 204, 204
- Transdermal patch, nicotine concentration, 101f
- TRANSDERM-NITRO. See Nitroglycerin
- Transient ischemic attacks, treatment, 196, 406
- TRANXENE. See Clorazepate
- Tranylcypromine, 119f, 123, 123
therapeutic advantages and
disadvantages, 125f
- Trazodone, 96, 119f, 123, 123
therapeutic advantages and
disadvantages, 125f
- Trematodes, chemotherapy, 359f, 360-362
- Treponema pallidum* infection, treatment, 299f, 312f
- Treponema pertenue* infection, treatment, 299f
- Triacylglycerol, niacin for, 210
- Triamcinolone (AZMACORT), 276, 276
administration route, 276f
for asthma, 219
elimination, 276f
properties, 275f
for rhinitis, 221
- Triamterene (DYAZIDE), 179f, 223f, 233, 233
site of action, 224f
- Triazolam (HALCION), 91
duration of action, 92f
for sleep disorders, 92
therapeutic advantages and
disadvantages, 97f
withdrawal reactions, 92, 93f
- Trichinella spiralis* infection, 361f
treatment, 360
- Trichinosis, treatment, 360, 361f
- Trichomonas vaginalis* infection,
treatment, 347
- Trichophyton* infection, treatment, 343
- Trichuris trichiura* infection (trichuriasis), 361f
treatment, 359, 361f
- Tricyclic antidepressants, 119f, 119-121
drug interactions, 122f, 138
mechanism of action, 120f
and physostigmine, 42
receptor specificity, 121f
therapeutic advantages and
disadvantages, 125f
- Trifluridine, 363f, 368, 368
- Trigeminal neuralgia, treatment, 147
- Trihexyphenidyl, for Parkinson's disease, 87-88
- Triiodothyronine, 247f, 251
biosynthesis, 252f
drug interactions, 408f
- TRI-LEVLIN. See Ethinyl estradiol
- Trimeprazine, therapeutic advantages and
disadvantages, 422f
- Trimethaphan, 45f, 49, 49, 49f
- Trimethoprim (BACTRIM), 289, 289, 289f, 290, 293, 293. *See also* Co-trimoxazole
antimicrobial activity rate, 293f
for bacterial prostatitis, 281, 281f
classification, 287f
drug interactions, 289
and folate deficiency, 205
interaction with enzymes, 20
mechanism of action, 292f, 293-294
resistance to, 285, 285f
for urinary tract infection, 315f
- Trimethoprim-sulfmethoxazole, for urinary
tract infections, 328f
- Trimipramine, 119f
therapeutic advantages and
disadvantages, 125f
- TRIMOX. See Amoxicillin
- TRI-NORINYL. See Ethinyl estradiol
- Tripeptenamine, therapeutic advantages
and disadvantages, 422f
- TRIPHASIC. See Ethinyl estradiol
- Triprolidine, therapeutic advantages and
disadvantages, 422f
- Trypanosoma brucei gambiense* infection, 353, 353f
treatment, 354
- Trypanosoma brucei rhodesiense* infection, 353, 353f
treatment, 354
- Trypanosoma cruzi* infection, 353, 353f
resistance, 355
treatment, 355
- Trypanosomiasis
chemotherapy, 345f, 353-356
summary, 353f
- Tuberculosis, 436-437. *See also* *Mycobacterium tuberculosis*
infection

- chemotherapy, **332-335**
incidence, **332f**
treatment, **284, 284f, 315, 331f**
- Tubocurarine, **45f, 50, 50, 50f**
drug interactions, **51**
and neostigmine, **42**
and nicotinic receptors, **39**
onset and duration of action, **52f**
pharmacokinetics, **51**
therapeutic disadvantages, **52f**
- Tularemia, treatment, **315, 315f**
- Tumors. *See also* Cancer; Testicular tumors
growth rate, **374**
mass, **375f**
treatment-induced, **378**
- Tums. *See* Calcium carbonate
- TYLENOL. *See* Acetaminophen
- Type I diabetes. *See* Diabetes mellitus, insulin-dependent
- Type II diabetes. *See* Diabetes mellitus, non-insulin-dependent
- Tyramine, **55f, 68, 68**
as indirect-acting agonist, **61**
- Tyrosine, in norepinephrine synthesis, **55**
- Ultralente insulin, **255f, 259**
extent and duration of action, **259f**
- Urea, **223f, 233, 233**
- Ureaplasma infection, **318f**
treatment, **317**
- Ureaplasma urealyticum infection, treatment, **318f, 328f**
- Urethral syndrome, acute, treatment, **328f**
- Urethritis, treatment, **318**
- Uric acid, in gout, **415, 415f**
- Uricosuric agents, **417**
- Urinary tract antiseptics, **323-330, 327-329**
- Urinary tract antiseptics, specific agents**, **323f**
methenamine, **292, 327, 327f, 327-328**
nitrofurantoin (MACRODANTIN, MACRO-BID), **329, 329**
- Urinary tract infections, **290f**
treatment, **294f, 315f, 324, 328f**
- Urofoltropin, **250**
- Urokinase, **193f, 201, 203, 203, 204f**
activation of plasminogen, **202f**
properties, **202f**
- Urticaria, treatment, **424**
- Uveitis, treatment, **409**
- Vaginal infections, treatment, **294f**
- VALIUM. *See* Diazepam
- Valproic acid (DEPAKOTE), **143f, 148, 148-149**
adverse effects, **149f**
- drug interactions, **150**
for seizures, **145f**
- VANCENASE. *See* Beclomethasone
- VANCERIL. *See* Beclomethasone
- Vancomycin, **298f, 308, 308-309, 429-431, 434-435**
classification, **287f**
for methicillin-resistant *staphylococcus aureus*, **300**
resistance to, **284, 285f**
- Varicella-zoster virus, treatment, **367**
- Vascular trauma, normal response to, **193-194**
- Vasodilators, **155-157**
for hypertension, **190-191**
- Vasodilators, specific agents**, **151f**
- Vasopressin, **247f, 250, 251, 251**
- VASOTEC. *See* Enalapril
- Vecuronium, **45f, 107f**
with anesthesia, **109**
onset and duration of action, **52f**
pharmacokinetics, **51**
therapeutic advantages, **52f**
- VEETIDS. *See* Penicillin V
- Venlafaxine, **119f, 123, 123**
therapeutic advantages and disadvantages, **125f**
- Venous thromboembolism, treatment, **198**
- Venous thrombosis, treatment, **198**
- VENTOLIN. *See* Albuterol
- Ventricular arrhythmias, treatment, **169-170, 172**
- Ventricular fibrillation, treatment, **164f, 172**
- Ventricular tachyarrhythmia, treatment, **168, 170, 172**
- Ventricular tachycardia
acute, treatment, **164f**
treatment, **164f, 171-172**
- Verapamil (ISOPTIN, VERELAN), **163f, 167, 173, 173, 175f, 177, 177, 180f, 187, 187**
actions, **187f**
adverse effects, **189**
for angina, **188f**
as antiarrhythmic, **164f**
drug interactions, **160f, 169, 377**
effects, **173f**
for hypertension, **188f**
for supraventricular tachyarrhythmia, **188f**
- VERELAN. *See* Verapamil
- VIBRAMYCIN. *See* Doxycycline
- Vibrio cholerae* infection, treatment, **312f, 315f**
- Vidarabine (ara-A), **363f, 367, 367f, 367-**
368
- Vinblastine, **373f, 390, 390-391, 399f**
drug interactions, **386, 395**
myelosuppressive potential, **378f**
- Vincristine, **373f, 390, 390-391, 399f**
drug interactions, **384, 397**
emetic potential, **241f**
myelosuppressive potential, **378f**
- Vinorelbine, **390, 390**
- Viral infections, treatment, **412**
- Visceral leishmaniasis, **356**
- Vitamin B₁₂. *See also* Cyanocobalamin
deficiency, as similar to folate deficiency, **205**
- Vitamin K, **193f, 204**
for bleeding, **204**
and warfarin, **200**
- VOLTAREN. *See* Diclofenac
- Vomiting. *See also* Emesis
mechanisms that trigger, **241-242**
treatment, **129-130**
- Warfarin (COUMADIN), **193f, 199, 199-201**
adverse effects, **292**
drug interactions, **188, 196, 201f, 213, 239, 295, 320, 326, 334f, 341, 411**
mechanism of action, **200, 200f**
therapeutic index, **22f, 22-23**
- Whipworm infection, treatment, **359, 361f**
- Wilm's tumor, **390**
treatment, **384, 399f**
- Withdrawal method, of contraception
failure rate, **268f**
percent use, **268f**
- Wuchereria bancrofti*, **361f**
- WYMOX. *See* Amoxicillin
- XANAX. *See* Alprazolam
- Yaws, treatment, **299f**
- Yersinia pestis* infection, treatment, **315f**
- Zalcitabine (ddC), **363f, 369f, 370, 370**
- ZANTAC. *See* Ranitidine
- ZESTRIL. *See* Lisinopril
- Zidovudine (AZT), **363f, 368, 368-369, 369f**
drug interactions, **339, 367**
- Zinc insulin, **255f**
- ZITHROMAX. *See* Azithromycin
- ZOCOR. *See* Simvastatin
- Zollinger-Ellison syndrome, treatment, **237, 239**
- ZOLOFT. *See* Sertraline
- Zolpidem (AMBIEN), **93, 93**
therapeutic advantages and disadvantages, **97f**
- ZOVIRAX. *See* Acyclovir