## INDEX

choice of site. A	Capacitance ************************************
"A" stroke, 557	of insulators, 168
a operator, 425	of single-phase line, 222
ABCD constants, 256	of three-phase line, 223
Alternating current system, 128	Capacity factor, 46
Alternating current transmission, 128	Circuit breakers:
Arc: 202 and sende-place to	Airblast, 471
controlled circuit breakers, 466	bulk oil, 465
phenomenon, 461	low oil, 468
voltage, 463 by avain nonound	SF6, 4/2 , tod notableka
Arcing: asidap to acastases acastases.	vacuum, 474
ground, 555	Circulating current protection, 537
horns, 562	Core-balance protection, 535
Armouring of cables, 265	Corona, 181
Auto-transformer tap-changing, 380	factors affecting, 182
Automatic voltage regulators, 376	advantages of, 184
	disadvantages of, 184
B Ut. statistic	power loss, 183
"B" stroke, 558  Back-up protection 519	Cross-jet explosion pot, 467
and up protection,	Current changing 470
Balanced beam relay, 501	Current limiting reactor 400
Balancers, 347	Current transformer 536
Base kVA, 398	Current transformer, 536
Belted cables, 268	D
capacitance of 3-core, 288	D.C. high voltage transmission, 130
Booster transformer, 381	Depreciation, 70
Breaking capacity of C.B, 482	methods of determining, 71
Brown-Boveri regulator, 377	Differential protection of alternators, 524
Buchholz relay, 533	Disruptive critical voltage, 182
Bus-bar arrangement, 391	Distribution a.c., 357
Bus-bar protection, 541	attached a sectof reprise the se
C contains according 1	direct current, 311
	Distributors, d.c., 311
Cables, capacitance of, 275	fed at one end, 313
capacitance grading in, 281 intersheath in, 284	fed at both ends, 319
	ring, 333
H and S.L. type, 268, 269	uniform and concentrated loading, 330
low voltage, 264	Diversity factor, 46
	Double line-to-ground fault, 447
types of, 267	

ACCORDING CONTRACTOR C	Hydro-power stations, 18
Earth leakage protection, 527	advantages of, 19
Economical size of conductor, 151	disadvantages of, 19
voltage, 156 sonstroeqaD	choice of site, 20
Economics of power generation, 69	The second secon
power factor improvement, 121	Ice coating on overhead lines, 189
Efficiency of transmission, 132	Impedance relay, 511
Electrostatic stress in cables, 277	Impregnated paper insulation, 266
Electromechanical relays, 500 de 1800	Inductance:
Energy sources, 3 174 Application	of single-phase line, 207
Equipment Grounding, 587 Jio Alad	of three-phase line, 209
Equivalent spacing, 212	Induction regulators, 382
Explosion pot, 466	Induction relays, 501
Vacuous, 474 Circulading content placecoon, 257	Insulation resistance of cables, 273
	Insulators, 164
Fault calculations:	pin type, 165
symmetrical faults, 396	suspension type, 166 has a more of the suspension type.
unsymmetrical faults, 423	strain type, 167
Feeder protection, 544	Interconnector, 335
4-wire, 3-phase system, 139	Interest 70
Fuses: 681 and 19woq	Inverse time relay. 504
advantages of, 488 body a blacked cartridge, 492 blacked body by	Intersheaths, 284
selection of material for, 487	Intersheaths, 284
types, 491	
Fusing current, 489	Kelvin's law, 151
	limitations, 152 (AVA See
G	etred cables 268
Gas-filled cables, 271	Laying of cables, 271
Generator reactors, 400	Lankage relay 527
Geometrical mean distance (GMD), 212	Lightning 555
Geometrical mean radius (GMR), 209	direct stroke 557
Graded time-lag protection, 544	indirect stroke 557
Grading of cables, 280	mechanism, 555
insulators, 170	protection, 559 mentosione and set
Cround wires 550	Lightning arresters, 560
Grounding or earthing, 587	Line constants, 203
Grounding transformer, 601	Line-to-ground fault, 443
MACA DE SERVICIO DE CONTRACE DE LA CONTRACE DE SERVICIO DE SERVICI	Line-to-line fault, 445 management
H-type cables, 268	Line supports, 162 no nontambarroo
Heat value of fuels, 6 Total viletavici	Load curves, 44 and 18 bas H
High voltage, advantages of, 131	Load duration curves, 47 garlov was
Horn-gap arrestor, 562	Load factor, 46

Index 607

Long transmission lines, 252	Power loss due no conoma, 183
Low oil circuit breaker, 468	Pressure cables, 270
Water representation to the control of the control	Protection of alternatures, 522
Maximum demand, 45	transformers, 532
Mechanical design of O.H.lines, 159	bus-bars, 541
medium lines, 240	Protection against:
Merz Price system, 547	lightning, 555
Mutual capacitance of insulators, 168	overvoltages, 553
NN	R
	Radial system, 306
Negative sequence current, 424	Rating of circuit breakers, 482
Negative sequence impedance, 442	Reactance grounding, 597
Negative sequence network, 454	Reactors, 400
Neutral grounding, 593	bus-bars, 401
Nominal $\pi$ method for lines, 246	feeder, 401
Nuclear power station, 31	methods of locating, 400
advantages of, 31	use of, 401
disadvantages of, 31	Recovery voltage, 463
choice of site, 34	Regulation, 375
0	Relays:
Oil-filled cables, 270	Buchholz, 533
Oil-circuit breakers, 464	distance, 511
On-load tap-changing transformer, 379	definite impedance, 512
Opposed voltage protection, 517	directional overcurrent, 510
Overall efficiency, 13	earth leakage, 527
Overcurrent relays, 508	instantaneous, 504
Overvoltage, 553	reverse power, 509
Overvoltage, 553	Translay, 517
Paper insulation, 267	Resistance grounding, 595
Parallel feeder protection, 545	Restriking voltage, 463
Percentage reactance. 397	rate of rise of, 463
Phase advancers, 107	Ring main:
Phase sequence components, 424	with interconnector, 339
Plain break circuit breaker, 465	protection of, 546
Positive sequence current, 424	
Polyvinyle chloride, 267	Sag, 186
Potential distribution, 168	calculation of, 187
Power factor, 101	effect of ice and wind on, 189
cause of low, 104	Screened cables, 268
disadvantages of low, 103	Service mains, 301
methods of improving. 105	Sequence impedances 442

Transposition,

210 connocean film

Shielding of suspension is ulators.	reconstruction and the second
Short-time rating, 483	Ungrounded neutral system, 590
Short-circuit currents, 394	Units of energy:
Short-transmission lines, 230	mechanical, 4
Single-phase system, 135	electrical, 4
Skin effect, 204	thermal, 5
Solid grounding, 594	Unsymmetrical faults, 423
Sources of energy, 3	single line-to ground, 443
Strain insulators, 167	line-to-line, 445
String efficiency, 168	double line-to-ground, 447
Steam power station, 10	
advantages of, 10	egative sequence v cgt. 424
disadvantages of, 10	Varnished cambric, 267
choice of site, 12	Voids in cables, 269
Steel-cored aluminium conductor, 161	Voltage, disruptive critical, 181
Summation transformer, 548	Voltage balance protection, 517
Suspension insulators, 166	Voltage control:
Synchronous condenser, 106	importance of, 375
System of grounding, 589	location of equipment for, 375
	methods of, 379
	Voltage regulators, 376
Tariff, 87	Brown-Boveri, 377
types of, 88	Tirril, 376 a areased neimo-
Thermal efficiency, 13 and saladah	Voltage transformer earthing, 59
Three-phase system, 138	W q oalfage b w q cook a very wall work
Three-phase, 3-wire, 138	
Three-phase, 4-wire, 139	Water head, 19
Tie-bar system, 402	Wave front, 553
Towers, 163	Wind effect on O.H. lines, 189
Translay system, 517, 548	моделиционного Z инфиделиционного
Transmission lines, 229	Zero sequence current, 424
SHOIL, 230	Zero sequence impedance, 442
medium, 240	Zero sequence network, 455
MMO 43	

MODERN ROUS

22. New Super Marks 1: Super wol to said a super Marks 1: Super wol to said a super woll a sup