

-
- ABAQUS software package 290–2, 301–2
abdomen 308
abrasion resistance 196–7
acceleration correction 143
acceleration-based collision response 142–3
acetate 166
acrylic 167
aerobic sportswear 391–400
 biomechanical models 392, 393–4
 model validation 397–400
 physical properties 394–5
 pressure comfort and distribution 391–2,
 395–400
 pressure measurement 397
 simulations 392, 395–7
 sports socks 361–2
AFIS (Advanced Fiber Information
System) 171
age, and foot variations 371
air jet spinning 178, 179
airflow measurement method 170
amphiarthrosis joints 97
anatomy and physiology 9, 91–108
 abdomen 308
 blood 95, 98–9
 body regions 92, 93
 bone 94, 308
 breasts 321, 322, 326, 328–9
 cartilage 95, 97, 368
 cells 92
 circulatory system 98–9
 digestive system 99
 endocrine system 99
 immune system 99–100
 inflammatory system 100
 ligaments 95, 365
 lymphatic system 100
 muscles 94–5, 97–8, 100
 nervous system 100
 organs 94
 reference planes 91–2
 reproductive system 100
 respiratory system 101
 ROM (range of motion) 101
 skeletal system 95–7, 366–71
 tendons 95
 tissues 92, 94, 111, 156
 urinary system 101
 see also feet; human body; skin
animation 300
anisotropic behaviour of skin 113
ankle valgus 386
anthropometry 101, 106, 152
 values for young Japanese females 104–5
 values for young Japanese males 102–3
arch height 371–2
arms 96
arteries 99, 156
AT715 software package 292–5
axis projection of collision 130

back of fabrics 53
bagging 58, 66, 220
balance of fabrics 53
ballistometers 231–3
bandages 156–7
beauty footwear 366
bending deformation 86
 fabrics 56–7, 60–1, 204–5, 210
 fibers 27–8, 33, 172–3
 yarns 193–5
bending-moment model 60–1
bi-extension properties of fabrics 214–15
bias direction 52
bioengineering 3–4
biomechanical models
 aerobic sportswear 392, 393–4
 bras 322–30
 compression stockings 333–4
 footwear 388
 jeans 308, 309–13
 socks 349–60
 see also modeling
biomechanical testing of skin 223–33
 ballistometers 231–3
 cutometer 227–9

- durometers 229–30
- extensometers 225
- impact tests 231–3
- in vitro* tests 223–4
- in vivo* tests 223, 225–33
- indentation tests 229–31
- indentometers 230–1
- tensile tests 225–9
- twistometers 225–7
- biomechanics 9, 261
 - definition 4–5
 - fundamental frameworks 11–14
 - history 5–8
- biphasic model 122, 123
- blisters 347, 386
- block polymers 24
- blood 95, 98–9
- body regions 92, 93
- bone 94, 308
- boundary conditions 289, 291
 - compression stockings 336
 - socks 351
- bounding volumes 129–30
- bras 320–30
 - biomechanical modeling 322–30
 - breast characteristics 321, 326, 328–9
 - breast-bra interactions 322
 - displacement 327
 - fabric stretch 322
 - geometrical models 325
 - material properties 326
 - mechanical behaviour 321–2, 327–9
 - model validation 329–30
 - pressure comfort 328
 - simulations 325–6
 - stress distributions 328
- breast characteristics 321, 326, 328–9
- breast-bra interactions 322
- Breen-House model 85–6
- buckling of fabrics 58, 64–5, 215–16
- burn patients 154
- bursting strength tests 218–19

- CAD systems 6–8, 9–10, 14–15, 290
- calluses 347, 386
- carbon fiber 169
- cartilage 95, 97, 368
- Celanese bagging test 220
- cells 92
- cellulosic fibers 165–6
- central nervous system 100
- charts and graphs 297, 298
- chilblains 386
- China 366
- chopine* footwear 365–6
- circulatory system 98–9
- classification
 - of footwear 383–5
 - of pressure garments 154–6
- clothing bioengineering 4
- Clothing Biomechanical Engineering Design Systems 11–15
 - see also* biomechanics; databases; design
- clothing mechanics 75–88
 - bending deformation 86
 - bras 321–2, 327–9
 - deformation characteristics 75–7
 - deformation energy 81–2
 - drape 76, 78–83
 - form-fitting problems 75, 76–7
 - free-form problems 75, 76
 - heart-loop test 86
 - jeans 314–16
 - sewing 77, 87–8
 - stretch 76–7, 82–3
 - twist deformation 86
- clothing modeling 6, 77–88, 284
 - continuum models 77–83
 - discrete models 83–6
 - discretized cloth model 86
 - mass-spring models 83–4
 - particle models 84–5, 86
- collagen fibers 112, 113
- collision detection 126, 128–38
 - axis projection methods 130
 - bounding volumes 129–30
 - geometric detection 135–8
 - grid subdivision 131
 - hierarchical subdivision 131
 - hierarchy trees 134
 - object subdivision 132
 - penetration detection 135–7
 - polygonal meshes 133–5
 - proximity detection 137–8
 - proximity tracking techniques 132–3
 - self-collision detection 134–5
 - space subdivision methods 130–1
 - vicinity map 132
 - volume collision detection 130
 - Voronoi domain 132
- collision response 126, 138–44
 - acceleration correction 143
 - acceleration-based approach 142–3
 - geometric responses 141–3
 - mechanical responses 140–1
 - penalty force 140
 - polygonal meshes 138–9
 - position correction 143
 - speed correction 143
- comfort 11, 145–58, 260, 307
 - and body movement 151–2
 - compression theory 154–8
 - definitions 145
 - discomfort 7–8, 145–6
 - fabric stretch 151–2
 - garment size and fit 151
 - garment weight 150
 - itchiness 148, 149–50

- mental comfort and status 145–6
- physiological factors 146
- prickle sensations 148, 149
- psychological factors 145–5
- roughness 148, 150
- sensorial comfort 146–8, 153–4
 - and temperature 146
- wearer-trials 153
 - see also* pressure comfort
- compression
 - of fabrics 206
 - of fibers 29, 173
 - of skin 115
- compression stockings 156–7, 332–45
 - 3D geometric models 334–5
 - bio-functional requirements 332
 - biomechanical model 333–4
 - boundary condition 336
 - contact constraints 336
 - FEM (Finite Element Analysis) 335
 - geometrical models 334–5
 - material model 335
 - mechanical modeling 334
 - model validation 336–8
 - numerical solution 336
 - pressure determination 340
 - pressure distributions 339–40, 342–3
 - pressure induction 338–9
 - pressure measurement 333–4
 - pressure sores 344
 - simulations 334–6
 - stress distributions 339–40
 - styles and length 332
 - wearing simulation 336
- compression tangent compliance 39
- compression theory 154–8
- compression therapy 156–7, 341–4
- computational micro-particle models 64
- computed tomography principle (CT)
 - 182–6, 284
- configuration management 267
- consolidation theory 122
- constitutive equations 253–4
- contact interactions 288–9
- contact mechanics 125–44
 - collision detection 126, 128–38
 - collision response 126, 138–44
 - garment simulation 125–6
 - kinematics of contact 126–8
 - normal contact of 3D bodies 126–7
 - tangential contact of 3D bodies 127–8
- contact modeling 12–13
 - and jeans 252–3, 311–12
- continuous filament yarns 37
- continuum analysis of yarns 40–2
- continuum mechanical models 248–9
- continuum models 77–83
- contour maps 298–9
- Coolmax 362
- copolymers 24
- corns 347, 386
- coronal plane 92
- cotton 164
- count
 - of fabrics 53, 201
 - of yarns 201
- creep 27, 33, 115
- crimp 22, 44, 201
- cross-section analysis
 - of fibers 22–3, 172
 - of yarns 181
- crystallinity of fibers 24
- CT (computed tomography principle)
 - 182–6, 284
- curved beam models 33
- cutometer 227–9
- databases 13–14, 257–82
 - categories of data 259, 263–4
 - components 261–2
 - data model 267–8
 - data name 271
 - data symbol 271
 - data type 271–2
 - data unit 272–3
 - data value 272
 - database management systems 275
 - description of information
 - elements 268–75
 - design 267–75
 - entity identifiable numbers 267–8
 - fabric data management 276–7
 - functional requirements 259
 - garment data management 280
 - human data management 277
 - input window 274–5
 - project data management 280
 - storage and retrieval of data 258
- deformation
 - of clothing 10, 75–7, 309–10
 - and mechanical models 247–8
 - of woven fabrics 54–8
 - of yarns 39–40
- deformation energy 81–2
- denier units 21
- dermis 107, 147
- design
 - 3D prototypes 10–11, 13, 284
 - CAD systems 6–8, 9–10, 14–15, 290
 - Clothing Biomechanical Engineering Design Systems 11–15
 - contact model 12–13
 - data 263
 - decision-making process 9–10
 - deformation characteristics 10
 - engineering design 5–11, 260–4
 - ergonomics 151
 - for fashion products 8–11

- fundamental frameworks 11–14
- human factors engineering 8–9
- mechanical models 10
- patterns 260
- product specification 10
- sensory evaluation 11
- of socks 361–2
- stimulation and perception
 - relationship 14
- textile material modeling 12
 - see also* databases
- diabetes 347–8, 362
- diarthrosis joints 97
- digestive system 99
- dimensions of textile fibers 21–2, 163, 170–2
- discomfort levels 7–8, 145–6
 - see also* comfort
- discrete fiber analysis 42–3
- discrete models 83–6, 249–50
- discretized cloth model 86
- discretized geometry 285–7, 291
- displacement of bras 327
- Dobby fabric 199
- double knits 199
- drape 76, 78–83, 216
- durometers 229–30
- dynamic continuum models 81–3
- dynamic systems 250, 289

- Egyptian feet 374
- elastic material modeling 245–7
- elastic recovery of fibers 26
- elastic thread model 59
- elastin fibers 112, 113
- elastomeric fibers 168
- endocrine system 99
- energy models 69
- engineering design 5–11, 260–4
 - see also* databases
- epidermis 107, 147
- equilibrium formula 61
- ergonomics 151
- ethnic variations of feet 371
- Euler method 82–3, 250–1
- extensometers 225

- fabric count 53, 201
- fabric objective measurement (FOM) 202
- fabrics
 - data requirements 264
 - functional fabrics 200
 - knitted fabrics 66–9, 199
 - measurements 53, 201
 - mechanical properties *see* mechanical behaviour of fabrics
 - selection 6
 - stiffness 22, 204–5
 - textile material modeling 12
 - woven fabrics 52–66, 199
 - see also* stretch
- face of fabrics 53
- fashion products 8–11
- FAST (Fabric Assurance by Simple Testing) 213–14
- feet 96–7, 366–76
 - age variations 371
 - arch height 371–2
 - and the development of hominids 366
 - Egyptian feet 374
 - ethnic variations 371
 - foot flare 373
 - foot-footwear interface 385–7
 - foot-sock interaction 350–2, 354–5
 - foot-sole interaction 349–50, 354–5
 - Greek feet 374
 - joints 368
 - left and right foot differences 368
 - loaded and unloaded state 368–9
 - male-female variations 371
 - and perspiration 369–71
 - Pes Cavus feet 371–3
 - Pes Planus feet 371–3
 - rear foot position 373–4
 - size measurements 381
 - skeletal structure 366–71
 - toe length 374
 - and walking 369, 374–6
 - see also* footwear; socks
- FEM (Finite Element Analysis) 33, 63–4, 78, 248–9, 252–5, 290–2, 335
- fiber distribution 37
- fiber interlacing 186–9, 196–7
- fiber path 35–7, 180–1
- Fiber Quality Analyzer (FQA) 171
- fiber-assembly-structure engineering (FASE) 6
- fibers 163–75
 - crimped fibers 22, 44
 - cross-sectional shape 172
 - data requirements 265
 - dimensions of textile fibers 21–2, 163, 170–2
 - elastomeric fibers 168
 - fine structure 23–4, 170
 - high-performance 169
 - inter-fiber stress 40
 - length 22, 163, 171
 - macrostructure 21–2
 - mass compression equation 38
 - measurement 170–2
 - mechanical properties *see* mechanical behaviour of fibers
 - micro-fibers 168–9
 - microstructure 22–3
 - migration theory 36, 186–7
 - morphology 21–4
 - natural 163–5

- regenerated 165–6
- smart fibers 169
- submicroscopic structure 23
- synthetic 166–8
- fine fiber structure 23–4, 170
- fineness of fibers 21
- Finite Element Analysis (FEM) 33, 63–4, 78, 248–9, 252–5, 290–2, 335
- fit of shoes 386–7
- fixing agents 182
- flax 164–5
- FOM (fabric objective measurement) 202
- foot care 348–9
- foot flare 373
- foot lesions 347–8, 386
- footwear 365–88
 - beauty footwear 366
 - biomechanical model 388
 - in China 366
 - chopine* footwear 365–6
 - classification system 383–5
 - consumer needs 386–7
 - fit 386–7
 - and foot deformities 386
 - and foot lesions 347–8, 386
 - foot-footwear interface 385–7
 - history of 365–6
 - manufacturing process 382–5
 - materials 377
 - poulaine* footwear 365
 - shoe last 378–82
 - shoe sizes 380–1
 - shoe sole 377
 - shoe uppers 376–7
 - and ulceration in diabetes 348
 - see also* feet; socks
- form-fitting problems 75, 76–7
- formability of fabrics 215–16
- foundation garments 12, 75
- free-form problems 75, 76
- friction
 - and fabrics 208
 - and fibers 29–30, 173–4
 - and garment slip 152
 - and skin 233–5
 - and sock material 349, 361
 - and yarns 37–8
- friction spinning 178, 179
- frontal plane 92
- functional fabrics 200
- fundamental frameworks 11–14

- garment modeling 6, 77–88, 284
- garment prototypes 10–11, 13, 245, 284
- garment size and fit 151
- garment weight 150
- GCS (Graduated Compression Stockings)
 - see* compression stockings
- geometric collision responses 141–3
- geometric data 263
- geometric detection of collision 135–8
- geometric-mechanical models 59–62, 69
- geometrical discretization 285–7, 291
- geometrical models 68–9, 244–5, 283–4
 - of bras 325
 - of compression stockings 334–5
 - visualization 298–300
- geometry 9
- glands 99
- graphs 297, 298
- gravimetric measurement method 170
- Greek feet 374
- Green-Lagrange strain 79
- grid subdivisions 131

- hairy skin 107
- hallux valgus 386
- hands 96
- heart 98–9
- heart-loop test 86
- hierarchical data models 267
- hierarchical subdivisions 131
- hierarchy trees 134
- high-performance fibers 169
- history
 - of biomechanics 5–8
 - of footwear 365–6
 - of shoe lasts 378–9
- homopolymers 24
- Hooke's law 31, 32
- horizontal plane 91–2
- human body
 - breast characteristics 321, 326, 328–9
 - breast-bra interactions 322
 - comfort and body movement 151–2
 - data requirements 265, 277
 - models 244–5, 284–5
 - ROM (range of motion) 101
 - temperature regulation 101–8
 - walking 354–60, 369, 374–6
 - see also* anatomy and physiology; feet; skin
- human factors engineering 8–9
- humidity 108

- immune system 99–100
- impact tests on skin 231–3
- in vitro* skin tests 223–4
- in vivo* skin tests 223, 225–33
- indentation tests 229–31
- indentometers 230–1
- inflammation 148
- inflammatory system 100
- inhomogeneous behaviour of skin 112
- inner leg stress 343–4
- integration of simulations 250–2
- inter-fiber stress 40
- ischemia 344

- isostrain models 30
- isostress models 30
- itchiness 148, 149–50
- iterative design procedures 9–10

- Jacquard fabric 199
- Japanese females anthropometry
 - values 104–5
- Japanese males anthropometry
 - values 102–3
- jeans 307–18
 - biomechanical modeling 308, 309–13
 - contact modeling 252–3, 311–12
 - deformation 314
 - and human body characteristics 308
 - material properties 313
 - mechanical behaviour 314–16
 - model validation 317–18
 - preferences in wearing 308–9
 - pressure comfort 308–9, 315–16, 318
 - sensory perceptions 308–9
 - simulations 252–3, 307–8, 310
- joints 97, 368

- Kansei-engineering 5
- Kelvin model 117–19
- KES-F system 153, 208–13
- kinematics of contact 126–8
- knitted fabrics 66–9, 199
 - double knits 199
 - loop units 66–7
 - modeling 68–9, 244
 - stitch density 67
 - structure 66–7
 - warp knits 66, 68, 200
 - welt knits 66, 199
 - see also* fabrics; mechanical behaviour of fabrics

- lace 200
- Lagrange equations 78–9, 249
- last *see* shoe last
- lateral strain 39
- leather 377
- legs *see* lower limbs
- length
 - of fabrics 201
 - of fibers 22, 163, 171
- Leno fabric 199
- ligaments 95, 365
- load conditions 289, 291
- loop units 66–7
- loose garments 12, 75
- lower limbs 96–7, 148, 308, 334–5, 341–2
 - foot lesions 347–8
 - inner leg stress 343–4
 - see also* feet
- Lycra 168, 362
- lymphatic disorders 156–7
- lymphatic system 100

- Magnetic Resonance Imaging (MRI) 284
- Martindale Fabric Abrasion Tester 196
- mass-spring models 83–4
- material modeling 245–7, 335
- material properties
 - of bras 326
 - of jeans 313
 - and simulations 287–8
 - of yarns 37–9
- materials
 - for footwear 377
 - for shoe lasts 379
 - for socks 349, 362
- Maxwell model 31–2, 117
- MayaCloth 7
- Mazda Company 5
- measurement
 - of fabrics 53, 201
 - of fibers 170–2
 - of yarns 182–6, 190
 - see also* pressure measurement
- mechanical behaviour of clothing *see* clothing mechanics
- mechanical behaviour of fabrics
 - bagging 58, 66, 220
 - bending 56–7, 60–1, 204–5, 210
 - bi-extension properties 214–15
 - buckling 58, 64–5, 215–16
 - compression 206
 - drape 216
 - formability 215–16
 - friction 208
 - knitted fabrics 67–8
 - modeling 68–9, 244
 - rheological behaviour 58, 65–6
 - shear properties 55–6, 203–4, 209–10
 - strength 218–19
 - stretch and recovery 217–18
 - surface properties 208, 211–13
 - tensile properties 54–5, 202–3, 209
 - twist 57, 205–6
 - woven fabrics 54–8
 - modeling 58–64, 244
- mechanical behaviour of fibers 24–30
 - bending 27–8, 33, 172–3
 - compression 29, 173
 - friction 29–30, 173–4
 - modeling 30–3, 244
 - shear deformation 28, 173
 - tensile properties 25–7, 172
 - testing 172–4
 - torsional rigidity 28, 173
 - twisting deformation 28
- mechanical behaviour of skin 111–16
 - modeling 116–23
- mechanical behaviour of yarns 190–5
 - bending 193–5
 - modeling 35–49, 244
 - tensile properties 40, 190–2
 - tensile torsional model 44–6, 48

- torsional properties 43–4, 192–3
- twist measurement 190, 201
- mechanical collision responses 140–1
- mechanical modeling 10, 243, 247–9, 334
- mechanical simulations *see* simulations
- mechanoreceptors 147
- median plane 91
- Meissner corpuscles 147
- mental comfort, and status 145–6
- Merkle receptors 147
- meta-aramid fibers 169
- micellar models 30–1
- micro-fibers 168–9
- micro-particle models 69
- microstructure of fibers 22–3
- migration theory 36, 186–7
- model validation 48–9
 - aerobic sportswear 397–400
 - bras 329–30
 - compression stockings 336–8
 - jeans 317–18
- modeling
 - contact models 12–13, 252–3, 311–12
 - fibers 30–3, 244
 - garments 6, 77–88, 284
 - geometric-mechanical models 59–62, 69
 - human body 244–5, 284–5
 - knitted fabrics 68–9, 244
 - materials 245–7, 335
 - mechanical models 10, 243, 247–9, 334
 - and simulations 243
 - skin behaviour 116–23
 - woven fabrics 58–64, 244
 - yarns 35–49, 244
 - see also* biomechanical models; geometrical models
- moisture effects on fibers 27
- molecular models of fibers 31
- Mondopoint system 381
- morphological structural models 31
- morphology of fibers 21–4
- motion equations 253
- MRI (Magnetic Resonance Imaging) 284
- multidimensional visualization 299
- muscles 94–5, 97–8, 100
- musculoskeletal system 97–8

- natural fibers 163–5
- nervous system 100
- nets 200
- network data models 267
- neuro-physiology 9
- neuropathy 347
- Newton's Law 31
- nociceptors 147
- Nomex 169
- numerical solutions 250–3, 254–5, 336
 - see also* simulations
- nylon 166

- object subdivisions 132
- optical fiber diameter analyzer (OFDA) 171
- organs 94

- packing density distribution 181–6
- para-aramid fibers 169
- particle models 84–5, 86
- patterns 260
- penalty force 140
- penetration detection 135–7
- perceptions 14, 146–8, 308–9
- perfect fitting garments 12, 75
- perspiration 369–71
- Pes Cavus feet 371–3
- Pes Planus feet 371–3
- physiological comfort factors 146
- physiology *see* anatomy and physiology
- Piola-Kiechhoff stress 79
- plantar pressure 359–61
- plastic behaviour of skin 114–15
- plate and shell theory 78–9
- polyester 167
- polygonal meshes 133–5, 138–9
- polymers 23–4
 - shape memory polymers 169
- polyolefin fibers 168
- poroelastic model 121–3
- position correction 143
- post-processing procedure 300–3
- poulaine* footwear 365
- preconditioning skin 115
- pressure comfort 146–8
 - aerobic sportswear 391–2, 395–400
 - bras 328
 - jeans 308–9, 315–16, 318
 - socks 360–1
 - tactile-pressure 148–52
- pressure distributions
 - aerobic sportswear 391–2, 395–400
 - compression stockings 339–40, 342–3
 - on skin 316
- pressure garments 7–8, 154–8
 - classification 154–6
 - clinical effectiveness 155–6
 - and compression therapy 156–7
 - functional requirements 154–6
 - wound care 154
 - see also* compression stockings
- pressure measurement
 - aerobic sportswear 397
 - compression stockings 333–4
 - socks 349, 353–4, 359–60
- pressure sores 344
- prickle sensations 148, 149
- product specification 10
- project data management 264, 280
- property data 263
- prosthetic devices 234
- prototypes 10–11, 13, 245, 284
- proximity detection 137–8

- proximity tracking techniques 132–3
 psychological comfort factors 145–5
- QAS (Question Answering Systems) 63
- ramie 165
 Raschel knits 200
 rayon 165
 rear foot position 373–4
 regenerated fibers 165–6
 relational data models 267
 rendering 299
 reproductive system 100
 resilience of fibers 27
 respiratory system 101
 rheological behaviour of fabrics 58, 65–6
 ribs 96
 ring spun yarns 35–7, 178, 179–80
 ROM (range of motion) 101
 rotor spinning 178, 179
 roughness 148, 150
 Runge-Kutta method 84, 85, 251
- sagittal plane 91
 scar tissue 154
 scratchiness 148
 seams 77, 87–8
 failure 77
 strength tests 219
 second-order differential equations 82
 self twist yarn models 35–7
 self-collision detection 134–5
 self-locking structure of yarns 180
 sensorial comfort 146–8, 153–4
 sensory perceptions 11, 14, 146–8, 308–9
 sensory receptors 147
 sensory-engineering 5, 8–9
 sewing 77, 87–8, 219
 shape memory polymers 169
 shear properties
 of fabrics 55–6, 203–4, 209–10
 of fibers 28, 173
 shearing force distribution 360–1
 shell theory 78–9
 Shirley fineness and maturity tester (FMT) 170
- shoe last 378–82
 difference between foot and last 379–80
 dimensions 380
 history 378–9
 materials 379
 plantar curvature 382
 sizing of footwear 380–1
 stick length 380
 toe boxes 381
 see also footwear
- shoe sizes 380–1
 shoe sole 377
 shoe uppers 376–7
- shortest path analysis 39–40
 silk 163–4
 simulations 243, 243–56, 260, 283–95
 ABAQUS software package 290–2, 301–2
 aerobic sportswear 392, 395–7
 analysis types 289
 AT715 software package 292–5
 boundary conditions 289, 291, 336, 351
 bras 325–6
 compression stockings 334–6
 constraints 289
 contact interactions 288–9
 contact mechanics 125–6
 dynamic systems 250, 289
 environment parameters 288
 equation system 248–50, 253–4
 Finite Element (FE) software packages 252–5, 290–2
 geometrical discretization 285–7, 291
 initial conditions 289
 integration methods 250–2
 of jeans 252–3, 307–8, 310
 load conditions 289, 291
 material properties 287–8
 nonlinear problems 250
 numerical solutions 250–3, 254–5
 preparations 283–7
 results analysis 302–3
 skirt simulation system 255–6
 of socks 350–4
 system components 243–8
 of walking 354–60
 see also visualization
- size
 of feet 381
 of fibers 21–2, 163, 170–2
 of garments 151
 of shoes 380–1
- skeletal system 95–7, 366–71
- skin 111–23, 223–35
 anisotropic behaviour 113
 biomechanical testing 223–33
 collagen fibers 112, 113
 compressibility 115
 constituents 111–12
 creep 115
 dermis 107, 147
 displacement 316
 elastin fibers 112, 113
 epidermis 107, 147
 frictional properties 233–5
 ground substance 112
 hairy skin 107
 inhomogeneous behaviour 112
 mechanical behaviour 111–16
 modeling 116–23
 nonlinear behaviour 114, 116–17
 plastic behaviour 114–15

- poroelastic model 121–3
- preconditioning 115
- pressure distributions 316
- scar tissue 154
- sensory receptors 147
- site dependent behaviour 112
- strain-energy function 116–17
- stress relaxation 115
- subcutaneous layer 107
 - and temperature regulation 101–8
 - viscoelastic behaviour 115, 117–19
 - quasi-linear 120–1
- skirt simulation system 255–6
- skull 95
- sliding contact interactions 288–9
- smart fibers 169
- sock material 349, 361
- socks 347–62
 - biomechanical modeling 349–60
 - boundary condition 351
 - design 361–2
 - for foot care 348–9
 - foot-sock interaction 350–2, 354–5
 - foot-sole interaction 349–50, 354–5
 - materials 349, 362
 - pressure comfort 360–1
 - pressure control 354
 - pressure measurement 349, 353–4, 359–60
 - shearing force distribution 360–1
 - simulations 350–4
 - of walking 354–60
 - sports socks 361–2
 - stress distribution 352–3
- sole of shoes 377
- Solospun yarn 180, 186
- space subdivision of collision 130–1
- Spandex 154–5, 168
- speed correction 143
- spinning methods 178–80
- sportswear *see* aerobic sportswear; bras
- staple yarns 37, 39, 44
- stiffness 22, 204–5
- stitch density 67
- storage and retrieval of data 258
- strain-energy function of skin 116–17
- strain-energy models 62–3
- strength of fabrics 218–19
- stress analysis of yarns 40
- stress distributions
 - bras 328
 - compression stockings 339–40
 - socks 352–3
- stress relaxation and skin 115
- stress-strain curves 25–6, 172
- stretch 76–7, 82–3, 217–18
 - and bras 322
 - and comfort 151–2
- structure of fibers 21–4
 - subcutaneous layer 107
 - submicroscopic structure of fibers 23
 - supramolecular models of fibers 31
 - surface contour of fibers 22
 - surface properties of fabrics 208, 211–13
 - synarthrosis joints 97
 - synovial joints 97
 - synthetic fibers 166–8
- tactile-pressure comfort 148–52
- tangential contact of 3D bodies 127–8
- tearing strength tests 219
- temperature
 - and body comfort 146
 - body regulation of 101–8
 - effects on fibers 27
- tendons 95
- tensile properties
 - of fabrics 54–5, 202–3, 209
 - of fibers 25–7, 172
 - of yarns 40, 190–2
- tensile tests 225–9
- tensile torsional model 44–6, 48
- tex units 21
- textile material modeling 12
- thermo-physiological reactions 146
- thermo-receptors 147
- thickness of fabrics 53, 201
- thighs 97
- thoracic cage 96
- tied contact interactions 288
- time-dependent properties of fibers 27, 30–3
- tissues 92, 94, 111, 156
- toe boxes 381
- toe length 374
- torsion meters 47
- torsional properties
 - of fibers 28, 173
 - of yarns 43–4, 192–3
- total Lagrangian formulation 78–9
- touch sensations 147–8
- toughness of fibers 26
- transverse plane 91–2
- triceps 98
- tricot knits 200
- Tubigrip 154–5
- TUPS (Tissue Ultrasound Palpation System) 231
- twist 86
 - of fabrics 57, 205–6
 - of fibers 28
 - of yarns 190, 201
- twistometers 225–7
- ulceration in diabetes 348
- upper limbs 96
- uppers of shoes 376–7
- urinary system 101

- vector fields 299–300
- veins 99
 - venous disorders 156–7, 342–3
- verification of models 48–9
 - see also* model validation
- vertebral column 95–6
- vicinity maps 132
- virtual fashion systems 7
- viscoelasticity 27, 31–3
 - of skin 115, 117–19
 - quasi-linear 120–1
- visualization 296–303
 - 3D surfaces 299
 - animation 300
 - charts and graphs 297, 298
 - contour maps 298–9
 - geometrical models 298–300
 - multidimensional 299
 - post-processing procedure 300–3
 - rendering 299
 - vector fields 299–300
 - volume visualization 299
- Voigt-Kelvin model 31–2
- volume collision detection 130
- volume visualization 299
- Voronoi domain 132

- walking 354–60, 369, 374–6
- warp knits 66, 68, 200
- wearer-trials 13, 153
- weave repeat 53
- weft knits 66, 199
- weight
 - of fabrics 53, 201
 - of garments 150
- width of fabrics 53, 201
- windy environments 108
- Wira measurement machine 171
- wool 163
- work of recovery 27
- work of rupture 26
- wound care 154
- woven fabrics 52–66, 199
 - back 53
 - balance 53
 - basic weave 199
 - bias direction 52
 - deformation 54–8
 - equilibrium formula 61
 - fabric count 53
 - face 53
 - modeling 58–64, 244
 - rheological behaviour 58, 65–6
 - structure 52–3
 - weave repeat 53
 - see also* fabrics; mechanical behaviour of fabrics
- wrap spun yarn 36

- yarns
 - abrasion resistance 196–7
 - compression tangent compliance 39
 - continuous filament yarns 37
 - continuum analysis 40–2
 - count 201
 - cross-section analysis 181
 - deformed structure 39–40
 - discrete fiber analysis 42–3
 - experimental verification of models 48–9
 - fiber distribution 37
 - fiber interlacing 186–9, 196–7
 - fiber mass compression equation 38
 - fiber path 35–7, 180–1
 - frictional forces 37–8
 - lateral strain 39
 - material properties 37–9
 - measurement methods 182–6, 190
 - mechanical properties *see* mechanical behaviour of yarns
 - modeling 35–49
 - packing density distribution 181–6
 - self-locking structure 180
 - shortest path analysis 39–40
 - spinning methods 178–80
 - staple yarns 37, 39, 44
 - stress analysis 40
 - structure 178–90
 - surface length 187–8
- Zweigle bagging test 220