

WOODHEAD PUBLISHING IN TEXTILES



Cotton: Science and technology

Edited by S. Gordon and Y-L. Hsieh



The Textile Institute

WP

Cotton: Science and technology

Related titles:

Total colour management in textiles

(ISBN-13: 978-1-85573-923-9; ISBN-10: 1-85573-923-2)

Managing colour from the design stage to the finished product can be a difficult activity as colour perception is subjective and can therefore be inconsistent. *Total colour management in textiles* covers all aspects of managing colour from the design stage to the final product ensuring that the designer's vision is fulfilled in the finished colour. Many new developments in the area of colour measurement and colour perception are discussed, including the sensory effect of colour for design and use in product development, and digital colour simulation.

Digital printing of textiles

(ISBN-13: 978-1-85573-951-2; ISBN-10: 1-85573-951-8)

At present the textile industry produces the majority of its 34 billion square yards of printed textile fabric by screen printing. However, in the digital age new developments in the digital printing of paper are now being adapted for the textiles market. This collection gives full coverage of all the current developments in digital textile printing. It is divided into four parts covering printer and print head technologies, printer software, digital printing colouration, and design and business for digital printing. It contains fundamental technical explanations along with current research.

Recycling in textiles

(ISBN-13: 978-1-85573-952-9; ISBN-10: 1-85573-952-6)

An increasing amount of waste is generated each year from textiles (including carpets and clothing) and their production. For economic and environmental reasons it is necessary that as much of this waste as possible is recycled instead of being disposed of in landfill sites. On average approximately ten million tonnes of textile waste is currently dumped in Europe and America each year. *Recycling in textiles* is the first book to bring together textile recycling issues, technology, products, processes and applications for all those in the industry who are looking for ways to recycle their textile waste.

Details of these books and a complete list of Woodhead's titles can be obtained by:

- visiting our web site at www.woodheadpublishing.com
- contacting Customer Services (e-mail: sales@woodhead-publishing.com; fax: +44 (0) 1223 893694; tel.: +44 (0) 1223 891358 ext.30; address: Woodhead Publishing Ltd, Abington Hall, Abington, Cambridge CB21 6AH, England)

Cotton: Science and technology

Edited by
S. Gordon and Y-L. Hsieh



The Textile Institute



CRC Press
Boca Raton Boston New York Washington, DC

WOODHEAD PUBLISHING LIMITED
Cambridge, England

Published by Woodhead Publishing Limited in association with The Textile Institute
Woodhead Publishing Limited, Abington Hall, Abington
Cambridge CB21 6AH, England
www.woodheadpublishing.com

Published in North America by CRC Press LLC, 6000 Broken Sound Parkway, NW,
Suite 300, Boca Raton, FL 33487, USA

First published 2007, Woodhead Publishing Limited and CRC Press LLC
© 2007, Woodhead Publishing Limited
The authors have asserted their moral rights.

This book contains information obtained from authentic and highly regarded sources. Reprinted material is quoted with permission, and sources are indicated. Reasonable efforts have been made to publish reliable data and information, but the authors and the publishers cannot assume responsibility for the validity of all materials. Neither the authors nor the publishers, nor anyone else associated with this publication, shall be liable for any loss, damage or liability directly or indirectly caused or alleged to be caused by this book.

Neither this book nor any part may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, microfilming and recording, or by any information storage or retrieval system, without permission in writing from Woodhead Publishing Limited.

The consent of Woodhead Publishing Limited does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific permission must be obtained in writing from Woodhead Publishing Limited for such copying.

Trademark notice: product or corporate names may be trademarks or registered trademarks, and are used only for identification and explanation, without intent to infringe.

British Library Cataloguing in Publication Data

A catalogue record for this book is available from the British Library.

Library of Congress Cataloging in Publication Data

A catalog record for this book is available from the Library of Congress.

Woodhead Publishing ISBN-13: 978-1-84569-026-7 (book)

Woodhead Publishing ISBN-10: 1-84569-026-5 (book)

Woodhead Publishing ISBN-13: 978-1-84569-248-3 (e-book)

Woodhead Publishing ISBN-10: 1-84569-248-9 (e-book)

CRC Press ISBN-13: 978-0-8493-9101-9

CRC Press ISBN-10: 0-8493-9101-6

CRC Press order number: WP9101

The publishers' policy is to use permanent paper from mills that operate a sustainable forestry policy, and which has been manufactured from pulp which is processed using acid-free and elementary chlorine-free practices. Furthermore, the publishers ensure that the text paper and cover board used have met acceptable environmental accreditation standards.

Project managed by Macfarlane Production Services, Dunstable, Bedfordshire, England
(e-mail: macfarl@aol.com)

Typeset by Replika Press Pvt Ltd, India

Printed by T J International Ltd, Padstow, Cornwall, England

Contents

<i>Contributor contact details</i>	<i>xi</i>	
<i>Introduction</i>	<i>xv</i>	
Part I The structure and properties of cotton		
1	Chemical structure and properties of cotton	3
	Y-L HSIEH, University of California, USA	
1.1	Introduction	3
1.2	Chemistry	3
1.3	Fiber development	7
1.4	Fiber strength	17
1.5	Conclusion	29
1.6	Acknowledgements	30
1.7	References and further reading	30
2	Physical structure and properties of cotton	35
	J W S HEARLE, University of Manchester, UK	
2.1	Introduction	35
2.2	Cotton morphology	35
2.3	Moisture absorption	40
2.4	Mechanical properties	46
2.5	Other physical properties	57
2.6	Sources of further information	62
2.7	Future trends	63
2.8	References	63
3	Cotton fibre quality	68
	S GORDON, CSIRO Textile and Fibre Technology, Australia	
3.1	Introduction	68
3.2	Length properties	70
3.3	Transverse properties	77

3.4	Tensile properties	81
3.5	Colour	84
3.6	Impurities in cotton	85
3.7	Moisture	92
3.8	Wax content	92
3.9	Microbial attack	94
3.10	Future trends	94
3.11	Sources of further information	95
3.12	References	95

Part II Production processes for cotton

4	The genetic modification of cotton	103
	S ORFORD, S DELANEY and J TIMMIS, The University of Adelaide, Australia	
4.1	Introduction	103
4.2	Advantages and limitations of conventional plant breeding	104
4.3	The molecular genetics of cotton	107
4.4	Genetic transformation of cotton	110
4.5	Genetic engineering in cotton	113
4.6	Recent experiments and future targets for genetic manipulation of cotton	116
4.7	Potential impacts of GM crops	119
4.8	Conclusions	122
4.9	Sources of further information	122
4.10	References	123
5	Organic cotton	130
	P J WAKELYN, National Cotton Council, USA and M R CHAUDHRY, International Cotton Advisory Committee, USA	
5.1	Introduction	130
5.2	World organic cotton production	131
5.3	Why organic cotton?	133
5.4	Production of organic cotton and how it varies from conventional cotton production	139
5.5	Post-harvest handling/processing of organic cotton	149
5.6	Limitations to organic production	154
5.7	Methods to improve organic cotton production	157
5.8	Certification	158
5.9	Naturally colored organic cotton	163
5.10	Conclusions	164
5.11	References	165
	Appendix 5.1	171
	Appendix 5.2	174

6	The harvesting and ginning of cotton	176
	W S ANTHONY, formerly United States Department of Agriculture, USA	
6.1	Introduction	176
6.2	Harvesting	178
6.3	Seed cotton storage	181
6.4	Gin machinery	183
6.5	Effect of gin machinery on cotton quality	196
6.6	Summary	198
6.7	Future trends	200
6.8	References	201
7	The opening, blending, cleaning and carding of cotton	203
	C LAWRENCE, University of Leeds, UK	
7.1	Introduction	203
7.2	Stage 1: pre-opening/pre-mixing	206
7.3	Stage 2: heavy particle detection and extraction	207
7.4	Stage 3: carding	217
7.5	Silver quality and quality control	225
7.6	References	238
8	Cotton spinning technology	240
	L HUNTER, CSIR and Nelson Mandela Metropolitan University, South Africa	
8.1	Introduction	240
8.2	Preparation for spinning	242
8.3	Combing	249
8.4	Roving	251
8.5	Spinning	253
8.6	Spinning limits and yarn irregularity	269
8.7	Yarn twisting (folding)	270
8.8	Winding, clearing and lubrication	271
8.9	Yarn steaming (setting)	272
8.10	Conclusions	272
8.11	References	272
9	Cotton knitting technology	275
	N UÇAR, Istanbul Technical University, Turkey	
9.1	The development of knitting technology	275
9.2	Terms used in knitting technology	276
9.3	Classification of knitting technology	284
9.4	Weft knitting technology	285
9.5	Warp knitting technology	302

9.6	Faults in knitted fabrics	316
9.7	Physical and mechanical properties of knitted fabrics	318
9.8	Production calculation	323
9.9	Conclusions	325
9.10	References	325
10	Cotton weaving technology	328
	I DORAISWAMY and A BASU, The South India Textile Research Association, India	
10.1	Introduction	328
10.2	Preparatory processes for weaving	329
10.3	Weaving process	332
10.4	Woven fabric	340
10.5	Modern weaving machines	342
10.6	Looms installed and weaving costs in selected countries	349
10.7	Future of weaving	350
10.8	Sources of further information	351
11	Dyeing cotton and cotton products	353
	D KING, CSIRO Textile and Fibre Technology, Australia	
11.1	Introduction	353
11.2	General principles	353
11.3	Direct dyes	357
11.4	Reactive dyes	358
11.5	Vat, sulphur and azoic dyes	359
11.6	Exhaust dyeing of cotton	364
11.7	Semi-continuous dyeing	367
11.8	Continuous dyeing of cotton fabrics	368
11.9	Printing of cotton fabrics	369
11.10	Environmental aspects of dyeing cotton	372
11.11	Future trends	373
11.12	Sources of further information	376
11.13	References	376
Part III Quality and other issues		
12	Testing cotton yarns and fabrics	381
	L HUNTER, CSIR and Nelson Mandela Metropolitan University, South Africa	
12.1	Introduction	381
12.2	Yarn testing	382
12.3	Fabric testing	398
12.4	Colourfastness	411

12.5	Weathering test	414
12.6	Dimensional stability	414
12.7	Abrasion resistance	415
12.8	Fabric strength	418
12.9	Miscellaneous tests	419
12.10	General	421
12.11	Conclusions	421
12.12	References	422
13	Controlling costs in cotton production	425
	T TOWNSEND, International Cotton Advisory Committee, USA	
13.1	Introduction	425
13.2	The economic importance of cotton	425
13.3	Production	426
13.4	Consumption	434
13.5	Trade	441
13.6	Government measures	449
13.7	Prices	452
13.8	Future trends	453
13.9	Sources of further information	454
13.10	References	455
	Appendix	456
14	Health and safety issues in cotton production and processing	460
	P J WAKELYN, National Cotton Council, USA	
14.1	Introduction	460
14.2	Cotton production	462
14.3	Harvesting and ginning	466
14.4	Yarn and fabric manufacturing	467
14.5	Wet processing (preparation, dyeing and finishing)	470
14.6	Consumers	479
14.7	Future trends	479
14.8	References	479
15	Recycling of cotton	484
	B J COLLIER, J R COLLIER, Florida State University, USA, S PETROVAN, University of Tennessee, USA and I I NEGULESCU, Louisiana State University	
15.1	Introduction	484
15.2	Textile life cycle and waste treatment choices	484
15.3	Cotton sources	487
15.4	Mechanical reprocessing	489

x	Contents	
15.5	Chemical recycling	490
15.6	Future trends	496
15.7	Sources of further information	498
15.8	References	498
16	Nonwoven technology for cotton	501
	G BHAT, University of Tennessee, USA	
16.1	Nonwovens	501
16.2	Production of nonwovens	503
16.3	Fibers used in nonwovens	512
16.4	Finishing and treatment of cotton nonwovens	523
16.5	Future trends	524
16.6	Conclusions	525
16.7	References	526
	Index	528

Contributor contact details

(* = main contact)

Editors

Dr Stuart Gordon
CSIRO Textile and Fibre Technology
P.O. Box 21
Belmont, VIC 3216
Australia

E-mail: stuart.gordon@csiro.au

Dr You-Lo Hsieh
Division of Textiles and Clothing
University of California
One Shields Avenue
Davis, CA, 95616-8722
USA

E-mail: ylhsieh@ucdavis.edu

Chapter 1

Dr You-Lo Hsieh
Division of Textiles and Clothing
University of California
One Shields Avenue
Davis, CA, 95616-8722
USA

E-mail: ylhsieh@ucdavis.edu

Chapter 2

Professor John W. S. Hearle
The Old Vicarage
Mellor
Stockport
Cheshire SK6 5LX
UK

E-mail: johnhearle@hearle.eclipse.co.uk

Chapter 3

Dr Stuart Gordon
CSIRO Textile and Fibre Technology
P.O. Box 21
Belmont, VIC 3216
Australia

E-mail: stuart.gordon@csiro.au

Chapter 4

Sharon Orford,* Sven Delaney and
Jeremy Timmis
School of Molecular and Biomedical
Science
The University of Adelaide
South Australia 5005
Australia

Email: sharon.orford@adelaide.edu.au
jeremy.timmis@adelaide.edu.au

Chapter 5

Dr Phillip J. Wakelyn*
National Cotton Council
1521 New Hampshire Ave
NW Washington, DC 20036-1205
USA

E-mail: PWAKELYN@cotton.org

Dr M. Rafiq Chaudhry
International Cotton Advisory
Committee
1629 K Street, Suite 702
Washington, DC 2006
USA

E-mail: rafiq@icac.org

Chapter 6

Mr W. Stanley Anthony
USDA-ARS Cotton Ginning Research
Unit (Retired)
2750 Ascot Place
Greenville, MS 38701
USA

E-mail: anthonywsa@aol.com

Chapter 7

Professor C. Lawrence
School of Design
University of Leeds
Woodhouse Lane
Leeds LS2 9JT
UK

E-mail: c.a.lawrence@leeds.ac.uk

Chapters 8 and 12

Dr Lawrance Hunter
CSIR and Nelson Mandela
Metropolitan University
P O Box 1124
Port Elizabeth 6000
South Africa

E-mail: lhunter@csir.co.za
lawrance.hunter@nmmu.ac.za

Chapter 9

Nuray Uçar
Istanbul Technical University
Faculty of Textile Technology and
Design
Textile Engineering Department
nönü Caddesi 87
Gümü suyu 34437
Beyo lu
Istanbul
Turkey

E-mail: ucarnu@itu.edu.tr

Chapter 10

Ms Indra Doraiswamy* and
Dr Arindam Basu
The South India Textile Research
Association
Post Box No. 3205
Coimbatore Aerodrome Post
Coimbatore – 641 014
India

E-mail: sitra@vsnl.com

Chapter 11

Dr David King
CSIRO Textile and Fibre Technology
Textile & Fibre Technology – Belmont
Colac Road
Belmont VIC 3216
Australia

E-mail: David.king@csiro.au

Chapter 13

Mr Terry Townsend
Executive Director
International Cotton Advisory
Committee
1629 K Street, N.W., Suite 702
Washington DC 20006-1636
USA

E-mail: terry@icac.org

Chapter 14

Dr Phillip J. Wakelyn
National Cotton Council
1521 New Hampshire Ave
NW Washington, DC 20036-1205
USA

E-mail: PWAKELYN@cotton.org

Chapter 15

Dr Billie J. Collier*
Dean
College of Human Sciences
242 Sandels Building
Florida State University
Tallahassee, FL 32306-1490
USA

E-mail: bcollier@fsu.edu

Dr Simioan Petrovan
The University of Tennessee
432 Dougherty Engineering Building
1512 Middle Drive
Knoxville, TN 37996-2200
USA

E-mail: petrovan@utk.edu

Dr John R. Collier
Department of Chemical and
Biomedical Engineering
A-156 Engineering
FAMU-FSU College of Engineering
2525 Pottsdamer Street
Florida State University
Tallahassee, FL 32310-6049
USA

E-mail: john.collier@eng.fsu.edu

Dr Ioan I. Negulescu
Louisiana State University Center
232 Human Ecology Building
Louisiana State University
Baton Rouge, LA 70803
USA

E-mail: Inegulescu@agcenter.lsu.edu

Chapter 16

Dr Gajanan Bhat
The University of Tennessee
204 TANDEC Building
1321 White Avenue
Knoxville, TN 37996-2200
USA

E-mail: gbhat@utk.edu

Cotton fiber is the purest source of cellulose and the most significant natural fiber. The economic significance of cotton in the global market is evident by its majority share (over 50%) among fibers for apparel and textile goods. Both the market value and the quality of cotton products are directly related to fiber quality. Competition with other fibers is affected by innovations and commercialization of other fibers including microdenier (polyesters and nylons), elastomeric (spandex), and lyocell fibers, among others. Fundamental understanding of the fibers (structural formation during development, chemistry, physics), significant improvement in fiber quality as well as in process innovation and product differentiation are critical to uphold the inter-fiber competitiveness of cotton fibers and the share of cotton fibers in the global apparel and other textile markets.

Part I of this book focuses on the chemical and physical properties of cotton fibers. The most essential cotton fiber qualities related to mechanical processing, i.e. traditionally yarn spinning, weaving, and knitting, are length, strength, fineness and their distributions. The ranking importance of these fiber qualities varies with the type of yarn spinning method, such as ring, rotor, and air-jet. These fiber qualities also determine the yarn strength, yarn regularity, handle and luster of fabrics. For chemical processing such as scouring, dyeing and finishing, fiber structure related to maturity, or the level of development, plays a major role. This is largely due to the impact of the noncellulosic cell wall components and the cellulose in the secondary cell wall on these chemical processes.

In order to develop effective strategies for fiber quality improvement and for innovative processing and product development, the developmental linkages between these chemical and physical properties and particular fiber qualities need to be identified. The relationship between cell wall development and fiber structure and properties has only gained attention more recently. Findings from some of these systematic studies linking fiber structures and strength with stages of fiber development and genotypes are detailed in Chapter 1. Chemical properties of cotton are discussed in both Chapters 1 and 2. The chemical structures and reactions are detailed in Chapter 1 whereas the

effects of moisture, mercerization, swelling and resin-treatments are included in Chapter 2.

The strength of cotton fibers is attributed to the rigidity of the cellulosic chains, the highly fibrillar and crystalline structure, and the extensive intermolecular and intramolecular hydrogen-bonding. Chapter 2 includes detailed discussion of mechanical properties, including tensile strength, fracture and fatigue, and structural mechanics as well as other physical properties such as thermal, electric, friction and optical. The majority of strength data have been based on bundle strength, such as that generated by the Stelometer or high volume instruments (HVI) in recent years.

The understanding of structural origins of fiber properties such as strength and dyeability is fundamental to competitiveness and future development of quality cotton goods. However, significant challenges remain today partly due to the variability of the cotton fibers, a common characteristic of a natural product. Even the complex strength relationships between single fibers and bundles or fibers and yarns are not completely clear. For example, fibers shorter than 12.7 mm make little contribution to yarn strength. Fiber elastic behavior (elongation) and inter-fiber frictional characteristics may also contribute to yarn strength, but their association with strength has not yet been systematically studied.

The fiber properties that determine the market value of cotton are discussed in Chapter 3 along with the test methods used to measure these properties, and caveats associated with each method. Currently around 30% of the world's cotton is objectively tested using HVI¹. The remaining 70% is largely classed subjectively by humans against physical cotton standards. The USDA Universal Cotton Standards are used in over twenty countries to class and determine the value of cotton for trade and spinning. Other national standards and merchant 'shipper type' standards are also used to ascribe value to traded cotton. International efforts to expand the use of objective testing and to develop fast and accurate test methods for important properties such as fiber fineness and maturity, trash content, neps and stickiness continue. Other important qualities to the spinner and dyers such as the wax layer that envelopes the fiber, moisture uptake and microbial decay are also discussed in Chapter 3.

In Part II, the production (growing of cotton) and processing of cotton fiber and fabric are described. Genetic modification or transformation of cotton plants via molecular genetic approaches has resulted in the introduction of pest-tolerant, and herbicide-resistant traits to cotton. A brief history and introduction to the science behind genetic modification of cotton, including traditional plant breeding is given in Chapter 4. The new traits introduced to cotton via molecular genetic modification have improved crop productivity and significantly reduced the reliance by cotton on some insecticides. Around a third of all cotton grown in the world is now genetically modified. However,

despite the potential of genetically modified crops, there remain significant technical hurdles to overcome before many of the promises and claims made for genetically modified cotton are realized. Genetic transformation, that is the artificial insertion of a single foreign gene or a few genes into a plant's genome, requires two fundamental steps: Introduction of the new gene and regeneration of intact plants. Both steps have numerous constraints, and not least is the understanding of the role inherent genes have in their own chromosome set. Future genetic manipulation of cotton is aimed at realizing better fiber quality, increased resistance to pests and diseases, and improving the ability of the cotton plant to grow under adverse water, heat and nutrient conditions.

Like genetically modified cotton, organic cotton generates much debate on its worth to society. There continues to be worldwide interest in organic cotton on the basis that it is an environmentally friendly and cost-effective way to produce cotton. Production of organic cotton has recently increased to about 0.1% or about 110,000 bales of world cotton production, mainly due to increased production in Turkey as well as India, China and some African countries. Based on the facts available, growing organic cotton is more expensive to produce than conventional cotton if the same nutrient and pest management equivalents are used to ensure comparative yield and quality outputs. Viewed from this perspective organic cotton production practices are not necessarily more environmentally friendly or sustainable than current conventional practices. Management of organic cotton, from production through textile processing, is discussed in Chapter 5 and compared with conventional practices. How organic cotton is certified and organized as an industry segment is also discussed, along with the limitations of organic cotton production practice that need to be overcome if organic cotton is to become more than a small niche product.

Harvest and ginning processes are discussed in Chapter 6. These processes, which represent the first steps in the conversion of fiber to fabric, have a significant influence on the quality of the fiber realized from a crop. Enormous differences exist in harvest and ginning processes across the cotton world. Harvest methods range from totally hand-harvested crops in some countries to totally machine-harvested in others with only the United States, Australia and Israel harvest methods being fully mechanized. The principal function of the cotton gin is to separate lint from seed and produce the highest monetary return for the resulting lint (fiber) and seed under the marketing conditions that prevail. Currently the market rewards whiter, cleaner cotton with a certain traditional appearance of the lint known as preparation. Preparation is a relative term describing the amount of cleaning or combing given to cotton so that it matches official (USDA) physical grade standards upon which cotton is valued. However, these properties are more often not as important to the final product as the focus at the gin and across the merchant

desk would attest. The majority of spinners prefer fiber that is long, even in length, strong, fine and without high proportions of nep and short fiber. These last two parameters are unfortunate characteristics of cotton harvested and ginned by mechanized means. Whilst not included in existing classification systems for cotton, the presence of nep and short fiber seriously affects the attractiveness of some cotton produced in the USA and Australia, which utilize automated harvesting and ginning systems.

Cotton accounts for the bulk of the raw material used in the very large short-staple spun yarn market, despite rapid incursion of synthetic fibers into the textile market over the last 35 years. The proportion is considerably less in the non-woven market, although the potential for increased use on the basis of cotton's natural attributes is high. Opening and carding, spinning, knitting, weaving and non-woven production processes are described respectively in Chapters 7 to 10 and 16. Whilst the basic mechanics of these processes, which evolved from hand-operated machines and tools, some used over 6000 years ago, have not changed greatly, speed, efficiency and thus productivity have increased dramatically. For example, cotton carding machines processing fiber at 70 kg per hour just over ten years ago now process fiber in excess of 200 kg per hour, and modern yarn spinning technologies, like the Murata Vortex Spinner (MVS) enable yarn to be spun at speeds in excess of 400 m per minute. Likewise the productivity of knitting and weaving machines has increased. Chapters 7 and 8 cover the various processes and technologies involved in the conversion of raw cotton fiber into yarn suitable for subsequent fabric manufacturing. Chapters 9, 10 and 16 cover the major cotton fabric formation processes, which are most commonly knitting and weaving processes, as well as the newer non-woven processes. In the last few decades non-woven fabrics have become more popular, and currently represent the fastest growing sectors of textile materials, particularly in the market for single use, or disposable products.

Coloration of cotton is a well-developed industrial process to add value. Chapter 11 discusses the common classes of dyes and dyeing and printing methodology. Dyeing involves the diffusion of dyes into the non-crystalline regions of the highly crystalline cellulose structure in the cotton fibers, thus favoring elongated and coplanar dye structures. Retention or substantivity requires strong secondary forces and/or chemical bonding with the hydroxyl functional groups of cellulose. Improvement of dye affinity to cotton, reduction of chemical effluents from dyeing as well as development of dyes that serve other functions are among some of the current trends.

Survival in today's textile market relies on knowledge of raw material costs, the maintenance of product quality, health and safety issues and recycling (cradle-to-grave) processes associated with the manufacture of cotton products. Part III of this book provides insight into the science and technology that influences and is used in these areas. In the highly competitive global textile

market, the survival of a textile company depends greatly upon its ability to meet demanding quality specifications within acceptable price and delivery time frames. Chapter 12 deals largely with the objective or instrument testing of yarn and fabric physical and related properties inasmuch as they relate to their subsequent performance in textile processing and end-use performance. Whilst, generic or general testing of yarns and fabrics is carried out irrespective of their end-use to ensure consistency in production, specific tests are also conducted to determine the performance of fabric or yarn for specific and especially critical end-uses. For example, for fabric to be used in children's nightwear, flammability is of paramount importance, whereas for fabrics used in parachutes, bursting and tear strength, impact resistance and air permeability are critically important.

Chapter 13 covers world cotton and cotton textile production and the influence of technological advances on productivity, and on consumer supply and demand for cotton. Government subsidies have a significant and distorting influence on production and the final price paid for cotton. The distorting effects of these subsidies, which are created in response to local political pressures in each country, are also discussed. World cotton production and consumption are currently trending higher under the influence of new technologies, including the use of genetically modified cotton varieties. World cotton production reached 26 million tons in 2004/05 with the cost of production for most producers falling between 50 and 60 US cents per pound. International cotton prices have declined in real terms over the last six decades because of advances in technology, and this process is continuing. In the 20 to 25 years to the mid-1990s, the average world price of cotton was 70 cents per pound, but the average international price during the current decade is expected to stay between 50 and 60 cents per pound, in line with the costs of production for most producers.

Health and safety are key components of responsible production and processing of cotton and of a responsible management system for cotton operations. Workers handle and process cotton in many work operations from planting the cottonseed, to the finished cotton textile, i.e. from production, harvesting, ginning, yarn and fabric manufacturing, and preparation, through to dyeing and finishing. Each cotton industry sector has its own particular health and safety considerations. Chapter 14 covers the pertinent health and safety issues for each sector of the cotton industry.

Environmental conservation from the perspective of preserving expensive produced cotton, reducing disposed wastes and regenerating new usage from spent cotton goods is of significant concern today. Chapter 15 discusses issues related to the recycling of cotton textiles including reuse, disposal, landfill and incineration. Life cycle analyses of cotton require the examination of the environmental impact of cotton production, energy consumption in processing and disposal. The sources of cotton as well as the processing

methods for recycling are detailed in this chapter. The ultimate conversion of cotton cellulose requires chemical processing or dissolution and remains a technological challenge.

Reference

1. McDill, N.R., Commercial Standardization of Instrument Testing of Cotton, *Proceedings of the EFS[®] Systems Conference*, 7pp., 2004