

- abrasion resistance 342
 - testing for fabrics 415–18
 - testing for yarn 396
- Accelerotor 417–18
- acetylcellulose 495
- acid catalysts 6
- acid delinted seed 155
- acidic oxycellulose 6
- acids 414
- Advanced Fibre Information System (AFIS) 75
- advanced timing 290
- Africa 430, 433, 436, 445
- aftertreatments 358
- Agricultural Market Service (AMS) 160–1
- agriculture
 - harvesting *see* harvesting
 - health and safety 462–6
 - equipment and machinery 462–3
 - heat stress 465–6
 - worker protection standard for pesticides 463–5
 - organic cotton *see* organic cotton
 - US NOP list of allowed and prohibited substances 171–3
- Agrobacterium*-mediated transformation 111, 112, 113
- air contaminants standards 478
- air-jet spinning 69, 254, 255, 256, 265–6
- air-jet weaving 343–4
- air-laid nonwovens 504, 505–6
- air line cleaners 188
- air permeability 321
- air-type lint cleaners 192, 197–8
- algal-bacterial cellulose 25
- alizarin 360
- alkalis 414
- allergic contact dermatitis (ACD) 475
- allopolyploid *Gossypium* species 105
- allotetraploid cotton 104–5
- alpha cellulose 3, 5, 487
- American Conference of Governmental Industrial Hygienists (ACGIH) 461
- amines, carcinogenic 471–2, 473, 474–5
- anhydroglucose units 5
- antimony oxide 476
- Aphis gossypii* 90
- apparel *see* clothing
- appearance
 - fabric 399, 410
 - yarn 395
- applicator roll bonding method 510
- apron drafting 244, 245, 246, 252
- area under cotton 426–8, 456–9
- Asia 433, 436
- aspect ratios (length-to-width ratios) 9
- Atlas lapping fabrics 315
- Australia 429, 430, 433, 445
 - best management practice (BMP) 460
- autolevellers 219–20, 242, 248–9
 - autolevelling at the card 234–8
- automatic bale opener 206–7
- azo dyes 153, 363
 - health and safety 471–2, 473, 474–5

- azoic dyes 359–60, 363–4
- Bacillus thuriensis* (Bt) cotton 113–14, 120–1, 130, 155
- bale packaging 195–6
- bale press 195
- bales 203
- bark 85
- batch kier washing system 470
- beam dyeing machine 364, 365
- bearded needles 291
- beating-up 334, 339
- beck (winch) dyeing machine 364–5, 366
- bed sheets 525
- Bemisia tabaci* 89–90
- bending rigidity 50, 320–1
- benzidine-based dyes 474
- bicomponent binder fibres 518–20, 521
- bicomponent spinning 261
- bicomponent yarns (bound yarns) 261
- bifunctional dyes 375
- biodegradable binder fibres 518–20, 521
- biodiversity 121
- biodynamic agriculture 130
- biolistic bombardment 111
- biological agriculture 130
- biological control agents 146
- biological neps 86–8
- biotech cotton *see* genetic modification
- biphasic character 26–7
- birefringence 59–60
- bleached cotton 514–15
- bleaching 152
- blending 151, 204, 205, 210–12, 246
 - formulation of fibre blends 212
 - proportions of a fibre blend 212
- block printing 369
- blowroom 203–39
 - carding xviii, 203–5, 217–25
 - heavy particle detection and extraction 205, 207–17
 - blending/mixing 204, 205, 210–12
 - effectiveness of opening and cleaning systems 215–17
 - intensive opening and cleaning 213–15
 - pre-cleaning 205, 209–10
 - pre-opening/pre-mixing 205, 206–7
 - sequence of operations 204–5
 - sliver quality and quality control 225–38
- boll maturation 148–9
- boll weevil
 - eradication programme 154–5
 - yield losses caused by 142
- Bollgard 113–14
- Bollgard II 120, 121
- bonding 504, 508–11
 - chemical 504, 509–11, 518
 - mechanical 504, 508–9, 516–17
 - thermal 504, 511, 512, 518–20, 521
- Brazil 350, 429, 430, 438, 444
- breaker drafting (break-draft) 242, 243, 244
- breaker drawing 243
- breaking elongation/extension 54, 83, 386, 387
- breaking force (breaking strength)
 - fibre 19, 20, 21–3, 54, 81–2
 - and crystallinity 28–9
 - yarn 386–7
- Bremen Cotton Exchange 139
- broken fibre content (BFC) 77
- brominated flame retardants 476
- Bt cotton 113–14, 120–1, 130, 155
- bundle strength 18, 82–3
- bur machines 189
- burst resistance 342
- bursting strength 418
- 1-butyl-3-methylimidazolium chloride ([C₄mim]Cl) 493–4
- byssinosis 469–70
- [C₄mim]Cl 493–4
- calender rollers 518
- cam positions 298–9
- cam system (knitting system) 282
- cams
 - cam shedding 334–5
 - knitting machines 291–2, 293
- carbonisation 496
- carboxymethylation 524
- carcinogenic amines 471–2, 473, 474–5

- card sliver *see* sliver
 card web 218, 222–3
 carded yarns 241
 carding xviii, 203–5, 217–25, 504–5
 basic principle 217
 drafts equations 223–4
 production equation 224–5
 revolving flat card 217–25
 zone I 217, 219
 zone II 217, 219–20
 zone III 217–18, 221–2
 zone IV 218, 222–3
 cationic cotton dye analogue 374
 cationisation 373–5
 cauliflower mosaic virus (CaMV) 355
 promoter 116, 117
 caustic soda (sodium hydroxide) 152
 cavitoma (microbial attack) 94
 cell growth 7–9
 cellulose 3
 chemical products 494–6
 chemistry and reactions 5–6
 composition of cotton 3–4
 crystalline structure 23–7
 heating effects 6–7
 microcrystalline (micronised) 496
 molecule and crystalline fibrils 35–7
 cellulose I lattice 23–7, 36–7
 cellulose II lattice 40
 cellulose synthase genes 115, 117
 certification 131, 158–63
 chalazal fibres 14, 20
 changeable cam 292, 293
 chemical bonding 504, 509–11, 518
 chemical fibres 439–40
 see also chemical recycling
 chemical finishing 523
 chemical recycling 490–6, 497–8
 conversion to chemicals 494–6
 ionic liquids 493–4, 497
 lyocell 490–2, 497
 chemical structure and properties xv–xvi,
 3–34
 cellulose chemistry and reactions 5–6
 chemical composition 3–5
 fibre development 7–17
 desiccation and dehydration 9–13
 fibre structures during cell growth
 7–9
 structural variations 13–15
 twist and convolution 15–17
 fibre strength 17–29
 crystalline structure of cellulose
 23–7
 single fibre strength 17–23
 strength and crystalline structure
 relationship 28–9
 heating effects 6–7
 China 350, 454
 consumption 437, 438
 government support 452
 production 428, 429
 trade 442, 446–7
 chlorinated water colourfastness 413
 chlorine bleaching 152
 Churka gin 191
 chute feed 217, 218, 219
 Cibacron dyes 358, 373, 375
 circular knitting machines 286–96
 arrangement of machine parts 286–7
 basic fabric types 295–6
 comparison with V bed flat knitting
 machines 285–6
 main machine parts 291–4
 stitch formation 287–90
 circular weaving 351
 classing 68–70
 cleaning 203–5
 impact on fibre quality 196–8
 intensive opening and cleaning
 213–15
 estimation of effectiveness
 216–17
 lint cleaners *see* lint cleaners
 seed cotton 188–90
 efficiency 189–90
 cleaning efficiency (CE) 216–17
 sliver quality and quality control
 225–7
 clearing 91, 271–2
 closed lap 283–4
 closed-loop autolevellers 235–6, 237,
 249
 clothing 139

- fabric for 398–9, 410
 - utility-value analysis graphics 402
- cold pad-batch process 367–8, 369
- collapse 38–9
- colour 84, 176
 - colour in effluent 373
 - dyeing *see* dyeing
 - naturally coloured cotton 163–4, 515
- colourfastness 411–14
- comb-sorter arrays 73
- combed yarns 241
- comber 515–16
- combination bur and stick (CBS)
 - machine 189
- combing 241, 248, 249–51
- Commonwealth Scientific and Industrial Research Organisation (CSIRO) 81, 105
- compact (condensed) spinning 258, 259–60
- composite webs 496–7, 498
- compound needles 291
- Conrad method for wax content 93
- conservation tillage 138
- constitutive promoters 117
- consumers 479
- consumption 434–41, 454, 456–9
 - inter-fibre competition 438–41
 - mill consumption 434, 437–8
 - retail consumption 436–7
- contamination 91–2
- continuous batt system 470
- continuous dyeing 368–9
- continuous pad-steam process 362–3
- controlled-batt saw lint cleaner 192–4, 198
- convolution angle 15–16, 17, 53–4
- convolutions 9, 10, 15–17, 38–9
 - structural mechanics 53–4, 56
- cord let-off mechanism 307
- costs of production 138, 430–4, 454
 - lack of information and organic production 155–6
 - weaving 349–50
- Cotlook A index 452–3, 454
- cotton α -globulin promoter 116, 117
- cotton dust 469–70
- Cotton Incorporated 435
- cotton/polyester blends 491
- cotton-ramie-wood cellulose 25
- Cotton Seal 513–14
- Cottonscan 81
- count (linear density) 384
- course 279, 281
- course density 280, 281, 323
- cover factor 282, 319, 323, 341
- coverstock 518
- crease recovery 399–403
- crimp 39, 341
- crockmeters 412
- crop protection products 135, 136–7, 140, 142–3
 - US NOP list of allowed and prohibited chemicals 171–3
- crop rotation 140, 146
- cross-section of fibre 12–13, 38–9
- cry* toxin genes 113–14
- crystallinity 6–7, 23–7
 - cellulose molecule and crystalline fibrils 35–7
 - and fibre strength 28–9
 - structural mechanics 55–6
- crystallite size 25, 28–9
- cultivation *see* agriculture
- curling 320–1
- Currency of Francophone Africa (CFA) zone 445
- Cusick's drapemeter 408, 409
- cylinder cleaners 188, 189
- daylight test 411–12
- decomposition 6–7
- defoliation 148–9, 154
- degree of polymerisation (DP) 491–2, 496
- degree of substitution (DS) 495
- degree of thickening 79
- dehydration 6
 - fibre development 9–13
- delayed timing 290
- denim waste 490
- density 40, 394
 - change and swelling 43
- denting 331–2

- depolymerisation 496
- derivatisation 494–6
- dermatitis 475
- desiccation 9–13
- developing countries
 - consumption 435, 437–8
 - costs of production 430–3
 - cotton production 426, 429
- Dewas system 345, 346
- diameter, yarn 324, 393–4
- diammonium phosphate (DAP) 523–4
- o-dianisidine 474
- dichlorodiphenyltrichloroethane (DDT) 463
- dielectric constant 57–8
- digital cameras 89
- dimensional behaviour 318–19
- dimensional stability 414–15
- dimethyloldihydroxyethyleneurea (DMDHEU) 524
- diploid *Gossypium* species 104
- direct dyes 357–8
- direct gene delivery systems 111
- direct pressure control 245
- direct warping 329
- directly absorbed water 44–5
- discharge printing 372
- disease 142
 - control/management 147, 172–3
 - resistance 118
- disposal 486–7
- DNA markers 106–7
- dobby shedding 335–6
- doffer 218, 222–3
- doffer web 222
- Doha Round 452
- double jersey fabric 279
- double-lift double-cylinder Jacquard 337–8
- double-lift negative doobby 335–6
- double-lift single-cylinder Jacquard 337
- double rapier weaving machines 345–6
- doubling 242, 246
- drafting 242–9
 - drafting force 247–8
 - drafting waves (irregularities) 244, 247, 390
- drafts equations 223–4
- drape 322, 342, 407–10
- drape coefficients 408, 409
- drawing 242–9
 - drawing-in 330–1
- DREF friction spinning machines 266, 267
- dried fibres 19
- Drimarene dyes 373
- drop wire 332–3
- drying of seed cotton 185–8
- dry-laid nonwovens 504–6
- dust 197, 198
 - content and sliver quality 225–7
 - from dye handling operations 471–2
 - inhalation/respiratory disease (cotton dust) 469–70
- dyeing xviii, 353–77, 515
 - ACD allergens 475
 - azoic dyes 359–60, 363–4
 - chemicals allowed and prohibited 174–5
 - continuous dyeing 368–9
 - direct dyes 357–8
 - environmental aspects 372–3
 - exhaust dyeing 364–7
 - future trends 373–6
 - general principles 353–7
 - effect of temperature 357
 - electrostatic effects and use of salt 355
 - equilibrium and dye structure 353–5
 - equilibrium and liquor ratio 356
 - organic cotton 152–3, 174–5
 - potential hazards 471–5
 - printing 369–72
 - reactive dyes *see* reactive dyes
 - semi-continuous dyeing 367–8
 - sulphur dyes 359–60, 362–3
 - vat dyes 359–62
- E6* gene 118
- Eastar *Bio* fibres 518–20, 521
- Eastern Europe 437
- ECOCERT International 163
- ecolabels 139, 153

- Ecological and Toxicological Association of Dyes and Organic Pigments Manufacturers (ETAD) 152
- economics of cotton xix, 425–59
 consumption 434–41, 454, 456–9
 costs of production *see* costs of production
 economic importance of cotton 425–6
 future trends 453–4
 global cotton supply and use 456–9
 government measures xix, 433, 449–52
 prices xix, 425, 441, 447–8, 452–3, 454
 production xix, 131–3, 425, 426–34, 456–9
 trade 434–5, 441–9, 453, 454
- edge abrasion 416, 417
- effective cleaning (EC) 217
- efficiency of cleaning and extraction 189–90
- effluent, colour in 373
- elastic recovery 48–9
- elasticated fabrics 312
- electrical properties 57–9
- electronics in weaving 338, 340, 351
- electro-optical assessment 89
- electrostatics 57–8
 dyeing 355
- EliTwist system 258–9
- elongation (fibre development) 7, 8
- ending stocks, global 456–9
- environment 479
 dyeing and 372–3
 dyeing and finishing of organic cotton 152–3
 life cycle analysis 484–5
- environmentally improved textiles products (EITP) 491
- equilibrium, dyeing
 and dye structure 353–5
 and liquor ratio 356
- equipment safety 462–3
- esterification 5–6, 495
- etherification 5–6, 495
- Europe 433, 436
- European Union (EU) 430
 regulation of organic cotton 159–60
 support for production 449
- evenness *see* irregularity
- exhaust dyeing 364–7
- export programmes 451
- exporters 443–5
- exports 441, 456–9
- expressed sequence tags (ESTs) 108
- extension
 breaking extension 54, 83, 386, 387
 fibril extension and fibre extension 55
- extractor-feeders 189, 190
- extractors 188, 189
 efficiency 189–90
- fabric hand/handle 322, 342, 399, 410–11
- fabric objective measurement (FOM) 410–11
- fabric strength, testing 418–19
- fabric take-down system 294, 295
- fabric testing xix, 398–421
 abrasion resistance 415–18
 colourfastness 411–14
 dimensional stability 414–15
 drape 407–10
 fabric stiffness 406–7
 fabric strength 418–19
 FOM and handle 410–11
 miscellaneous tests 419–21
 pilling propensity 404–6, 407
 surface smoothness after repeated laundering 404
 weathering test 414
 wrinkle and crease recovery 399–403
- fabric thickness 319
- fabric weight 341
- fabric width 323
- fabrics 139
 faults in knitted fabrics 316–18
 manufacture 151–2
 health and safety 467–70
see also knitting; nonwovens;
 weaving
 properties 401
 classification 399, 401

- knitted fabrics 301–2, 314–16, 318–22, 401
- woven fabrics 341–2, 401
- requirements and end-uses 398, 400
- types of knitted fabrics
 - circular knitting machines 295–6
 - Raschel knitting machines 313, 314
 - Tricot knitting machines 309
 - V bed flat knitting machines 300–1
- fall plate technique 312, 313
- FAST (Fabric Assurance by Simple Testing) system 411
- fatigue 51–3
- faults
 - in knitted fabrics 316–18
 - yarn 392–3
- FbL2A* gene 118
- feed control 185
- feed roller 217, 219
- feeder density 282
- fertilisation 137–8, 142–3, 144, 158, 173
- fibre development 7–17
 - desiccation and dehydration 9–13
 - fibre structures during cell growth 7–9
 - structural variations 13–15
 - twist and convolution 15–17
- fibre fineness 13, 15, 77–8, 212
 - measurement 79–80
 - separating maturity and fineness 80–1
- fibre hooks 248
- fibre length 13, 15, 40, 70–7, 197, 198, 212, 514
 - and fibre strength 20–1
 - measurement 72–5
 - short fibre content 75–7
 - uniformity 75
- fibre migration 268–9
- fibre modulus 46, 55–6
- fibre quality xvi, 68–100, 176
 - colour 84
 - cotton classing 69–70
 - development of instrument test methods 70
 - future trends 94–5
 - impurities 85–92
 - length properties 70–7
 - microbial attack 94
 - moisture 92
 - tensile properties 81–3
 - transverse properties 77–81
 - wax content 92–4
- fibre-specific promoters 118
- fibre strength 17–29, 46–8, 212, 514
 - relationship to crystalline structure 28–9
 - single fibre strength 17–23
 - time effects 50
- Fibrogram 73–4
- Fibrograph Tester 70, 73–4
- field cleaners/extractors 180
- filler 279
- final (main) draft 242, 243
- fineness, fibre *see* fibre fineness
- finger-type strippers 181
- finisher drawing 243
- finishing operations 471
 - health and safety 475–9
 - nonwovens 523–4
 - organic cotton 153
 - chemicals allowed and prohibited 174–5
- fish hooks 185
- fixed flats cleaning systems 217, 218, 220, 222
- flame retardants 523–4
 - health and safety 476
- flat abrasion 416, 417
- flat bed screen printing 370
- flax 515, 522
- flex abrasion 416, 417
- flexible cotton decontamination wipe 525
- flexural rigidity 50, 320–1
- float stitch 278
- flow-through air lint cleaner 192, 197–8
- fly potential 395–6
- folding (twisting) yarn 270–1
- force at rupture 386
- foreign matter *see* trash
- foreign particle separator 214–15

- formaldehyde 153, 475–6
former USSR 429, 436, 437
four-roll cleaner 213–14
Fourier transfer infra-red (FTIR)
 spectroscopy 25–7
fracture 51–3
friction 61–2
 yarn 396–8
friction spinning 254, 255, 256, 266–7
fumigants 148
fuzz fibres 13
- Gabler system 345, 346
garnetts 506
gene expression 107
genetic modification xvi–xvii, 103–29,
 428, 454
 advantages and limitations of
 conventional plant breeding
 104–7
 genetic engineering in cotton 63,
 113–16
 genetic transformation of cotton
 110–13
 regeneration of transgenic cotton
 plants 112–13
 transfer of genes into cotton 111
 genetics in cotton breeding 105–7
 molecular genetics of cotton 107–10
 gene discovery in cotton 108–10
 how genes control plant structure
 and function 107–8
 and organic production 155
 potential impacts of GM crops
 119–22
 recent experiments and future targets
 116–18
 trade in biotech cotton 445–6
genetic sequences 106–7
germplasm 163, 164
GhTUB1 promoter 115, 118
gin stands 190–2
gin waste 488
ginning xvii–xviii, 71, 94–5, 149, 176–8,
 183–201
 effect of gin machinery on cotton
 quality 196–8
- future trends 200–1
health and safety 466–7
 machine guarding for gins 467
machinery 183–96
 drying 185–8
 feed control 185
 lint cleaners 192–4, 196–8, 200,
 201
 moisture restoration 194–5
 packaging lint cotton 195–6
 seed cotton cleaning 188–90
 seed cotton unloading 184
 organic cotton 150
glass-to-rubber transitions 61
globally harmonised system (GHS)
 478–9
gloves 464–5
 β -1,4-D(+)-glucopyranose 5
glufosinate-ammonium 121
glyphosate 114, 121
Glytac 374
Good Food Foundation 156
Gossypium 104–5
 arboreum 20–1, 22, 72, 104
 barbadense 20–1, 22, 25, 72, 104, 105
 herbaceum 20–1, 22, 72, 104
 hirsutum 19, 20–3, 24, 25, 72, 104,
 105
 raimondii 104
government measures xix, 433, 449–52
grass 85
gravimetric assessment 89
Greece 449
guarding, machinery 467, 468
guide bars 305, 306, 310, 311, 313, 314
GUS reporter gene 116, 117
- H1 needle technology 517
hairiness, yarn 394–5
hand picking 148, 178
hand/handle, fabric 322, 342, 399,
 410–11
harvesting xvii, 71, 176, 177, 178–81
 health and safety 466
 organic cotton 148–9
 seed cotton storage 181–3
hazard communication 478–9

- hazard information 472, 478
 heald frame 331
 healds 331
 health hazards 478
 health and safety xix, 460–83
 - consumers 479
 - cultivation 462–6
 - agricultural equipment and machinery 462–3
 - heat stress 465–6
 - worker protection standard for pesticides 463–5
 - future trends 479
 - ginning 466–7
 - harvesting 466
 - wet processing 470–9
 - air contaminants 478
 - brominated flame retardants 476
 - dye hazards 471–5
 - formaldehyde 475–6
 - hazard communication 478–9
 - perfluorinated chemicals 477
 - skin irritation/dermatitis 475
 - solvents 477
 - yarn and fabric manufacturing 467–70
 - inhalation/respiratory disease 469–70
 - machinery guarding 468
 - noise 468–9
- Health and Safety Executive (HSE) 460
 heat setting 272
 heat of sorption 42
 heat stress 465–6
 heat transfer 321–2
 heat of wetting (integral heat of sorption) 42
 heating, effects of 6–7
 helical structure 37–8, 54–5, 56
 helix angle 38, 54–5
 hemp 515
 herbicide resistance 113, 114, 155
 Hercosett resin 375
 heritability 107–8
 heterobifunctional reactive dyes 375
 hexabromocyclododecane (HBCD) 476
 high dose/refuge strategy 120
 high loft nonwovens 523–4
 high volume instrument (HVI) lines 70, 71, 83, 86
 holding down-knocking over sinker 291, 292
 hollow spindle (wrap) spinning 254, 268
 honeydew (stickiness) 89–91, 230
 horizontal direction faults 316
 hot air cylinder cleaners 189
 humid air 195
 humidity 47
 husk neps 228, 230
 hybridisation 119–20
 hydroentanglement (spunlacing) 504, 509, 516–17
 hydrogen bonds 5, 36, 44
 - dyeing 353–4
 hydrogen peroxide 152
 hydrolysis 496
 hydroxyl groups 5, 36, 44
 hysteresis
 - mechanical 48–9
 - moisture absorption 41, 42, 46
- ICI pilling box tester 404, 405
 immature fibres 11–12, 13, 38, 48, 77, 78
 impact (revolving screen) cleaner 188
 impact resistance 342
 imperfections 392
 importers 442–3
 imports 442, 456–9
 impurities 85–92
 - contamination 91–2
 - neps *see* neps
 - stickiness 89–91, 230
 - trash 85–6, 176, 184, 197, 198, 225–7
- incineration 487
 income and price support programmes 449–52
 India 350
 - consumption 437, 438
 - production 428, 429–30
 - trade 443, 447–8
- indigo 360
 indirect warping 329
 indirectly absorbed water 44–5
 Ingard 113–14

- inhalation, dust 469–70
- initiation (of fibres) 7, 8
- ink-jet printing 371–2, 376
- inorganics 4, 5
- insect resistance management (IRM)
 - strategies 120–1
- insecticides 135, 136–7, 172
- insects
 - control/management 146–7, 158, 172
 - resistance to 113–14, 120–1, 130, 135, 155
 - yield losses caused by 142
- Instron tensile tester 18
- instrument testing methods 69, 70, 71
- integrated pest management (IPM)
 - systems 140, 147
- integrated yarn testing systems 383
- IntelliGin 200
- intensity of opening 215–16
- intensive opening and cleaning 213–15
 - estimation of effectiveness 215–17
- inter-fibre competition 438–41
- interlock knitted fabric 280, 302
- interlock setting 288–90
- International Cotton Congress 69
- International Cotton Genome Initiative
 - 107
- International Federation of Organic Agriculture Movements (IFOAM) 159
- International Organization for Standardization (ISO) standards
 - 460–1
 - ISO 9000 461
 - ISO 14000 461
- ionic liquids 493–4, 497
- irregularity
 - sliver 230–5
 - yarn irregularity
 - spinning limits and 269–70
 - testing 389–92
- irregularity index 270, 392
- irrigation 144–5
- Italy 350
- jacquard guide bars 313, 314
- jacquard shedding 336–8
- Japan 436
- jet dyeing machine 365–7
- Jetlace 3000 spunlace machine 516
- jig dyeing machine 364, 366
- jute 515
- Kawabata fabric testing systems 411
- kenaf 515, 522, 525
- knitted fabric surface 276
- knitting xviii, 275–327
 - classification of knitting technology 284–5
 - development of knitting technology 275
 - faults in knitted fabrics 316–18
 - production calculation 323–4
 - properties of knitted fabrics 401
 - physical and mechanical properties 318–22
 - terminology 276–84
 - warp knitting 283–4
 - weft knitting 276–82
 - warp knitting technology 302–16
 - weft knitting technology 285–302
- knitting oils 152
- knot fibre neps 228, 229
- Korea 350
- Krupp formula 262
- laccase 494
- laevoglucosan 6, 7
- laminated cotton nonwovens 520–2
- landfilling 486–7
- lap winder 249–50
- latch needles 291, 292
- latex printing process 510
- Latin America 436
- laundrying
 - surface smoothness after repeated 404
 - testing colourfastness 413
 - testing dimensional stability 414–15
- laying-in movement 311–12
- leading hooks 248
- leaf shedding 149
- length, fibre *see* fibre length
- length uniformity 75, 197, 198
- length utilisation efficiency (LUE) 77

- let-off mechanisms 339–40
 leuco form (of dyes) 360–1, 362
 Levafix OS dyes 373
 lick-in speed 225–7
 life cycle analysis 484–5
 light test 411–12
 limiting yarn irregularity 269–70, 391–2
 linear density
 fibre 20, 21–3, 40, 77
 yarn count 384
 linkage maps 107
 lint cleaners 192–4
 impact on quality 196–8
 LouverMax 200, 201
 lint content 216
 lint cotton, packaging 195–6
 linters 487–8, 492, 515–16, 524
 linting propensity 395–6
 Lintronic Fibre Contamination Tester (FCT) 89
 liquor ratio 356
 low liquor ratios 372–3
 locknit fabric 315
 long-term sliver irregularity 233, 234–5
 loose fibre neps 228, 229
 LouverMax 200, 201
 lubrication 271–2, 397
 lumen 37–8
 lustre 60
 lyocell 490–2, 497
- m × n lapping fabrics 315
 machine diameter 324
 machine gauge 281, 323, 324
 machine pitch 282, 323
 machine speed 323
 machinery safety
 agriculture 462–3
 guarding for machines 467, 468
 magnetite 494
Malva 105
 Mantis single fibre tester 18
 manual assessment 88–9
 manure 137–8, 144
 market instability 156
 Martindale tester 404, 406, 417
 mass specific resistance 58–9
 maturity, fibre 15, 40, 77–8
 immature fibres 11–12, 13, 38, 48, 77, 78
 maturation 7–9
 measurement 78–9
 separating maturity and fineness 80–1
 McCarthy roller gin 191–2
 mean lengths 74
 mechanical bonding 504, 508–9
 mechanical defects 247
 mechanical finishing 523
 mechanical harvesting 178–81
 mechanical neps 86, 87, 88
 mechanical properties 46–57
 directional effects 50–1
 elastic recovery 48–9
 fracture and fatigue 51–3
 knitted fabrics 318–22
 spinning systems and 256
 structural mechanics 53–7
 tensile stress-strain relations 46–50
 time effects 49–50
 mechanical reprocessing 489–90
 medial fibres 20
 medium-term sliver irregularity 233, 234–5
 melt-blown nonwovens 504, 507–8
 mercerisation 40, 152
 Mexico 448
 microcrystalline cellulose (micronised cellulose) 496
 microfibrils 9–11, 37, 38
 Micronaire 70, 79–80, 514
 micro-organisms, damage by 94
 microprojectile bombardment 111
 micropylar fibres 14, 20
 microtubules 9–11
 Middle East 436
 mill consumption 434, 437–8
 module builder 182
 module disperser unloading systems 184
 modules 181–2
 moisture 92
 absorption 40–6
 heat of sorption 42

- knitted fabrics 321
- RH-regain relations 40–2
- structural changes and theoretical models 44–6
- swelling 43
- equilibrium moisture contents for seed
 - cotton, fibre and seed 185
- and ginning 187–8, 194–5
- restoration 194–5
- structural mechanics 56–7
- molecular markers 106–7
- molecular packing 12–13
- molecular weight 36
- moulded products 522
- Multifibre Arrangement (MFA) 435
- multifunctional separator 207–9
- multilayer absorption 44–5
- multinational corporations (MNCs) 122
- multi-peak resolution method 23–5
- multiphase weaving 343, 348–9
- Muratec (Murata) vortex spinning process 265, 266

- N-methylmorpholine N-oxide (NMMO) 491
- nanotechnology 351
- national markets 156–7
- natural dyes 152–3
- natural fibres 515, 522
- naturally coloured cotton 515
 - organic 163–4
- naturally resistant varieties 147, 148
- near-infra-red reflectance (NIR) spectroscopy 81
- needle loop 277
- needle positions 287–8, 297–8, 307–9
- needle punching 504, 508, 517
- needles
 - circular knitting machines 291
 - Raschel knitting machines 310
 - Tricot knitting machines 304, 305
- negative dobby shedding 335–6
- negative yarn delivery systems 292–4, 306–7, 339–40
- nematode control/management 147–8
- neps xviii, 11, 86–9, 197, 198, 221–2, 392, 514
- biological 86–8
- changes in nep and cotton fibre processing 230, 231
- measurement 88–9
- mechanical 86, 87, 88
- sliver quality and quality control 227–30
- net fabrics 313, 314
- Nickerson-Hunter colour diagram 84
- nitrocellulose 495
- nitrogen 144, 158
- noils (comber waste) 249, 488
- noise 468–9
- noncellulosics 3–5
- non-fumigants 148
- nonwovens 501–27
 - cotton fibres 513–15
 - demand for 502
 - fibres used in 512–13, 515
 - finishing and treatments 523–4
 - future trends 524–5
 - global production 502
 - laminated cotton nonwovens 520–2
 - moulded products with cotton-containing nonwovens 522
 - processing cotton nonwovens 515–20
 - products 503, 525
 - properties of nonwoven fabrics 401
 - recycling of cotton 495–7, 498
 - relative production rate 511, 512
 - web-bonding techniques 504, 508–11, 512, 516–20, 521
 - web formation 503–8
- North America Free Trade Agreement (NAFTA) 448
- objectionable faults 393
- Occupational Health and Safety Administration (OSHA) 460, 461
- oil prices 441
- on-line monitoring 383
- open-end friction spinning 266–7
- open-end (rotor) spinning 69, 253, 254, 255, 256, 262–5

- open-end yarns compared with ring yarns 317–18
- open lap 283, 284
- open-loop autolevellers 235–6, 237, 248–9
- opener/pre-cleaner 209–10
- opening xviii, 203–5
 - intensive opening and cleaning 213–15
 - estimation of effectiveness 215–16
- openness value (OV) 216
- optical properties 59–60
- organic cotton xvii, 130–75
 - allowed and prohibited substances 171–5
 - crop production 171–3
 - textile production 174–5
 - certification 158–63
 - cultivation 139–49
 - disease control/management 147, 172–3
 - fertilisation 137–8, 142–3, 144, 158, 173
 - harvesting 148–9
 - historical background 140–3
 - insect control/management 146–7, 158, 172
 - methods to improve 157–8
 - nematode control/management 147–8
 - planting seed 143
 - problems 154–5
 - production technology 157
 - soil/land preparation and planting 143
 - water use 144–5
 - weed control/management 138, 145–6
 - global production 131–3
 - limitations to organic production 154–7
 - naturally coloured organic cotton 163–4
 - post-harvest handling/processing 149–54
 - fabric manufacturing 151–2
 - ginning 150
 - preparation, dyeing and finishing 152–3, 174–5
 - product assembly 154
 - quality assurance 154
 - yarn manufacturing 151
 - rationale 133–9
 - fibre/fabric/apparel 139
 - production/farming practices considerations 135–8
- Organic Exchange (OE) 150, 159, 161–2, 174–5
- Organic Trade Association (OTA) 150, 159, 162–3, 174–5
- overlap 283
- oxidation 6
 - dyes 361–2
- ozone test 412
- package dyeing machine 364, 365
- packaging of lint cotton 195–6
- pad-batch process 367–8, 369
- Pakistan 438
 - production 428, 429, 430
 - trade 443, 448
- papers 488–9
- Para Red 363
- particle detection and extraction 207–9
- pattern disk 306, 307
- pattern drum 305–6
- pectins 4–5
- pepper trash 85, 196, 226–7
- perfluorinated chemicals 477
- perfluorooctanoic acid (PFOA) 477
- perfluorooctyl sulphonate (PFOS) 477
- periodic faults 232, 233–5, 247
- permissible exposure limits (PELs) 469, 476, 478
- perspiration test 413
- pesticides 136–7, 139, 142–3
 - worker protection standard (WPS) 463–5
- Peyer Almeter AL-101 system 75
- phenotype 107
- phosphorus 5
- physical hazards 478
- physical standards 68, 69–70

- physical structure and properties xv–xvi, 35–67
 - cotton morphology 35–40
 - electrical properties 57–9
 - friction 61–2
 - future trends 63
 - mechanical properties 46–57
 - moisture absorption 40–6
 - optical properties 59–60
 - thermal properties 60–1
- pick density 334
- picking (weft insertion) 333, 338
- pigment dyes 153
- pilling 322
 - testing pilling propensity 404–6, 407
- plain circular knitting machine 287–8, 289
- plain knitted fabric 301–2
- plain stitch 276
- plant breeding 103
 - advantages and limitations of conventional plant breeding 104–7
 - see also* genetic modification
- plant diseases *see* disease
- planting 143
- plasticised cellulose acetate (PCA) 518–19
- pneumatic suction unloading systems 184
- polybrominated diphenyl ethers (PBDE) 476
- polyester 35, 491
 - prices 441
- poly-D(-)-3-hydroxybutyrate (PHB) 118
- polylactic acid (PLA) 519, 520
- polypropylene 487
- polyvinyl alcohol size 152
- positive dobbie shedding 335, 336
- positive yarn delivery systems 292, 294, 307, 340
- powdered dyes 471
- power factor 57–8
- pre-cleaning 205, 209–10
- Premier aQura 75
- pre-opening/pre-mixing 205, 206–7
- preparation xvii–xviii
 - chemicals allowed and prohibited 174–5
 - organic cotton 152, 174–5
 - processes 470–1
 - Pressley Tester 82
 - pressure sensors 236, 237
 - price support programmes 449–52
 - prices xix, 425, 427, 447–8, 452–3, 454
 - price premium of organic cotton 156
 - relative to other fibres 441
 - primary wall 37, 38
 - print bonding 510
 - printing 369–72
 - Procions 358
 - product assembly 154
 - production xix, 425, 426–34, 456–9
 - costs of *see* costs of production
 - organic 131–3
 - production equation 224–5
 - production length 323
 - production rate 224–5, 511, 512
 - production technology 157
 - production weight 323
 - projectile weaving 343, 346–8
 - promoters 117–18
 - proteins 4–5
 - gene expression 107
 - protoplasts 111
 - purification 496
 - purl knit fabric 280, 302
 - purl stitch 276
 - pyramiding 120–1
- quality
 - changes during storage 183
 - effect of gin machinery 196–8
 - seed quality 183
 - sliver quality and quality control 225–38
- quality assurance 154, 382–3
- Quality Assurance International (QAI) 163
- quality control
 - sliver 225–38
 - yarn 382
- quantitative trait loci (QTLs) 106–7
- queen's cord 316

- quotas 435, 448
- rack 284
- racked needle bed 299–300
- rags 488–9
- random card 505–6
- random tumble pulling tester 406, 407
- rapier weaving 343, 344–6
- Rapunzel 156
- Raschel knitting machines 309–14
 - basic fabric types 313, 314
 - commonly used design techniques 311–13, 314
 - comparison with Tricot knitting machines 302–4
 - properties of machine elements 310–11
- ratch 246–7
- rayon rinse system 470
- reactive dyes 358–9, 375–6
 - dyes needing less salt 372–3
 - health and safety 472
- reciprocating knife roller gins 191
- recycling xix–xx, 484–500
 - chemical recycling 490–6, 497–8
 - cotton sources 487–9
 - future trends 496–8
 - mechanical reprocessing 489–90
 - textile life cycle 484–5
 - waste treatment choices 485–7
- reducing oxycellulose 6
- reeds 331–2
- reflectance 84, 197, 198
- refractive index 59–60
- regain (moisture regain) 40–6, 92
- relative humidity (RH) 185–6
 - RH-regain relations 40–2
- relative permittivity 57
- relaxation, fabric 318–19
- resin-treated cottons 40
 - breaks 52
- resistance 57–9
- resource endowments 430
- respiratory disease 469–70
- restraining ties 195
- retail consumption 436–7
- reuse
 - cotton 485–6
 - dyebaths 372–3
- reversals 9, 12, 16–17, 38, 39
 - fracture and 51–2
 - structural mechanics 55, 56
- revolving flat card *see* carding
- rib circular knitting machine 287, 288–90
- rib knitted fabric 279, 302
- rib setting 288, 290
- ring spinning 69, 253–8
 - ring yarns compared with open-end yarns 317–18
- roll-type strippers 181
- roller drafting 244–5
- roller printing 369–70
- roller-type gins 191–2, 194
- rotary-knife roller gin 191, 192
- rotary screen printing 370–1
- rotor spinning *see* open-end (rotor) spinning
- Roundup 114
- Roundup Ready cotton 114
- roving 251–3
- rubbing fastness tests 412
- run-in 284
- run-in ratio 284
- salt 355
 - dyeing and the environment 372–3
- satin fabric 315
- saturation bonding 510
- saw gin stands 190–1
- saw-type lint cleaners 192–4, 198
- scanning, optical 85
- scouring 152
- screen printing 370–1
- seawater colourfastness test 413
- secondary wall 37–8
 - synthesis 7–11
- seed cotton 149
 - cleaning 188–90
 - drying 185–8
 - storage 181–3
 - unloading 184
- seed planting 143
- seed position 13–14

- and fibre strength 20
- seed quality 183
- semi-continuous dyeing 367–8
- sensitisation 472
- sequence tagged sites (STS) 107
- setting, yarn 272
- sharkskin fabric 316
- shear modulus 55–6
- shear strain 55
- shear strength 51
- shedding 333, 334–8
 - cam shedding 334–5
 - dobby shedding 335–6
 - jacquard shedding 336–8
- Shirley fabric stiffness tester 406–7
- short fibre content (SFC) xviii, 75–7, 197, 198, 230–8
 - autolevelling at the card 235–8
 - medium and long-term irregularity 233, 234–5
 - short term irregularity 233–4, 236, 237
 - sliver irregularity 230–5
- short fibre index (SFI) 76
- short-term sliver irregularity 233–4, 236, 237
- shredding 489–90
- shuttle 333–4, 342
- shuttle looms 332–40, 342
 - installed in selected countries 349
- shuttleless looms 342–9
- single fibre strength 17–23
- single jersey fabric 279
- single-lift single-cylinder Jacquard 336–7
- single rapier weaving machines 344, 345
- single-thread tensile testers 387
- sinker loop 277
- sinkers 291, 292, 304, 305
- SiroMat 81
- sizing 151–2, 330
- skin irritation 475
- skying 361–2
- sley 339
- slip drafting 245
- sliver 204, 217, 222, 242–3, 250
 - quality and quality control 225–38
 - neps 227–30
 - SFC 230–8
 - trash and dust content 225–7
 - sliver irregularity 230–5
 - slubs 392–3
 - smoothness, surface 404
 - soaping off 359, 362
 - sodium hydroxide 152
 - soil
 - fertilisation 137–8, 142–3, 144, 158, 173
 - preparation 143
 - solvents 477
 - somatic embryogenesis 112, 113
 - somatic hybridisation 112–13
 - sorting 489
 - South America 433
 - Spain 449
 - span lengths 74
 - specific heat 60
 - spectrogram/spectrograph 232, 233
 - spindle picker 178, 179, 180, 184
 - spinning xviii, 69, 240–74
 - air-jet spinning 69, 254, 255, 256, 265–6
 - bicomponent spinning 261
 - combing 249–51
 - compact systems 258, 259–60
 - comparison of spinning processes 253, 254, 255, 256
 - fibre migration 268–9
 - friction spinning 254, 255, 256, 266–7
 - preparation for 242–9
 - ring spinning 69, 253–8
 - ring yarns compared with open-end yarns 317–18
 - rotor (open-end) spinning 69, 253, 254, 255, 256, 262–5
 - roving 251–3
 - spinning limits and yarn irregularity 269–70
 - two-strand spinning 258–9
 - winding, clearing and lubrication 271–2
 - wrap (hollow spindle) spinning 254, 268

- yarn steaming (setting) 272
 - yarn twisting 270–1
- spinning limits 262, 266
 - and yarn irregularity 269–70
- spinning tension 257
- spirality 319–20
- spray bonding 510
- spring-loaded feelers 219–20
- spun-laid (spunbonded) nonwovens 504, 507
- spunlacing (hydroentanglement) 504, 509, 516–17
- stack blender 210–12
- 'stacked' varieties 114
- staple cotton 515–16
- starch 151–2
- steaming 368
 - yarn 272
- Stelometer 82
- sterilisation 524
- stick machines 189
- stickiness 89–91, 230
 - measurement 90–1
- stiffness, fabric 406–7
- stitch bonding 508–9, 517
- stitch density 280–1
- stitch formation
 - circular knitting machines 287–90
 - Tricot knitting machines 307–9
 - V bed flat knitting machines 297–300
- stitch length (loop length) 282
- stocks-to-use ratio 454, 456–9
- storage of seed cotton 181–3
- strain energy 55
- stress, and deconvolution 54
- stress-strain relations 46–50
 - structural mechanics 53–7
- stripper harvester 178–81, 184
- structural mechanics 53–7
- SU unit 310, 311
- subsidies xix, 433, 449–52
- substantive dyes 353
- sucrose synthase (SuSy) 116, 117
- sugars 89–90
- sulphur dyes 359–60, 362–3
- Sumifix Supra dyes 375
- 'superweeds' 119–20
- surface smoothness 404
- sustainable production 134–5
- swelling 43
- synchronised timing 290
- table linen 525
- tailoring performance 399, 410
- take-up motion 340
- taker-in speed 255–7
- tampons 525
- tan δ 61
- Tanzanian Cotton Board (TCB) 70
- taper, in fibres 14–15
- tear strength 419
- technical textiles 350
- temperature
 - drying and fibre breakage 186
 - effect on dyeing 357
 - monitoring during storage 182
- tenacity
 - fibre 20, 21–3, 46, 47–8, 81, 82
 - and crystallinity 29
 - yarn 389
- Tencel 491
- tensile modulus 46, 55–6
- tensile properties 46–57, 81–3
 - breaking extension 54, 83, 386, 387
 - fracture and fatigue 51–3
 - knitted fabrics 320
 - stress-strain relations 46–50
 - structural mechanics 53–7
 - tensile measurement 81–3
 - yarn 386–9
- tensile strength 341–2, 418
- testing xix, 381–424
 - development of instrument test methods 70
 - fabric testing xix, 398–421
 - fibre quality *see* fibre quality
 - standards organisations 381–2
 - yarn testing xix, 382–98
- tetraploid *Gossypium* species 104
- textile life cycle 484–5
- thermal bonding 504, 511, 512
 - cotton nonwovens 518–20, 521
- thermal-mechanical finishing 523
- thermal point bonding 507, 511, 512

- thermal properties 60–1
 - knitted fabrics 321–2
- thermoplastic binder fibres 518–20, 521
- thiazole 362
- thiazone 362
- thick places 392–3
- thin places 392–3
- three-dimensional (3D) weaving
 - 350–1
- through air bonding 518
- tightness factor (cover factor) 282, 319, 323, 341
- tillage 138, 143
- time effects 49–50
- tissue-specific promoters 117
- o-tolidine 474
- tongue and groove irregularity sensors
 - 236, 237
- torque liveliness 385–6
- torsional rigidity 50
- total draft 224, 243–4
- total fibre draft 224
- total mechanical draft 224
- total strain energy 55
- toughness (work of rupture) 46, 386
- tractors 463
- trade 434–5, 441–9, 453, 454
 - biotech cotton 445–6
 - China 442, 446–7
 - India 443, 447–8
 - Pakistan 443, 448
 - Turkey 442–3, 447
 - winners and losers 448–9
- trailing hooks 248
- transfer zone 222–3
- transferred loop 299, 300
- transgene introgression 119–20
- transgenic cotton 110–13
 - see also* genetic modification
- transverse properties 77–81
 - fibre fineness 79–80
 - fibre maturity 78–9
 - separation of maturity and fineness 80–1
- trash 85–6, 176, 184, 197, 198
 - content and sliver quality 225–7
- trash neps 228, 230
- traveller 254–6
- treatments 523–4
 - see also* finishing operations
- trehalulose 90
- trickle washing 368
- tricot fabric 315
- Tricot knitting machines 304–9
 - basic fabric types 309
 - comparison with Raschel knitting machines 302–4
 - main machine parts 304–7
 - stitch formation 307–9
- triple licker-in 217, 218, 219, 220
- Truetzschler Nep Control (NCT) 89
- tuck stitch 277–8
- tumble abrasion 417–18
- Turkey 133, 156, 350, 429, 430, 438
 - trade 442–3, 447
- turnout 197
- twist
 - rotor spinning 263
 - roving twist level 252–3
 - testing 384–5
- twist breaks 52–3
- twist control 245
- twist factor 385
 - ring-spun yarns 257–8
- twist liveliness 385–6
- twisting yarn 270–1
- twists (fibre development) 9, 10, 15–17
- two-for-one twisting 270–1
- two-strand spinning 258–9
- underlap 283
- unevenness *see* irregularity
- uniformity, length 75, 197, 198
- uniformity index (UNI) 75, 76
- uniformity ratio (UNR) 75
- unit cells 36, 37
- United States (USA) 350
 - African Growth and Opportunity Act (AGOA) 449
 - Agricultural Market Service (AMS) 160–1
 - consumption 436, 438
 - Occupational Safety and Health Act 461

- Occupational Safety and Health
 - Administration (OSHA) 460, 461
- organic cotton 133, 156
 - allowed and prohibited substances 171–3
 - National Organic Program (NOP) 155, 161, 171–3
 - National Organic Standards 160–1
 - problems with organic production practices 154–5
 - production 141, 428, 429, 430, 433
 - government support 449–52
 - reuse 485
 - trade 443–4
 - WPS 463–5
- United States Department of Agriculture (USDA) xvi, 68, 69–70, 160–1, 162
 - colour grades 84
 - leaf grade 86
- Universal Cotton Standards xvi, 70
- universal testers 418
- unloading systems 184
- upper-quartile length (UQL) 73
- Uster Irregularity/Uster CV% 231–3, 234
- Uster Tensojet 388
- Uzbekistan 430, 441, 444
- V bed flat knitting machines 296–301
 - arrangement of machine parts 296–7
 - basic fabric types 300–1
 - comparison with circular knitting machines 285–6
 - stitch formation 297–300
- vacuum infiltration 112
- varieties 104–5, 176
 - fibre strength 20–3
 - naturally resistant 147, 148
 - staple length 72
 - suitable for organic farming 157
- vat dyes 359–62
- ventilation 472
- vertical direction faults 316–17
- viscose process 490–1
- visible foreign matter (VFM) *see* trash volume 43
- vortex spinning (air-jet spinning) 69, 254, 255, 256, 265–6
- wale 280, 281
- wale density 280, 281, 323
- warp density 332
- warp knitting technology 285, 302–16
 - comparison of Raschel and Tricot knitting machines 302–4
 - properties of warp knitted fabrics 314–16
 - faults in warp knitted fabrics 318
 - Raschel knitting machine 309–14
 - terminology 283–4
 - Tricot knitting machine 304–9
- warp sizing 330
- warping 329–30
- wash boxes 368, 369
- washed cotton 469–70
- waste fibre feeder 207
- waste treatment 485–7
 - see also* recycling
- water
 - irrigation 144–5
 - testing for colourfastness 412–13
 - see also* moisture
- water-jet weaving 343, 344
- water spraying moisture restoration method 195
- water treatment technologies 373
- water use efficiency (WUE) 145
- waxes 4–5
 - wax content 92–4
- wear index 416
- wear resistance 416
- weathering 176
- weathering test 414
- weaver's beam 329–30, 332
- weaving xviii, 151, 328–52
 - future trends 350–1
 - looms installed in selected countries 349
 - manufacturing costs 349–50
 - modern weaving machines 342–9
 - air-jet weaving 343–4
 - multiphase weaving 343, 348–9

- projectile weaving 343, 346–8
- rapier weaving 343, 344–6
- water-jet weaving 343, 344
- preparatory processes 329–32
 - drawing-in and denting 330–2
 - warp sizing 330
 - warping 329–30
- weaving mechanism 334–40
 - auxiliary functions 340
 - beating-up 339
 - cam shedding 334–5
 - dobby shedding 335–6
 - jacquard shedding 336–8
 - let-off motion 339–40
 - picking 338
 - take-up motion 340
- weaving operation 332–4
- woven fabric 340–2
 - design and type 340–1
 - fabric properties 341–2, 401
- web bonding *see* bonding
- web formation 503–8
 - dry laid 504–6
 - melt blown 504, 507–8
 - spun laid 504, 507
 - wet laid 504, 506
- weed control/management 138, 145–6
- weft 278
- weft insertion rate 334
- weft knitting technology 284–302
 - circular knitting machines 285–96
 - comparison of circular and V bed flat knitting machines 285–6
 - faults in knitted fabrics 316–18
 - comparison between ring and open-end yarn 317–18
 - horizontal direction 316
 - vertical direction 316–17
 - production calculation 323–4
 - properties of weft knitted fabrics 301–2
 - terminology 276–82
 - V bed flat knitting machines 296–301
- wet-laid nonwovens 504, 506
- wet processing
 - health and safety 470–9
 - see also* dyeing; finishing operations
- wickability 321
- WideStrike 120
- wild species 105
- winch (beck) dyeing machine 364–5, 366
- winding 271–2
- wipes 503, 525
- wood pulps 492
- wool 439–40
- work-to-break (toughness) 46, 386
- work practices 472
- worker protection standard (WPS) 463–5
- World Trade Organization (WTO) 434–5, 446, 452
- wound dressings 524
- woven fabrics *see* weaving
- wrap (hollow spindle) spinning 254, 268
- wrapper fibres 264
- wrinkle recovery 399–403
- X-ray diffraction 23–5
- yarn
 - comparison of yarns spun by different systems 255
 - manufacture 151
 - health and safety 467–70
 - stages 240–2
 - spinning *see* spinning
 - spinning limits and yarn irregularity 269–70
 - steaming (setting) 272
 - twisting (folding) 270–1
 - winding, clearing and lubrication 271–2
- yarn count 323
- yarn diameter 324, 393–4
- yarn feeding systems 292–4, 306–7
- yarn fineness 15
- yarn-to-metal friction 397–8
- yarn testing xix, 382–98
 - count 384
 - diameter 393–4
 - evenness 389–93
 - friction 396–8
 - hairiness 394–5

linting and fly 395–6
miscellaneous tests 398
tensile properties 386–9
twist 384–5
twist liveliness 385–6
yarn abrasion 396
yarn appearance 395

yellow/blue plane 84
yellowing 183, 197, 198
yields 428, 429, 456–9
 losses and their causes 142

zeta potential 355
Zweigle Staff Tester G 556 396