

Index

<u>Index terms</u>	<u>Links</u>
A	
acid	
catalysts for easy care finish	185
donors in dyeing	201
in flame retardants	112
polycarboxylic acids	184
acid dyes	300
effect of laundering	169
levelling	300
milling	301
sulphate	301
acrylic fibres/fabrics	12
acidic groups	308
dyeing	307
laundering	143 150
micrograph	4
acrylic polymers	
antiredeposition	161
elastomer	229
rubber	227
UV cured	240
affinity	292
<i>see also</i> coloration	
afterchrome dyes	301

<u>Index terms</u>	<u>Links</u>		
aggregation	298		
<i>see also</i> coloration			
air permeability	211	246	247
<i>see also</i> coated fabrics			
air pollution	345		
alizarin	279		
alkali			
applying vat dyes	321		
bleaching	56	57	
fixation, of reactive dyes	311		
laundering	148		
scouring	258		
<i>N</i> -alkylbetaine	273		
amylase	161	263	
<i>see also</i> enzymes			
anthraquinone dyes	285		
anti-cockle	193		
antifoam	164		
antiredeposition	161		
AOX	206	344	
aramids fibre			
flame-retardant	116		
properties	14		
auxochrome	280		
azo group	282		
azoic dyes	325		
naphthols	325		

<u>Index terms</u>	<u>Links</u>				
B					
barrier layer	110				
<i>see also</i> fire-retardant					
basic dyes	307				
cross-staining	166				
binders	330				
biodegradation	339	352			
detergent	125				
softeners	151				
biopolishing	263				
bleaching	46				
activation	57	70	73	75	77
	81				
agents	55				
blends	54	70	72		
¹³ C NMR	60				
cellulosic	48	69	78		
chlorite	56	69	72		
combined with desize and scour	73	75	76	81	85
combined with scour	57	72			
cotton	48	67	75		
damage	48	155			
dyebath	52				
enzymes	57	65	83	87	
fluorescent brightening agent	62	96	163		
full bleach	52	60	82	85	
hypochlorite	56	67			
laundering	152				
melanin	57	82			
nylon	54				

This page has been reformatted by Knovel to provide easier navigation.
--

<u>Index terms</u>	<u>Links</u>				
bleaching (<i>Continued</i>)					
oxidative	56	89			
ozone	59	88			
peroxide	57	76			
peroxygen	50	54	57	81	91
photobleach	61	95			
reductive	59	93			
sequestering	57	153			
silk	53				
stabilizer	52				
synthetics	50	53			
TAED	58	153			
wool	50	60	82	94	
borax/boric acid	110				
breathable	236				
<i>see also</i> vapour permeable coatings					
builders	147	257			
C					
calcium deposits	146				
<i>see also</i> laundering					
calendering	178				
carbon fibres					
formation	14				
properties	14	116			
catalase	152				
catalysts					
crease-resist treatment	185				
cellulase	159	263			
structure	264				

<u>Index terms</u>		<u>Links</u>
cellulose		
azoic dyes	325	
bleaching	48	
direct dyes	304	
flammability	108	
laundering	131	
reactive dyes	308	
structure	6	9
sulphur dyes	323	
Tencel	4	
vat dyes	320	
viscose	4	
cellulose acetate		
bleaching	50	
dyeing	317	
laundering	141	
properties	50	
chlorination	196	203
chlorine dioxide	56	
Chlorine Hercosett	203	
chlorite	56	69 72
<i>see also</i> bleaching		
chrome dyes	301	
afterchrome	301	
metachrome	302	
chromophore	280	
chymotrypsin	267	
<i>see also</i> enzymes		
cloud point	257	

<u>Index terms</u>	<u>Links</u>			
coated fabrics	210			
performance tests methods	243			
textile substrates	211			
useage	211	245		
coating polymers				
polyacrylate	229	245		
polyethylene	232	245	247	
polyethylene, modified	234	245	247	
poly(tetrafluoroethylene)	232	245	247	
polyurethane	217	221	237	247
poly(vinyl chloride)	228	247		
rubber, natural	221	245	246	
rubber, synthetic	224	228	245	246
silicone	231	245	247	
coating processes				
back coating	214			
floating knife	213			
knife over roller	213			
reverse roll	214			
screen printing	214			
transfer coating	214			
cockling	193			
coloration	276			
acid dyes	300			
adsorption of dyes	291			
aggregation	298			
auxochrome	280			
azoic dyes	325			
basic dyes	307			
binding forces	287			

<u>Index terms</u>	<u>Links</u>
coloration (<i>Continued</i>)	
chromophores	280
Colour Index	299
diazotisation	282
disperse dyes	317
Fick's law	294
Freundlich isotherm	292
glass transition temperature	295
history of dyes	276
Langmuir isotherm	291
partition isotherm	291
phthalocyanine	286
pigments	326
printing	328
reactive dyes	295
sulphur dyes	323
vat dyes	320
combustion	103
<i>see also</i> fire-retardant	
comfort	
hyperthermia	235
hypothermia	235
physiology	234
Congo Red	279
copper phthalocyanine	286
Corona discharge	207
cortex	5
cotton	
bleaching	48 67 75
crease resistance	173

<u>Index terms</u>	<u>Links</u>				
cotton (<i>Continued</i>)					
flammability	108	117			
laundering	131				
mercerisation	275				
structure	3	8			
tensile properties	40				
<i>see also</i> easy care					
crystallinity	27				
<i>see also</i> fibre fine structure					
cuticle	5				
D					
defects	26				
<i>see also</i> fibre fine structure					
desizing	58	76	78	80	85
	262	351			
detergents					
laundering	145				
scouring	250				
diazotisation	282	325			
dichloroisocyanurate	54	57	196		
differential friction	6	143	144		
<i>see also</i> felting; machine-washable wool					
direct dyes					
after coppering	307				
cationic aftertreatment	307				
classes	305				
cotton	304				
dye-fibre interactions	304				
effect of laundering	168				

<u>Index terms</u>	<u>Links</u>
direct dyes (<i>Continued</i>)	
fastness	305
salt addition	304
disperse dyes	
anthraquinone	318
application	319
azo	318
classes	320
effect of laundering	166
transfer printing	319
E	
easy care	173
catalysts	185
DMDHEU	181 183
low-formaldehyde finish	183
melamine-formaldehyde	177
mechanical finishing	178
properties	174 180
propylene urea-formaldehyde	182
odour	178
softeners	177
solid contents	184
treatment process	185
urea-formaldehyde	175
zero-formaldehyde finish	184
endocuticle	5
environment	
acid rain	345
action programme	350

<u>Index terms</u>			<u>Links</u>
environment (<i>Continued</i>)			
aerobic digestion	340		
air pollution	345		
anaerobic digestion	340		
AOX	206	344	
bioaccumulation	342		
biodegradation	339	352	
bleaching	64		
CFC	345		
colour	349		
desize	351		
eco label	349		
environmental audit	347		
EOX	344		
Gaia hypothesis	336		
global environment	335		
greenhouse effect	346		
immediate environment	334		
life cycle analysis	349		
ozone	345		
pentachlorophenol	343		
permethrin	343		
polyurethane	220		
poly(vinyl alcohol)	352		
regional environment	335		
resources	337		
enzymes			
activity	264		
amylases	161	262	
biopolishing	263		

<u>Index terms</u>	<u>Links</u>
enzymes (<i>Continued</i>)	
cellulase	159 263
chymotrypsin	267
desizing	262
hydrolases	266
lipases	159 261
pectases	261
pepsin	267
proteases	157 261 266
stone washing	262
trypsin	267
xylanase	87
epicuticle	5
exocuticle	5
 F	
FAST	274
<i>see also</i> KES-F	
felting	6 187
<i>see also</i> machine-washable wool	
fibre fine structure	
amorphous with correlation model	25
chain folding	22
continuous structure models	23
crystallinity	27
defects	26
definition	1
disorders	26
fringed fibril concept	21
fringed micelle concept	19

<u>Index terms</u>	<u>Links</u>	
fibre fine structure (<i>Continued</i>)		
intermediate models	25	
kink bands	34	
length: width ratio	28	
linking of ordered units	33	
liquid crystal	14	
molecular extent	28	
order	27	
orientation of ordered units	28	31
packing of ordered units	31	
paracrystals	24	
partial crystallisation	16	18
shape of units	30	
size of order	28	
spherulites	34	
stress/strain	37	42
structural disorder	26	
Structure/tensile relationship	36	
temperature effects	38	
time effects	38	
fibroin	6	
fire-retardant		
antimony	114	
barrier layer	110	
borax/boric acid	110	
cost	123	
cotton	116	
fabric construction	112	114
failure	122	
fibres	115	

<u>Index terms</u>	<u>Links</u>		
fire-retardant (<i>Continued</i>)			
Lewis acid	112		
limited oxygen index	106		
metal salts	114		
phosphorus based	113	117	
polyester	121		
Proban	117		
Pyrovatex	120		
self-extinguishing	105		
solid phase	110		
strategy	104		
synergy	113	114	121
vapour phase	110		
wool	120		
flammability			
cellulosic	108		
poly amide	108		
polyester	108		
polypropylene	108		
pyrolysis mechanisms	103	111	
tests	105		
wool	107		
flax	3	49	
fluorescent whitening agent (FWA)	62	97	163
fluorochemical	212	216	
<i>see also</i> poly(tetrafluoroethylene)			
formaldehyde	6		
bleach activator	75		
easy care	173		
fibre protector	51	204	

Index terms**Links**formaldehyde (*Continued*)*see also* easy care**G**

garment

dyeing 199

shrink-resist 196

glass fibre 212 295

glass transition temperature 128 134 141 295

Gore-tex 239

see also poly(tetrafluoroethylene)**H**

handle

bleaching 60

KES-F 274

shrink-resist treatment 201 204

softeners 267

hank treatments 202

 α -helix 6

hydrocellulose 48

hydrogen bonds 7 15

hydrogen peroxide *see* bleaching;

peroxide

hydrolase 266

hydrophile-lipophile balance, HLB 254

hydrophilic films

delamination 241

polyester 241

<u>Index terms</u>	<u>Links</u>		
hydrophilic films (<i>Continued</i>)			
polyurethane	241		
hydrosulphite	59	75	94
<i>see also</i> bleaching; reductive bleaching			
hyperthermia	235		
hypochlorite	56	67	
hypophosphorous acid	57		
hypothermia	235		
 I			
infrared spectroscopy	52		
 J			
jute			
bleaching	69	78	87
 K			
keratin	3		
<i>see also</i> wool			
KES-F	274		
<i>see also</i> handle			
Kevlar			
properties	14	213	
kink bands	34		
knitwear			
cockling	193		
milling	191		
scouring	191		
shrink-resist	196		

<u>Index terms</u>	<u>Links</u>
knitwear (<i>Continued</i>)	
shrinkage specifications	188
Kroy	206
Koratron	178
 L	
laminates	210
delamination	241
films	237
flame lamination	215
test methods	243
lanthionine	52
laundering	
acrylic	143 150
alkali	148
antifoam	164
antiredeposition	161
bleaching	155
builder	145
calcium deposits	146 148
cellulose acetate	141 149
colour care	160
conditioners	151
cotton	131 141 143 149 155
creasing	134
dye desorption	166
dye-surfactant interactions	170
effect on dyes	165
effect on fabric structure	130
enzymes	149 152 157

<u>Index terms</u>	<u>Links</u>			
laundrying (<i>Continued</i>)				
foam	130			
fibrillation	132	137	141	160
fire-retardant failure	122	148		
glass transition temperature	128			
nylon	142			
perfume	164			
pilling	143	151		
polyester	142			
relaxation shrinkage	133			
soiling	143	148	161	
surfactants	131	150		
swelling shrinkage	131	136		
tensile loss	127			
tumble drying	140			
wool	144	149	156	159
wrinkling	134			
lignin	49			
lipase	159	261		
liquid crystalline polymers	14			
 M				
machine-washable wool				
AOX	206	344		
chlorination	196	203	205	
Chlorine Hercosett	203			
dichloroisocyanuric acid	196	205		
electric discharge	207			
enzyme	207			
garment dyeing	199			

<u>Index terms</u>	<u>Links</u>	
machine-washable wool (<i>Continued</i>)		
garment treatment	189	
handle	204	
Kroy	206	
laundering damage	159	
oxidation/polymer systems	196	
peroxymonosulphate	196	
polymer systems	201	
soft lustre	204	
test specification	188	
top treatments	203	
Vantean	204	
yellowing	196	200
macrofibril	5	
melanin	57	82
<i>see also</i> bleaching		
melt-spun	12	
mercerisation	275	
metal complex dyes	301	
microporous films		
polyurethane	237	
PFTE	239	
UV cured	239	
milling	188	191
 N		
natural rubber	222	
<i>see also</i> rubber		
neoprene rubber	224	
<i>see also</i> rubber		

<u>Index terms</u>	<u>Links</u>			
nitrile rubber	227			
<i>see also</i> rubber				
Nomex	107	116		
nonanoyloxybenzene sulphonate	154			
nylon <i>see</i> polyamide				
O				
odour	179			
<i>see also</i> easy care				
orientation	7	16		
<i>see also</i> fibre fine structure				
orthocortex	5			
oxidation				
bleaching	56	89		
dyes	323			
laundering	152			
shrink-resist	196	203		
oxycellulose	49	56	155	156
ozone	59	88		
P				
paracortex	5			
pepsin	267			
peracetic acid	50	54	58	81 91
	153	158		
perborate	57	152		
percarbonate	58	67		
permanganate	58	73	89	
peroxide	57	76		

<u>Index terms</u>	<u>Links</u>		
peroxydodecanedioic acid	58		
photobleach	61	95	
pigments			
colour	327		
dyeing	328		
inorganic	326		
mass coloration	326		
particle size	328		
printing	328	330	
pillling	143		
polyacrylates	229	245	329
<i>see also</i> coating polymers; printing			
polyacrylonitrile			
laundering	150		
preparation	228		
properties	12	44	
<i>see also</i> acrylic fibres/fabrics; acrylic polymers			
polyamide (nylon)			
bleaching	54		
dyeing	300	309	
flammability	108		
laundering	142	150	
structure	4	11	41
tensile properties	41		
polychloroprene	224		
<i>see also</i> rubber			
polyester			
dyeing	317	320	
fire-retardant	121		

<u>Index terms</u>	<u>Links</u>			
polyester (<i>Continued</i>)				
flammability	108			
hydrophilic	241			
laundering	142	150		
soil-release	150			
structure	11			
polyethylene				
preparation	23			
properties	233	245	247	
structure	12	17		
uses	245			
polyisobutylene	225			
<i>see also</i> rubber				
poly(tetrafluoroethylene)				
microporous	239			
preparation	232			
properties	13	232	243	247
uses	245			
polyurethane				
hydrophilic	241			
isocyanates	218			
microporous	237			
preparation	217	237		
properties	221	243	247	
uses	245			
water-based	220			
poly(vinyl alcohol)				
size	352			
structure	13			

<u>Index terms</u>	<u>Links</u>		
poly(vinyl chloride)			
preparation	228		
properties	13	229	247
uses	245		
polyvinylpyrrolidone	162		
printing			
binders	330		
discharge	331		
pigment	330		
rheology	329		
roller	328		
rotary screen	328		
thickener	329		
protease	157	261	266
R			
reactive dyes			
application procedures	311		
bifunctional reactives	314	316	
α -bromoacrylamide	317		
chloropyrimidine	315		
chloroquinoxalines	315		
chlorotriazines	131	309	
hydrolysis	295	310	316
kinetics	295		
nucleophilic addition	310		
nucleophilic substitution	310		
reactive groups	310		
reductive bleaching	59	93	
relaxation shrinkage	133	136	188

<u>Index terms</u>	<u>Links</u>			
resins	175			
<i>see also</i> easy care				
rubber	221			
butyl	225	246		
natural	222	246		
neoprene	224	246		
nitrile	227	246		
styrene-butadiene	225	246		
 S				
salt dissolution process	237			
<i>see also</i> microporous films				
scouring	249			
alkali	258			
cloud point	257			
CMC	256			
combined with bleaching	52	72		
combined with desizing and bleaching	73	75	81	85
fibre type	259			
HLB	254			
soap	250	258		
surfactants	251			
sequestering agents	57	153		
shrink-resist <i>see</i> machine-washable wool				
silicones				
coatings	231	247		
shrink-resist	198	210		
softeners	271			
water-repellent	212	216		

<u>Index terms</u>	<u>Links</u>		
silk			
bleaching	53	87	93
laundering	145	149	
micrograph	3		
size <i>see</i> desizing			
skin	10		
<i>see also</i> viscose			
soap	250		
softeners			
biodegradable	151		
cationic	269		
crease-resist finish	180		
imidazoline	270		
miscellaneous	273		
reactive	273		
silicone	271		
soiling	143	148	
antiredeposition	161		
soil-release finish	150		
spherulites	34	41	
<i>see also</i> fibre fine structure			
stabilizers	57		
stone washing	263		
stress-strain curves	37		
structure			
<i>see also</i> fibre fine structure			
styrene-butadiene	225		
<i>see also</i> rubber			
sulphites	59		

<u>Index terms</u>			<u>Links</u>
sulphoxylates	59	331	
sulphur dioxide	59		
sulphur dyes			
effect of laundering	165		
preparation	323		
processing	324		
surfactants	252		
<i>see also</i> scouring			
swelling shrinkage	131	136	
T			
TAED	58		
Tencel			
properties	4	10	
tensile properties	36		
cotton	40		
laundering effects	134		
poly amide	41		
polyester	41		
temperature effects	38		
time effects	38		
thickeners	329		
thiourea	60	82	
thiourea dioxide	60	82	94 331
transfer printing	319		
trimethylol melamine	177		
trypsin	267		
tumble dry	140		

<u>Index terms</u>	<u>Links</u>
U	
ultraviolet cure	
<i>see also</i> acrylic polymers	239
upholstery	
flammability	109
V	
vapour permeable	234
<i>see also</i> comfort; microporous films	
vat dyes	
alkali/reduction	321
indigo	283 320
laundering	165
oxidation	323
soaping	323
Ventile	235
<i>see also</i> coated fabrics	
vinyl sulphone dyes	310 313
viscose	
crease-resist	141 180
F.R	115
manufacture	9
structure	4 10
vulcanisation	211 223 231
W	
washing <i>see</i> laundering	
waterproof	234
<i>see also</i> coated fabrics	
water-repellent	212 216 235 273

<u>Index terms</u>	<u>Links</u>			
wax	269			
wet-cast coagulation	237			
wet-spun	9			
whitening <i>see</i> bleaching				
wool				
acid dyes	300			
amino acids	5			
bleaching	50	60	82	94
bleaching damage	51			
chemical properties	50			
chrome dyes	301			
cockling	193			
fibre damage in dyeing	317			
enzymes	157	207	266	
felting	144			
flammability	107	120		
garment dyeing	196			
laundering	156			
photobleach	95			
pigmented wool	57	82		
reactive dyes	316			
scouring	259			
shrink-resist finishes	196			
structure	5			
X				
X-ray diffraction	19	28		

382

Index terms

Links

Y

yellowing

easy care finishes

180

shrink-resist treatments

196 200

Z

zinc formaldehyde sulphoxylate

331

zirconium salts

120

Zirpro treatments

120