

-
- absorber additives, 174
acetate, 71–2
acetylation of proteins, 30
acid dyes, 43–4, 77
acid-base catalysis, 90
acid-base properties of proteins, 20–3
acoustic cavitation, 145–6
acrylic fibers, 81–2, 97
activated sludge process, 208–12
 microorganisms, 210–12
active enzyme amounts, 105, 190–1
additives
 compatibility of, 187–8
 and operational stability, 181
 and storage stability, 173–4, 175–6
aerobic treatment of effluent, 207
ageing/fading effects, 111, 122, 126–8
aggregation, 167
air monitoring, 196–7
ALCERU fibers, 71
alginates, 53
allergies, 192, 194
alpha-carbon, 9
alpha-Helices, 12–13
alpha-Keratin, 6
amino acids, 6, 7–10, 21, 73, 89, 160
ammonium sulphate, 175
amoeba, 211
amphoteric surfactants, 60
amylases, 90–1, 110, 113, 122, 124
amylopectin, 52
amylose, 52
anaerobic treatment of effluent, 208
animal hair fibers, 73–5
anionic surfactants, 59–60
anti-felting finishes, 75
apoenzymes, 35
arginine, 9
aspartic acid, 8–9
assays for determining enzyme activity, 105, 190
auxiliaries for textile processing
 natural, 51–6
 synthetic, 56–7
azoic dyes, 50, 213–14, 218
azoreductase, 213

β-Keratin, 6
β-pleated sheets, 13–14
β-sheets, 13
β-turn, 14
backstaining, 112, 127
bacteria, 210
basic dyes, 44–5
bast fibers, 68–9, 114
batch equipment, 181–3, 184
benzoic acids, 175
biocatalysis, 120
 immobilised enzyme systems, 148–54
 see also catalysis
bioinformatics, 38
biological effluent treatments, 207–8, 210–12, 212–19
biopolishing *see* depilling
biopolyesters, 79
biosorption decolourisation, 217–18
biosynthesis, 24–9
Biuret reactions, 20
bleaching, 58, 59, 69, 75–6, 108, 113–14
 effluent treatment, 202, 204
 and inactivation of enzymes, 175
Büchner, Eduard, 1
buffer systems, 57, 173

carbonisation, 108
catalase-peroxidases, 98–9
catalases, 31, 98–9, 110
catalysis, 1–2, 3, 30–6, 86–116
 acid-base catalysis, 90
 enhancement of reactions, 105–6, 142–8
 enzyme kinetics, 87–9, 99–105, 120, 152
 function of textile processing enzymes, 89–96
 heterogeneous systems, 102–5
 homogeneous systems, 99–102
 immobilised enzyme systems, 148–54

- inactivating enzymes, 161–9
- inhibition of reactions, 105–6, 169
- pH influences on, 22–3, 89, 160–1, 163, 166
- proteases, 18, 76, 96–9, 113
 - contamination, 165–6
 - and temperature, 89, 161, 162–3
 - thermodynamics, 87–9
 - see also* stability of enzymes
- cationic dyes, 44–5
- cationic surfactants, 60, 188
- cavitation, 145–6
- cellulases, 91–3, 104, 110–13, 122, 125–6
 - inactivating, 127–8
- cellulolytic enzymes, 92
- cellulose, 65, 92
 - chains, 66
 - derivatives, 54–5
 - esters, 71–2
- cellulosic fibers, 65–72, 112
 - bast, 68–9, 114
 - chemical composition, 65–6
 - cotton, 67
 - dyes, 109
 - enzyme applications, 72
 - finishing, 69–70
 - flax, 68
 - hemp, 68–9
 - jute, 68–9
 - leaf fibers, 69
 - moisture uptake, 66–7
 - natural cellulosics, 67
 - nut husk fibers, 69
 - ramie, 68
 - regenerated, 70–1
 - solvent-spun, 70–1
 - viscose rayon, 70
- chelators, 125, 164, 188
- chemical effluent treatments, 206–7
- chemical finishes, 75–6
- chemical modification
 - and inactivation of enzymes, 168
 - and storage, 177–8
- chemical reactions, 3, 30, 88, 159
- chitosan, 55–6
- chromium, 44
- chymotrypsin, 33
- ciliophora, 211
- clarification of effluent, 203
- classification of enzymes, 3–6
- closure of application, 187
- coagulation of effluent, 206–7
- coating materials, 51–6
- code numbers of enzymes, 4
- codons, 25–6
- cofactors, 35–6, 38
- collagen, 7
- coloration
 - colour removal research, 209
 - preparation, 107, 108–9
 - process, 109
 - see also* dyes; pigments
- Colour Index (CI), 42
- compatibility of additives, 187–8
- computational fluid dynamics, 142–3
- conjugated proteins, 7
- containers for storage, 172
- contamination of proteases, 165–6
- continuous equipment, 181–2, 183–5
- copolymers, 62
- cotton, 67
 - denim, 64, 72, 111, 112, 126
 - desizing, 110, 124–5
 - finishing, 114, 125–9
 - see also* scouring
- covalent bonds, 19, 33–4
- covalent coupling, 160
- covalent enzyme modification, 168
- crosslinking resins, 63–4, 114
- cutinases, 96
- cyclodextrins, 53–4
- cysteine, 9
- decolourisation, 217–18
- deformation of textile materials, 142–4
- degumming, 115–16
- denim, 64, 72, 111, 112, 126
 - see also* cotton
- depilling, 111, 128–9
- desizing, 51, 69, 90, 108, 110, 124–5
- detergents, 112–13, 121–2
- dextrins, 53–4
- diazo compounds, 50
- diffusion of enzymes, 134–41
 - limitations, 148–54
 - external, 151–2
 - internal, 152–4
- direct dyes, 45
- disperse dyes, 45–6
- disulfide bonds, 19
- DNA (deoxyribose nucleic acid), 24–6, 37
- dosage, 182, 183, 188–9
- dust prevention, 178
- dyes, 42, 70, 109
 - acid, 43–4, 77
 - for acrylic fibers, 81–2, 97
 - azoic, 50, 213–14, 218
 - basic, 44–5
 - cationic, 44–5
 - for cellulosic fibers, 109
 - colour removal research, 209
 - direct, 45
 - disperse, 45–6
 - effluent treatment, 201, 202, 204–5, 208–10, 213–19
 - metal complex, 43–4
 - mordant, 44
 - polymeric, 48

- for protein fibers, 109
 - reactive, 46–7
 - solvent, 47
 - sulfur, 48
 - synthetic auxiliaries, 56–7
 - for synthetic fibers, 109
 - vat, 48
 - see also* pigments
- effluent treatment, 199–219
 - activated sludge process, 208–12
 - biological, 207–8, 210–12, 212–19
 - biosorption decolourisation, 217–18
 - chemical, 206–7
 - clarification, 203
 - enrichment cultures, 218–19
 - enzymatic modification, 213–16
 - fungal decolourisation, 217
 - hazardous waste, 200–2
 - heavy metals, 200–1
 - membrane technologies, 206
 - sludge disposal, 207
 - types of effluent, 201–2
 - wastewater, 191, 203–5
- elastin, 7
- electrolytic compounds, 56–7
- electron microscopy, 15
- electrostatic interactions, 19, 90, 160, 180
- ELISA test, 196
- emulsions, 205
- endoglucanases, 92
- enhancement of reactions, 105–6, 142–8
- enrichment cultures, 218–19
- Enzoguard technology, 178
- enzymes, 1–6
 - apoenzymes, 35
 - assays for determining activity, 105, 190
 - cellulolytic, 92
 - classification and nomenclature, 3–6
 - code numbers, 4
 - cofactors, 35–6, 38
 - in detergents, 112–13, 121–2
 - diffusion, 134–41
 - limitations, 148–54
 - effluent modification with, 213–16
 - half-life times, 106–7
 - holoenzymes, 35
 - induced fit model, 33
 - isoenzymes, 4, 17
 - kinetics, 87–9, 99–105, 120, 152
 - lock and key model, 33
 - manufacturers of industrial enzymes, 121
 - market size, 121
 - metalloenzymes, 90
 - monomeric, 17–18
 - nitrile hydrolysing, 97–8
 - pectinolytic, 93–6
 - production process, 169
 - solubility, 23
 - specificity, 31–5
 - see also* catalysis; handling enzymes; stability of enzymes
- esterases, 96
- esters, 71–2
- eye contact with enzymes, 193
- fading/ageing effects, 111, 122, 126–8
- fatty acids, 56, 74
- fermentation, 169
- fiber modifications, 64
- fibroin, 115
- fibrous proteins, 6–7
- finishing, 123
 - ageing/fading effects, 111, 122, 126–8
 - anti-felting finishes, 75
 - backstaining, 112, 127
 - cellulase finishing, 110–12
 - cellulosic fibers, 69–70
 - chemical finishes, 75–6
 - cotton, 114, 125–9
 - depilling, 111, 128–9
 - desizing, 51, 69, 90, 108, 110, 124–5
 - flame-retardant finishes, 63–4
 - peach-skin effects, 71, 112
 - scouring, 72, 76, 108, 113, 122, 129–31
 - spin finishes, 56
 - wrinkle-resistant finishes, 63
- first aid, 193
- flagellated protozoa, 211
- flame-retardant finishes, 63–4
- flax, 68
- flocculation, 206, 212
- fluorescent brighteners, 58, 59
- fluorochemicals, 61–2
- foam control, 61
- Folin-Ciocateau reactions, 20
- Fourier Transform Infrared Spectrometry (FTIR), 37
- free energy, 87–8, 161
- fungal cellulases, 92
- fungal decolourisation, 217
- Genencor International, 178
- genetic engineering, 176–7
- Gibbs free energy, 87–8
- globular proteins, 7, 15
- glucoamylase, 52
- glutamic acid, 8–9
- glycine, 14
- glycosyl hydrolase, 16
- glycosylation of proteins, 29
- gums, 53
 - degumming, 115–16
- half-life times, 106–7
- handling enzymes, 181–91
 - active enzyme amounts, 105, 190–1
 - batch equipment, 181–3, 184

- closure of application, 187
- compatibility of additives, 187–8
- continuous equipment, 181–2, 183–5
- dosage, 182, 183, 188–9
- incubation times, 183, 184, 188
- measurement of enzyme level, 183–4
- monitoring activity, 183–4
- pH maintenance, 186–7
- preparation for application, 185–6
- product quality, 184–5
- repeated use, 189–90
- wastewater treatment, 191, 203–5
see also health and safety
- hard water, 56–7
- hazardous waste, 200–2
- health and safety, 192–7
 - air monitoring, 196–7
 - allergies, 192, 194
 - during preparation for use, 185–6
 - eye contact, 193
 - first aid, 193
 - hazardous waste, 200–2
 - inhalation, 192, 193, 194
 - Material Data Sheets (MSDS), 194, 195
 - medical monitoring, 197
 - precaution and protection, 195–6
 - respirators, 195–6
 - skin irritation, 193
 - spillages, 186
 - symptoms of exposure, 192–3
 - toxicity tests, 194
- heavy metals, 200–1
- hemicellulose, 66
- hemp, 68–9
- heterogeneous catalysis systems, 102–5
- hexokinase, 32
- holoenzymes, 35
- homogeneous catalysis systems, 99–102
- Hopkins-Cole reactions, 20
- hydrogen bonds, 19, 160
- hydrogen peroxide, 58
 - removal, 110
- hydrolases, 5, 64
- hydrophobic interactions, 18–19, 160
- hypochloric acid, 58

- imino acids, 8
- immobilisation treatment, 176
- immobilised enzyme systems, 148–54
- inactivation of cellulases, 127–8
- inactivation of enzymes, 161–9, 170
 - aggregation, 167
 - bleaching agents, 175
 - chelators, 164
 - chemical modification, 168
 - at closure of application, 187
 - inhibitor binding, 105–6, 169
 - operational stability, 178–81
 - oxidising agents, 165, 175
 - pH, 163, 187
 - precipitation, 166–7
 - protease contamination, 165–6
 - reducing agents, 164–5
 - shear force, 167–8
 - surfactants, 163–4
 - temperature, 162–3
- incubation times, 183, 184, 188
- indigo backstaining, 112, 127
- induced fit model, 33
- inhalation of enzymes, 192, 193, 194
- inhibition of reactions, 105–6, 169
- interactive additives, 174
- interfacial properties, 59–61
- ion additives, 181
- ionic bonds, 89
- ionic interactions, 19, 160
- isoamylase, 52
- isoelectric point, 22
- isoenzymes, 4, 17
- isomerases, 5

- jute, 68–9

- katalas, 105
- keratin, 73
- kinetics, 87–9, 99–105, 120, 152

- laccases, 99, 114, 214
- Langmuir model, 104
- leaf fibers, 69
- ligases, 5
- lignocellulosic fibers, 114
- lipases, 96, 113, 122
- lock and key model, 33
- Lowry reactions, 20
- lubricants, 56, 125
- lyases, 5
- Lyocell, 71, 112, 128

- magnesium sulphate, 143
- manufacturers of industrial enzymes, 121
 - production process, 169
- market for enzymes, 121
- mass transfer, 131–41
 - deformation of textile materials, 142–4
 - enhancement, 142–8
 - immobilised enzyme systems, 148–54
 - structure of textiles, 131–4
 - ultrasound enhanced, 144–8
 - see also* diffusion of enzymes
- mastigophora, 211
- Material Data Sheets (MSDS), 194, 195
- measurement of enzyme level, 183–4
- medical monitoring, 197
- membrane technologies, 206
- mercerization, 69, 108
 - effluent treatment, 202, 204
- metal complex dyes, 43–4

- metalloenzymes, 90
- metals, heavy metals, 200–1
- methionine, 9
- Michealis-Menten model, 102, 103, 105, 152
- microbial growth, 171, 173
- microbicide addition, 175–6
- microfiltration, 206
- microorganisms in the activated sludge process, 210–12
- Million reactions, 20
- modified starches, 52–3
- molecule stabilisation of proteins, 18–19
- monitoring enzyme activity, 183–4
- monomeric enzymes, 17–18
- mordant dyes, 44
- mutagenesis, 37–8, 176–7

- naming enzymes, 3–6
- nanofiltration, 206
- natural auxiliaries for textile processing, 51–6
- nematodes, 212
- NewCell fibers, 71
- nitrile hydrolysing enzymes, 97–8
- non-ionic surfactants, 60, 125, 127, 188
- Northrop, John, 1
- Novozymes, 178, 195
- nuclear magnetic resonance (NMR), 15, 17
- nut husk fibers, 69
- nylons, 80

- oils, 56
- operational stability, 178–81
 - and additives, 181
 - and pH, 180
 - substrate concentration, 180–1
 - and temperature, 179–80
- optical isomers, 9
- oxidases, 216
- oxidising agents
 - and effluent treatment, 207
 - and inactivation of enzymes, 165, 175
- oxidoreductases, 5

- parabens, 175
- peach-skin effects, 71, 112
- pectin, 93–6, 130
- pectinolytic enzymes, 93–6
- peptides, 10–11
- peroxidases, 98–9, 216
- pH
 - and catalysis, 22–3, 89, 160–1, 163, 166
 - checking, 182
 - control substances, 56–7
 - and inactivation of enzymes, 163, 187
 - maintenance, 186–7
 - and operational stability, 180
 - and storage stability, 173
- phenylalanine, 7

- phosphorylation of proteins, 29
- photoyellowing, 59
- pigments, 42, 50–1
 - see also* dyes
- polyacrylates, 62
- polyacrylonitriles, 81–2
- polyamides, 79–81, 116
- polyester, 78–9, 116
- polymeric dyes, 48
- polypeptides, 6, 10, 11, 73
 - domain types, 14
- post-translational protein modification, 29–30
- precautions, when using enzymes, 195–6
- precipitation, 166–7, 173
- preparation for application, 185–6
- primary structure of proteins, 10–12
- printing wastes, 202
- process intensification, 105–6, 142–8
- process parameters, 120, 123
- product quality, 184–5
- production process for enzymes, 169
- proline, 7, 8, 14
- proteases, 18, 76, 96–9, 113
 - contamination, 165–6
- protection, when using enzymes, 195–6
- protein engineering, 37–8
- protein fibers, 72–7
 - animal hair, 73–5
 - chemical finishes, 75–6
 - dyes, 109
 - silk, 76–7, 115–16
 - wool, 73–5, 114–15
- proteins, 1
 - biosynthesis, 24–9
 - conjugated proteins, 7
 - fibrous proteins, 6–7
 - globular proteins, 7, 15
 - molecule stabilisation, 18–19
 - post-translational modification, 29–30
 - properties of, 19–24
 - simple proteins, 7
 - solubility, 23–4, 166–7
 - structure, 2, 6–18, 159–61
 - primary, 10–12
 - quaternary, 17–18
 - secondary, 12–14
 - tertiary, 14–17, 18
 - ultra-violet absorbance, 20
- proteolytic modification, 29–30
- proteomics, 38
- protozoa, 211
- pumice stones, 122, 126

- quality, 184–5
- quaternary structure of proteins, 17–18

- ramie, 68
- rayon, 70

- reactive dyes, 46–7
- reducing agents, 164–5
- regenerated cellulosic fibers, 70–1
- repeated use of enzymes, 189–90
- resins, 63–4
- respirators, 195–6
- reverse osmosis, 206
- ribosomes, 27
- RNA (ribose nucleic acid), 24–9
- rotifers, 211–12

- Sakaguchi reactions, 20
- salt concentrations, 23–4, 166–7, 173, 175
- sarcodina, 211
- scavenger additives, 174
- scouring, 72, 76, 108, 113, 122, 129–31
 - effluent treatment, 201–2, 203–4
- secondary structure of proteins, 12–14
- sequestering agents, 57
- sericin, 76, 115
- shear force, 167–8, 182
- shrinkage, 75, 115
- silicones, 61–2
- silk, 64, 76–7, 115–16
- siloxanes, 61
- site-directed mutagenesis, 37–8
- sizing, 108, 124
 - desizing, 51, 69, 90, 108, 110, 124–5
 - natural compounds, 51–6
 - synthetic compounds, 62
- skin irritation, 193
- sludge
 - activated sludge process, 208–12
 - disposal, 207
- sodium chlorite, 58
- soft water, 56–7
- softening agents, 61
- solubility of proteins, 23–4, 166–7
- solvent dyes, 47
- solvent-spun fibers, 70–1
- sonomechanics, 146
- specificity of enzymes, 31–5
- spillages, 186
- spin finishes, 56
- stability of enzymes, 106–7, 159–81
 - half-life times, 106–7
 - inactivation, 161–9, 170
 - operational stability, 178–81
 - protein structure, 159–61
 - storage, 170–8, 185
- Stanley, Wendell, 1
- starch, 51–3, 90, 124
- stereoisomers, 32
- stonewashing, 111, 122, 126–8
- storage, 170–8, 185
 - absorber additives, 174
 - chemical modification, 177–8
 - containers for storage, 172
 - dust prevention, 178
 - genetic engineering, 176–7
 - immobilisation treatment, 176
 - interactive additives, 174
 - liquid products, 170–2
 - microbial growth, 171, 173
 - microbicide addition, 175–6
 - and pH, 173
 - and precipitation, 173
 - salting, 173, 175
 - scavenger additives, 174
 - solid products, 170–1
 - sugar/sugar alcohol addition, 173–4
 - temperature, 171, 172
 - and water activity, 171, 173–4
- structure of proteins, 2, 6–18, 159–61
 - primary, 10–12
 - quaternary, 17–18
 - secondary, 12–14
 - tertiary, 14–17, 18
- structure of textiles, 131–4
- substrates
 - concentration, 180–1
 - non-fibrous and non-substrates, 42–64
 - textile fibers, 64–82
- succinate oxidase system, 6
- sugar/sugar alcohol addition, 173–4
- suint, 75
- sulfur dyes, 48
- Sumner, James, 1
- surfactants, 59–60, 125, 127, 163–4, 188
- symptoms of exposure, 192–3
- synthetic auxiliary dyes, 56–7
- synthetic fibers, 77–82, 112, 116
 - biopolyesters, 79
 - dyes, 109
 - polyacrylonitriles, 81–2
 - polyamides, 79–81, 116
 - polyester, 78–9, 116

- temperature
 - and catalysis, 89, 161, 162–3
 - and inactivation of enzymes, 162–3
 - and operational stability, 179–80
 - and storage stability, 171, 172
- Tencel, 71
- tertiary structure of proteins, 14–17, 18
- textile materials, 131–41
 - deformation, 142–4
 - structure, 131–4
 - yarns, 51, 132–7
- thermodynamics, 87–9
- thermosetting, 109
- thickeners
 - natural, 51–6
 - synthetic, 62
- toxicity tests, 194
- transferases, 5
- translation process, 25
- triacetate, 71–2

- tryptophan, 7
- tyrosine, 7

- ultra-violet absorbance, 20
- ultrafiltration, 206
- ultrasound enhanced mass transfer, 144–8

- Van der Waals interaction, 19, 160
- vat dyes, 48
- viscose rayon, 70

- washing-off, 108
- wastewater treatment, 191, 203–5
 - see also* effluent treatment
- water activity and storage stability, 171, 173–4
- water softeners, 56–7
- water treatment *see* effluent treatment
- waxes, 56
- wet processing, 107–13, 120–1, 123–31
 - cellulase finishing, 110–12
 - coloration preparation, 107, 108–9
 - coloration process, 109
 - hydrogen peroxide removal, 110
 - process parameters, 120, 123
 - synthetic fibers, 112
 - see also* finishing
 - whitening effects, 58–9
 - wicking effect, 141
 - wool, 73–5, 114–15
 - effluent treatment, 202, 205
 - woven textiles, 131–4
 - wrinkle-resistant finishes, 63

- X-ray diffraction, 15
- xanthan gum, 53

- yarns, 51, 132–7

- zwitterionic surfactants, 60
- zymogens, 18