

INDEX

- Acetoacetate, 345
Acetone, 345
Acetyl CoA carboxylase, 348, 350, 355
 phosphorylation of, 350
Acetylcholine, 161, 167, 170
Acetylcholinesterase, 103, 170
N-Acetylglucosamine, 2
N-Acetylmuramic acid, 2
Acid, 33
Acid hydrolase, 8
Acid phosphatase, 28
Acrylamide, 70, 72
Actin, 9, 10, 13
Action potential, *see*
 Membrane, electrical potential
Activated methyl cycle, 411–412
Acyl carrier protein (ACP), 347, 348
Acyl coenzyme A (acyl CoA), 340
 cholesterol acyltransferase (ACAT), 365
 synthase, 340
Adenosine diphosphate, *see* ADP
Adenosine monophosphate, *see* AMP
Adenosine triphosphate, *see* ATP
S-Adenosyl homocysteine, 411
S-Adenosyl methionine, 411, 412
Adenylate cyclase, 162, 332–334, 353
Adenylylation, 110
Adipose cell, 352, 365
ADP, 94
ADP-ribosylation, 110
Adrenalin, *see* Epinephrine
Affinity chromatography, 67–68, 130
Agarose, 65
Agarose gel electrophoresis, of DNA, 273
Alanine, 30, 31, 36
 degradation, 400
 synthesis, 400
Albumin, 416
Alcohol dehydrogenase, 310
Aldoses, 294
Aldosterone, 362
Alkaline phosphatase, 28
Alkaptonuria, 406
Allosteric enzyme, *see* Enzyme
Allosteric regulation, 52, 107–108
 concerted model, 107
 Monod-Wyman-Changeaux model, 107
 sequential model, 108
 symmetry model, 107
Allostery, 107
Allysine, 60
Amino acid, 29
 20 standard amino acids, 30–32, 36, 401
 biosynthesis, 400
 degradation, 400
 enantiomers, 30
 essential, 400
 glucogenic, 400
 ionization, 35
 ketogenic, 400
 nonessential, 400
 oxidases, 404–405
 titration curve, 36
Amino acid degradation, 400–405; *see also* Urea cycle
 deamination of glutamate, 404
 degradation of phenylalanine, 405
 inborn errors of metabolism, 406
 pyridoxal phosphate, 401–404
 reactions of, 401–405
 transamination, 400–401
 via amino acid oxidases, 404–405
Amino acid synthesis, 400
Amino sugars, 298
Aminolaevulinic acid (ALA), 415
 synthase, 415
 β -Aminopropionitrile, 61
Ammonia, 404, 407
 excretion, 407
Ammonium sulfate precipitation, 64
Ammonotelic, 408
AMP, 94
Amytal, 378
Androgens, 362
Anemia, 88
 pernicious, 88
Angina, 158
Anion exchange band 3 protein, 139, 148
Ankyrin, 144
Anomers, 297
Antibiotic, 3
Antibodies, *see also* Immune system, Antibody synthesis
 affinity chromatography, 68, 130
 antigen-binding sites, 118–120
 antigenic determinant, 127
 as tools, 127–130
 blotting, 129–130
 classes, 119–120, (*see also* IgA, IgD, IgE, IgG, IgM)
 constant regions, 118–120
 ELISA, 128–129
 epitope, 120, 127
 F(ab)₂ fragment, 119
 Fab fragments, 119–120
 Fc Fragment, 119–120
 framework regions, 118
 heavy chains, 117–120
 hypervariable regions, 118
 IgA, 119–120
 IgD, 119–120
 IgE, 119–120
 IgG, 114, 119–120
 IgM, 114, 119–120
 immunoaffinity chromatography, 68, 130
 immunoblotting, 129–130
 immunocytochemistry, 127–128
 immuno-electron microscopy, 22, 128
 immunofluorescence light microscopy, 20, 127–128
 immunolocalization methods, 127–128

- light chains, 117–120
monoclonal, 120–121
polyclonal, 120
proteolytic digestion, 119
somatic recombination, 122–126
see also Antibody synthesis
structure, 117–120
synthesis, 122–126
see also Antibody synthesis
use of a second antibody, 130
variable regions, 118
Western blotting, 74, 130
- Antibody synthesis, *see also*
Immune system
class switching, 125–126
DJ joining, 125
germ-line hypothesis, 122
heavy chain switch, 126
 κ light chain genes, 122–123
 λ light chain genes, 123
recombination of heavy chain genes, 123–125
recombination of light chain genes, 122–123
somatic recombination, 122
VDJ joining, 125
VJ joining, 123
- Antimycin, 379
- Apical membrane, 149
- Apolipoprotein
protein function, 364
pre-mRNA editing, 227
- Apoptosis, 111
- Arachidonic acid, 135, 149, 337, 350
- Archaeobacteria, 1
- Arginase, 408
- Arginine, 32, 36
degradation, 400
synthesis, 400
urea cycle, 408
- Argininosuccinase, 408
- Argininosuccinate, 408
- Arthritis, 412
- Ascorbic acid, *see* Vitamin C
- Asparagine, 32, 36
degradation, 408
synthesis, 408
- Aspartate, *see* Aspartic acid
- Aspartate transcarbamoylase, 108
- Aspartic acid, 32, 36
degradation, 408
synthesis, 408
- Aspirin, 159, 337
- Atheromas, 366
- Atherosclerosis, 366
- ATP,
 $F_0 F_1$ ATPase, 380–381
structure, 94
synthase, 380–381
synthesis, *see* Oxidative phosphorylation,
Substrate-level phosphorylation
- Attenuation, 204–205
- Autoradiography, 74, 273
- Axon, 167–169
hillock, 168
- Axoneme, 16
- Azide, 379
- β -oxidation, of fatty acids, 341–343
- B lymphocytes,
differentiation, 123
role in humoral response, 114
- Bacteria,
Gram-negative, 3
Gram-positive, 3
- Bacteriorhodopsin, 139
- Base, 33
- Base sequence, 175–176
- Bases,
in DNA, 173
in RNA, 193
- Basolateral membrane, 148
- Beriberi, 88
- Bi-directionality, 185, 189
- Bile duct, 417
- Bile pigments, 416
- Bile salts, 353, 361, 366
- Bilirubin, 416
- Biliverdin, 416
reductase, 416
- Binding charge mechanism, 381
- Biogenic amines, 159, 170
- Biotin, 348
- 2,3-Bisphosphoglycerate, 52–53
- Blood,
clot, 366
clotting cascade, 111
- Blotting, *see* Southern blotting,
Northern blotting,
Western blotting
- Bohr effect, 52
- Bone,
brittle, 59
formation, 61
structure, 57
- Bromophenol blue, 70
- Brush-border membrane, *see*
Apical membrane
- Buffering capacity, 34
- Ca^{2+} ,
as second messenger, 164–165
in bone formation, 61
in control of glycogen metabolism, 334
in muscle contraction, 16
- Ca^{2+} -ATPase, 143
- CAAT box, 214
- Calcium phosphate in bone formation, 61
- Calmodulin, 165
- Calvin cycle, 390
- cAMP, 110, 164, 202, 332–334, 350, 353–354
- Capping of mRNA, 221–222
- Carbamoyl phosphate, 408
synthetase, 408
- Carbon monoxide, 51, 158, 379
- Carbonic anhydrase, 52
- Cardiolipin, *see*
Diphosphatidylglycerol
- Carnitine, 340–341
acyltransferase, 340
translocase, 340
- Carotenoids, 386
- Caspase, 111
- Catabolite activator protein (CAP), 202
- Catalase, 8, 28, 404, 414
- Catalytic RNA, 233
- Cathepsin C, 28
- cDNA libraries, 284
- Cell cycle, in eukaryotes, 188
- Cell signaling, 157
- Cell structure, 2
- Cell wall,
bacterial, 2
plant, 8
- Cellulose, 8, 301–302
- Centrifugation,
differential velocity, 26, 64
equilibrium density-gradient, 27

- Centrifuge, 26
 ultracentrifuge, 26
- Cerebroside, 134
- Cesium chloride, 28
- cGMP, 164
- Chain termination DNA sequencing, 286–288
- Chaperones, 47, 261
- Chemical equilibria, 94
- Chemiosmotic hypothesis, 379
- Chemotaxis, 3
- Chlorophyll, 7, 386, 414
 synthesis, 415
- Chloroplast, 7
- Cholecalciferol, 361
- Cholera toxin, 164
- Cholesterol, 134, 353–362
 biosynthesis, 358–359
 functions of, 358
 in membrane fluidity, 136
 receptor-mediated endocytosis of, 154
 regulation of biosynthesis, 359–361
- Cholyl CoA, 361
- Chromatin, 179–180, *see also* Chromosomes
- Chromatography, 63, 65–68
 affinity, 67–68
 gel filtration, 65–66
 high performance liquid (HPLC), 77
 hydrophobic interaction, 63
 ion exchange, 66–67
- Chromosomes, eukaryotic, 30 nm fiber, 181
 chromatin, 180
 histone octamer, 180–181
 histones, 7, 180–181
 interphase, 180
 linker DNA, 180
 non-histone proteins, 180
 nuclear matrix, 182
 nucleosomes, 180–181
 packing ratio, 182
 protein scaffold, 182
 radial loops, 182
 replication of, 188–191
 solenoid, 181–182
 zig-zag, 182
- Chromosomes, prokaryotic, 179
- Chylomicron, 364
 remnant, 365
- Chymotrypsin, 78, 85, 110
- Chymotrypsinogen, 110
- Cilia, 16
- Citric acid cycle, 367–371
 α -ketoglutarate dehydrogenase, control of, 370
 citrate synthase, control of, 370
 energy yield, 369
 isocitrate dehydrogenase, control of, 370
 location, 368
 provision of biosynthetic precursors, 371
 pyruvate dehydrogenase, control of, 370
 reaction steps, 368–369
 regulation, 370–371
 role, 368
- Citrulline, 408
- Clathrin, 153–155
 coated pit, 154–155
 coated vesicle, 154–155
- Cobalamin, 88
 deoxyadenosyl, 88
- Coenzyme A, 88
- Colchicine, 11
- Collagen, 56–61
 aggregation, 60
 biosynthesis, 57–58
 composition, 57
 cross-links, 60–61
 extension peptides, 60
 functions, 57
 helix, 59–60
 post-translational modification, 57
 secretion, 60
 structure, 58–59
 triple-helical cable, 58
- Colony lifts, 284
- Compactin, 359
- Complement system, alternative pathway, 116
 classical pathway, 116
 description, 115–116
 membrane attack complexes, 116
- Complementary base-pairing, 176–177
- Compound microscope, 19
- Concanavalin A, 68
- Conjugate acid-base pair, 33
- Coomassie brilliant blue, 74
- Cori cycle, 322
- Cortisol, 362
- Coupling, 381
- Creatine, 410–411
 in muscle contraction, 412
 kinase, 410
 phosphate formation, 410
- Cristae, 7
- Cryoelectron microscopy, 46
- C-terminal domain (CTD) of RNA polymerase II, 210–214
- Cyanide, 379
- Cyanobacteria, 1
- Cyanogen bromide, 78
- 3'5' Cyclic AMP, *see* cAMP
- 3'5' Cyclic GMP, *see* cGMP
- Cyclosporin A, 47
- Cysteine, 31, 36
 degradation, 400
 synthesis, 400
- Cytochrome, 414
- Cytochrome *b_f* complex, 388
- Cytochrome *b_L* complex, 388
- Cytochrome P450, 362, 414
- Cytokine receptors, 160
- Cytoplasm, 8
- Cytoskeleton, 8–10, 144
- Cytosol, 8
- Dansyl chloride, 77
- Delta ligand, 165
- Denaturation, of nucleic acids, 277
- Dendrite, 167
- Dermatitis, 88
- Deoxynucleosides, 173
- Deoxynucleotides, 174
- Detergent
 for solubilization of membrane proteins, 64, 142
- Dextran, 301
- Diabetes, 345
- 1,2-Diacylglycerol, 164, 337, 353
- Dialysis, 65, 102, 143
- Dihydrobiopterin, 405
- Diisopropylphosphofluoridate (DIPF), 103, 170
- 2,4-Dinitrophenol, as uncoupler, 381

- Dipeptide, 38
 Diphosphatidylglycerol, 133
 Disaccharides, 297–298
 Disulfide bond, 31, 40, 70
 Dithiothreitol, 70, 78
 DNA cloning,
 basic steps involved, 282
 cDNA libraries, 284
 colony lifts, 284
 DNA libraries, 282–285
 expression cDNA library, 285
 expression vector, 285
 genomic DNA libraries, 282–283
 plaque lifts, 285
 principles of, 281–282
 replica plating, 284
 screening DNA libraries, 284–285
 transfection, 282
 DNA libraries, 282–285
 DNA microarrays, 279–280
 DNA organization,
 in eukaryotes, 180
 in prokaryotes, 179
 DNA polymerase I,
 3' → 5' exonuclease activity, 184
 5' → 3' exonuclease activity, 184
 enzyme reaction, 183
 proof-reading activity, 184
 DNA polymerase II, 184
 DNA polymerase III, 184
 DNA polymerases, eukaryotic, 190
 DNA replication, in eukaryotes,
 lagging strand, 190
 leading strand, 190
 multiple replicons, 188–190
 Okazaki fragments, 190
 replication bubbles, 189
 replication forks, 189
 replication of chromatin, 190–191
 replication units, 190
 replicons, 189–190
 RNA primers, 190
 S-phase, of cell cycle, 188
 semi-conservative, 189
 telomerase, in eukaryotic chromosome replication, 190–191
 telomeres, replication, 190–191
 DNA replication, in bacteria,
 bi-directionality, 184–185
 DNA polymerase reaction, 183–184
 lagging strand, 185
 leading strand, 185
 Okazaki fragments, 185
 primase, 186
 replication bubbles, 184–185
 replication eyes, 185
 replication forks, 185
 RNA primer, 186–187
 semi-conservative, 185
 SSB protein, 187
 the unwinding problem, 186–187
 topoisomerase I, 187
 topoisomerase II, 187
 DNA sequencing,
 automated, 288
 chain termination method, 286–288
 chemical method, 286
 Maxam–Gilbert method, 286
 outline of methods, 286
 Sanger dideoxy method, 286–288
 DNA structure,
 3'5' phosphodiester bonds, 175
 antiparallel arrangement, 176
 base pairing, 176–177
 base sequence, 175–176
 bases in DNA, 173
 deoxynucleosides, 173–174
 deoxynucleotides, 174–175
 double helix, 176
 Dolichol, 266, 359
 Dopamine, 170
 Double helix, 179
 Dynein, 16

 Edman degradation, 76–77
 Ehlers–Danlos syndrome, 61
 Eicosanoids, 337
 Elastase, 85, 110
 Electron transport chain, 372–383
 2,4-dinitrophenol, as uncoupler, 381–382
 amytal, 378–379
 antimycin A, 379
 ATP synthase, 379–381
 azide, 379
 carbon monoxide as inhibitor, 379
 complex I, 376
 complex II, 378
 complex III, 376
 complex IV, 376–378
 coupling, 381
 cyanide, 379
 cytochrome *c* oxidase, 376–378
 electrochemical proton gradient, 379–380
 electron transport from FADH, 378
 electron transport from NADH, 375–378
 electron transport inhibitors, 378–379
 F₁F₀ ATPase, 380–381
 formation of H⁺ gradient, 378
 glycerol 3-phosphate shuttle, 382
 iron-sulfur proteins, 376
 malate-aspartate shuttle, 383
 NADH-Q reductase, 376
 overview, 374
 oxidation of cytoplasmic NADH, 382–383
 oxidative phosphorylation, 379–380
 proton-motive force, 380
 Q-cytochrome *c* reductase, 376
 redox potential, 374–375
 respiratory control, 381
 rotenone, 378–379
 standard redox potential, 375
 succinate-Q reductase, 378
 thermogenin, 382
 ubiquinone, 376
 uncouplers, 381–382
 uncoupling in brown adipose tissue, 382
 Electrophoresis, 70
 Electrostatic forces, 44
 ELISA, 64, 128–129

- Endocytosis, 153
 receptor-mediated, 154, 341
- Endoplasmic reticulum, 7, 26
 rough, 7, 152
 smooth, 7, 349, 362
- Endosome, 154
- Enhancers, 215
- Enkephalins, 170
- Enteropeptidase, 110
- Enthalpy, 92
- Entropy, 92
- Enzyme, 83
 active site, 84
 allosteric, 107–109, 351, 404
 apoenzyme, 88
 as catalysts, 84
 assay, 86
 classification, 85–86
 coenzymes, 88–89
 cofactors, 88–89
 denaturation, 99
 enzyme–substrate complex, 84
 feedback inhibition, 97, 106
 holoenzyme, 88
 induced-fit model, 85
 inhibitor, 102
 lock-and-key model, 85
 marker enzymes, 28
 nomenclature, 86
 specific activity, 98
 substrate specificity, 85
 units, 97
 velocity, 97
- Enzyme inhibition, 102–104
 competitive, 103
 irreversible, 102
 non competitive, 104
 reversible, 103–104
- Enzyme-linked immunosorbent assay, *see* ELISA
- Eosin, 20
- Epimers, 295
- Epinephrine, 159, 170
 control of fatty acid
 synthesis, 351
 control of glycogen
 metabolism, 332–334
 control of triacylglycerol
 breakdown, 353
- Equilibrium constant, 94
- Erythrocytes, 49, 54–55, 139,
 144, 147, 417
- Estrogen, 158, 362
- Estrone, 362
- Eubacteria, 1
- Eukaryotes, 5
- Exocytosis, 5, 152–153, 170, 258
- Exons,
 description, 208–209
 ligation by RNA splicing,
 222–225
- Expression cDNA library, 285
- Expression vector, 285
- FAD, 88–89
- Farnesyl, 140
 pyrophosphate, 359–360
- Fatty acids,
 chains, 134–135, 335–337
 essential, 350
 mono-unsaturated, 335
 nomenclature, 336–337
 β -oxidation, *see* fatty acid
 breakdown
 polyunsaturated, 335–336
 roles of, 337
 saturated, 335
 structure, 335–336
- Fatty acid breakdown, 339–345
 β -oxidation, 341–342
 carnitine involvement,
 340–341
 energy yield, 344
 fatty acid activation, 340
 glyoxylate pathway, 342
 ketone bodies, 344–345
 overview, 340
 oxidation of odd-chain fatty
 acids, 343–345
 reaction details, 341–342
 regulation, 344
 stoichiometry, 341
 transport into mitochondria,
 340–341
- Fatty acid synthesis, 346–351
 formation of double bonds,
 350
 overview, 347
 reactions, 348–350
 regulation, 350–351
 stoichiometry, 349
 transport into cytosol,
 347–348
- Fermentation, 310
- Ferredoxin, 388
- 30 nm fiber, 181–182
- Filaments,
 intermediate, 11
 microfilaments, 10
- Flagella, 3
- Flagellar motor, 3
- Flagellin, 3
- Flavin adenine dinucleotide,
 see FAD
- Flavin mononucleotide, *see*
 FMN
- Flow cytometry, 25
- Fluorescamine, 76
- Fluorescein, 20, 141
- Fluorescence-activated cell
 sorter, 25
- Fluorescence microscopy, 20
- Fluorescence resonance energy
 transfer, 21
- FMN, 88–89
- Folic acid, 88
- Free energy, 92
- Fructose,
 fructose 1-phosphate
 pathway, 311
 metabolism, 311
 structure, 295
- Functional genomics, 269
- Furanoses, 296
- Galactose,
 galactose–glucose
 interconversion pathway,
 311–312
 galactosemia, 312
 metabolism of, 311–312
 structure, 295
- Gall bladder, 361
- Ganglioside, 134
- Genomics, 269
- Genetic code,
 anticodons, 243
 codons, 242
 colinearity, 241
 deduced protein sequence,
 244
 degeneracy, 242–243
 initiation codon, 242
 open reading frames, 244
 overview, 241–242
 point mutations, 243
 reading frames, 243–244

- start codons, 242
- stop codons, 242
- synonyms, 243
- termination codon, 242
- universality, 243
- 'wobble' base-pairing, 243
- Genomic DNA libraries, 282–283
- Geranylgeranyl, 140
- pyrophosphate, 359
- Geranyl pyrophosphate, 359
- Gibbs free energy, 93
 - of activation, 93
- Glucagon, 159
 - control of fatty acid synthesis, 351
 - control of glycogen metabolism, 332–334
 - control of triacylglycerol breakdown, 353–354
- Glucocorticoids, 362
- Gluconeogenesis, 315–322
 - comparison with glycolysis, 317
 - Cori cycle, 322
 - energy required, 319
 - overview, 316
 - oxaloacetate transport, 319–320
 - pathway steps, 316–319
 - precursors for, 318
 - pyruvate carboxylase activation, 320
 - reciprocal regulation with glycolysis, 314, 317, 320–322
- Glucose,
 - metabolism, *see* Glycolysis
 - structure, 295
 - transport, 147, 148–150
- Glucose oxidase, 87
- Glucose rehydration therapy, 150
- Glucose transporter, 147
- Glucuronic acid, 417
- Glutamate, *see* Glutamic acid
- Glutamate dehydrogenase, 404
- Glutamic acid, 32, 36, 397, 410
 - as neurotransmitter, 170
 - degradation, 400
 - oxidative deamination of, 404
 - synthesis, 397, 400
- Glutamine, 32, 36, 397, 410
 - degradation, 400
 - synthesis, 397, 400
- Glyceraldehyde, 294
- Glycerol 3-phosphate shuttle, 382
- Glycerophospholipids, 132–133, 337
- Glycine, 31, 36
 - as neurotransmitter, 170
 - degradation, 400
 - synthesis, 400
- Glycocholate, 361
- Glycogen,
 - structure, 301
 - synthesis and degradation, *see* Glycogen synthesis and degradation
- Glycogen synthesis and degradation, 327–334
 - branching enzyme, 329
 - cascade, 333
 - control by allosteric regulation and covalent modification, 331–332
 - control by epinephrine, 332–334
 - control by glucagon, 332–334
 - control by insulin, 334
 - control via calcium, 334
 - futile cycle, 331
 - glycogen branching enzyme, 329
 - glycogen degradation reactions, 328
 - glycogen phosphorylase, control of, 331–334
 - glycogen phosphorylase, reaction, 328
 - glycogen synthase, control of, 332–334
 - glycogen synthase, reaction, 328–329
 - glycogen synthesis, reactions, 328–329
 - glycogen-debranching enzyme, 328
 - glycogenin, 328
 - hormonal control of, 332–334
 - regulation of, 331–334
 - regulation via cAMP-dependent protein kinase, 332–334
 - role of adenylate cyclase, in control, 332–333
 - role of phosphorylase kinase, in control, 331, 332–333
 - role of protein kinase, in control, 332–333
 - role of protein phosphatase, in control, 331
 - roles of glycogen metabolism, 327–328
 - UDP-glucose pyrophosphorylase, 328
- Glycolysis, 304–314
 - comparison with gluconeogenesis, 317
 - energy yield, 310–311
 - ethanol production, 310
 - fates of pyruvate, 310–311
 - hexokinase control, 314
 - lactate metabolism, 310
 - metabolism of fructose, 311
 - metabolism of galactose, 311–312
 - metabolism of pyruvate, 310–311
 - overview, 305
 - pathway steps, 305–309
 - phosphofructokinase control, 313–314
 - pyruvate kinase control, 314
 - reciprocal regulation, with gluconeogenesis, 314, 317, 320–322
 - regulation of, 313–314
 - substrate-level phosphorylation, 309
- Glycophorin, 139, 144
- Glycoproteins, 144
- Glycosphingolipid, 134, 144
- Glycosylation, 265–268
- Glycosyl phosphatidylinositol (GPI)-anchored protein, 140, 261
- Glyoxylate pathway, 342
- Golgi apparatus, 7, 26, 152, 258
- Gout, 412
- G protein, 161–163
- Grana, 7
- Green fluorescent protein, 21
- GTPase switch protein, 161, 163
- Guanidine hydrochloride, 78

- Guanine nucleotide-exchange factor, 163
- Guanylate cyclase, 158
- Guanyl nucleotide-binding protein, *see* G protein
- Guanylyl cyclase, 158
- Haworth projections, 296
- Heart attack, *see* Myocardial infarction
- Heat shock proteins, 47
- Hedgehog proteins, 165
- α -Helix, 41
- Heme, 51, 413–414
 - binding of oxygen to, 51–53
 - biosynthesis, 415–416
 - degradation, 416–417
- Hemiacetal, 295–296
- Hemiketal, 295–296
- Hemoglobin, 48–55
 - allosteric change, 51–52
 - binding of oxygen, 51
 - 2,3-bisphosphoglycerate, 52–53
 - Bohr effect, 52
 - distal histidine, 51
 - fetal, 53
 - oxygen dissociation curve, 51–52
 - proximal histidine, 51
- Hemoglobinopathies, 53–54
- Henderson–Hasselbalch equation, 34
- Hepatitis, 90
- Heptoses, 294
- Heterozygote, 54
- Hexose monophosphate shunt, *see* Pentose phosphate pathway
- Hexoses, 294
- Histamine, 159
- Histidine, 32, 36
 - degradation, 400
 - distal histidine, 51
 - proximal histidine, 51
 - synthesis, 400
- Histones, 7, 179–182
- Homocysteine, 411
 - methyltransferase, 411
- Homogenization, 26, 64
- Homogentisate, 405–406
 - oxidase, 405–406
- Homozygote, 54
- Hormones, 157–158, 337
 - control of fatty acid synthesis, 350–351
 - control of glycogen metabolism, 332–334
 - control of triacylglycerol breakdown, 353–356
- Hormone-sensitive triacylglycerol lipase, 344, 353, 356
- Human Genome Project, 269
- Hybridization, *see* Nucleic acid hybridization
- Hybridomas, 121
- Hydrocarbon chain, 335
- Hydrogen bond, 41–43, 45
- Hydrogen peroxide, 8
- Hydrolase, 8
- Hydrophobic effect, 45, 136
- D-3-Hydroxybutyrate, 344
- 5-Hydroxylysine, 57
- 3-Hydroxy-3-methylglutaryl CoA (HMG CoA), 344, 358
 - reductase, 358–359, 366
- 4-Hydroxyproline, 57
- Hyperammonemia, 409–410
- Hypercholesterolemia, 359
 - familial, 366
- Imino acid, 30
- Immotile cilia syndrome, 17
- Immune system, *see also*
 - Antibodies, Antibody synthesis
 - autoimmune diseases, 115
 - B lymphocytes, 114
 - cellular immune response, 114
 - clonal selection theory, 115
 - complement system, 115–116, *see also* Complement functions, 113–114
 - humoral immune response, 114
 - immunoglobulin G, 114
 - immunoglobulin M, 114
 - immunological memory, 115
 - overview, 113–116
 - primary immune response, 114
 - secondary immune response, 114–115
 - self-tolerance, 115
 - T cells, 114
 - T lymphocytes, 114
- Immunoaffinity chromatography, 67–68, 130
- Immunoblotting, 129–130
- Immunocytochemistry, 20–21, 127–128
- Immuno-electron microscopy, 22, 128
- Immunofluorescence light microscopy, 20–21, 127–128
- Immunolocalization methods, 127–129
- Immunosuppressive drug, 47
- In situ* hybridization, 279
- Inborn errors of metabolism, 406
- Inclusion bodies, 8
- Inositol 1,4,5-trisphosphate (IP₃), 164
- Insulin, 159
 - control of fatty acid synthesis, 351
 - control of glycogen metabolism, 334
 - control of triacylglycerol breakdown, 355
 - receptor, 159
- Intermediate filaments, 11
- Interphase, 180
- Intestinal epithelial cell, 148–149
- Introns,
 - description of, 208–209
 - removal by RNA splicing, 222–225
- Iodoacetamide, 103
- Iodoacetate, 78
- Ion channels,
 - receptor linked, 161
 - voltage-sensitive, 165, 168
- Ionization,
 - of acids and bases, 34
 - of amino acids, 35
- Isoelectric focusing, 72–73
- Isoelectric point (pI), 35, 72
- Isoenzyme, 89–90
- Isoleucine, 31, 36
 - degradation, 40
 - synthesis, 400

- Isopentenyl pyrophosphate, 358
- Jaundice, 417
- Ketogenesis, 344
- Ketone bodies, 310, 344–345
- Ketoses, 294
- Krebs cycle, *see* Citric acid cycle
- Lac* operon,
 CRP/CAP, 202
 glucose regulation of, 202
 induction, 201–202
 lac repressor, 201, 202
 negative control, 203
 polycistronic mRNA, 201
 positive control, 203
 structure, 200–201
- Lactate dehydrogenase, 87, 89–90, 310
- Lactose, 297–298
- Lagging strand, 185, 190
- Lanosterol, 359
- Lathyrism, 61
- Lead poisoning, 415
- Leading strand, 185, 190
- Lecithin-cholesterol acyl transferase (LCAT), 365
- Leucine, 31, 36
 degradation, 400
 synthesis, 400
- Leukotriene, 337
- Lignin, 8
- Lineweaver–Burk plot, 100–101, 103–104
- Linker DNA, 180
- Linoleate, 336–337, 350
- Linolenate, 336–337, 350
- Lipase, 8, 353
 pancreatic, 353
- Lipid bilayer, 130–136
- Lipid domains, 137
- Lipoprotein, 353, 363–366
 chylomicrons, 364–365
 functions of, 364
 high density (HDL), 364, 366
 intermediate density (IDL), 365–366
 lipase, 365
 low density (LDL), 364, 365–366
 structure, 364
 very low density (VLDL), 365–366
- Liposomes, 143
- Lovastatin, 359, 366
- Low density lipoprotein (LDL) receptor, 365–366
- Lysine, 32, 36
 degradation, 40
 hydroxylase, 57–59
 synthesis, 400
- Lysophosphatidic acid, 353
- Lysosome, 8, 26, 153–155
- Lysozyme, 3
- Lysyl oxidase, 60–61
- Macrophage, 153
- Malaria, 55
- Malate–aspartate shuttle, 383
- MALDI-TOF, 79
- Malonate, 104
- Malonyl CoA, 348
- Maltose, 298
- Mass spectrometry, 79–80
- Maxam–Gilbert method, 286
- Melting temperature, T_m , of nucleic acids, 277
- Membrane,
 carbohydrate, 144
 electrical potential, 148, 161, 168–170
 fluid mosaic model, 137
 fluidity, 136
 lipids, 131–137
 permeability, 146
 proteins, 138–144, 259–264
 transition temperature, 136
- Membrane transport,
 active, 147–148
 antiport, 148
 ATP-driven, 148
 facilitated diffusion, 146–147
 ion-driven, 148
 passive, 146–147
 proteins, 146
 simple diffusion, 146
 symport, 148
 uniporters, 147
- 2-Mercaptoethanol, 70, 78
- Meromyosin,
 heavy, 13
 light, 13
- Messenger RNA, *see* Transcription in eukaryotes, Transcription in prokaryotes, *Lac* operon, *Trp* operon
- Metabolome, 270
- Metabolomics, 270
- Methionine, 31, 36
 degradation, 400
 in activated methyl cycle, 411–412
 synthesis, 400
- Mevalonate, 359
- Mevinolin, *see* Lovastatin
- Micelle, 135
- Michaelis constant (K_m), 85
- Michaelis–Menten,
 equation, 100
 model, 99–100
- Microfilaments, 10
- Microsatellites, 291
- Microscopy, 19–23
 confocal scanning, 21
 electron, 22–23
 immunofluorescence, 20–21, 127
 light, 19
 phase-contrast, 20
 scanning electron, 23
 transmission electron, 22
- Microtubules, 11
- Microvillus, 148–149
- Mineralocorticoids, 362
- Mitochondria, 7, 26
 transport of fatty acids into, 340
- Mitogen-activated protein kinase, 163
- Molecular chaperones, 47, 261
- Molecular motors, 11
- Monomeric G proteins, 163
- Monosaccharides, 293–297
 aldoses, 294
 anomers, 297
 boat/chair configurations, 297
 dihydroxyacetone, 294
 epimers, 295
 furanoses, 296
 D-galactose, 295
 D-glucose, 295
 glyceraldehyde, 294
 Haworth projections, 296
 hemiacetal, 295
 hemiketal, 295

- heptoses, 294
 hexoses, 294
 ketoses, 294
 mutarotation, 297
 nomenclature, 299
 optical isomers, 294–295
 pentoses, 294
 pyranoses, 297, 298
 reducing sugars, 294
 ring structures, 297
 stereoisomers, 294–295
 sugar derivatives, 298–299
 tetroses, 294
 trioses, 294
- Muscle**, 12–16
 generation of force in, 15
 myofibril, 12
 sliding filament model, 13
 structure, 12
 thick filaments, 13
 thin filaments, 13
- Mutarotation**, 297
- Myelin**, 167
- Myocardial infarction**, 90, 366
- Myoglobin**, 49–50
 binding of oxygen, 51
 distal histidine, 51
 oxygen dissociation curve, 52
 proximal histidine, 51
- Myosin**, 13
- Myristate**, 140–141, 337
- NAD(H)**, 88–89
- NADP(H)**, 88–89
- Na⁺/K⁺-ATPase**, 148–149, 168
- Negative transcriptional control**, 203
- N-linked oligosaccharides**,
 complex type, 265, 302–303
 dolichol phosphate, role of, 266
 high mannose type, 268, 302–303
 pentasaccharide core, 268, 302–303
 structure, 267, 302–303
 synthesis, 266–268
- Nerve cell**, 166–171
 action potential, 168–170
 depolarization, 168–170
 permeability, 168–170
 refractory period, 170
 resting potential, 168
- Neuron**, *see* Nerve cell
- Neurotransmitter**, 170–171
- Neutrophil**, 153
- Nexin**, 17
- Niacin**, 88
- Ninhydrin**, 76
- Nitric oxide**, 158
- Nitric oxide synthase**, 158
- Nitrocellulose**, 74
- Nitrogen assimilation**, 397–398
- Nitrogen fixation**, 395–397
 diazotrophs, 395–396
 leghemoglobin, 397
 nitrogen cycle, 395
 nitrogenase complex, 396–397
 overview, 395–396
 reactions, 395–397
- Nitroglycerine**, 158
- Nodes of Ranvier**, 168
- Noradrenalin**, *see* Norepinephrine
- Norepinephrine**, 354
- Norepinephrine**, 354
- Northern blotting**, 278
- Notch protein**, 165
- Nuclear magnetic resonance spectroscopy**, 46
- Nuclear pores**, 6
- Nucleic acid hybridization**, 277–280
 denaturation, 277
 DNA microarrays, 279–280
 DNA probes, 277
 hybridization reaction, 277
in situ hybridization, 280
 melting temperature, T_m , 277
 Northern blotting, 278–280
 reannealing, 277
 renaturation, 277
 Southern blotting, 277–278
 stringency, 277
 T_m , 277
 use of digoxigenin, 277
- Nucleoid**, 2, 179
- Nucleolus**, 6
- Nucleosides**, 173–174, 193
- Nucleosomes**, 180–181
- Nucleotides**, 174–175, 193
- Nucleus**, 6, 26
- Octyl glucoside**, 142
- Okazaki fragments**, 185, 190
- Oleate**, 134, 337
- Oligopeptide**, 38
- Oligosaccharides**, 144, 265, 302–303, *see also* N-linked oligosaccharides, O-linked oligosaccharides
- O-linked oligosaccharides**,
 structure, 265–266, 302
 synthesis, 265–266
- Operons**, 199–205, *see also* Lac operon, Trp operon
- Optical isomers**, of
 monosaccharides, 294
- Ornithine**, 408
 transcarbamoylase, 408
- Osmium tetroxide**, 22
- Osmotic lysis**, 64
- Osteogenesis imperfecta**, 59
- Osteomalacia**, 362
- Oxidative phosphorylation**,
 ATP synthase, 379–381
 chemiosmotic hypothesis, 379
 coupling, 381
 2,4-dinitrophenol, as uncoupler, 381–382
 electrochemical proton gradient, 379–380
 $F_0 F_1$ ATPase, 380–381
 linkage to electron transport and H⁺ gradient, 379
 mechanism, 379–381
 overview, 379
 proton-motive force, 380
 respiratory control, 381
 role of ATP synthase, 379–381
 uncouplers, 381–382
 uncoupling in brown adipose tissue, 382
- Oxygen-binding proteins**, *see* Hemoglobin, Myoglobin
- Oxygen dissociation curve**, 51–52
- Packing ratio**, of DNA in chromosomes, 180
- Palindrome**, in transcription termination, 198
- Palmitate**, 134, 140–141, 336–337, 349
- Palmitoleate**, 336–337
- Palmitoyl CoA**, 341
- Pancreas**, 110, 152, 158

- Pancreatitis, 110
 Pantothenic acid, 88
 Papain, 13
 PCR, *see* Polymerase chain reaction
 Pellagra, 88
 Penicillin, 3, 103
 Pentose phosphate pathway,
 323–326
 control of the pathway,
 325–326
 linkage to glycolysis, 325
 overview, 323–324
 reaction details, 324–325
 Pentoses, 294
 Pepstatin, 104
 Peptide,
 sequencing, 76–81
 synthesis, 81
 Peptide bond, 38–40
 Peptidoglycan, 2
 Peptidyl prolyl *cis-trans*
 isomerases, 47
 Periplasm, 3
 Peroxisome, 8, 26
 pH, 33–36
 Phagocytosis, 153
 Phagosome, 153
 Phenylalanine, 31, 36
 degradation, 400
 hydroxylase, 405
 metabolism, 405
 synthesis, 400
 Phenylketonuria, 406
 Phenylthiohydantoin
 derivative, 77
 Phosphatase, 8
 Phosphatidic acid, 353
 Phosphatidylcholine, 133
 Phosphatidylethanolamine, 133
 Phosphatidylglycerol, 133
 Phosphatidylinositol, 133, 140,
 337
 4,5-bisphosphate, 164
 Phosphatidylinositol 3-kinase,
 160
 Phosphatidylserine, 133
 3'5' Phosphodiester bonds, 175
 Phosphogluconate pathway,
 see Pentose phosphate
 pathway
 Phospholipase C, 164
 Phosphopantetheine, 348
 Phosphorylation, 109–110, 350,
 353
 Phosphotyrosone-binding
 domains, 160
 Photosynthesis, 384–393
 antenna complex, 386–387
 bacterial photosynthesis, 390
 C3 plants, 392
 C4 pathway, 392–393
 C4 plants, 392
 Calvin cycle, 390–391
 carbon-fixation reactions,
 386, 390–392
 carotenoids, 386
 chlorophyll, 386–387
 cyclic photophosphorylation,
 389–390
 cytochrome *b₆f* complex, 388
 cytochrome *bf* complex, 388
 dark reactions, 390–392
 exciton transfer, 386
 ferredoxin, 388
 in bacteria, 390
 light harvesting in green
 plants, 386–387
 light reactions, 387–390
 NADP reductase, 388
 noncyclic photophos-
 phorylation, 388–389
 overview, 386
 photorespiration, 392
 photosynthetic reaction
 center, 386–387
 photosystems I and II,
 387–388
 phycobilins, 386
 plastoquinone, 387
 resonance energy transfer,
 386
 rubisco (ribulose bisphos-
 phate carboxylase), 390
 starch synthesis, 392
 sucrose synthesis, 391–392
 Z scheme, 387
 Phycobilins, 386
 Phycocyanin, 416
 Phycoerythrin, 416
 Phytochrome, 416
 Phytol, 414
 Pinocytosis, 153–154
 pK, 34–36
 Plant cell vacuole, 8
 Plaques lifts, 285
 Plasma membrane, 1, 5
 β -Pleated sheet, 41–42
 Pleckstrin homology domain,
 160
 Point mutations, 243
 Polyacrylamide gel
 electrophoresis, 70–72
 Polyadenylation of mRNA
 alternative polyadenylation
 sites, 226
 mechanism, 225–226
 Polyampholyte, 72
 Polycistronic mRNA, 201
 Polymerase chain reaction
 (PCR), 289–291
 applications, 291
 diagram of, 290
 PCR cycle, 289–290
 principles, 289–291
 thermocyclers, 291
 Polypeptide, 38
 Polysaccharides, 300–303
 amylopectin, 301
 amylose, 301
 cellulose, 301–302
 dextran, 301
 glycogen, 300, 301, *see also*
 Glycogen
 starch, 301, *see also* Starch
 Polysomes (polyribosomes),
 246
 Porphobilinogen, 416
 Porphyria, 416
 Porphyrin, 51, 415
 Porins, 3, 7
 Post-synaptic cell, 167, 170
 Post-translational modification,
 7, 81, 261, 263, 265
 Pregnenolone, 362
 Procollagen, 57
 Proelastase, 110
 Proenzyme, *see* Zymogen
 Progestagens, 362
 Progesterone, 158, 362
 Programmed cell death, *see*
 Apoptosis
 Prokaryotes, 1
 Proline, 31, 36
 degradation, 400
 hydroxylase, 57
 synthesis, 400
 Propionyl CoA, 344
 Prostacyclins, 337

- Prostaglandins, 158, 337–338
Prostaglandin synthase, 337
Prosthetic group, 51, 88
Protease, 8, 64
 inhibitors, 64
 pancreatic, 85, 110
Protamines, 180
Protein, 38
 assay of, 64
 covalent modification, 109
 denatured, 64
 folding, 47
 GPI-anchored, 140
 integral membrane, 139,
 141–142
 lipid-anchored, 140
 membrane-spanning, 139–140
 myristoylated, 140
 palmitoylated, 141
 peripheral membrane, 139,
 143
 prenylated, 140
 purification of, 62–68
 sequencing, 75–80
 stability, 44–45
 stabilization of, 64
 structure, 37–44
 structure determination,
 45–47
 transporters, 146–148
Protein coding genes,
 expression in eukaryotes,
 alternative polyadenylation
 sites, 226
 alternative processing, 226
 alternative splicing, 226
 capping of mRNA, 209
 elongation, 210–211
 gene organization, 208–209
 general transcription factors,
 210
 initiation, 209–210
 overview, 206–207
 polyadenylation of mRNA,
 209, 221–222, 226
 pre-mRNA, 210
 processing of pre-mRNA,
 220–227
 promoter sites for RNA pol
 II, 209–210
 regulation of transcription,
 212–219, *see also*
 Regulation of transcription
 in signaling, 160
 prokaryotic chromosomes,
 179
 Protein sequence database, 79
 Protein synthesis, *see*
 Translation
Protein targeting, 257–264
 chaperones, 261
 chloroplast proteins, 263–264
 endoplasmic reticulum
 proteins, 261–262
 exocytosis, 258–259
 integral membrane proteins,
 261
 KDEL signal, 261
 lysosomal proteins, 262–263
 mannose 6-phosphate signal,
 262
 matrix-targeting sequence,
 263
 membrane-spanning
 proteins, 261
 mitochondrial proteins,
 263–264
 nuclear localization signal,
 264
 nuclear proteins, 264
 overview, 258
 plasma membrane proteins,
 259–261
 receptor-mediated
 endocytosis, 263
 role of mitochondrial hsp70
 and hsp60, 263–264
 secretory proteins, 258–259
 signal hypothesis, 259
 signal peptidase, 259
 signal recognition particle
 (SRP), 259
 signal sequence (secretory
 proteins), 259
 stop-transfer sequences, 261
 topogenic sequences, 261
Proteome, 73, 80, 269
Proteomics, 80, 269–280
Proton-motive force, 380
Protoporphyrin IX, 51, 415
Pyranoses, 296
Pyridoxal phosphate, 60, 88,
 401–403, 415
Pyridoxamine phosphate, 88
Pyridoxine, *see* Vitamin B₆
Pyruvate carboxylase, 348
RNA editing, 227
RNA pol II transcription
 factors, 210, 213–214
 CTD, 210
RNA splicing, 222–225, 226,
 see also RNA splicing
TATA box, 209
termination, 211
transcription by RNA
 polymerase II, 209–211, *see*
 also Transcription, in
 eukaryotes, Regulation of
 transcription in eukaryotes
 upstream control
 elements, 209
Protein coding genes,
 expression in prokaryotes,
 195–205, *see also*
 Regulation of transcription
 lac operon, 200–203, *see also*
 Lac operon
 trp operon, 203–205, *see also*
 Trp operon
 polycistronic mRNA, 201
Protein disulfide isomerase,
 47
Protein fingerprint, 79, 81
Protein glycosylation, 265–268
 core glycosylation, 268
 dolichol phosphate, role of,
 266
 N-linked oligosaccharides,
 structure, 265
 N-linked oligosaccharides,
 synthesis, 266–268
 O-linked oligosaccharides,
 structure, 265
 O-linked oligosaccharides,
 synthesis, 265–266
 overview, 265
 pentasaccharide core, 268
 terminal glycosylation, 268
 types of glycosylation, 265
Protein kinase, 109
 AMP-activated, 350, 359
 C, 164
 cAMP-dependent (protein
 kinase A), 110, 350, 354
 tyrosine, 109
Protein phosphatase, 109
 2A, 350
Protein scaffold,
 eukaryotic chromosomes, 182

- Rab proteins, 163
- Radial loops, 182
- Ramachandran plot, 40
- Ras proteins, 163
- Reannealing, of nucleic acids, 277
- Receptor,
 - cell-surface, 159
 - enzyme-linked, 159
 - G protein-linked, 161–163
 - insulin, 159
 - ion channel-linked, 161
- Receptor-mediated endocytosis, 154
- Receptor tyrosine kinase, 160
- Recombinant DNA, 269
 - see also* DNA cloning
- Red blood cells, *see* Erythrocytes
- Redox potential, 374
- Reducing sugars, 294
- Regulated proteolysis, 165
- Regulation of transcription in eukaryotes, protein-coding genes
 - CAAT box, 214
 - cis*-elements, 213
 - enhancers, 215
 - general transcription factors, 209–211
 - promoter organization, 214
 - regulatory elements, 214–215
 - RNA pol II promoter, 209–210
 - silencers, 219
 - SP1 box, 214
 - TATA box, 209
 - thyroid hormones control, 219
 - transcription factors, 210, 213–219, *see also* Transcription factors
 - transcription factor domains, 215–219, *see also* Transcription factors
 - trans*-factors, *see* Transcription factors
 - upstream regulatory elements, 214–215
- Regulation of transcription in prokaryotes, protein-coding genes, 195–205, *see also* *Lac* operons, *Trp* operons
- cAMP receptor protein (CRP), 202–203
- catabolite activator protein (CAP), 202–203
- elongation, 197–198
- initiation, 196–197
- lac* operon, 200–201
- negative control, 203
- polycistronic mRNA, 201
- positive control, 203
- Pribnow box, 196
- promoters, 196, *see also* *Lac* operon, *Trp* operon
- RNA polymerase subunits, 196
- 10 sequence, 196
- 35 sequence, 196
- termination, 198
- trp* operon, 203–205
- Renin, 104
- Replication bubbles, 185, 189
- Replication eyes, 185, 189
- Replication forks, 185, 189
- Replication units, 190
- Replicons, 189
- Respiratory chain, *see* Electron transport chain
- Respiratory control, 381
- Restriction enzymes, 271–275
 - cohesive ends, 272
 - gel electrophoresis of digestion products, 273
 - nomenclature, 273
 - 3' overhangs, 271–272
 - 5' overhangs, 271–272
 - restriction fragment length polymorphisms (RFLPs), 274–275
 - restriction maps, 274
 - 'sticky ends', 271–272
- Restriction fragment length polymorphisms (RFLPs), 274–275
- Restriction maps, 273–274
- Retinoic acid, 158
- Reverse genetics, 269
- Rho proteins, 163
- Rhodamine, 20, 141
- Riboflavin, 88
- Ribonucleosides, 193
- Ribonucleotides, 193
- Ribosomal RNA genes in eukaryotes, 5S gene transcription, 233–234
- 28S, 18S, 5.8S gene transcription, 232–233
- organization in eukaryotes, 232
- promoter, 232
- ribozymes, 233
- rRNA processing, 233
- self-splicing, 233
- snoRNAs, 233
- transcription by RNA polymerase I, 232–233
- transcription by RNA polymerase III, 233
- upstream binding factor, 232
- upstream control element, 232
- Ribosomal RNA genes in prokaryotes, transcription and processing, 231
- Ribosomes,
 - role in translation, *see* Translation
 - structure, 7, 229–230
 - tRNA binding sites, 248
- Ribozymes, 225, 233
- Rickets, 361
- RNA editing, 227
- RNA interference (RNAi), 269
- RNA polymerase I, 206, 232
- RNA polymerase II, 206, 209, 212–219, *see also* Transcription, Regulation of transcription
- RNA polymerase III, 206, 233
- RNA polymerase, prokaryotic, 196
- RNA processing, *see* Capping, RNA splicing, RNA editing, Polyadenylation
- RNA splicing, 222–225
 - alternative splicing pathways, 226
 - AT–AC introns, 224–225
 - AT–AC spliceosome, 225
 - branchpoint, 222
 - catalytic RNA, 225
 - consensus splice sites, 222
 - lariat intermediate, 223
 - of pre-mRNA, 222–225
 - of pre-rRNA, 225
 - of pre-tRNA, 239
 - ribozymes, 225

- self-splicing introns, 225
snRNA/snRNP
 involvement, 224
spliceosome function,
 224–225
transesterification reactions,
 223
RNA structure,
 bases in RNA, 193
 ribonucleosides, 193
 ribonucleotides, 193
 secondary structure, 194
Rotenone, 378
Rubisco (ribulose biphosphate
 carboxylase), 390
Ryanodine receptor, 165

Sanger dideoxy method,
 286–288
Screening, DNA libraries,
 284–285
Salt bridge, 45
Sarcomere, 12
Sarcoplasm, 12
Sarcoplasmic reticulum, 16
Scaffold proteins, 160
Scurvy, 58, 88
SDS PAGE, 70–72
Second messenger, 163–164
Sedimentation coefficient, 229
Self-splicing of RNA, 233
Semi-conservative replication
 of DNA, 185, 189
Signal hypothesis, 259
Signaling complexes, 160
Serine, 32, 36
 degradation, 400
 synthesis, 400
Serine proteases, 85
 β -Sheet, *see* β -pleated sheet
Sickle cell anemia, 54
Signal transduction, 156–166
Silencers, 219
Skeletal deformities, 59
snRNA/snRNP, involvement
 in RNA splicing, 224
snoRNAs/snoRNPs, in pre-
 rRNA processing, 233
Sodium dodecylsulfate (SDS),
 70
Solubilization of membrane
 proteins, 64, 142
Sonication, 26

Southern blotting, 277–278
Self-splicing, of RNA, 233
SP1 box, 214
Spectrin, 144
Sphingolipid, 133–134
Sphingomyelin, 133–134
Spliceosomes, 224
Splicing of pre-mRNA, 222–225
Squalene, 359
Src homology domains, 160
Staining,
 cells, 20
 cytochemical, 20
Standard redox potential, 374
Starch,
 structure, 301
 synthesis, 392
Stearate, 134, 337
Stereoisomers, of
 monosaccharides, 294–295
Steroid hormone, 158, 362
 synthesis, 362
Sterols, 134
Stringency, of hybridization,
 277
Stroma, 7
Subcellular,
 fractionation, 26
 organelle, 26
Substrate-level
 phosphorylation, 309
Succinate dehydrogenase, 28,
 104
Sucrose,
 structure, 298
 synthesis, 391
Sugars, 293–299
 see also Monosaccharides
 glycosidic bonds, 298
 nomenclature, 299
 sugar derivatives, 298
Svedberg units (S), 229
Synapse, 167
Synaptic cleft, 167, 170
Synaptic vesicle, 167, 170

Taq polymerase, 289
Taurine, 361
Taurocholate, 361
Taxol, 11
TCA cycle, 367–371
 see also Citric acid cycle
Telomeres, replication, 190

Testosterone, 362
Tetrahydrobiopterin, 405
Tetrahydrofolate, 88
Tetrapyrroles, 413
Tetrodotoxin, 170
Tetroses, 294
Thermodynamics, 91–93
 First Law of, 92
 Second Law of, 92
Thiamine, 88
 pyrophosphate, 88
Threonine, 32, 36
 degradation, 400
 synthesis, 400
Thromboxanes, 337
Thylakoid vesicles, 7
Thyroxine, 158
Tight junction, 149
Titration curve, 35
 T_m , melting temperature, of
 nucleic acids, 277
Topoisomerase I, 187
Topoisomerase II, 187
Transaminase, 401
Transamination, 400–404
Transcription factors,
 activation domains, 218–219
 basic domains, 217
 dimerization domains,
 216–217
 DNA binding domains,
 216–217
 helix-loop-helix motif, 218
 helix-turn-helix motif, 216
 leucine zippers, 217–218
 repressors, 219
 TFIIIA, 216
 zinc finger, 216–217
Transcription in eukaryotes,
 mRNA, 208–211, *see also*
 Protein-coding genes,
 Regulation of transcription
 5S rRNA genes, 206, 232
 overview, 206–207
 protein coding genes,
 208–211, *see also* Protein-
 coding genes, Regulation
 of transcription
 regulation, *see* Regulation of
 transcription
 RNA polymerases, 206
 RNA polymerase subunits,
 207

- roles of three RNA polymerases, 206
- rRNA genes, 206, 228–234
- transcription reaction, 206–207
- tRNA genes, 206, 235–240
- Transcription in prokaryotes,
 - elongation, 196, 197–198
 - initiation, 196–197
 - mRNA, 195–198, *see also* *Lac* operon, *Trp* operon
 - promoter elements, 196–197
 - rho factor, 198
 - rRNA, 198, 231–232
 - 10 sequence element, 197
 - 35 sequence element, 197
 - termination, 198
 - transcription bubble, 197–198
 - tRNA, 198, 236–237
- Transcriptome, 269
- Transcriptomics, 269–270
- Trans*-factors, *see* Transcription factors
- Transfection, 282
- Transfer RNA,
 - ‘clover-leaf’ structure, 236, 246, 247
 - processing, in eukaryotes, 237–239
 - processing, in prokaryotes, 237, 239
 - structure, 236
 - synthesis in prokaryotes, 236–237, *see also* Transcription in prokaryotes
 - synthesis in eukaryotes, 237–239, *see also* Transcription in eukaryotes
 - unusual nucleotides, 236, 239
- Transgenic organisms, 290
- Translation in eukaryotes, 254–256
 - comparison with prokaryotes, 254–256
 - elongation, 256
 - initiation, 254–256
 - ribosome structure, 229–230
 - termination, 256
- Translation in prokaryotes, 245–253
 - amino acid activation, 247
 - anticodon, 246
 - comparison with eukaryotes, 254–256
 - elongation, 250–252
 - initiation, 248–250
 - initiation complexes, 250
 - initiation factors, 249
 - overview, 246
 - polysomes (polyribosomes), 246
 - release factors, 253
 - ribosomes; three sites, 248
 - ribosome structure, 229–230
 - Shine–Dalgarno sequence, 248
 - synthesis of aminoacyl-tRNA, 246–248
 - termination, 253
- Transport,
 - of macromolecules, 151–155 *see also* Membrane transport
- Triacylglycerol, 337, 353–356
 - breakdown, 353
 - function of, 352
 - regulation, 353–356
 - simple, 352
 - structure, 352
 - synthesis, 353
- Triglyceride, *see* Triacylglycerol
- Trioses, 294
- TRIS, 35
- Triton X-100, 64, 142
- tRNA, *see* Transfer RNA
- Tropocollagen, 57
- Tropomyosin, 13
- Troponin, 13
- Trp* operon,
 - attenuation, 204–205
 - repression, 203–204
 - structure, 203
 - transcription terminator, 205
- Trypsin, 13, 78, 85, 110
 - inhibitor protein, 110
- Trypsinogen, 110
- Tryptophan, 31, 36
 - degradation, 400
 - synthesis, 400
- Tubulin, 11
- β -Turn, 42
- Two-dimensional gel electrophoresis, 72–73
- Tyrosine, 31, 36
 - degradation, 400
 - synthesis, 400
- Uncouplers, 381–382
- Urea, 78, 408
- Urea cycle, 407–412
 - cycle reactions, 408, 409
 - formation of creatine phosphate, 410–411
 - hyperammonemia, 409–410
 - links to the citrate cycle, 408–409
 - overview, 407–408
- Ureotelic, 408
- Uric acid, 408, 412
- Uricotelic, 408, 412
- Uroporphyrinogen, 415
- Valine, 31, 36
 - degradation, 400
 - synthesis, 400
- van der Waals interactions, 45
- Vitamin, 88
 - A, 158, 361
 - B₁, 88
 - B₂, 88
 - B₆, 60, 88, 401
 - B₁₂, 88, 411, 415
 - C, 57, 88
 - D, 158, 361
 - deficiency disease, 88
 - E, 361
 - K, 361
- Western blotting, 74, 129–130
- Xanthoma, 366
- X-ray crystallography, 13, 46, 49, 50
- Zig-zag model, 182
- Zymogen, 110