

## Index

### a

abalone shell 155, 162  
 abrasion 132  
 absorption spectra 66  
 actin 157  
 active membranes 67  
 additives 20  
 aerogels 8  
 aerosol method 93  
 agglomeration  
   – biocomposites 173  
   – magnetic nanocomposites 64  
   – modeling 219  
   – polymer nanocomposites 100 ff, 117  
 aggregates, DNA-linked 168  
 AgS 186  
 alanine 157  
 alcohol soaking 8  
 aliphatic amines 101  
 alkylammonium 91, 124  
 AlN 47  
 alumina  
   – hard coatings 24  
   – metal nanocomposites 4, 7 f  
   – nanoporous membranes 56  
   – polymer-filled nanocomposites 94  
   – templates 35  
 alumina-filled PMMA 130  
 alumina-gelatin nanocomposites 141  
 aluminosilicates 90 ff  
 amino acids 169  
 ammonium salts 107, 179  
 amorphous structures 7  
 amphiphilic block copolymers (ABC) 114  
 amphiphilic molecules 178  
 apatite 164  
 applications 44 ff, 57 ff  
 aragonitic nacreous layer 155  
 asymptotic expansion techniques 219

### b

bacteria 159  
 ball milling 6  
 BaTiO<sub>3</sub> 49  
 bilayers 91  
 binary systems 29  
 biocomposites/biometric nanocomposites  
   155–214  
 block copolymer templating 171, 195 f  
 Bohr exciton 47  
 bonded polymers 216  
 bone 162  
 borides 29  
 boron-carbon-nitrogen nanostructures 35  
 boron nitride nanotubes 89  
 bound polymer layer 97  
 breakdown 77, 138  
 brittle failure 19  
 buckling 40, 84  
 bulk ceramic nanocomposites 18 ff  
 bulk metal nanocomposites 1–76

### c

ε-caprolactam 107  
 carbenes 85  
 carbides 29  
 carbon 55  
 carbon black  
   – modeling 215  
   – polymer-filled nanocomposites 77, 93, 135  
 carbon-carbon nanocomposites 29  
 carbon composites 10  
 carbon fibers 117  
 carbon nanotubes 31 ff, 78 ff  
 carbonated apatite 164  
 carboxylic acid groups 118  
 casting 14  
 catalytic nanocomposites 68  
 cation exchange capacity (CEC) 90 ff

- cavitation processes 95
- CdS 167 f, 176 ff, 185 ff
- CdSe 201
- ceramic metal composites 5
- ceramic nanocomposites 176
- ceramic polymer composites 112
- chain dynamics 217
- chain mobility 79 ff, 96
- chalcogenides 182, 205
- chemical activity, coupling 220
- chemical attack 64
- chemical drilling 53
- chemical etching 118
- chemical vapor deposition (CVD)
  - biocomposites 197
  - hard coatings 29
  - polymer-filled nanocomposites 85
- chlorinated precursors 26
- clay/nylon composites 103
- clays 90 ff, 124
- clusters
  - metal nanocomposites 4
  - modeling 220
  - nanocomposite particles 45
- coarse grain molecules 103
- coatings 5, 24 f
- cobalt-containing salts 28
- cobalt nitride films 60
- coercitivity
  - magnetic nanocomposites 63
  - metal nanocomposites 6 f
  - nanowires 44
  - particle-dispersed nanocomposites 58
- coherency strain 25
- collagen fibrils 163
- colloidal consolidation sintering 20
- colloidal systems, inorganic 46
- colloidal templating 171, 197
- color, gold colloids 204
- composite systems, inorganic 50 ff
- condensation 173
- condensed phase electrolytic processing 40
- conducting polymers 202
- conduction band 85
- conductivity
  - inorganic nanocomposites 51 f
  - polymer-filled nanocomposites 82
- Considerere's construction 128
- constitutive law coupling 220
- continuum models 218 ff
- cooling
  - metal nanocomposites 12
  - particle-dispersed nanocomposites 58
- coprecipitation methods 4
- CoPt 63
- cosputtering 60
- coupling, continuum model 220
- coupling agents 119
- Cr<sub>2</sub>/NiCr composites 13
- crack tip bridging 22
- cracking 19, 67
  - biocomposites 204
  - hard coatings 27
  - polymer filled nanocomposites 127 ff
- creep resistance 3, 22
- cromium forsterite 143
- crystallinity, polymer-filled nanocomposites
  - 79 ff, 96 ff, 106
- cubic phases, amphiphiles 179
- CuS 186
- d**
- dangling bonds
  - encapsulated composite nanosystems 37
  - polymer-filled nanocomposites 81
- decomposition
  - hard coatings 28
  - metal nanocomposites 9
  - spinodal 29
- defects 81, 84
- deformation
  - coupling 220
  - encapsulated composite nanosystems 42
  - polymer-filled nanocomposites 84
  - see also*: plastic deformation
- degradation
  - inorganic nanocomposites 47
  - nanoparticle/polymer composites 111
  - polymer filled nanocomposites 136
- delamination 136
- densities 8
- dendritic gold particles 115
- deposition techniques 23 f
- diamond-like carbon 19, 24
- dichalcogenides 90
- die casting 18
- diffusion, strain-controlled 220
- dimensional stability 135
- dimethylacetamine (DMAC) 107
- direct mixing 111
- direct templating 183, 190
- discrete models 220
- dislocations, hard coatings 27
- dispersions 4, 101
- displacement reactions 6
- DNA 157, 165 ff
- docking transitions 219
- dodecylamine ammonium salts 108

- doping 117, 199
- double network theory 216
- drilling 53
- dry etching 196
- drying
  - polymer composites 117
  - supercritical 8
- ductility
  - metal matrix nanocomposites 17
  - modeling 215
  - polymer filled nanocomposites 122
- e**
- elastic moduli
  - polymer-filled nanocomposites 82
  - thin film nanocomposites 23
- electric arc processes 85, 88 f
- electrical applications 49 ff
- electrical properties 85, 138 ff
- electrochemical growth 202
- electrodeposition-based infilling 199
- enamel 155
- encapsulated composite
  - nanosystems 36 ff
- end-cap functionalization 101
- endohedral fullerenes 35
- entropic springs in tension model 217
- epoxy resins
  - nanofillers 125
  - polymer nanocomposites 102, 109
- equation coupling 220
- equi-axed fillers, polymeric 80 f, 93 ff, 118, 126
- erbium-doped titania 199
- Escherichia coli* 169
- etching 118
- ethanol 102
- exciton Bohr radius 47
- exfoliated clays 133 f, 137 f, 140
- exfoliated nanocomposites 106, 109
- f**
- failure 77, 84, 122, 127
- Fe<sub>80</sub>P<sub>20</sub> metallic glass nanocomposites 34
- feedstock variables, metal nanocomposites 12
- FePt 63
- FermiDirac distribution 51
- Fermi energy 85
- ferritin 166
- ferrocene 42
- ferroelectric materials 4
- fibers
  - fillers 77, 80 ff
  - metal matrix nanocomposites 3, 14
- filled carbon nanotubes 35
- fillers
  - inorganic nanocomposites 50 ff
  - modeling 216
  - polymer 77153
- flame process 93
- forsterite 143
- fracture
  - bulk ceramic nanocomposites 22
  - metal nanocomposites 3 f
  - polymer-filled nanocomposites 84
- freeze drying 117
- friction coefficient 132
- fullerenes
  - endohedryl 35, 39
  - polymer-filled nanocomposites 81 ff, 86 ff
- fumed silica 77
- functional groups 45
- functional low-dimensional
  - nanocomposites 35 ff
- functionalization 141
- g**
- gallium arsenide 46
- gas condensation 94
- gas phase synthesis 173
- gas pressure sintering 20
- gelatin matrix 141
- gelation chemistry 8
- giant magnetoresistance (GMR) 64
- glass fibers 117
- glass-transition temperature 96 ff, 121, 131 f
- glycine 157
- gold particles, dendritic 115
- gold replicas 204
- grain boundaries
  - metal nanocomposites 3
  - sliding 21
- grain growth rates 61
- grain sizes 17
- granular films 23 f
- granular solids 59
- graphite
  - fiber nanofillers 122
  - pyrolytic 18
- graphite-encapsulated metal/ceramic
  - structures 36
- graphite-polystyrene matrices 109
- greigite 160
- grinding 173
- group IIVI semiconductors, biocomposites
  - 172 f, 182 f, 199
- gypsum, biocomposites 160
- gyration radius 97, 218

**h**

hard coatings 24 f  
 hardness  
 – bulk ceramic nanocomposites 22  
 – carbon nanotube-based composites 33  
 – metal matrix nanocomposites 4, 17  
 heat production 220  
 heat release rate (HRR) 136  
 hecrite  
 – clay layers 133  
 – polymer nanocomposites 91, 108  
 Hertzian elastic response 29  
 heterocoagulation/polymerization 120  
 hexagonal phases, amphiphiles 179  
 HgS 186  
 high-energy ball milling 6  
 high-temperature laser assisted deposition 43  
 high-temperature properties 3  
 high-velocity oxy fuel process (HVOF) 12  
 homogenization theory 219  
 hot pressing 20  
 hybrid nanocomposites 46, 111  
 hybridization 169  
 hydrazine 116  
 hydrocarbons  
 – encapsulated composite nanosystems 41  
 – hard coatings 31  
 – low-dimensional nanocomposites 35  
 – polymer-filled nanocomposites 86  
 hydrodynamic cavitation 95  
 hydrolysis 95  
 hydroxyapatite 155  
 hydroxyl groups 118  
 hydroxyl siloxane 92  
 Hyperion fibers 87

**i**

in-situ polymerization 112  
 indium oxide 47  
 indium phosphide 44  
 infilling methods 198 ff, 207  
 inorganic coatings 121 f  
 inorganic filler-polymer interfaces 96 ff  
 inorganic nanocomposites  
 – electrical applications 49 ff  
 – optical applications 46 ff  
 inter/intragranular designs, metal  
 nanocomposites 3  
 intercalation  
 – nanofillers 124  
 – polymer nanocomposites 103 f  
 interfaces  
 – inorganic polymers 96 ff  
 – polymer-filled nanocomposites 78 ff, 117

– polystyrenesapphire 99  
 interlayer spacing 124  
 intrinsic magnetic properties 62  
 ion channels 157  
 ion coimplantation 46  
 ion-conducting materials 4  
 iron nanowires, encapsulation 44  
 iron oxide core 166 ff  
 iron powders 7

**j**

jet variables 12

**k**

kanemite 92  
 kenyanite 92  
 kink model 104  
 Kratschmer/Huffmann method 86

**l**

lamellar phases, amphiphiles 179  
 Langmuir/Blodgett technique 142  
 Langmuir monolayers 174  
 laponite 91  
 laser ablation  
 – hard coatings 29  
 – polymer-filled nanocomposites 85 f, 95 f  
 lattice defects 81  
 lattice mismatch 25  
 layer-by-layer fabrication 197  
 layered double hydroxides (LDH) 93  
 layered fillers 103 ff  
 layered silicates 90 ff, 219  
 layers 59  
 Lewis bases 102  
 light-emitting devices 141 f  
 lipid cellular membranes 157  
 liquid crystal matrices 108  
 liquid crystal templating 171, 177 f, 194 ff  
 lithographic methods 174  
 load carrying capability 122, 127  
 loadings 10  
 low-dimensional nanocomposites 35 ff  
 low-friction coatings 27  
 Ludox process 93  
 luminescence 48, 66  
 lyotropic liquid crystal templating 178

**m**

machinability 3  
 magadiite 92, 140  
 magnesia 4  
 magnesium silicates 91  
 magnetic alloys 38

- magnetic applications 57 ff
  - magnetic bacteria 159
  - magnetic properties 17
  - magnetite 159
  - Magnetospirillum magnetotactium* 159
  - magnetothermal analysis (MTA) 34
  - magnetron sputtering 27
  - makatite 92
  - maleic anhydride 124
  - matrices 107 ff
  - mechanical alloying
    - metal matrix nanocomposites 4 ff, 14
    - particle-dispersed nanocomposites 58
  - mechanical properties
    - bulk ceramic nanocomposites 18, 22
    - metal nanocomposites 3 f
    - polymer filled nanocomposites 122 ff
  - media manufacturing 59 ff
  - melt processing 105
  - melt spinning 58
  - membranes, lipid 157
  - mesoporous oxides 156
  - metal matrix nanocomposites (MMCs) 14 ff
  - metal nanocomposites 1–76
  - metal nanoporous membranes 56
  - metal-polymer composites processing 114
  - metal-semiconductor junctions 42
  - metallic glass nanocomposites 34
  - mica 133
  - mica type silicates (MTS) 78
  - micellar routes 174
  - micelles 114
  - microcracks 27
    - see also*: cracking
  - microstructures 59
  - milling 6
  - mineralization 158 ff
  - mixing 111 ff
  - mobility 96
  - modeling nanocomposites 215–222
  - moduli 122
  - monolayers 91
  - monomer adsorption 120
  - monosilicic acid 64
  - montmorillonite
    - clay layers 133
    - organically-modified 126, 130
    - polymer-filled nanocomposites 90 ff, 103, 107
  - montmorillonite/HDPE nanocomposites 99
  - MoS<sub>2</sub> 24
  - MoSi<sub>2</sub> 68
  - mullite, SiC/zirconia toughened 19
  - multilayer films 23 f
  - multilayer nanocomposites 59 ff
  - multiphase nanowires 42
  - multiscale modeling 217 ff
  - multiwalled nanotubes (MWNT)
    - alumina 32
    - polymer 81 ff, 123
  - nanobiocomposites 155–214
  - nanocermet 7
  - nanocomposites applications 44 ff, 57 ff
  - nanocracks 27
    - see also*: cracking
  - nanofibrils 86
  - nanofillers 122
    - polymeric 80 f
  - nanoparticle polymer composites 111 ff
  - nanoporous structures 53 ff
  - nanotube carbon composites 31 ff
  - nanotubes
    - modeling 215
    - polymer composites 117, 122
    - processing 85 ff, 100
  - nanowires 35
  - natural nanobiocomposites 155–214
  - nitrides 29
  - nucleation
    - encapsulated composite nanosystems 36
    - magnetic nanocomposites 60
  - Nylon 91–107, 125–136
- O**
- octadecylamine groups 117 ff
  - oleyl ester 183 ff
  - oligo(ethylene oxide) 179
  - oligo(vinyl alcohol) 179
  - oligomers 54
  - optical applications 46 ff
  - optical properties 66, 138 ff
  - organic matrices 158
  - organic nanotubes 90
  - organo transition metal complexes 10
  - organosilanes 10
  - organosilicon polymers 54
  - Ostwald ripening 164
  - oxalic acid 56
  - oxidation resistant coating 68
- P**
- pairing, biocomposites 168
  - palladium colloids 116
  - particle dispersed magnetic nanocomposites 57 f

- particulate-reinforced metal matrix nanocomposites 14 ff
  - PbS 186
  - PDMS 135
  - percolation effects
    - bulk ceramic nanocomposites 22
    - inorganic nanocomposites 50 ff
  - permeability 78, 133
  - permittivity 138
  - perovskite dispersed composites 67
  - phages 170
  - phase diagrams
    - amphiphiles 179 f
    - Si/B//C/N 5
  - phosphoric acid 56
  - photoelectrochemical properties 65
  - photoluminescence
    - encapsulated composite nanosystems 42
    - inorganic nanocomposites 46
    - silica aerogels 10
  - photonic bandgap materials 197
  - phyllosilicates 90
  - physical properties 122 ff
  - physical vapor deposition (PVC) 26, 29
  - piezoelectric materials 4
  - itches 31
  - plasma activation 118
  - plasma-assisted chemical vapor deposition (PACVD) 26
  - plasma resonance frequency 48
  - plasma spraying 12
  - plastic deformation
    - bulk ceramic nanocomposites 21
    - hard coatings 27
    - metal nanocomposites 7
    - polymer filled nanocomposites 128
  - platelets 3
  - platelike fillers 77 ff, 90 ff, 124
  - poly(ethylene oxide) (PEO) 110
  - polyacetonitrile 28
  - polyamide matrices 107
  - polyaniline 203
  - polycaprolactone 78, 134
  - polyelectrolyte matrices 110
  - polyetheretherketone matrix 132
  - polyethylene
    - matrices 108
    - zirconia-filled 139
  - polyhydromethylsilazane pyrolysis 5
  - polyimides 78, 103, 132–137
    - matrices 107
  - polyisoprene 196
  - polylysine 167
  - polymer-based/filled nanocomposites 77–153
  - polymer coatings 119 f
  - polymer films 196
  - polymer precursors
    - hard coatings 28
    - processing 20
  - polymeric membranes, nanoporous 53
  - polymethylacrylate 127, 137
  - polymethylacrylate/polystyrene matrices 108
  - polymethylphenylsilazane pyrolysis 20
  - polypeptide chains 163, 170
  - polypropylene 103, 108
  - polypyrrole 203
  - polystyrene 123, 127, 203
    - biocomposites 203
    - films 97 ff
  - polystyrene-polyisoprene block copolymer templates 196
  - polyurethane matrices 109
  - pore sizes 53, 56
  - powder metallurgy 4, 14
  - precursors
    - biocomposites 156 ff, 174, 187 ff
    - bulk ceramic nanocomposites 19 ff
    - hard coatings 26, 31
    - metal nanocomposites 8 ff, 114
    - nanoporous membranes 54
    - polymer-filled nanocomposites 86, 95
  - processing polymer nanocomposites 100
  - protein assemblies 169 ff
  - protein layers 160
  - pulsed-laser deposition
    - bulk ceramic nanocomposites 19
    - hard coatings 27
  - purity 88 ff
  - pyrolysis
    - polyhydromethylsilazane 5
    - polymethylphenylsilazane 20
  - pyrolytic graphite 18
  - PZT powder 49
- q**
- quadrupole splitting 191
  - quantum confinement
    - biocomposites 174
    - optical applications 46 f
    - semiconductors 66
  - quantum dots
    - biocomposites 174
    - magnetic nanocomposites 61
- r**
- rapid solidification process (RSP)

- carbon nanotube-based nanocomposites 33
  - metal matrix nanocomposites 15
  - Rayleigh scattering 138, 140
  - reaction sintering 20
  - reactive magnetron sputtering 27
  - refractive indices
    - biocomposites 205
    - inorganic nanocomposites 48
  - rehybridization 84
  - reinforcement 14 ff
  - relaxation spectra
    - dielectric 217
    - polymer-filled nanocomposites 96, 131 f
  - resins 31
  - resistivity 82, 138
  - resorcinol formaldehyde monomers 8
  - rf magnetron sputtering 60, 63
  - rf plasma deposition 69
  - rheocasting 14
  - rheopexy 106
  - RNA 165 f
  - Rouse model 217
  - rubber matrices 110
- S**
- S layers 160, 165 ff
  - saponite 133
  - sapphire-polystyrene interface 99
  - saturation magnetization 7
  - sea urchin 161
  - segregation 29
  - selenium chalcogenides 182, 205
  - self-assembled quantum dot arrays 61
  - self-assembly routes 173
  - self-propagating combustive reactions 6
  - self reinforced silicon nitrides 18
  - semiconductors
    - biocomposites 172 f, 182 f, 199
    - nanoporous membranes 56
  - shear modulus 25
  - silane coupling 119
  - silica
    - biocomposites 159, 171
    - coatings 64
    - fumed 77
    - matrix 46
    - metal nanocomposites 8
    - modeling 219
    - polymer-filled nanocomposites 93
  - silica aerogel composites 10
  - silica-Nylon 132
  - silica-polyvinylacetate nanocomposites 131
  - silicates 90 ff
  - silicon, nanoporous membranes 56
  - silicon-boron-carbon-nitrogen system 5
  - silicon carbide 4
  - silicon carbide-zirconia-toughened mullite 19
  - silicon composites 10
  - silicon nitrides
    - metal nanocomposites 4
    - self-reinforced 18
  - silicone rubber matrices 110
  - silver-polystyrene matrix 142
  - single-walled nanotubes (SWNT) 39, 78–87, 123
  - sintering 4, 20
  - small molecule attachment 118
  - smectic clays 90 ff, 140
  - sodium octanate 179
  - sol-gel methods
    - biocomposites 198
    - inorganic coatings 121
    - metal nanocomposites 4, 8 ff
    - polymer-filled nanocomposites 95
  - solution mixing 112
  - solution phase synthesis 4, 173
  - sonication 95, 118
  - spider silk 157
  - spinning 58
  - spinodal decomposition 29
  - splat cooling 58
  - spraying
    - metal matrix nanocomposites 14
    - metal nanocomposites 11 ff
    - nanoparticle/polymer composites 111
  - sputtering 60
  - squeeze casting 14
  - stability 135
  - StoneWales defect 85
  - straight pore alumina 56
  - strain-controlled diffusion 220
  - strain hardening 106
  - strain-to-failure ratio 123, 130
  - strength
    - metal nanocomposites 3, 17
    - polymer-filled nanocomposites 82
  - strengthening 22
  - stress production model 217
  - stress-strain curves 122, 127
  - strong field behavior 49
  - subgrains 7
  - substrate variables 12
  - sulfuric acid 56
  - supercritical drying 8
  - superlattices 183
  - superparamagnetic fraction 7
  - superparamagnetism 62
  - superplasticity 3

- surface area 79
  - surfactants 50
    - amphiphiles 181
    - biocomposites 171, 181 f
    - polymer nanocomposites 101
  - swelling 135
  - synthesized nanoparticles, biologically 159 f
  - synthetic mica clay layers 133
- t**
- Ta/W films 160
  - tactoids 90 f, 106
  - telescopic failure 84
  - tellurium chalcogenides 182
  - templates
    - alumina 35
    - biocomposites 161197
  - tensile strength 78
  - ternary systems, hard coatings 29
  - tetraethylorthosilicate (TEOS) 69, 95, 112
  - TGA analysis 5
  - thermal expansion coefficient 135
  - thermal shock resistance 3
  - thermal spraying 11 ff, 111
  - thermal stability
    - magnetic nanocomposites 59
    - polymer filled nanocomposites 136
  - thermoelectric junctions 43
  - thermoplastic polymers 78, 96, 215
  - thin films 23 f
    - liquid crystal templating 194 ff
  - thiol 142, 168
  - Ti/B alloys 15
  - Ti/Si alloys 15
  - TiC 24
  - TiC/Al 16
  - TiC/TiCN 19
  - TiN 24
  - titania
    - biocomposites 199
    - colloids 65
    - epoxy composites 135
    - polymer-filled nanocomposites 94
  - toluene
    - biocomposites 203
    - polymer-filled nanocomposites 89
  - torch variables 12
  - tortuosity factor 133
  - toughness
    - metal matrix nanocomposites 17
    - polymer filled nanocomposites 122, 127
  - transfer mechanisms 122
  - transition metal composites
    - encapsulated 41
    - silica aerogels 10
  - transition metal dichalcogenides 93
  - transparent dielectrics 48
  - transport phenomena 50 ff
  - tribological applications 19
  - tribological properties 25
  - trilayers 91
  - tube fillers, polymeric 80 ff
  - twisted fibers 86
- v**
- valence band 85
  - validation 221
  - vapor phase infiltration 9
  - vaporization 173
  - Vickers hardness 33
  - void formation 129
  - volume fractions 138
- w**
- WatsonCrick pairing 168
  - WC/C, hard coatings 24
  - WC/Co coatings 13, 28
  - WC/TiC/Co coatings 28
  - weak field behavior 49
  - wear properties
    - polymer filled nanocomposites 122, 132 f
    - thin film nanocomposites 23
  - whiskers
    - metal nanocomposites 3, 14
    - polymer-filled nanocomposites 80
- y**
- yield stress 78
  - Young modulus 78
- z**
- zeolites
    - metal nanocomposites 10 f
    - nanoporous membranes 53
  - zirconia 94, 139
  - ZnS 185 ff