

Index

- AATCC (American Association of Textile Chemists and Colorists), 217
 - rain test, 296–7, 298
- abaca, 378
 - plant/fibre, generalised description, 383
- abrasion resistance, of fabrics used in transportation, 494
- accident survival, 463–5
- acid dyes, 192–3
- Acrilan, 28
- acrylic fibres, 28
 - dyeing, 194
 - flame-retardant additives, 242–3
 - gel dyeing, 203
- acrylic polymers, LOI-char relationship with various flame-retardants, 244, 245
- adhesive bonding, 145
- adhesives, in fusible interlinings, 184–5
- aerodynamic fabric transport systems, 214
- aeronautics, 36–7
- aerosol protection performance, 486
- Agarwal, B D and Broutman, L J, 268
- agricultural engineering, 34–6
- agriculture, 14–15
 - protective clothing, 484–7
- air jet, weft insertion by, 91
- air jet weaving machines, 91–2
- air laying
 - batt production in nonwovens, 134–6
 - diagram of air lay machine, 135
- air pollution, 534
- air-jet spinning, 51–2
- aircraft
 - fibre-reinforced composites, 520–21
 - furnishing fabrics, 519–20
 - technical fabrics, 521
- Aipro, 478
- Akovali, G and Takrouri, F, 250
- Akzo, 9, 30
- Akzo Nobel, 293
- Albany (US), 13
- Albright and Wilson, 165
- Alcantara, 511
- alginate fibres, 37
- alginates, 411–12
- Allied Colloids, 28
- Allied Signal, 39, 240
- Altex (Sumimoto, Japan), 229
- aluminium oxide (or alumina) fibres, 32
- aluminosilicate compounds, 32
- American Society for Testing Materials, 130
- Amgard, 248
- Amijima, S *et al.*, 271, 278
- ammonium polyphosphate (APP), 248
- Amoco Fabrics and Fibres Co., 232
- amorphous regions, in fibre structures, 163
- Anand, S C, 113, 114, 128
- Anand, S C and Garvey, S J, 236
- Anand, S C, Lawton, P J, Barlow, G and Hardman, E, 356
- anhydrous liquid ammonia treatments, cotton, 206–7
- anthraquinones, in coloration, 190
- antifungal finishes, 171–2
- antimicrobial finishes, 171–2
 - in car interiors, 514
- antimony (III) oxide, 167
- antistatic finishes, 169–71
- antistatic properties of fabric, 323
- Antron, 28
- Antron P140 (DuPont), 519
- Apyeil (Unitika), 230

- Aquatex, 435
aramid fibres, 226
aramid filament yarns, 57–8
aramids, 8–9, 230
 military use, 451
 in protective clothing, 472
‘architectural membrane’, 15
Arctic
 clothing, 432–4
 conditions, 464, 467
area density, in knitted fabrics, 97
aromatic fibres, melt-spinnable, 30
aromatic polyamides, 29, 230
aromatic polymers, 30
aromaticity, in polymers and fibres, 229
artificial fibres
 mass coloration, 200–204
 products for mass coloration and bath
 dyeing, 202
artificial leather and suede, in car interiors,
 511–12
asbestos, 32, 229
Asgard, 233
ASTM (American Society for Testing and
 Materials), 217, 252
 D3659, 252
atmospheric conditions, and water vapour
 permeability, 306
automatic or semiautomatic flat screen (flat
 bed) printing, 216
automatic stop motions, single phase
 weaving machines, 93
automotive industry *see* cars
azoic colouring matters, 195
- backcoating formulations, for flame
 retardant fabric, 167–8
bacteriostatics, 171
Bajaj, P *et al.*, 251
ballistic casualties, in general war, 452
ballistic protective materials, 38, 429, 452–7,
 465
 fabric types and composition, 456
 levels of protection, 453–4
 testing and evaluation, 456–7
 textiles used, 454–6
ballistic textile performance, comparison
 against steel wire, 456
Ballyclare Special Products, UK, 232
bandages, 412, 413–15
Barber-Colman Co., 74
Barker, R H and Drews, M J, 246
Barlow, G, 356
BASEF, 234
basic dyes, 194–5
Basofil, 234, 474–5
batt production
 in melt blowing process, 139
 using carding machines, 131–4
 cross laying, 133–4
 parallel laying, 131–3
 spun laying, 137–8
battery separators, 507
beam dyeing, 213–14
bearded needle, weft knitting machines, 98
bedcovers and pillows, ignitability tests,
 254–5
Benisek, L, 251, 472, 480
Bibo, G A and Hogg, P J, 274
biodegradation, 376
 of medical textiles, 409
 of polymers, 36
biological and chemical warfare protection,
 457–8
biomimetics, 293
Bishop, S M and Curtis, P T, 271
bleach activators, in dyeing, 197
bleaching, in conventional dyeing, 205
Blum, C, 532
Bombyx Mori (silk moth), 25
Boniface, L *et al.*, 271
Borofos, 240
boron fibres, 32
boron nitrides (BN), 32
Bradbury, A G W *et al.*, 248
braided polyester artificial ligaments,
 418–19
braided reinforcement
 analyses, 274
 of composites, 273–4
 mechanical behaviour, 273–4
Braun, E *et al.*, 254
bridging model, 272
British Defence Clothing and Textile
 Agency, 293
British Standards, for colour fastness, 217
British Textile Technology Group manikin
 test systems, RALPH, 257–8
bromine, 167
BS 476, 518, 522
BS 1006, 505
BS 2576, 405, 505
BS 3119, 252, 520
BS 3356, 506
BS 3424, 505, 506, 507
BS 4303, 505
BS 4443, 505, 506, 507
BS 4736, 506
BS 4768, 506
BS 4790, 256
BS 4948, 506
BS 4952, 506
BS 5058, 506
BS 5438, 252, 253
BS 5636, 506
BS 5690, 505

- BS 5811, 505
 BS 5852, 167, 253, 254, 255, 518
 BS 5867, 238
 BS 6307, 256
 BS 6524, 506
 BS 6538, 506
 BS 6807, 253
 BS 6853, 518
 BS 6906 (parts 1–8), 405
 BS 7157, 254
 BS 7175, 254
 BS 7176, Hazard Classifications and Ignitability Performance Requirements, 255
 BS 7209, 302, 306, 309
 BS EN 22313, 506
 BS EN ISO 9237, 506
 BSI, 252
 Bundesmann rain tester, 294, 295
 bunker gear, 479–80
 buses and coaches, use of textiles in, 517
 butyl rubber, 177
 Butylkina, N G *et al.*, 240
 BWF (Germany), 13
 Byun, J-H and Chou, T-W, 274
- CAD (computer aided design), 216
 calcium alginate fibres, 409–10, 412
 calender manufacturers, 157
 calender rollers, and thermal bonding, 144
 calendaring
 effects achieved by, 154
 and filtration, 330–31, 353–4
 in finishing processes, 152, 153–7
 pad mangle, 153
 types of calender, 154–6
 types of finish, 156–7
 Caliban, 249, 250, 472
 Camino, G and Costa, L, 248
 camouflage, 439–47
 military textiles, 427, 428, 429–30
 near infrared camouflage, 444–5
 snow camouflage, 441
 thermal infrared camouflage waveband, 446–7
 and ultraviolet waveband, 439–40
 and visible waveband, 440–43
 Canadian Turl Dish method, 300
 carbon, military use, 458
 carbon fibres, 9, 32, 497
 carbon filament yarns, 58–9
 carding machines, batt production using, 131–4
 cardiovascular implants, 419–20
 carpets, and flame retardants, 241
 cars, 36–7
 airbags, 509, 514
 and environmental issues, 515
 future of textile developments, 513–16
 interior design, 498–9
 new seat technology, 511
 other parts of the interior, 504, 507
 sales, worldwide, 491
 seat covers
 composition, 501
 design, 498, 499
 fabric structure, 500–501
 fabrics, 490–91
 summary of test methods, 505–7
 manufacturing process, 501–4
 quality control and testing, 503–4
 resistance to light, 499–500
 three-dimensional, 510
 yarn types, 500
 seat layout, 514–15
 seatbelts, 508
 textiles in, 497–516
 upholstery, 493
 cationic dyes, 194–5
 Celanese, 232
 Celguard, 435
 celluloid, 184
 cellulose, 27, 376
 cellulose acetate, 184
 cellulose phosphorylation, 246
 cellulosic fibres
 dyeing, 196
 fabrics, 246–9
 scouring, 205
 ceramic fibres, 10, 32, 229
 chasing, 156
 chemical and abrasion resistance of fibres, 322
 chemical bonding
 in nonwoven production, 140–43
 foam bonding, 142
 print bonding, 142–3
 saturation bonding, 140–42
 spray bonding, 143
 chemical degradation, of polymers, 36
 chemical hazards, 483–8
 chemical processes
 durable flame-retardant treatments, 165–7
 in finishing, 153, 164–72
 chemical resistance, and geotextiles, 370
 chemical treatments, and filtration, 331
 China, 2, 18–19
 chintz, 156
 chitin, 38, 409, 410
 chitosan, 38, 409, 410
 chlorofibre, 234
 chlorosulphonated polyethylene (hypalon), 178
 Chou, T W, 272, 274
 chrome dyes, 194
 chromophores, 189

- Ciba, 165
- cigarette ignition, 253, 254
- circular machines, weft knitting, 112–13
- CIRFS (Comité International de la Rayonne et des Fibres Synthétiques), 5
- civil engineering, 24, 34–6
 - geotextiles, 16–17, 358–71
 - natural fibre geotextiles, 372–406
- Clevyl, 234
- clothing components, 14
- clothing fabrics, thermal characteristics, 473
- coated textiles, chemistry, 173–9
- coating
 - of technical textiles, 173–86
 - of waterproof breathable fabrics, 290–92
- coating techniques, 179–83
 - gravure coating, 182
 - hot-melt coating, 183
 - knife coating, 180–82
 - lick roll, 179–80
 - rotary screen coating, 182–3
 - transfer coating, 183
- coir, 378, 405
 - plant/fibre, generalised description, 385
- Colback (Akzo), 507
- collagen, 38, 409
- colorants, distribution of chemical class, 190
- coloration, 187–222
 - dye classes and pigments, 192–200
 - dyes, 188–9
 - fluorescent brightening agents, 189–90
 - objectives, 187–8
 - pigments, 189
 - range of colorants available, 190–92
- colour fastness, 195–6, 217–19
 - degree of fade, 218
 - performance, 218
 - quality standards, 217
 - tests, 218
 - to light, 218
 - to rubbing, 218–19
- colour fastness properties, and mass coloration, 202–3
- Colour Index International, 190
- colour specification schemes, 208
- Combat Soldier 95 layered system, 437, 438
- combustion
 - as a feedback mechanism, 227
 - of fibres, 224
 - schematic stability diagram, 225
- combustion products
 - of fibres, 495
 - physiological effects, 495
- composite materials, 264–5
 - market for, 265
 - textile techniques under development for, 267
 - texts on, 265
- composite moduli, for textile reinforcements, 269–70
- composite reinforcement, basic mechanics, 266–70
- composites
 - braided reinforcement, 273–4
 - fabricated from continuous unidirectional fibres, 266, 268–9
 - knitted reinforcement, 274–7
 - stitched fabrics, 277–9
- composites industry, 4
- composition parameter (CP), 226, 228
- compound needle, weft knitting machines, 98
- compressive shrinkage, in finishing processes, 153, 159–61
- condensation, and waterproof breathable fabrics, 310
- Conex (Teijin), 30, 230, 445
- construction, building and roofing, 15
- consumption
 - of technical textiles, 18–19
 - by application, 11
 - by product type, 10
 - worldwide, by region, 19
- continuous dyeing machinery, 215
- conventional dyeing
 - bleaching, 205
 - fluorescent brightening, 205–6
 - heat setting, 207
 - mercerization, 206
 - pretreatments, 204
 - quality control in pretreatment, 207–8
 - scouring, 205
 - singeing, 204
- cotton, 25
 - anhydrous liquid ammonia treatments, 206–7
 - dyeing, 195
 - in geotechnical engineering, 373
 - mercerization, 206
 - in protective clothing, 472
 - retardant-finish formulations, 247
 - ring spinning, 43
 - in space suits, 478
- course, in knitted fabrics, 95
- Courtaulds, 27, 28, 30, 37
- Courtek M (Courtaulds), 487
- Courtelle, 28
- Courtelle Neochrome process, 203
- Credit Rain Simulation tester, 296, 297
- creep
 - geotextiles, 365–6
 - natural fibre geotextiles, 394–5
- crimp, 78–9
- Cripy 65, 33
- cropping, in finishing processes, 152

- crystal growth, 29
 crystalline regions, in fibre structures, 163
 Cyclone, 435
- Dacron, 28, 419, 420
 Danufil CS (Hoechst AG), 235
 David Rigby Associates, 463
 Day, M *et al.*, 241, 249
 decomposition, in combustion, 226
 defence
 ballistic protective materials, 452–7
 battlefield hazards, 429
 biological and chemical warfare protection, 457–8
 camouflage, 439–47
 economic considerations, 429
 environmental protection, 430–32
 flame-retardant textiles and heat protective textiles, 448–52
 incompatibilities in combat materials systems, 427–30
 military combat clothing systems, 436–9
 thermal and water vapour resistance data, 437–8, 438
 military flame and heat threat, 448–50
 military uniforms, 426–7
 non-clothing textile items, 426
 requirements for military textiles, 428–9
 textiles in, 425–60
 history, 425–7
 thermal insulation materials, 432
 insulation efficiency, 432–3
 thermoplastic melt hazard, 450–51
 underwear materials, 430–32
 water vapour permeable/waterproof materials, 435–6
 Defence Clothing and Textiles Agency, 436
 definitions, of technical textiles, 2, 24
 degradation
 of pigments, 203
 of textiles, 530–31
 delustering, 156
 ‘Denison smock’, 427
 Descente, 33
 desizing, conventional dyeing, 204–5
 Dewas system, 90
 differential scanning calorimetry (DSC), 300
 digital jet printing machines, 217
 dimensional stability treatments, for filtration fabrics, 352
 DIN 4102, 522
 DIN 53887, 355
 DIN 53906, 520
 direct dyes, 195–6
 discharge printing, 215
 disperse dyes, 198–200
 Disperse Red 127, 250
 dobbies, 84–5
 double jersey fabric, 95
 double jersey machines, 102–5
 interlock machines, 103
 needle layouts, 102
 needle timing, 103
 rib machines, 103
 Dow Weave, 74
 drainage, and geotextiles, 367, 389–90
 Drake, G L and Reeves, W A, 246
 Dransfield, K *et al.*, 278
 drawn fibre, 163
 Dref friction spinning technology, 474
 DREF-2, 234
 Drews, M J and Barker, R H, 248
 drowning, protection from, 463–5
 dry-laid processes, in nonwoven production, 136
 DSM, Netherlands, 29
 DSP (dimensionally stable polyester), 497
 Du, G-W *et al.*, 273, 274
 Du, G-W and Ko, F, 277, 279
 Duncan’s multiple range test, 485
 duplex weaves, and filtration, 348
 DuPont, 9, 28, 29, 30, 51, 58, 150, 167, 200, 226
 Durvil, 473
 dust collection, 317–25
 cleaning mechanisms, 318–20
 cost, 324
 equipment considerations, 324
 fabric design or selection, 320–25
 filter sleeve location arrangement, 325
 filtration requirements, 321, 323–4
 knitted fabrics, 328
 needlefelts, 326–8
 particle collection mechanisms, 317–18
 performance related tests, 356
 pulse jet cleaning, 319–20
 reverse air cleaning, 319
 shake cleaning, 319
 thermal and chemical conditions, 321
 woven fabrics, 326
 dye classes and pigments, 192–200
 dyeing
 car seat covers, 501–2
 conventional dyeing of technical textiles, 204–8
 and the environment, 539
 dyeing machinery, 211–15
 batch dyeing machinery for exhaust dyeing, 211–14
 beam dyeing, 213–14
 continuous dyeing machinery, 215
 jig dyeing, 212–13
 pad-batch dyeing, 214
 pressurised machines, 214
 softflow jet dyeing machine, 214
 winch (or back) dyeing, 213

- dyes, 188–9
 acid dyes, 192–3
 azoic colouring matters, 195
 basic dyes, 194–5
 direct dyes, 195–6
 disperse dyes, 198–200
 major classes and fibres to which they are applied, 191
 for mass coloration, 200–201
 mordant dyes, 194
 for near infrared camouflage, 445–6
 reactive dyes, 196–7
 sulphur dyes, 197–8
 vat dyes, 198
- Dyneema, 29, 39, 59, 455, 465
- EATP (European Polyolefin Textiles Association), 5
- ecological protection textiles, 18
- Ecomangement and Audit System (EMAS), 532
- economic scope, of technical textiles, 1
- El-Alfy, E A *et al.*, 249
- elastane fibres, 29
- electrolyte, in dyeing, 195
- elemental composition, correlation with oxygen index, 228
- Elitex air jet weaving machine, schematic section, 81
- Ellettes (Teijin), 435
- embossing, 156
- EN366:1993, 256, 257
- EN367:1993, 256, 257
- EN469:1995, 256
- EN470–1, 257
- EN531:1995, 257
- EN532:1993, 256, 257
- EN533:1997, 257
- EN 31092, 302
- end-users, of fibres, 26
- end-uses
 of technical textiles, 20–22
 of warp-knitted fabric, 128
 of weft-knitted fabrics, 110–13
- energy consumption, 533
- engineered fabrics, in cars, 514
- engineering properties, of natural geotextiles, 391–2
- Entrant, 435
- environment, and textiles, 529–42
- environmental harm
 from textile sources, 532
 reduction, 538–9
- environmental issues, and cars, 515
- environmental protection, in defence textiles, 430–32
- erosion control, and geotextiles, 391, 392
- European Committee for Standardization, 256
- European Standards, for colour fastness, 217
- exhaust dyeing machinery, 211–14
- explosive ordnance disposal clothing, 455
- extinction oxygen index (EOI), 229
- extracorporeal devices, 412, 415
- extreme weather conditions, survival, 467–9
- fabric area density, 78
- fabric geometry, 77–80
 of plain single jersey, 108
- fabric geometry studies, practical implications, 108–9
- fabric printing machinery, 216–17
- fabric relaxation, 160
- fabric specifications and geometry, 77–80
 cover factors, 79–80
 crimp, 78–9
 fabric area density, 78
 fabric width, 78
 thickness, 80
- fading, 218
- Faroq, A A, 248
- feed devices, weft knitting, 110, 111, 112
- Fenilon (Russian), 230
- fibre blends, in protective clothing, 472–5
- fibre glass, 9
- fibre structure, heat setting, 162
- fibre undulation model, 272
- fibre yielding plants, 376–7
- fibre/plastic composites, in transportation, 496–7
- fibres
 end-users, 26
 mechanical properties, 26
 stress/strain behaviour, 29
 thermal behaviour, 224–9
 thermal and flame-retardant properties, 228
- fibrillated tape ('splitfilm') yarns, and filtration, 344–5
- fibrillation, 138, 139
- Fidion FR, 167
- filament technical yarns, 57–60
- filament yarns, 55–60
 comparison of properties, 60
 definitions, 55–6
 manufacture, 56–7
 melt spinning process, 56
 texturing methods, 57
- filtration
 by textile filter, 316–57
 and duplex weaves, 348
 and fibrillated tape ('splitfilm') yarns, 344–5
 and finishing treatments, 328–33
 and geotextiles, 390–91
 geotextiles, 367
 and link fabrics, 348–50

- and monofilaments, 341–2
- and multifilaments, 342–4
- and needlefelts, 350–51
- and plain weave, 347
- production equipment, 351
- and satin weaves, 348
- and semiduplex weaves, 348
- solid-liquid separation, 333–41
- and staple-fibre yarns, 345
- and twill weaves, 347
- and yarn combinations, 346–7
- and yarn types, 341–7
- filtration equipment
 - resistance to flex fatigue, 339–40
 - resistance to stretch, 339
- filtration fabrics
 - and calendering, 353–4
 - for dimensional stability treatments, 352
 - for surface modification, 352–3
 - test procedures, 355–7
- filtration properties
 - geotextiles, 367–70
 - influence of yarn type, 341
- finishes, for heat and flame resistance, 478–9
- finishing
 - car seat covers, 501–2
 - chemical processes, 164–72
 - compressive shrinkage, 159–61
 - and the environment, 539
 - heat setting, 161–4
 - mechanical processes, 152–3
 - calendering, 152, 153–7
 - chemical processes, 153
 - compressive shrinkage, 153
 - cropping, 153
 - heat setting, 153
 - raising, 153, 157
 - shearing, 159, 160
 - of technical textiles, 152–72
- finishing treatments, and filtration, 328–33, 352–5
- finite element method (FEM), 272
- fire, protection from, 466
- fire tests for upholsterers composites and mattresses, 253–4
- fire-fighting clothing, 479–83
 - European fire fighters tunics, 483
 - evaluation, 256
- fire-retardant finishes, 246–52
- fire-retardant (FR) viscose, 27
- fire-retardants, 25
 - see also* flame-retardants
- fireblocker materials, 496, 517
 - in aircraft, 520
- Firesafe Products Corporation, 466
- Firotex, 233
- fishing, 14–15
- flack jackets, 38
- flame bonding, in laminating, 186
- flame protection
 - inherently flame retardant fibres, 229–34
 - and military textiles, 428
 - selection of suitable fibres, 229–46
- flame-retardance
 - of conventional textile fibres, 234–46
 - of materials, 226
- flame-retardant
 - acrylic fibres, 241–6
 - additives
 - acrylic fibres, 242–3
 - for polyester fibres, 238
 - fabrics, 470
 - finishes
 - for polyester, 249–50
 - for polyester/cellulosic blends, 250–51
 - for wool, 251–2
 - nylon, 240–41
 - polyester, 237–40
 - chemical structure, 239
 - patent literature, 240
 - properties, of various fibres, 228
 - test methods, 252–8
 - vertical strip test, 253
 - textiles, in military use, 448–52
 - treatments
 - durable flame-retardant treatments, 165–7
 - synthetic fibres with inherent flame retardant properties, 167–8
 - viscose, military use, 451
- flame-retardants (name and manufacturer), 244
- flameproof materials, 9
- flammability, 224
 - in aircraft, 519
 - reduced flammability in transportation textiles, 491, 494, 496
- flash spinning
 - bonding of flash spun material, 139
 - of nonwovens, 138–9
- flat screen (flat bed) printing, 216
- flax, 6, 376, 378
 - plant/fibre general description, 379
- Flectalon, 469
- flexible engineering materials, scope, 4–5
- flexible intermediate bulk containers, 517
- flocked fibre, in cars, 508
- flotation vests, 464–5
- fluid jet weaving machines, 90–92
- fluorescent brightening
 - agents, 189–90
 - conventional dyeing, 205–6
- fluorocarbon, 169
- foam bonding, 142
- footwear (military), vapour permeability, 438
- Fortafil, 230
- Fortamid needle felt, 230

- Fortasil, 233
 Fostetrol, 240
 FR viscose, 234–7
 Fraglight (DSM), 455
 Frank-Kamenetzky, D A, 225
 Frey, F and Meyer, M, 539
 friction spinning, 48–9
 Fujita, A *et al.*, 271
 full tricot, warp-knitted structures, 122
 functions of technical textiles, 20–22
 fungistatics, 171
 Furniture and Furnishing (Fire) (Safety) Regulations, UK, 167, 248
 fusible interlinings, 183–5
 coating resins, 185
 development of adhesives, 184–5
 history, 184
 modern adhesive development, 185
 future of the technical textiles industry, 19–23
- Gabler system, 90
 Gao, F *et al.*, 272
 gas filtration media, and needlefelts, 147
 gauze fabrics, 72, 73
 gel dyeing, acrylic fibres, 203
 gel spinning process, 29, 59
 gel spun polyethylene, 455
 Gelman Tufferyn, 435
 geosynthetics, 34, 36, 360–62
 maximum daylight exposure, 364
 stress-strain curve shapes, 365
 geotextile fibre forming polymers, 361–2
 geotextile structure forms, 395, 398–400
 geotextiles, 11, 18, 34, 358–71
 and chemical resistance, 370
 in civil engineering, 16–17
 and creep, 365–6
 in drainage, 148, 367, 389–90
 and erosion control, 391
 essential properties, 362–70
 and filtration, 363–4, 367–70, 390–91
 frictional resistance, 400–405
 functional requirements, 387
 mechanical properties, 364–7
 needlefelts, 147
 price, 360
 quality, 360
 and separation, 391
 and soil, 369–70
 standard properties of vegetable fibre and synthetic geotextiles, 397
 stress-strain failure levels, 363
 types, 361
 and ultraviolet light, 364, 370
 see also natural fibre geotextiles
- Glaesegen, E H and Griffin, O H, 272
 glass, 9–10, 31
 glass fibre fabrics, 252
 glass fibres, 15, 229
 glass filament yarns, 58
 glass transition temperature, heat setting, 163
 glazing, 156
 globalisation, of technical textiles, 18–19
 Godbehere, A P *et al.*, 278
 Gommers, B *et al.*, 277
 Gore-Tex, 286, 309, 435, 477, 484
 graphitisation, 58
 gravure coating, 182
 Greston, J, 309, 310
 Gymstar (Unitika), 435
- Haigh, H, 252
 hairpin selvedge, shuttle weaving machine, 76
 Hall, M E *et al.*, 242
 halogen, 167, 242
 halogen halides, 250
 halogenated species, 471
 hazardous occupations, 470
 HDPE (high density polyethylene) filament yarns, 59
 headliners, 504
 healthcare *see* hygiene; medical textiles
 Hearle, J W S, 162
 heat
 and associated hazards, 469–83
 effect on textile material, 224–9
 heat energy, from various activities, 283
 heat and flame protection, 223–63
 garment construction, 479–83
 heat and flame resistance, finishes for, 478–9
 heat proof materials, 9
 heat protection characteristics, 481
 heat protective textiles, military use, 448–52
 heat release rate, of various fabrics, 496
 heat setting, 161–4
 conventional dyeing, 207
 fibre structure, 162
 and filtration, 328–9
 in finishing processes, 153
 glass transition temperature, 163
 heat shrinkage, 163
 heat-setting mechanisms, 162
 melting point, 163
 and polyamides, 164
 polymer orientation, 162–3
 process, 163–4
 synthetic thermoplastic fibres, 207
 transition temperatures, 163
 heavy goods vehicles, use of textiles in, 516–17
 helical selvedges, 77
 Helly-Hansen, Norway, 467

- hemp, 376, 378
 plant/fibre, generalised description, 380
- Herszberg, I *et al.*, 274
- high chemical resistant organic fibres, 30–31
- high combustion-resistant fibres, 30–31
- high modulus organic fibres, 29–30
- high modulus polyethylene (HMPE), 9, 15
- high performance fibres, 8–9
- high performance inorganic fibres, 31–3
- high performance pigments, for
 polypropylene fibres, 201
- high strain organic fibres, 29–30
- high temperature fibres, properties, 231
- high temperatures and associated hazards,
 469–83
- Hoechst, 28, 167, 238
- Hoechst-Celanise, 30
- Hogg, P J *et al.*, 277, 278, 279
- Hohenstein Skin Model Apparatus, 431, 437
- Hohn, W, 539
- Holme, I, 246, 254
- Holme, I and Patel, S R, 251
- Holmes, D A, Grundy, C and Rowe, D, 306
- home textiles, 13–14
- Horrocks, A R, 229, 236, 246, 248
- Horrocks, A R *et al.*, 239, 251
- Horstmann, G, 532
- horticulture, 14–15
- hot-melt coating, coating techniques, 183
- Howa Machinery Ltd, Japan, 74
- hydrocel, 37
- hydroentanglement, nonwoven fabrics,
 150–51
- hydrogen bonding, in heat setting, 162
- hydrophilic coatings, 291–2, 435
- hydrophilic membranes, 287–9
- hygiene products, 420–23, 487
 applications, 13, 37–8
 fibre type and manufacture, 421
- hypalon, 178
- hypothermia, protection from, 463–5
- ignitability
 of bedcovers and pillows, 254–5
 of fabrics used in tented structures, 254
 of textile floor coverings, 255–6
- impermeable clothing, effects in different
 conditions, 435
- implantable materials, 415–20
- industrial products and components, 12–13
- industrial textiles, 2, 11
- inherently flame-retardant fibres, 229–34
 in protective clothing, 470
- Inidex, 30, 232–3, 520
- Institute Textile de France, 375
- insulation, effect of moisture, 434
- insulation efficiency, of thermal insulation
 materials, 432–3
- International Convention for the Safety of
 Life at Sea, 464
- International Geotextile Society, 359
- International Standard Organization, 4
- intumescent systems, 237
- ISO, 252, 9092
- ISO 9000, 360
- ISO 9092, 130
- ISO 11092, 302, 431, 437
- ISO Grey Scale, 218
- Jäger, 89
- Japan, 5, 7, 8
 microfibrils, 33
- Japan Exlan Co, 240
- Japanese 'Chemical' Fibres Manufacturers
 Association (JCFA), 5
- jig dyeing, 212–13
- Jones, R M, 268
- Jürgens, 89
- jute, 6, 25, 378, 392
 plant/fibre, generalised description, 381
 woven fabric geotextiles, 373
- Kandola, 249
- Kanecaron, 167, 234
- Kaneka Corporation, 167, 234
- Karl Mayer, West Germany, 114
- Karvin (DuPont), 235, 474
- Kemira (now Sateri Fibres), Finland, 27
- Kermel, 232, 445, 473
- Kevlar, 29, 30, 58, 230, 455, 465, 466, 477,
 478, 496
 in protection and defence, 38
 as a structural reinforcement, 497
- Kilzer and Broido mechanism for cellulose
 pyrolysis, 249
- Kilzer, F J and Broido, A, 248
- knife coating, 180–82
 air knife coating, 182
 knife geometry, 181–2
- knitted carbon reinforcement, 276
- knitted fabrics, 95–29
 definitions, 95–7
 dust collection, 328
- knitted reinforcement
 analyses, 277
 for composites, 274–7
 damage accumulation, 276–7
 mechanical properties, 275–6
- knitting machinery, classification, 97
- knitting machines, displacement curves of
 various needles, 119
- Koerner, R M and Welsh, J P, 359
- Kotresh, T M *et al.*, 234
- Kralik, M, 532
- Kramar, L, 532, 539
- Krasny, J *et al.*, 256

- Kriz, R D, 272
 Kunit, 503
 Kuo, W-S and Chou, T-W, 265, 272
 Kurose, A and Shirai, H, 249
 Kynol, 233–4
- laboratory matching, total colour management systems, 210–11
- Laminariae (seaweed), 408
 laminated composites, 268
 laminated plate theory, 268, 272
 laminating, 185–6
 lamination, car seat covers, 502–3
 land pollution, 535–6
 latch needles
 loop formation, 99–100
 weft knitting machines, 97–8
- Lee, William, 113
 leno fabrics, 71–4
 leno selvages, 76–7
 Lenzig:84, 30
 Lenzing AG, 27, 167, 230, 235, 328
 Lenzing FR, 167
 Lenzing Viscose FR, 235
 Leong, K H *et al.*, 277
 Levchik, G F *et al.*, 241
 levelling agents, in dyeing, 193
 Lewin, M, 248
 Lewis, P A, 204
 Liba, West Germany, 114
 lick roll, coating technique, 179–80
 Liebowitz, Benjamin, 184
 light durability, of natural and synthetic fibres, 494
 limiting oxygen index (LOI), 226
 effect of fabric mass, fibre and blend ratio, 474
 of high chemical and combustion-resistant organic fibres, 31
 link fabrics, and filtration, 348–50
 liquid crystalline polymers, 29
 liquid flame-retardant, and polyester, 250
 Lomax, J, 283, 303, 304
 Lorica, 511
 Lycra, 29
 Lyocell, 37
- Ma, Z *et al.*, 239
 marine applications, 521–3
 coated fabrics, 522
 fibre composites, 522
 furnishing fabrics, 521–2
 markets, for technical textiles, 1, 20–22
 Marxmeier, H, 311
 mass coloration
 of artificial fibres, 200–204
 and colour fastness properties, 202–3
 dyes and pigments for, 200–201
 methods, 201–2
- matrix materials, 37
 matt weave fabrics, 66
 Matthews, F L and Rawlings, R, 268
 mattresses, fire tests, 253–4
 Mayer, Karl, 113
 mechanical properties, of fibres, 26
 medical textiles, 13, 37–8, 407–24
 commodity fibres, 408–9
 nonwoven medical products, in Western Europe, 408
 speciality fibres, 409–10
 melt blowing process, nonwovens, 139–40
 melting point, heat setting, 163
 mercerization, of cotton, 206
meta-aramids, 30, 230
meta-phenylene isophthalamide, 30
 metallised coatings, and thermal insulation, 469
- Micrell, 33
 microbicidal finishes, 171
 manufacturers, 172
 microbiological hazards, 483–8
 microfibrils, 32–3
 microporous coatings, 290, 435
 production methods, 290–91
 microporous membranes, 286–7
 military use of textiles *see* defence
 Miller, B *et al.*, 226, 251
 Milliken (USA), 13
 Mischutin, V, 250
 mitrelle, 33
 Mitsubishi Rayon (r), 33
 ‘mock leno’ weave, 345
 modacrylic, 234
 military use, 451, 452
 moisture, effect on insulation, 434
 molten metal, protection from, 472
 monofilaments, and filtration, 341–2
 Monsanto Co, 28, 241
 Montefibre, 167
 mordant dyes, 194
 Morden, K, 323
 mosaic model, 272
 multifilaments, and filtration, 342–4
 multiknit, 503
 multilayer insulation systems, for protective clothing, 467–8
 multiphase weaving machines, 94
 shedding, 85–7
 weft insertion, 85
- Munsell Chip system, 208
 Murata system, 51
 mustard agent, 457
- N*-methyl morpholine oxide, 27
N-methylol
 dialkylphosphonopropionamides, 246
- Naik, R A *et al.*, 274

- Naik, R A and Shembekar, P S, 272
 NASA, 478
 natural fibre geotextiles, 372–406
 applications, 378–91
 creep, 394–5
 development, 372–4
 durability/biodegradation rates, 393–4
 engineering properties, 391–2
 long-term stability, 393–5
 performance during shear, 401–3
 for soil strengthening, 393–5
 natural fibres, 6–7, 25–7
 medical and hygiene applications, 37–8, 409
 pretreatment prior dyeing, 204
 properties, 374–7
 strength, elongation and modulus values compared to synthetic fibres, 375
 near infrared camouflage, 444–5
 dyes for, 445–6
 needlefelt nonwoven carpets, in cars, 507–8
 needlefelting
 needlelooms, 146
 nonwoven fabrics, 145–48
 needlefelts
 dust collection, 326–8
 and liquid filtration, 350–51
 uses, 147–8
 neoprene (DuPont), 509
 neoprene rubbers, 177–8
 nerve agents, 457–8
 Nextel (DuPont), 229
 NFPA 1971, Protective Clothing for Structural Fire Fighting, 256
 Nicalon (Nippon Carbon Co.), 229
 Nikki Chemical Industry, 250
 nitrile rubber, 176–7
 noise pollution, 536
 Nomex, 30, 58, 167, 226, 230, 252, 328, 445, 471, 473, 477, 478, 496
 Nomex III (DuPont), 472
 non-crimp fabric (NCF), 277
 analyses, 279
 damage accumulation, 279
 mechanical properties, 278
 non-implantable materials, medical use, 410–12, 416
 non-woven-promulgated, definition, 4
 nonwoven fabrics, 10, 13, 130–51
 for ballistic protection, 465
 batt production using carding machines, 131–4
 definitions, 130
 hydroentanglement, 150–51
 needlefelting, 145–48
 solvent bonding, 145
 stitch bonding, 148–50
 in survival products, 488
 thermal bonding, 143–5
 nonwovens
 in car interiors, 507–8
 flash spinning, 138–9
 melt blowing process, 139–40
 spun laying, 137–8
 wet laying, 136
 nonwovens industry, 4
 Norgaard, L, 532
 normal gloss, 156
 Norman, T L *et al.*, 274
 novelty fibres, 33–4
 stress/strain curves, 34
 novoloid fibres, 233–4
 nylon, 7, 27–8, 334
 in airbags, 509
 dyeing, 193
 Oasis, 28
 Oeko-Tex Standard 100, 239, 246
 Omerod, A Sondhelm, W S, 82, 83, 90
 Orbit 112, 86
 organophosphorus, 241
 original equipment manufacturers (OEMs), 512
 Orlon, 28
 orthopaedic implants, 419
 Oszevski, R J, 309
 Outlast (Gateway Technologies Inc), 469
 overlap, in knitted fabrics, 96
 oxidised acrylic fibres, 30
 in protective clothing, 471
 oxygen index
 correlation with elemental composition, 228
 of flame-retardant materials, 226
 P84 (aromatic copolyamide fibre), 230, 328
 packaging and containment, 15–16
 pad bath additives, 248
 pad-batch dyeing, 214
 Palmer finishing, 157
 Pandey, R and Hahn, H T, 274
 Panotex, 233
 Panox (RK Textiles), 30, 233, 473
 Pantone, 208
 paper industry, 136
 para-aramid fibres, 230
para-aramids, 30
para-phenylene terephthalamide *see* Kevlar
 parallel shed weaving machines, 86
 parcel trays, 507
 Paris Commission, 539
 Parkes, Alexander, 184
 Parkesine, 184
 Partex System for upholstery fabrics, 254
 particle collection efficiency, 333
 Pbi Gold, 232
 PBI (polybenzimidazole), 59, 232, 471, 477, 520

- PBO (polyphenylenebenzobisoxazole), 60
 penetration pressure tests, 297–8
 Perenich, T A, 532
 Personal Protective Equipment (PPE) at
 Work Regulations (European
 Union), 17
 perspiration
 and military textiles, 431–2
 rates from various activities, 283
 sweat buffering indices, 431
 pesticides, and protective clothing, 484–6
 Peter Cook International, 254
 phenolic fibres, 9, 233–4
 Philene, 234
 ‘philosophical Transaction, 425
 phthalocyanine dyes, 190, 195
 physical degradation, of polymers, 36
 pigment printing, 215
 pigments, 189, 192–200
 formulations, 200
 high performance pigments for
 polypropylene fibres, 201
 for mass coloration, 200–201
 for technical coated fabrics, 203–4
 plain single jersey
 fabric geometry of, 108
K-Constant values, 109
 plain weave
 for ballistic protection, 465
 construction, 63–4
 diversity of fabrics, 64–5
 and filtration, 347
 plant fibres
 chemical composition, 386
 morphological characteristics, 386
 physical characteristics, 386
 ply yarn, 52–5
 pollution, 531–2
 textile sources, 533–7
 polyacrylate (Inidex), 30, 232–3, 520
 polyacrylic fibres, properties, 28
 poly(amide-imide) fibres, 232
 polyamides, 7, 334
 and heat setting, 164
 polybenzimidazole (PBI), 9, 30, 232, 466
 polycaprolactone (PCL), 410
 polychloroprene (neoprene), 177–8
 polyester, 7, 28
 flame-retardant additives, 238
 flame-retardant finishes, 249–50
 recycled, 503
 polyester/cellulosic blends, flame-retardant
 finishes, 250–51
 polyethylene, 28
 in geotextiles, 361–2
 polyethyleneetherketone (PEEK), 9
 polyheterocyclic fibre, 30
 polymer orientation, heat setting, 162–3
 polymers, 29
 flash spinning, 138
 melt blowing process, 139–40
 spun laying, 137–8
 polyolefins, 8, 28, 435
 polyphenylene sulphide (PPS), 9
 polypropiolactone (PPL), 410
 polypropylene, 15, 28, 34
 fibres, high performance pigments for, 201
 in geotextiles, 361–2
 industry, UK, 6
 in liquid filtration, 334
 oxidation damage, 334
 polysilic acid, 236
 polytetrafluoroethylene *see* PTFE
 polyurethanes, 178–9
 polyvinyl acetate, 185
 polyvinyl chloride (PVC), 173–4
 polyvinylidene chloride (PVDC), 174
 potassium iodide, 241
 Primapor (Madison Filter), 352–3
 print monitoring systems, 216
 printing, 215–17
 car seat covers, 502
 and the environment, 540
 fabric printing machinery, 216–17
 print image, 216
 styles, 215–16
 Proban (Albright and Wilson), 25, 165–6,
 168, 478
 military use, 451
 ProbanCC (Albright and Wilson), 247, 248
 projectile weaving machines, weft insertion,
 88–9
 Protech 2000, 487
 protection and defence applications, 38–9
 protection index, effect of garment mass
 and thickness, 481
 protective clothing, 17–18, 139, 165, 226,
 232, 233, 234, 251, 461–3
 agriculture, 484–7
 European consumption of fabric, 464
 evaluation, 256–7
 fabric constructions, 475–8
 flame-retardants in, 471
 inherently flame-retardant fibres in, 470
 military use, 448
 multilayer insulation systems, 467–8
 oxidised acrylic fibres, 471
 specification for racing drivers’ garment
 assembly, 483
 suitable fibres, 470–72
 thermal protective clothing, construction,
 479–83
 TPP ratings, 482
 use of fibre blends, 472–5
 wool in, 472
 Protex M, 234

- Pryce, A W and Smith, P A, 265
 PTFE (polytetrafluoroethylene), 9, 174–5
 fibres, 59
 laminated, 304, 305, 307, 308
 medical uses, 417, 419
 membranes, 311, 312
 pulse jet cleaning, 319–20
 Purchas, D B, 335
 Purdy, A T, 350
 Pyromex, 233
 Pyrotex, 25
 Pyrovatex (Ciba-Geigy), 165, 166–7, 168,
 246, 248, 478

 quadraxial reinforcement, 278
 quick style change, single phase weaving
 machines, 93

 radiant and convective heat sources,
 comparison, 476
 radiation hazards, 487–8
 railways, textile applications, 517–19
 raising
 and filtration, 329–30
 in finishing processes, 152, 157–9
 modern raising machines, 157, 158
 Raju, I S *et al.*, 271
 Ramakrishna, S, 277
 Ramakrishna, S and Hull, D, 276
 ramie, 25
 Rankilor, P R, 359
 Ranklor, P R, 359
 Rapier weaving machines, 89–90
 raschel machines, 114–15
 knitting action, 115–16, 118–19
 Raz, S, 359
 reactive dyes, 196–7
 systems and brand names, 197
 recycling, 533, 538
 of car interiors, 512–13
 regenerated fibres, 27
 Reid, J D and Mazzeno, L W, 246
 resist printing, 215–16
 Resistat (BASF), 519
 resource depletion, 531–2, 532–3
 respirators, military use, 458
 retardant-finish formulations, for cotton,
 247
 reverse air cleaning, 319
 Rhone-Poulenc, 232, 234
 Rhovylon FR, 234
 rib fabrics, 66, 67
 ring spinning, 42–6
 RK Textiles, UK, 30
 Robinson, A T and Marks, R, 68, 70
 rotary screen coating, 182–3
 rotary screen printing, 216
 rotary vacuum drum filter, 340

 rotor spinning, 46–8
 rubber, as a textile coating, 175–6
 Ruckman, J E, 306, 307, 309
 Rumford, Count, 425
 Rütli shuttle weaving machine, schematic
 section, 81
 Ryton (sulfar) fibres (Tm 2850), 232

 safety clothing, 17–18
 sails, 522–3
 Saltz, P, 303, 305
 Sandoflam 5060 (Sandoz), 167, 234–5
 Saranex, 487–8
 Sarsby, R W *et al.*, 393
 sateens, 70–71, 72
 Sateri Fibres (formerly Kemira), Finland, 27
 satin, 70–71, 72
 satin weaves, and filtration, 348
 saturation bonding, 140–42
 Savina (Kanebo), 435
 Scapa (UK), 13
 Schreiner finishing, 156
 scouring, conventional dyeing, 205
 sealed selvedges, 77
 seatbelts, cars, 508
 Securitex, 466
 SEF (Solutia Inc.), 234
 self-extinguishing modacrylic fibres, 242
 selvedges, 74–7
 hairpin selvedge, 76
 leno selvedges, 76–7
 sealed selvedges, 77
 tucked-in selvedges, 77
 semicarbon/panox fibres, 233
 semiduplex weaves, and filtration, 348
 separation, and geotextiles, 391
 Setila, 33
The Setting of Fibres and Fabrics, 162
 shake cleaning, 319
 shearing
 in finishing processes, 159, 160
 interactive values, natural fibre and
 synthetic geotextiles compared, 404
 performance of vegetable geotextiles,
 401–3
 shedding, 81, 83–7
 multiphase weaving machines, 85–7
 single phase weaving machines, 84–5
 shrinkage, 355
 Shukla, L and Singh, R K, 251
 shuttles, 97–8
 Sigratex, 233
 silica-based fibres, 229–30
 silicon carbide (SiC), 32
 silicon oxide (or silica) fibres, 32
 silicone rubbers, 178
 silk, 7, 24, 25, 27, 55
 dyeing, 196

- silk finishing, 156
- singeing, 204
 - and filtration, 329
- single jersey fabric, 95
- single jersey latch needle machines, 100–102
- single phase weaving machines
 - automatic stop motions, 93
 - quick style change, 93
 - shedding, 84–5
 - take-up motion, 92–3
 - warp supply and let-off motion, 92
 - weft insertion, 87–92
- Sirolan (TM) LTD, 192
- sisal, 6, 378
 - plant/fibre, generalised description, 384
- sleeping bags, vapour permeability, 438–9
- snow camouflage, 441
- soft-tissue implants, 418–19
- softflow jet dyeing machine, 214
- soil, and geotextiles, 369–70
- soil reinforcement, 378, 380, 382
 - long-term embankments, 382, 388
 - and natural fibre geotextiles, 393–5
 - short-term embankments, 388–9
- Solar-Aloha, 33
- solid-liquid separation, 333–41
 - fabric design/selection considerations, 334–41
 - filter aids and body feed, 338–9
 - filtrate clarity, 335–6
 - filtrate throughput, 336
 - filtration equipment considerations, 339–41
 - good cake release, 337–8
 - low cake moisture content, 336–7
 - properties of fibres, 335
 - resistance to abrasive forces, 338, 339, 340–41
 - resistance to blinding, 337
 - thermal and chemical conditions, 334–5
- solvent bonding, nonwoven fabrics, 145
- Sommer Alibert (UK) Ltd, 469
- Sommerflex, 469
- Soteri, 471
- space suits, cotton in, 478
- special surface treatments, and filtration, 331–3
- specialist yarns, and cars, 515
- Spectra, 29, 59, 455
- Spectra Shield, 39
- spectrophotometers, 208–9
- sport and leisure, 16
- spray bonding, 143
- spray guards, 517
- spun laying, nonwovens, 137–8
- standards
 - for flame-retardants, 253–8
 - harmonisation, 217
- staple fibre yarns, 42–54
 - air-jet spinning, 51–2
 - and filtration, 345–6
 - friction spinning, 48–9
 - ply yarn, 52–5
 - ring spinning, 42–6
 - rotor spinning, 46–8
 - twistless spinning, 52–3
 - wrap spinning, 49–51
- Starlinger circular loom, 86
- static electricity, in cars, 515
- statistical reporting, 5
- stitch bonding
 - nonwoven fabrics, 148–50
 - to produce a pile fabric, 149
 - without threads, 149
- stitch density, 95
- stitch length, 95
- stitched fabrics, composites, 277–9
- Stoddart, J W *et al.*, 241
- Stomatex, 293
- Stork, 183
- stress/strain behaviour, fibres, 29
- stress/strain curves
 - novelty fibres, 34
 - ultra-fine fibres, 34
- structures, of woven fabrics, 62–94
- styrene-butadiene rubber (SBR), 176
- submarine suits, 467
- sulphamates, as fire retardants, 248
- sulphur, 321
- sulphur dyes, 197–8
- Sulzer Brothers (now Sulzer-Textil), Switzerland, 77
- Sulzer Rütli, 91
- Sulzer Textil, 88, 89
 - multiphase parallel shed M8300 loom, shed formation, 86
- Supara, 30
- surface coating, in finishing processes, 153
- surface modification, for filtration fabrics, 352–3
- survival
 - long term survival, 466–88
 - short term (accident) survival, 463–5
 - textiles for, 461–89
- sutures, 417
- Swissing, 156
- Sympatex, 293, 436
- synthetic fibres, 27–9
 - in civil and agricultural engineering, 34
- synthetic thermoplastic fibres, heat setting, 207
- Tactel, 33
- take-up motion, single phase weaving machines, 92–3
- tarpaulins, 516–17

- teasels, 157
 technical fabric structures
 knitted fabrics, 95–29
 nonwoven fabrics, 130–51
 woven fabrics, 62–94
 technical fibre mill consumption (1995), 6
 technical fibres, 24–41
 technical textiles, definitions, 2, 24
 technical textiles industry, future, 19–23
 Technora (Teijin), 30, 230
 Techtextil, 3, 11, 18
 Teflon, medical use, 419
 Teijin, 30
 Tekmilon, 59
 temperature-regulating fabric, 469
 tenacity range, of high chemical and
 combustion-resistant organic
 fibres, 31
 Tencel, 27
 tented structures, ignitability, 254
 tetrabromophthalic acid (TBPA), 251
 tetrakis(hydroxymethyl)phosphonium
 chloride (THPC), 165
 TEXCAD, 274
 textile body armours, 453
 Textile Centre at Bolton Institute, 395
 textile chemicals, and pollution, 540
 textile combustion, 224
 textile composite analysis for design, 274
 textile floor coverings, evaluation for
 ignitability, 255–6
 Textile Institute, 2
 textile processes, 10–11
 textile reinforcement, 265–70
Textile Terms and Definitions, 2, 33
 textile-reinforced composite materials,
 264–81
 textiles, scope of the term, 3–5
 thermal behaviour of fibres, 224–9
 thermal bonding
 with high pressure, 144
 nonwoven fabrics, 143–5
 with point contact, 144
 powder bonding, 145
 without pressure, 144
 thermal convective testing, of different
 fibres and fibre blends, 474
 thermal infrared camouflage waveband,
 446–7
 thermal insulation materials, military use,
 432–4
 thermal properties
 of clothing fabrics, 473
 of various fibres, 228
 thermal protection, selection of suitable
 fibres, 229–46
 thermal protective clothing, construction,
 479–83
 thermal-protective performance (TPP), 477,
 482
 thermofixation, 215
 thermoplastic melt hazard, 450–51
 Thermosol process, 200
 Thinsulate (3M), 468
 Thompson, Benjamin, 425
 tightness factor K, in knitted fabrics, 97
 Toray Industries, 250
 total colour management systems, 208–11
 colour measurement, 208–210
 laboratory matching, 210–11
 specification of colours and colour
 communication, 208
 toxic fumes and smoke, 449–50
 toxicity of fabrics at different burning
 temperatures, 239
 Toyobo, 60
 transfer coating, 183
 transfer printing, 217
 transportation
 future prospects, 523
 properties of fibres used in, 493
 seat coverings, 492–6
 textiles in, 12, 490–524
 use of fibre/plastic composites, 496–7
 Trevira CS (Hoechst), 167, 237, 238, 471
 Trevira FR, 237
 triarylmethanes, in coloration, 190
 triaxial weaves, 74, 75
 triboelectric series, 170
 tricot industry, 114
 tricot machines, 114–15
 Tris-BP, 249
 Trubensised Process Corporation, 184
 tucked-in selvages, 77
 Twaron, 30, 230, 455, 465
 in protection and defence, 38
 twill fabrics, 66, 68–70
 twill weaves, and filtration, 347
 twistless spinning, 52–3
 NTO method, 52, 53
 Tyranno (Ube Industries Ltd), 229
 tyres, 37, 490, 497
 Tyuganova, M A *et al.*, 240
 Tyvek, 139, 464, 487

 Uedelhoven, W and Braun, W, 311
 ultra-fine fibres, 33–4
 stress/strain curves, 34
 ultra-high modulus polyethylene
 (UHMPE), 455
 ultra-high molecular weight polyethylene
 (UHMWPE), 29
 in protective garments, 39
 ultraviolet degradation, resistance in
 transportation fabrics, 492–4
 ultraviolet light, and geotextiles, 364, 370

- ultraviolet waveband, and camouflage, 439–40
- underlap, in knitted fabrics, 96–7
- Unitika, Japan, 33, 250
- USA, 5–6
- V-bed flat machine, knitting action, 103–5
- VAETREX, 468
- Van Krevelen, D W, 226
- Vasol LTA-N(TM), 192
- vat dyes, 198
- vegetable fibre, 376
 - geotextiles, 392
 - mechanical parameters from stress-strain, 386
 - properties, 377–8
 - tensile strength, 375
 - yarns, total strain and creep strain, 396
- Velicren FR (Montefibre, Italy), 167, 234, 471
- Venlan, military use, 427
- Ventile fabric, 284–6, 308, 435
 - military use, 426
- vertical strip test, for flame-retardants, 248, 253
- Viloft (Courtaulds), 468
- Vinyon (PVA, polyvinyl alcohol), 8
- viscose rayon, 7, 27
- visible waveband, and camouflage, 440–43
- Visil, 27, 167, 235, 237, 471, 520
 - physical and mechanical properties, 236
- VisilAP, 236
- visual decoys, camouflage, 443
- visual pollution, 536–7
- vortex spinner, 51
- Wakelyn, P J *et al.*, 246
- wale, in knitted fabrics, 95
- Wang, Y *et al.*, 276
- warp knitting, 95
- warp preparation, 82–3
- warp supply and let-off motion, single phase weaving machines, 92
- warp-knitted fabric
 - area density, 127–8
 - end use applications, 128
 - fabric quality, 125–7
 - grey specification, 124–5
 - laid-in structure, 126
 - principle of laying-in, 126
 - tightness factor, 127
- warp-knitted structures, 119–29
 - full tricot, 122
 - locknit, 123
 - single-guide bar structures, 120, 121
 - stitch notation, 119–20
 - three-needle queen's cord, 124
 - three-needle sharkskin, 123
 - two-guide bar full-set structures, 120–21
 - different structures, 122–4
- warp-knitting machines, 113–19
 - classification, 116
 - knitting action of compound needle machine, 115, 117
 - knitting action of standard raschel machine, 115–16, 118–19
 - machinery developments, 113–14
 - raschel machines, 114–15
 - tricot machines, 114–15
 - yarn developments, 113
- warping equipment, for filtration fabrics, 351
- water pollution, 534–5
- water vapour permeability, 306, 307, 308
 - of membranes, 311
- water vapour permeable fabrics
 - comparison of performance, 436
 - military items, 437
- water vapour permeable/waterproof materials, military use, 435–6
- water vapour resistance of fabrics, 304
- water vapour transfer, 307, 309
- water vapour transport (WVT), through rainwear fabrics, 305
- water-repellant fabrics, 39
- water-repellent finishes, 168–9, 170
- waterproof breathable fabrics, 282–315
 - applications, 284
 - assessment techniques, 294–303
 - biomimetics, 293
 - coatings, 290–92
 - methods of applying, 292
 - densely woven fabrics, 284–6
 - market for, 293–4
 - measurement of resistance to penetration and absorption of water, 294–8
 - measurement of water vapour permeability, 299–303
 - British Standard method, 301–2
 - European and international standards, 302–3
 - research techniques, 300
 - standard routine tests, 300
 - measurement of water vapour permeability ASTM methods, 300–301
 - measurement of wind resistance, 298–9
 - membranes, 286–90
 - methods of incorporation, 289–90
 - performance, 303–14
 - physiology, durability and protection, 312–14
- Watson, W, 68, 70
- weave structures, 63–5
 - plain weave, 63–5
 - diversity of fabrics, 64–5

- weaving equipment, for filtration fabrics, 351
- weaving machines (looms)
 and beating-up, 81
 classification, 83
 machine width, 93–4
 and operations, 80–94
 shedding, 81, 83–7
 warp preparation, 82–3
 weft insertion, 81
- Weder, M, 312
- weft insertion
 by air jet, 91
 by shuttle, 97–8
 projectile weaving machines, 88–9
 single phase weaving machines, 87–92
- weft knitted structures, 105, 106
 comparison of appearance and properties, 107
- weft knitting, 95, 96
 circular machines, 112–13
 dimensional properties, 105
 fabric geometry of plain single jersey, 108
 feed devices, 110, 111, 112
 flat bar machines, 110, 112
 laboratory stages of relaxation, 105, 108
 process control, 105–10
 quality control, 110
 straight-bar machines (fully fashioned machines), 113
- weft knitting machines, 97–105
 bearded needle, 98
 compound needle, 98
 double jersey machines, 102–5
 latch needle, 97–8
 latch needles, loop formation, 99–100
 single jersey latch needle machines, 100–102
 V-bed flat machine, knitting action, 103–5
- weft-knitted fabrics, end-use applications, 110–13
- Weil, E D *et al.*, 257
- welders protective clothing, 257
- Wellington Sears Handbook of Industrial Textiles, 2
- wet laying, nonwovens, 136
- whiskers, 32–3
- Whiteley, R H, 257
- winch (or beck) dyeing, 213
- WIRA (Wool Industries Research Association) shower tester, 294–6
- Witcoflex Staycool, 436
- Woo, K and Whitcomb, J, 272
- wood pulp, 27
- wool, 7, 25
 dyeing, 192–3, 196
 flame retardant finish, 251–2
 problems of blue wool standards, 218
 in protective clothing, 472
- woolen ring spun fabric and yarn, 43, 345, 346
- wound care, 411–12
- woven composites, analyses, 272–3
- woven fabric-reinforced composites, 270–73
 damage accumulation, 272
 mechanical properties, 271–2
- woven fabrics
 dust collection, 326
 structures, 62–94
- wrap spinning, 49–51
- X-fire (Teijin), 230
- Xironet, 186
- Yang, J-W and Chou, C-W, 269
- yarn linear density, 96
- yarn types, and filtration, 341–7
- Young's modulus, 266, 270, 271, 277, 278
- Zimmer, 183
- Zirpro (IWS), 25, 233, 251, 472, 519, 520, 522
 military use, 451, 452
- Zubkova, N S, 240
- Zylon, 60