
Index

- A_{210} measurements, 108
 A_{230} measurements, 103
 $A_{260}:A_{280}$ ratio
 in monitoring DNA purification, 190–191
 in monitoring RNA purification, 202
 for polymerase chain reactions, 312
 in spectrophotometry, 106
 A_{260} measurements, 103, 104, 105–106, 108, 276–277, 280
 variations among, 278
 A_{280} measurements, 103, 105–106, 108
 A_{320} measurements, 104
 A_{600} measurements, 102
 A_{820} measurements, 280
Absorbance (A)
 calculating, 275–276
 concentration and, 104–105, 108–109
 nucleotide, 272–273, 275
 optical density versus, 275–277
 path length and, 286
Absorbance accuracy, of
 spectrophotometers, 99, 102–103, 103–104
Absorbance range, in
 spectrophotometry, 105–106
Absorbance ratio, in
 spectrophotometry, 103, 104, 105–106
Absorbance unit (AU), 276–277
Absorbency index, 277
Absorption coefficient, 277
Absorption maxima, of nucleotides (table), 272
Absorptivity, 277
Accidental self-inoculation, in biosafety, 123
Accuracy. *See also* Calibration of pH meters, 87–89, 90 of pipettes, 75 of spectrophotometers, 96–97, 98–100, 101–106
Achilles' heel cleavage (AC), 252 in genome digests, 252–255
Acid dissociation constant (K_a), 33
Acids. *See also* Strong acids; Weak acids
 buffer absorption of, 38
 buffering of, 32–33
 as buffers, 33
Acid-type buffers, amine-type buffers versus, 32
Acknowledging orders, 19
Acrylamide
 as neurotoxin, 335
 polymerization of, 338, 339, 341–343
 pore size with, 339–341
 safe disposal of, 335–336
 safety issues with, 334–336
 shelf life of, 336
 storage of, 336
Acrylamide gel solutions, degassing of, 371
Acrylamide poisoning, 335
Acrylamido buffers, with gradient gels, 346–347
Acrylic plastic, as shielding, 163
Active nucleic acid transfer, 418
Activity tables, for restriction enzymes, 237–238
Additives
 in polymerase chain reactions, 306, 307
 for protein solubility, 355
Adenine methylases, in genomic digests, 250–252
Adeno-associated virus (AAD), in eukaryotic expression, 504
Adenoviruses, in eukaryotic expression, 503–504
Adjustable-volume pipettes, 67–68

- Advantages of immobilized pH gradient gels, 347
- Advertising claims, 13–14
- Aeration, in gene expression, 478
- Affinity purification, problems after, 485
- Affinity resins, problems with, 484
- Affinity tags, with fusion systems, 472–474, 474–475
- Affinity techniques
 - in plasmid purification, 183–184
 - secondary reagents and, 385
- Agar media, handling, 137–138
- Agarose, 355
 - DNA isolation from, 188, 190
 - for pulsed field electrophoresis, 246, 247
 - RNA isolation from, 203
- Agarose electrophoresis, 355–357
- Agarose gels, nucleic acid transfer from, 418–420
- Agarose microbeads, 251–252
- Agarose plugs, 251
- Agarose preparations, table of, 356
- Aging of glassware, 138–139
- Air buoyancy, as affecting balance accuracy, 52
- Air currents, as affecting balance accuracy, 53
- Air displacement pipette, 67
- Alcohols
 - in complex digests, 240–241
 - as disinfectants, 131
- Alkali fixation, crosslinking via, 423
- Alkaline lysis, in plasmid purification, 180–182
- Alkaline phosphatase (AP)
 - for detecting proteins, 376, 377
 - problems with, 394
- Alkaline transfer
 - conditions for, 419
 - crosslinking via, 423
- Aluminum foil, as autoclave wrapping, 134
- American Type Culture Collection, 117
- Amine-type buffers, acid-type buffers versus, 32
- Amino acids
 - absorbance data and concentration and, 108–109
 - in proteins, 470, 475
- Ammonium compounds, as disinfectants, 132
- Ammonium ions, in DNA purification, 170
- Ampholytes, with gradient gels, 346–347
- Amplification
 - in eukaryotic expression, 508–509
 - in Western blotting, 387–388
- Analysis date, for radioisotopes, 148
- Analytical balances, 51
- Angle, of centrifuge rotors, 58–61
- Anhydrous buffer salts, 35
- Animals
 - biosafety with, 128–130
 - disposal of parts of infected, 129–130
- Anion exchange (AIX)
 - in DNA extraction, 178–179
 - in plasmid purification, 181
- Annular pH electrode, 80
- Antibiotics, in eukaryotic expression, 512–513
- Antibodies
 - gene expression and, 477
 - stripping and reprobing and, 388–389
 - for Western blotting, 378, 381–382, 383–384
- Anticoagulants, in DNA purification, 170–171
- Aoyagi, Kazuo, 291
- Applications, for products, 13
- Aspergillus*, safe handling of, 127
- Aspiration, with pipettes, 68, 74, 77
- Assays
 - of eukaryotic expression, 515–517
 - protein quantitation, 109–110
- Attitude, in minimizing radiation exposure, 162
- Authorized users, of radioisotopes, 144
- Autobuffer recognition, in pH meters, 82–83
- Autocalibration, of pH meters, 82–83
- Autoclave bags, in waste decontamination, 140
- Autoclaves. *See also* Sterilization
 - agar media in, 137–138, 139
 - carbohydrates in, 139
 - condensation with, 135
 - do-it-yourself, 137–140

- glassware in, 138–139
 - indicator tape with, 135
 - microbial contamination and, 124
 - plastic materials in, 135
 - safety and, 120, 139
 - sterilizing membranes in, 417
 - time requirements for, 135
 - in waste decontamination, 139–140
 - wrapping for, 134
- Autoclave settings, 133–134
- Autographa californica* genome, 503
- Automatic temperature compensation (ATC), in pH meters, 84–85
- Autoradiography film, in nucleic acid hybridization, 436–441
- Avidin
 - in hybridization buffer, 429
 - problems with, 395
 - in Western blotting, 381–382, 386–387
- Axenic cultures, for protozoa, 128

- Baby hamster kidney (BHK) cell lines, eukaryotic expression with, 505
- BAC (*bis*-acrylylcystamine), as crosslinker, 338
- Background noise, with storage phosphor imagers, 447
- Background stain, as problem, 362, 395–396
- Backup cultures, for experiments, 124
- Bacteria
 - in acrylamide polymerization, 344
 - disruption of, 217–218
 - minimizing degradation of RNA from, 215, 217–218
 - restriction enzymes from, 227
 - safe handling of, 126–127
 - total RNA isolation from, 208–209
- Bacterial strains, maintaining, 125–126
- Bacteriophages, safe handling of, 127
- Baculovirus, 521–532
 - implementing experiment with, 527–530
 - insect cell line versus, 523
 - planning experiment with, 521–527
 - selecting insect cell system and, 525–527
 - troubleshooting experiment with, 530–532
- Bad data, in research, 5

- Baking membranes, 422
- Balances, 51–55
 - calibrating, 55
 - factors affecting accuracy of, 51–55
 - in pipette testing, 72–73
 - selecting, 54–55
 - service calls for, 55
 - types of, 51
- Banana plugs, in electrophoresis, 337
- Bands
 - after affinity purification, 485–486
 - fuzzy, 357
 - in native PAGE, 348
 - with pre-stained proteins, 364–365
 - problems with, 396
 - reproducible, 353
 - from skin keratin, 368
- BandShift Kit Instruction Manual* (Hennighausen & Lubon), 35
- Bandwidth resolution, of spectrophotometers, 97–98
- Barometric pressure, in testing pipettes, 76
- Baseline flatness, of spectrophotometers, 99–100
- Bases. *See also* Strong bases
 - buffer absorption of, 38
 - buffering of, 32–33
- Batch binding, in RNA purification, 211
- Batch numbers, for products, 25
- BCA assay, 109
- Bead milling, cell disruption via, 217–218
- Beckman-Coulter rotor, for centrifuges, 63, 65
- Beer-Lambert law, 97, 100, 104–105, 108, 275, 277–278, 279
- Bell, Peter A., 461
- Below balance weighing, 53
- Benzene, radioisotopes in, 147
- Bequerel (Bq), 145–146*n*, 155
- Beta emitters
 - autoradiography film and, 438–439
 - shielding for, 163
- Big companies, 12–13
- Binding capacity, of hybridization membranes, 414
- Biochemical compatibility, of buffers, 35
- Biocompare Web site, 14
- Biohazards, 114–117

- defined, 114
 - disposal of, 139–140
 - safety levels of, 115–117
- Bioreactors, in eukaryotic expression, 514–515
- Biosafety
 - in animal handling, 128–130
 - decontamination in, 130–132
 - emergencies in, 122–124
 - during experiments, 119–122
 - in handling human tissues, 130
 - for media preparation staff, 133
 - in microbe handling, 126–128
 - microbial contamination in, 124–125
 - protective clothing for, 118–119
- Biosafety hoods, 116–117
- Biosafety levels (BSLs), 115–117
- Biosci Web site, 13, 14
- Biotin-bearing proteins
 - amplification and, 387–388
 - problems with, 396
 - in Western blotting, 381–382
- Biowaste, decontamination of, 139–140
- Biowire Web site, 14
- Bis*-acrylamide
 - as crosslinker, 338, 339
 - safety issues with, 334–336
- Biuret assay, 109
- BLAST (Basic Local Alignment Search Tool) searches, 314, 318, 328
- Blocking
 - problems with, 395
 - in Western blotting, 380–382
- Blocking agents, 381–382
 - as hybridization buffers, 429–430
- Blood, accidental self-inoculation with, 123
- Blots, from Western blotting, 382–383
- Blotting applications, membranes used in (table), 416. *See also* Southern blotting; Western blotting
- “Blotto”
 - as blocking agent, 381
 - as hybridization buffer, 429–430
- Blue-white screening assay, for restriction endonucleases, 235
- Boiling, in plasmid purification, 180–182
- Boil-over, during autoclaving, 137
- Bonventre, Joseph A., 225
- Booz, Martha L., 331
- Bovine serum albumin (BSA)
 - as blocking agent, 381
 - as hybridization buffer, 429–430
 - as reducing agent, 239
- Bradford assay, 109
- Brakes, for centrifuges, 62–63
- “Braking radiation,” 152
- Bremsstrahlung*, 152
- Brownlow, Eartell J., 113
- Bruner, Brian, 197
- Brush motors, in centrifuges, 64–66
- BSL-1 agents, 115–116
 - eye protection against, 118
- BSL-2 agents, 115, 116
 - eye protection against, 118
- BSL-3 agents, 117
 - eye protection against, 118–119
- BSL-4 agents, 115, 117
- Budget managers, in project planning, 3
- Buffer capacity, 34
- Buffer concentration, 34
- Buffer failure, 37–38
- Buffers, 32–38. *See also* Lysis buffers
 - developing new hybridization, 430–431
 - in DNA purification, 170, 190
 - in drop dialysis, 258
 - effective ranges of, 33
 - in electrophoresis apparatus leaks, 368
 - filtration and, 37
 - with gradient gels, 346–347
 - hybridization equipment and, 435–436
 - hybridization temperature and, 425
 - hybridization times and, 427
 - microbial contamination of, 38
 - for native PAGE, 349–350
 - NIST, 83–84
 - for nucleic acid transfer, 418–419
 - operation of, 32–33
 - for peptide electrophoresis, 350
 - for pH meter calibration, 83–84, 89
 - in plasmid purification, 180–181
 - in polymerase chain reactions, 305–306, 317, 319
 - for polynucleotides, 283
 - probe concentration and, 426

- in protein sample electrophoresis, 354
- for pulsed field electrophoresis, 246, 247
- in quantitating nucleotide solutions, 274
- selecting, 33–35
- for sequential double digests, 243–244
- in simple digests, 238–239
- for simultaneous double digests, 242
- staining and, 362
- from stock solutions, 36–37
- storage lifetimes of, 37–38
- substitutions among, 32
- troubleshooting PCR, 320
- types of hybridization, 427–430
- unreliable, 35–37
- uses of, 32
- for Western blotting washing, 382
- Buffer salts, 33
 - buffer reliability and, 35
 - for pH standards, 84
- Burns, 120, 123–124
- Calibration. *See also* Accuracy
 - of balances and scales, 55
 - of pH meters, 81, 82–83, 83–84, 87–89, 90, 92
 - of pipettes, 68, 70–77
 - of spectrophotometers, 96–97, 98–100
 - of storage phosphor imagers, 444
- Callbacks, from suppliers, 27–28
- Calomel reference systems, for pH meters, 77–78
- Candida albicans*, as biohazard, 115, 128
- Carbohydrates, autoclaving of, 139
- Carbon radioisotopes
 - autoradiography film and, 438, 439
 - as radioactive waste, 158
- Casein, as blocking agent, 381
- Catalyst concentration, in acrylamide polymerization, 343, 344
- Catalyst potency, in acrylamide polymerization, 342–343
- Cathodic drift, with gradient gels, 347
- cDNA, in eukaryotic expression, 497–498
- cDNA clones, in RNA purification, 200
- cDNA libraries, 199, 210, 497–498
 - in RNA purification, 201
- CellCube, in eukaryotic expression, 514
- Cell cultures
 - for eukaryotic expression, 514
 - for pulsed field electrophoresis, 245–246
- Cells. *See also* Host cells
 - isolating DNA from, 172–184
 - total RNA isolation from, 203–206
 - total RNA yield from, 201–202
- Cellulose, in RNA purification, 210–212
- Centers for Disease Control and Prevention (CDC), 115
- Centrifugation, types of, 55–56
- Centrifugation time, calculating, 59–61
- Centrifuges, 55–67
 - brakes for, 62–63
 - hazardous materials in, 61
 - maintenance of, 62
 - refrigerated, 66
 - rotors for, 57, 58–61, 62–63, 64
 - selecting, 57
 - service calls for, 64–66
 - spills in, 66
 - troubleshooting, 64–67
 - tubes for, 61
 - walking, 66
- Certificate of Analysis
 - for restriction endonucleases, 228, 232–233
 - with simple digests, 238
- Cesium chloride (CsCl)
 - in plasmid purification, 182–183
 - in RNA purification, 204
- Cesium gradients, in plasmid purification, 183
- cGMP regulation, 22
- Chaotropes, 175
 - in DNA precipitation, 174–175, 175–176
 - in RNA purification, 203–204
- Charges, as affecting balance accuracy, 52
- Chemical compatibility, of buffers, 34–35
- Chemical contaminants, in DNA purification, 170–171
- Chemical hazards, in microbiology labs, 120

- Chemicals, data reliability and, 6–7
- Chemical safety, during
 - electrophoresis, 334–336
- Chemiluminescent detection method
 - amplification versus, 388
 - with Western blotting, 375, 376, 379
- Chemiluminescent labeling
 - autoradiography film and, 440–441
 - in hybridization experiments, 406
- Chinese hamster ovary (CHO) cell
 - lines, eukaryotic expression with, 505
- Chloramphenicol, in plasmid purification, 182
- Chlorinated water, organic compounds in, 45
- Chloroform
 - in complex digests, 240–241
 - in DNA purification, 170
 - in exonuclease contamination, 261
- Chromatography, in plasmid purification, 180–182
- Clarity, improving protein gel, 353
- Class II restriction enzymes, 226
 - characteristics of, 232
- Class IIS restriction enzymes, 226
- Clean sample preparation, for
 - polymerase chain reactions, 312
- Cleavage
 - Achilles' heel, 252–255
 - of DNA by restriction enzymes, 226–227, 229–230, 240
 - fusion systems and, 474–475
 - in genomic digests, 247–255
 - problems with, 483–484, 485
 - in star activity, 229–230
- Cleavage enzymes
 - fusion systems and, 474
 - popular (table), 475
- Cleavage sites, in genes, 500
- Clonal selection, in eukaryotic expression, 513–514
- Cloning
 - with baculovirus, 525
 - expression hosts for, 471
 - of genes for expression, 475–476, 476–478
 - methylation problems with, 231
 - troubleshooting, 260–262
- Closed footwear, for biosafety, 118
- Cloth, as autoclave wrapping, 134
- Clothing, decontamination of, 132
- Coccidioides immitis*, as biohazard, 128
- Codons, in gene expression, 466–467
- Cofactors, with simple digests, 238
- Colony transfers, 421
- Colored dyes, radioisotopes in, 147
- Colorimetric assays, for
 - oligonucleotides, 280
- Colorimetric detection method, with Western blotting, 375, 376
- Colorimetric labeling, in
 - hybridization experiments, 406
- Column chromatography, in RNA purification, 210–211
- Combination electrodes, in pH meters, 86–87
- Companies, 12
 - big and small, 12–13
 - communicating needs to, 18–19
 - manufacturing by, 13, 14
 - researching of, 13
- Comparisons, side-by-side, 26
- Compatibility, of buffers, 34–35
- Complaints, 28–29
- Complete digestion, determining, 244
- Complex digests, 239–244
 - double digests as, 242–244
 - modifying reaction conditions in, 241–242
 - PCR products in, 239–240
 - substrates for, 239–241
- Composite gels, protein resolution with, 347–348
- Computers (PCS), with
 - spectrophotometers, 95
- Computer software
 - for BLAST searches, 328
 - for selecting primers, 327
- Concentrated stock solutions, of
 - polynucleotides, 287
- Concentration, of polynucleotide solutions, 285–286
- Condensation
 - as affecting balance accuracy, 51
 - in autoclaves, 135
- Conditioning electrodes, 87–88
- Constant current power, for
 - electrophoresis, 351
- Constant voltage power, for
 - electrophoresis, 351–352
- Contacting suppliers, 26–29
- Containers, in centrifuges, 61

- Contaminants
 - in complex digests, 240–241
 - in DNA purification, 168, 169, 170–171, 172–173
 - in experiments, 124–125
 - of nucleotides, 269
 - in polymerase chain reactions, 306
 - in spectrophotometry, 103
 - staining and, 362
- Contaminated reagents, 39
- Contamination
 - in acrylamide polymerization, 344
 - of culture media, 126
 - of hybridization equipment, 435–436
 - minimizing in polymerase chain reactions, 306–308
 - in radioactive shipments, 152–153
 - of restriction enzymes, 260–262
 - during RNA purification, 205, 206
- Contamination monitoring, in radioactive work areas, 161
- Continuous buffer systems, for native PAGE, 349–350
- Control elements, with baculovirus, 525
- Control regions, of genes, 499
- Controls, in experiments, 21
- Convection currents, as affecting balance accuracy, 54–55
- Conversations with suppliers
 - initiating, 26
 - logging, 26–27
- Coomassie stain, 359, 361, 362
- Core histones, in complex digests, 241
- COS cells, in eukaryotic expression, 502–503
- Cosmotropes, 175
 - in DNA precipitation, 174–175
- Costs
 - of DNA purification, 169
 - of restriction enzymes, 227–228
- Count-rate meters, in monitoring radiation exposure, 159–160
- Counts per second, dose rates versus, 160–161
- Covalent affinity chromatography, in plasmid purification, 183–184
- Coyer, Howard, 267
- CRC Handbook of Chemistry*, 84
- Criticism, of research, 8–9
- Cross-adsorption, secondary reagents and, 385
- Crosslinkers, for PAGE, 338
- Crosslinking nucleic acids, 422–424
 - membrane shelf life after, 423–424
 - methods of, 422–423
 - problems with, 423
- Crush and soak procedure, DNA purification via, 187, 188
- Cryptic translation, 483, 485
- Culture media
 - for eukaryotic expression, 511–513
 - maintaining, 126
 - preparing, 132–140
- Curie (Ci), 145–146*n*, 155
- Customers
 - complaints by, 28–29
 - researchers as, 14–18
- Custom products, 18–19
- Cuvettes, 286
 - cleaning, 101
 - for quantitating dilute RNA, 218, 219
 - for spectrophotometers, 100, 101
- Cycle efficiency, with polymerase chain reactions, 297–298
- Cycling parameters
 - in polymerase chain reactions, 309, 310
 - troubleshooting PCR, 320
- Cysteines, in protein expression, 468
- Dadd, Andrew T., 49, 94
- Data
 - bad, 5
 - compelling, 5
 - maximizing reliability of, 6–7
 - in project planning, 3
 - in research, 5
- Databases, for protein identification, 367
- Data gathering, in project planning, 3
- DATD (N,N'-diallyltartardiamide), as crosslinker, 338
- Davies, Michael G., 49, 94
- Decontamination
 - in biosafety, 130–132
 - of RNase, 212–213
 - of waste, 139–140
- Degassing, of acrylamide solutions, 371
- Deionized water, 43
 - pH of, 44
- Deionizing cartridges, 43

- Delays, in project planning, 3
- Delivery, frequency of, 18
- Denaturants
 - in DNA extraction, 173
 - as hybridization buffers, 427–428
- Denaturing, of probes, 412
- Denaturing methods, in plasmid purification, 180–182
- Density gradient, in centrifugation, 56
- Deoxynucleotides
 - nomenclature of, 269
 - quantitating solutions of, 273–275
- Department of Transportation (DOT), radioactive shipment regulations by, 153
- DEPC-treated water, 214
- Depurination, in nucleic acid transfer, 419
- Deration curves, for centrifuges, 63, 64
- Detection and analysis strategy
 - choosing detection methods in, 375–380
 - with electrophoresis, 357–363
 - with polymerase chain reactions, 315, 316
- Detection methods
 - with fusion systems, 472
 - in hybridization experiments, 436–441, 441–448
 - table of, 375
- Detergents
 - in DNA extraction, 173
 - as hybridization buffers, 427, 429
 - for protein sample electrophoresis, 354–355
 - in RNA purification, 203–204
- Deuterium lamps
 - maintaining, 107
 - in spectrophotometry, 103
 - working without, 107–108
- Dharmaraj, Subramanian, 197
- DHEBA (N,N'-dihydroxyethylene-bis-acrylamide), as crosslinker, 338
- DHFR (dihydrofolate reductase), in eukaryotic expression amplification, 508–509
- Dialysis, troubleshooting with, 257–259
- Diatomaceous earths, in DNA extraction, 177
- Dideoxynucleotides
 - nomenclature of, 269
 - quantitating solutions of, 273–275
- Diethylpyrocarbonate (DEPC)
 - treatment, RNase-free solutions via, 213–214
- Digestion, problems with protein, 485–486
- Diluted restriction enzymes, stability of, 236
- Dilution, reducing restriction enzyme costs via, 228
- DIN buffers, for pH meter
 - calibration, 83, 84
- Diode array spectrophotometers, 95, 96
- Direct autoradiography, in nucleic acid hybridization, 437
- Directions, reading, 19
- Direct labeling strategies, 410–411
- Discontinuous buffer systems, for native PAGE, 349–350
- Disinfectants, 116–117
 - types of, 131–132
- Disintegrations, in radioactivity, 155
- Dispensing, with pipettes, 68, 74–75, 77
- Disposable cuvettes, for spectrophotometers, 100
- Dissolved oxygen, eliminating in acrylamide polymerization, 342
- Distance, in minimizing radiation exposure, 162
- Distilled water, 42–43
 - pH of, 44
- Dithiothreitol (DTT), stripping via, 389
- DNA. *See also* Nucleotides; Oligonucleotides; Polynucleotides; RNA
 - complex digests of, 239–243
 - in genomic digests, 244–255
 - as hybridization target, 402
 - simple digests of, 236–238
 - in troubleshooting restriction enzymes, 255–259
- DNA adenine methylases, in genomic digests, 250–252
- DNA binding proteins, with Achilles' heel cleavage, 252–253
- DNA concentration, in complex digests, 241–242

- DNA ligase, faulty, 261–262
- DNA methylation, in genomic digests, 248–255
- DNA polymerases. *See also* Taq DNA polymerase
 - evaluating for PCR, 296–303
 - properties of (table), 300–301
- DNA precipitation, 173–174
- DNA purification, 168–191
 - filter cartridges for, 185–186
 - fundamental steps in, 172–174
 - maximizing quality of, 171–172
 - methods of, 174–180
 - monitoring quality of, 190–191
 - plasmid, 180–184
 - required for experiments, 168
 - strategies for, 168–172
 - via gels, 187–190
 - via silica resins, 186
 - via spun column chromatography through gel filtration resins, 184–185
- DNA samples. *See also* Supercoiled DNA
 - in DNA purification, 171–172
 - extinction coefficients for, 108
 - maximizing shelf life of, 172
 - molecular weights of, 168
 - production of, 168
 - solving problems involving, 23–25
 - storage of, 172
 - washing glassware for, 137
- DNA sequences, restriction enzymes for specific, 226–227
- DNases
 - DNA contamination with, 169
 - in DNA extraction, 173
- Documentation
 - in developing new hybridization buffers, 431
 - of media room requests, 136
 - in ordering custom products, 18, 19
- Dose monitoring, in radioactive work areas, 161
- Dose-rate meters, in monitoring radiation exposure, 159, 160–161
- Dose rates, counts per second versus, 160–161
- Dosimeters, monitoring radiation exposure with, 161
- Dot/slot blots, in RNA purification, 200
- Double-beam spectrophotometers, 95–96
- Double-coated autoradiography film, 438
- Double digests, 242–244
 - sequential, 243–244
 - simultaneous, 242–243
- Double-junction combination electrode, 79
- Double-stranded markers, in electrophoresis, 356, 364
- Double-stranded nucleic acid polymers
 - nomenclature of, 281–282
 - solutions of, 287–288
- Double-stranded probes, hybridization times and, 426–427
- Double-vector systems, for eukaryotic expression, 510
- Doubling efficiency, with polymerase chain reactions, 297–298
- Dounce homogenizer, cell disruption via, 216
- DpnI* restriction enzyme, in genomic digests, 250–252
- Drafts, as affecting balance accuracy, 53
- Drop dialysis, troubleshooting with, 257–259
- Drosophila*, 523
 - eukaryotic expression with, 505
- Drug selection markers, for eukaryotic expression, 508
- Drying
 - concentrating radioactive solutions via, 164–165
 - in DNA purification, 170
- Dry items. *See* Nonliquids
- Dry membranes
 - in hybridization, 432
 - in nucleic acid transfer, 420–421
- Dyes
 - for nucleic acid transfer, 420
 - quantitating dilute RNA via, 219
 - radioisotopes in, 147
- Dynamic range, 442
 - of storage phosphor imagers, 442–443
- Ebola virus, as biohazard, 117
- Ecdysone, in eukaryotic expression, 509–510

- Efficiency, with polymerase chain reactions, 297–298
- 18M Ω water, 43–44
 - handling, 44
- 800-base pair DNA fragment,
 - labeling in hybridization experiments, 404–405
- Electrical hazards, in biosafety, 124
- Electrical potential, in pH meters, 78–79
- Electrical power, for electrophoresis, 350–353
- Electrical safety, during electrophoresis, 336–337
- Electrodes
 - in pH meters, 77–79, 85–87, 87–89, 92
 - preparing and conditioning, 87–88
 - testing, 92
- Electroelution, DNA isolation via, 187, 189
- Electroendosmosis (EEO), 355–356
- Electronic rotor-stator homogenizers, cell disruption via, 216
- Electrophoresis, 334–368. *See also* Gel electrophoresis; Pulsed field electrophoresis
 - agarose, 355–357
 - buffer system problems in, 349–350
 - chemical safety for, 334–336
 - degassing solutions for, 371
 - detection staining in, 358–363
 - electrical power for, 350–353
 - electrical safety for, 336–337
 - elution strategies in, 357, 358–359
 - gel clarity in, 353
 - gel standardization in, 363–368
 - native PAGE, 348–349
 - RNase-free, 213
 - sample preparation for, 353–355
 - selecting buffer systems for, 350–353
 - selecting PAGE gels for, 337–345, 345–348
 - troubleshooting, 368
- Electrophoresis gels. *See also* Gel electrophoresis
 - DNA isolation from, 187–190
 - elution of nucleic acids and proteins from, 357, 358–359
 - pH gradients for, 366–368
 - selecting for PAGE, 337–345, 345–348
 - standardizing, 363–368
- Electrophoresis work areas, safety in, 336–337
- Electrostatic forces, as affecting balance accuracy, 52
- ELISA (enzyme-linked immunoabsorbent assay), in eukaryotic expression, 515, 516
- Elution, of nucleic acids and proteins from gels, 357, 358–359. *See also* Electroelution
- Emergencies, biosafety, 122–124
- Emergency lab shower, for biosafety, 119
- Emissions, from radioisotopes, 145
- Englert, David F., 399, 441
- Entrepreneurs, scientists as, 12
- Environmental contaminants, 124–125
- Enzymatic reactions, for detecting proteins, 376
- Enzymes
 - in DNA extraction, 173
 - in DNA purification, 170
 - in polymerase chain reactions (table), 300–301
- Epitope tags
 - with baculovirus, 524
 - in genes, 500
- Eppendorf standard operating procedure, for pipettes, 72–77
- Equilibrium density centrifugation, 56
- Equipment, 5–6
 - data reliability and, 6
 - in hybridization, 435–436
- Erasure, of storage phosphor imagers, 447
- Escherichia coli*, 251, 521
 - accidental self-inoculation with, 123
 - as biohazard, 115
 - expression systems for, 462–486
 - expression vectors for, 462–463, 470–471, 478, 479
 - genealogy of strains of, 117
 - gene expression in, 465–467
 - lysis of, 479–480
 - methylation and, 231
 - preparing for pulsed field electrophoresis, 245–246
 - protein degradation in, 464
 - proteins in, 468–470

- recognition sites in, 248
- strains of, 125
- troubleshooting protein expression in, 480–486
- uses of, 462
- Ethanol
 - DEPC treatment and, 213
 - as disinfectant, 131
 - in DNA extraction, 178, 189
 - radioisotopes in, 147
- Ethidium bromide (EtBr)
 - in plasmid purification, 181
 - in RNA purification, 202
 - stained nucleic acids and, 363
 - troubleshooting in RNA purification, 222
- Eukaryotic expression, 492–533. *See also Escherichia coli*; Gene expression; Prokaryotic promoters; Protein expression systems
 - baculovirus and, 511–532
 - case study of, 519–521
 - described, 492–493
 - implementing project with, 511–517
 - insect cell system for, 521–524
 - maximizing protein yield from, 529–530
 - planning project with, 493–511
 - purification after, 530
 - regulating, 509–510
 - troubleshooting, 517–521
- European Community (EC), disease control centers of, 115
- European Pharmacopoeia*, spectrophotometers and, 98–99
- Evaporation, during pipette testing, 73
- Exonuclease assay, for restriction endonucleases, 234–235
- Exonuclease contamination, of restriction enzymes, 260–261
- Exonucleases, in complex digests, 240
- Experience, in project planning, 3, 4
- Experiments
 - contaminants in, 124–125
 - controls in, 21
 - handling hazardous materials during, 119–122
 - microbial mix-ups in, 124, 125
 - nucleic acid hybridization, 401–403
 - with radioisotopes, 153–155
- Expertise, in data gathering, 5–6
- Expiration dates, 22
- Explosion-proof refrigerators, storing reagents in, 41
- Exponential decay equation, modeling radioactive decay with, 148–149
- Exposure times, with storage phosphor imagers, 445
- Expression hosts
 - in eukaryotic expression troubleshooting, 519
 - selecting, 501–506
- Expression systems. *See* Gene expression; Protein expression systems
- Expression vectors
 - commercial, 470–471, 498–499
 - in eukaryotic expression, 498–500
 - selecting, 506–511
 - structure of, 462–465
- Extinction coefficient (*E*), 108, 276. *See also* Molar extinction coefficient (ϵ)
 - calculating, 277
 - for oligonucleotides, 279–280
- Extremely pure nucleotides, 269
- Eye protection, for biosafety, 118–119
- Eyewash station, for biosafety, 119
- F(ab')₂ fragments, as secondary antibodies, 385–386
- Face masks, for biosafety, 119
- Facilities, in project planning, 2–3
- Faint bands, troubleshooting in PCRs, 319
- Federal Register 21 CFR parts 210, 211, and 820, 22
- Femtogram sensitivity, in hybridization experiments, 403
- Fergusson plots, 364
- Fetal calf serum, as blocking agent, 381
- Fibrous tissue, total RNA isolation from, 207
- Fidelity, with polymerase chain reactions, 296, 297, 300, 302
- Field measurements, with pH meters, 90
- Fill holes, in pH meters, 80
- Fill solutions, for pH meters, 79–80, 92

- Film. *See* Autoradiography film
- Filter cartridges, for DNA purification, 185–186, 189
- Filters. *See also* Quartz filters
 in colony and plaque transfers, 421
 in hybridization, 432
 in RNA purification, 206
- Filtration. *See also* Gel filtration
 of laboratory water, 45–46
 in making buffers, 37
- Fire, 120, 123–124
 in electrophoresis work areas, 336–337
- First-aid kit, for biosafety, 119
- Fixed angle rotor, 59
- Fixed sample preparation, for polymerase chain reactions, 311
- Fixed-volume pipettes, 67–68
- Flammable liquids, in biosafety, 123
- Flammable storage refrigerators, storing reagents in, 41
- Flare, with storage phosphor imagers, 447–448
- Flasks, refrigerating reagents in, 41
- Flexibility, in direct versus indirect labeling, 410–411
- Fluorescent detection method, with Western blotting, 375, 376–377, 379
- Fluorescent labeling, in hybridization experiments, 406
- Fluorographic chemicals, autoradiography film and, 437, 439
- Fluorometry, quantitating dilute RNA via, 219
- Footwear, for biosafety, 118
- Formamide, as hybridization buffer, 427–428
- Franciskovich, Phillip P., 1
- Free radicals, in secondary decomposition of radioisotopes, 156
- Freeze and squeeze procedure, DNA purification via, 188, 190
- Freeze-drying
 in DNA purification, 171
 in storing purified DNA, 172
- Freezers, storing reagents in, 41
- Freezing
 in DNA purification, 171
 in gene expression, 479–480
 minimizing RNA degradation via, 214–215
 of restriction endonucleases, 232
 of secondary reagents, 384–385
 in storing radioisotopes, 156–157
- French Press lysis method, 480
- Frequency of delivery, 18
- Frost, in centrifuges, 62
- Fungal contamination, in experiments, 124
- Fungi
 disruption of, 217
 minimizing degradation of RNA from, 217
 safe handling of, 126–127, 127–128
- Fusion proteins, problems with, 484, 485–486
- Fusion systems
 amino acids and, 475
 avoiding, 472–474
 cleavage enzymes and, 474
 commercially available (table), 473–474
 selecting, 471–472
- Fuzzy bands, in electrophoresis, 357
- Gamma emitters
 autoradiography film and, 439–440
 shielding for, 163
- GC content, of genes, 466
- Geiger-Müller counter, in monitoring radiation exposure, 159
- Gelatin, as blocking agent, 381
- Gel casting, acrylamide and, 334
- Gel electrophoresis. *See also* Electrophoresis; Electrophoresis gels; Pulsed field electrophoresis
 in gene expression, 477
 in Southern blotting, 244–245
- Gel filtration
 in DNA purification, 184–190
 in plasmid purification, 181
- Gel overlays, in electrophoresis, 341
- Gel purification, 187–190
- Genealogies, of host cells, 117
- Gene array hybridization, in RNA purification, 200
- Gene expression, 465–467
 cloning for, 475–476
 codon usage in, 466–467
 gene GC content and, 466

- gene size in, 467
- protein size in, 467
- reliable controls for, 309
- screening for, 476–478
- secondary structures and, 467
- sources for, 465
- start codons in, 466
- Genes
 - cleavage sites in, 500
 - cloning for expression, 475–476
 - control regions of, 499
 - epitope tags in, 500
 - in eukaryotic expression, 496–497
 - screening for expression, 476–478
 - sequence information for, 499
 - subcloning of, 500
- Gene size, in gene expression, 467
- Genomic contamination, during RNA purification, 205, 206
- Genomic digests, 244–255
 - creating rare or unique restriction sites and, 247–255
 - for pulsed field electrophoresis, 245–247
 - for Southern blotting, 244–245
- Genomic DNA, as hybridization buffer, 429
- Germicidal UV lights, 116
- Gerstein, Alan S., 267
- g forces, in centrifuges, 58–59, 61, 63
- Glass fiber filters, in RNA purification, 206
- Glass milk, 177
 - in DNA extraction, 176–178, 188
- Glass slides, as membrane supports, 415
- Glassware, aging of, 138–139
- Global problems, in project planning, 3
- Gloves
 - for biosafety, 119
 - in preparing RNase-free solutions, 213
- Glutamine synthetase system, in eukaryotic expression amplification, 509
- Glycosylated proteins, eukaryotic expression of, 528
- Good fortune, taking advantage of, 4
- Good Laboratory Practice (GLP), spectrophotometers and, 98
- Grades, of reagents, 39
- Gradient gels, 345–346
- Gradowski, Anita, 267
- Graduated cylinders, refrigerating reagents in, 41
- Gratitude, 28
- Gravimetric testing, of pipettes, 72–77
- Gravity, as affecting balance accuracy, 53–54
- Gravity-flow-based columns, in DNA purification, 179
- Ground glass homogenizers, cell disruption via, 216
- Guanidium acid-phenol procedure, in RNA purification, 204–206
- Guanidium-cesium chloride procedure, in RNA purification, 204
- Guanidium isothiocyanate, in RNA purification, 204
- Guanidium salts
 - in DNA precipitation, 175–176, 177, 189
 - in RNA purification, 204–206
- Guidelines and standards, for pipette calibration, 70–71
- Haidaris, Constantine G., 113
- Halogens, as disinfectants, 131
- Hamster, eukaryotic expression with, 505
- Handling, of Western blotting antibodies, 384. *See also* Sample handling
- Hard tissue, total RNA isolation from, 208
- Hazardous materials. *See also* Biohazards
 - in centrifuges, 61
 - in microbiology labs, 119–122
- Hazardous reagents, storage of, 42
- Heat stability, polymerase chain reactions and, 302–303
- Heavy-duty protective gloves, for biosafety, 119
- Heavy metals, as disinfectants, 131
- Henderson-Hasselbalch equation, 33, 35
- Heparin, in DNA purification, 170–171
- Heparinase, in DNA purification, 171
- Herzer, Sibylle, 167, 399
- Heterogeneity, of synthetic polynucleotides, 283

- High purity samples, data reliability and, 7
- High speed centrifuges, 57
- High throughput, with polymerase chain reactions, 299, 311
- High-throughput screen (HTS), 493, 495
- Histoplasma capsulatum*, as biohazard, 128
- Hollow fiber bioreactors, in eukaryotic expression, 515
- Homogenization
 - in DNA purification, 171
 - troubleshooting RNA, 221
- Homogenizers, cell disruption via, 216
- Hoods
 - for acrylamide, 334
 - for biohazards, 116–117
 - for volatile nuclides, 163
- Horseshoe peroxidase (HRP), for detecting proteins, 376
- Horse serum, as blocking agent, 381
- Host cells, genealogies of, 117
- Hot spots, in radioactive work areas, 161
- Household refrigerators, storing reagents in, 41
- Human cell lines, eukaryotic expression with, 504
- Human embryonic kidney (HEK) cells, in eukaryotic expression, 502–503
- Human tissues, precautions in handling, 130
- Humidity
 - as affecting balance accuracy, 55
 - in pipette testing, 73
- Hybridization, 424–436. *See also*
 - Gene array hybridization;
 - Northern hybridization
 - failure of, 448–449
 - multiple membranes in, 432
 - new buffers for, 430–431
 - of nucleic acids, 401–453
 - optimal temperature for, 424–425
 - prehybridization times in, 426
 - probe concentration for, 425–426
 - reprobing in, 432–433, 433–434
 - selecting equipment for, 435–436
 - shelf life of buffers for, 431–432
 - stripping in, 432–433
 - timing of, 426–427
 - troubleshooting, 448–453
 - washing in, 434–435
- Hybridization bottles, 435–436
- Hybridization buffers, 435–436
 - developing new, 430–431
 - types of, 427–430
- Hybridization efficiency, labeling and, 408–409
- Hybridization experiments
 - labeling in, 403–409, 409–413
 - planning, 401–403
 - sensitivity of, 403
 - signal duration in, 407
- Hybridization membranes, 413–418
 - handling of, 417
 - multiple, 432
 - for quantitative experiments, 417
 - selecting, 413–416
 - sterilization of, 417–418
- Hybridization rate accelerators, 430
- Hydrogen ions, pH and, 80
- Hydroxyapatite (HA), in DNA extraction, 179–180
- Hygroscopic buffer salts, 35
- Hygroscopic samples, as affecting balance accuracy, 55
- Identical products, manufacture of, 14. *See also* Reproducibility
- IEF gels, 346–347
 - pH gradients for, 366–368
- Immunoglobulin (Ig)
 - reactivity of, 386
 - secondary antibodies and, 384, 385
- Incomplete procedural information, for buffer pH adjustment, 37
- Incorporation efficiency, of labels, 412–413
- Indicator tapes, in autoclaving, 135
- Indirect autoradiography, in nucleic acid hybridization, 436–437
- Indirect labeling strategies, 410–411
- Infections
 - disposal of animal parts with, 129–130
 - in experimental animals, 128–129
- Inhibitor-free sample preparation, for polymerase chain reactions, 312
- Inhibitors
 - of complex digests, 240–241
 - testing for, 257
 - troubleshooting in PCRs, 320

- Ink, for marking lab materials, 136
- Inoculating loops
proper handling of, 120–121
- Inoculation, of experimental animals, 128–129
- Insect cell system
baculovirus versus, 523
for eukaryotic expression, 521–524
selecting, 525–527
transfer vectors for, 524–525
- Institutions, radioisotopes for, 144
- Intact sample preparation, for
polymerase chain reactions, 311
- International Air Transport Association (IATA), radioactive shipment regulations by, 153
- Iodine radioisotopes, 161
autoradiography film and, 438, 439–440
shielding for, 163
- Ionic detergents, for native PAGE, 355
- Ionic strength differences, in
buffering, 36
- IPG (immobilized pH gradient) gels, 346–347
pH gradients for, 366–368
- Isoelectric focusing (IEF)
detergents for, 354–355
PAGE versus, 346–348
- Isopotential point, with pH meters, 81, 82
- Isopropanol
as disinfectant, 131
in DNA extraction, 189
- Isopycnic centrifugation, 56
rotors for, 57
- Isoschizomers, restriction enzymes as, 227
- Junctions
cleaning, 91
in pH meters, 78–79, 80, 91
- Kennedy, Michele A., 49, 67
- Keratin, electrophoresis band from skin, 368
- k-factor, of fixed angle rotors, 59–61
- Kirkpatrick, Robert, 491
- Kracklauer, Martin, 197
- Kruger, Greg, 11
- Lab coats, for biosafety, 118
- Labeling, in hybridization
experiments, 403–409, 409–413
- Labeling strategies, 409–413
- Label location, of radioisotopes, 146
- Labels
for autoradiography film, 438–440
hybridization efficiency and, 408–409
hybridization temperature and, 424
incorporated into probes, 407–408
incorporation efficiency of, 412–413
potency of, 412
signal duration from, 407
- Laboratory Acquired Infections* (Collins & Kennedy), 115
- Laboratory Information Management System (LIMS), 95
- Laboratory measurements, with pH meters, 90
- Lab shower, for biosafety, 119
- Laemmli buffer system, for native PAGE, 349–350
- Latex gloves, for biosafety, 119
- Lead, as shielding, 163
- Leaks
in electrophoresis apparatus, 368
in enzyme shipments, 259
in pipettes, 69, 71–72
from prokaryotic promoters, 464
in water systems, 46–47
- Leishmania*, as biohazard, 128
- Leishmania donovani*, as biohazard, 114
- Leverage, through sales
representatives, 17–18
- Liability, reimbursement for, 28
- Lifetime, of radioisotopes, 156–157
- Ligation/recut assay, for restriction endonucleases, 235
- Ligations, failed, 260–262
- Light
autoradiography film and, 436
storage phosphor imagers and
bright, 447–448
- Light sources, for
spectrophotometers, 95–96
- Linear acrylamide, in RNA purification, 220
- Linear DNA fragments, in complex digests, 240
- Linker length, hybridization efficiency and, 409

- Lipid-rich tissue, total RNA isolation from, 207–208
- Liquids
 - autoclaving of, 133, 134
 - in electrophoresis safety, 337
- Liquid scintillation counter (LSC), 155
- Logging conversations, 26–27
- Long PCR, 303
- Long term monitoring, in radioactive work areas, 161
- Low ionic strength samples, measuring pH of, 90
- Low melting point (LMP) agarose, DNA isolation from, 190
- Lowry assay, 109
- Low speed centrifuges, 57
- Low-stringency washes, in hybridization, 434–435
- Luminescent labeling, in hybridization experiments, 406
- Lumps, in agar media, 137–138
- Lyophilization, concentrating radioactive solutions via, 164–165
- Lyophilized nucleotides
 - purity of, 269–270
 - stability of, 270–271
- Lysis
 - in DNA extraction, 173, 175–176
 - in gene expression, 479–480
 - in plasmid purification, 180–182
 - in RNA purification, 215
 - of yeast cells, 209
- Lysis buffers
 - in DNA extraction, 173
 - in DNA purification, 169
- Lysozyme, cell disruption via, 217, 218

- Macroarrays, of hybridization membranes, 415
- Magnesium chloride, optimizing for PCR, 303, 304, 306
- Magnetic forces, as affecting balance accuracy, 53
- Magnetic samples, as affecting balance accuracy, 53
- Mammalian cells
 - disruption of, 216–217
 - minimizing degradation of RNA from, 214–215, 216–217
- Manton-Gaulin lysis method, 480
- Manuals
 - in pipette testing, 74
 - in troubleshooting, 64
- Manufacturers
 - of custom products, 18, 19
 - expiration dates from, 22
 - purity of reagents from, 39
- Manufacturing, 13, 14
 - of polynucleotides, 282–283
- Marcy, Alice, 491
- Martin, Lori A., 197
- Material requirements
 - controlling, 7–8
 - data reliability and, 6–7
- Mean volume, of pipettes, 75
- Mechanical stress
 - in DNA extraction, 173
 - in DNA purification, 169
- Media preparation facilities, 132
- Media preparation staff, 132–133
- Media room, labware sterilization in, 136
- Medium emitters, autoradiography film and, 439
- Megabase DNA fragments, from genomic digests, 248–255
- Membranes. *See also* Dry membranes; Hybridization membranes; Nitrocellulose membranes; Nylon membranes; PVDF (polyvinyl difluoride) membranes; Transfer membranes; Wet membranes
 - baking, 422
 - functional, 417
 - multiple, 432
 - in protein expression, 468–469
 - stripping and, 389
 - with Western blotting, 379–380
- 2-Mercaptoethanol (2-ME) radioisotopes in, 147
 - stripping via, 389
- Mercury, as disinfectant, 131
- Methods and Reagents* bulletin board, 13
- Methylases, in genomic digests, 248–250, 250–251, 252–255
- Methylation, in genomic digests, 248–255
- Methylation sensitivity, of restriction enzymes, 231

- Microarrays
 - of hybridization membranes, 415
 - storage phosphor imagers and, 443
- Microbalances, 51
- Microbes. *See also* Biosafety
 - accidental self-inoculation with, 123
 - decontamination of, 130–132
 - safe handling of, 126–128
- Microbial contamination
 - of buffers, 38
 - of laboratory water, 45–46
 - in microbiology labs, 120–121
 - preventing, 124–125
- Microbial culture spills, in biosafety, 123
- Microbial mix-ups, in experiments, 124, 125
- Microbial strains, maintaining, 125–126
- Microbial suspensions, proper handling of, 122
- Microelectrodes, in pH meters, 86
- Microorganisms, as biohazards, 114–117
- Migration, of nucleic acids in
 - electrophoresis, 356
- Millirem (mrem), 159
- Minetti, Cica, 267
- Misincorporation of nucleotides, troubleshooting, 321
- Moisture
 - as affecting balance accuracy, 51
 - in refrigerated centrifuges, 66
- Molar extinction coefficient (ϵ), calculating, 276–277
- Molarity, of radioisotopes, 154
- Molecular weight markers, for
 - electrophoresis gels, 363–364
- Molecular weights (MWs)
 - of DNA samples, 168
 - of polynucleotides, 285
 - pre-stained standards and protein, 364–365
 - of proteins, 363–368, 374
 - SDS-PAGE and, 345, 346
 - 2-D gels and, 365–366
 - Western blotting and, 365
- Moles
 - of radioisotopes, 154–155
 - storage phosphor imagers and, 444
- Money
 - in doing research, 9. *See also* Costs
- Monochromatic light, in
 - spectrophotometry, 105
- Monoclonal antibodies, for Western blotting, 384
- “Moonsuits,” in biosafety, 117
- Motivation
 - for doing science, 8, 9
 - of sales representatives, 16
- Mouse, eukaryotic expression with, 504
- Mouth pipetting, 122
- mRNA, purification of, 198–201, 212. *See also* Poly(A)-selected RNA
- Multiple proteins, eukaryotic expression of, 529
- Multiple-step procedures, with
 - restriction enzymes, 260–262
- Multiple-step reactions, in genomic digests, 248–255
- Municipal water, organic compounds in, 45–46
- Mutations, in baculovirus experiment, 531–532
- Mycobacterium tuberculosis*, as
 - biohazard, 117, 128, 130
- Mycoplasma contamination, in
 - eukaryotic expression, 512–513
- N,N'-Methylenebisacrylamide
 - crosslinker, 339
- National Center for Infectious Diseases (NCID), 115
- National Institute of Standards and Technology (NIST)
 - calibration buffers from, 83–84
 - spectrophotometry standards from, 99
- Native PAGE, 337, 348–349
 - detergents for, 354–355
 - electrical power for, 350–353
 - SDS-PAGE versus, 345–348
 - standardized gels for, 363
- Near-vertical rotors, for centrifuges, 63
- Negative controls, in polymerase chain reactions, 308–309
- Neisseria gonorrhoeae*, as biohazard, 116
- Neoschizomers, restriction enzymes as, 227
- Nernst equation, pH meters and, 77, 81–82

- Neurotoxin, acrylamide as, 335. *See also* Toxicity
- Neutral density filters, for spectrophotometers, 99
- Nicking assay, for restriction endonucleases, 234
- Nitrocellulose membranes
in hybridization experiments, 414, 416
sterilization of, 417–418
transfer buffers for, 418–419
UV crosslinking with, 422
with Western blotting, 379–380
- Nitrogen gas, concentrating
radioactive solutions via, 164–165
- Noise, in spectrophotometers, 99–100
- Nomenclature
for nucleotides, 268–269
of polynucleotides, 281–282
- Nonfat dry milk
as blocking agent, 381
as hybridization buffer, 429
- Nonliquids, autoclaving of, 133–134, 134
- Non-NIST-traceable buffers, 83–84
- Non-phenol based methods, of RNA purification, 206
- Nonradioactive labeling
for autoradiography film, 440
in hybridization experiments, 405, 406, 409–413
stability of, 411
- Nonrefillable electrodes, in pH meters, 87
- Normal serum, as blocking agent, 381
- Northern blot analysis, in eukaryotic expression troubleshooting, 518
- Northern hybridization, in RNA purification, 198, 199–200, 203
- Nose cones, of pipettes, 69, 70
- NotI* endonuclease, in genomic digests, 248–250
- N-terminal signal sequences, in protein expression, 468–469
- NTPs, nomenclature of, 269
- Nuclear Regulatory Commission (NRC)
licenses to handle radioisotopes from, 143–144
radioactive shipment regulations by, 152
- Nuclease protection, in RNA purification, 200, 203
- Nuclease-rich tissue, total RNA isolation from, 208
- Nucleases, DNA contamination with, 169, 172
- Nucleation, hybridization times and, 426
- Nucleic acid purification, 173–174. *See also* DNA purification
interference with, 169–171
methods of (table), 188–189
via centrifugation, 57
- Nucleic acid-rich tissue, total RNA isolation from, 208
- Nucleic acids. *See also* DNA samples; Plasmids; RNA
constant current separation of, 352
crosslinking, 422–424
elution from gels, 357, 358–359
ethidium bromide and, 363
hybridization of, 401–453
precipitation of, 173–174
spectrophotometry of, 96, 104, 105–106
stability of radiolabeled, 157–158
stains for (table), 360
- Nucleic acid transfer, 418–421
from agarose gels, 418–420
dry versus wet membranes for, 420–421
optimizing, 421
- Nucleotide concentration, in polymerase chain reactions, 303
- Nucleotide quality, optimizing for PCR, 305
- Nucleotides, 268–278. *See also* Oligonucleotides; Polynucleotides
absorption maxima of (table), 272
affecting PCRs, 303–305
monitoring degradation of, 272–273
nomenclature of, 268–269
purity of, 269–270, 272–273
quantitating volumes of, 273–275
stability of, 270–271, 275, 276
storing, 270–271
thermocycling of, 275, 276
troubleshooting in PCRs, 321
- Nylon filters, as membrane supports, 415
- Nylon membranes
in hybridization experiments, 414, 416

- sterilization of, 417–418
 - transfer buffers for, 418–419
- Obermoeller, Dawn, 197
- Occupational Health and Safety Office (OSHA), decontamination rules from, 139–140
- “Old-timers,” learning from, 4
- Oligo(dT)-cellulose
- regeneration of, 211–212
 - in RNA purification, 210–212
- Oligonucleotides, 278, 279–281
- in Achilles’ heel cleavage, 253
 - batch variation among, 284
 - extinction coefficients of, 108
 - labeling in hybridization experiments, 404
 - lyophilizing, 281
 - polynucleotides versus, 281–282
 - purity of, 279
 - quantitating, 279–280
 - in Southern blotting, 244
 - stability of, 280
 - storing, 280
- One-step mRNA (poly(A) RNA) purification, 209
- Optical density (*OD*), absorbance versus, 275–277
- Orders, acknowledging, 19
- Organic compounds, in water, 45–46
- Organic solvents, in DNA precipitation, 175–176
- O-rings, with pipettes, 69, 70
- Overlabeling, in hybridization experiments, 409
- Overlaying gels, in electrophoresis, 341
- Overnight assay, for restriction endonucleases, 234
- Paper, as autoclave wrapping, 134
- Pareto principle, 15–16
- Passive nucleic acid transfer, 418
- Path length, absorbance and, 286
- Pathogenic microbes, as biohazards, 114–117, 126–128
- Patience
- in doing research, 9
 - in hybridization experiments, 401
- PCR cyclers, 309–310
- PCR products, in complex digests, 239–240
- PCRs (polymerase chain reactions), 292–322
- BLAST searches for, 314, 328
 - buffers in, 305–306
 - computer software for, 327, 328
 - described, 292–293
 - evaluating DNA polymerases for, 296–303
 - long, 303
 - nucleotides affecting, 303–305
 - planning experiments using, 293–296, 296–315
 - plasmid DNA for, 327
 - positive and negative effectors of (table), 296, 297–300
 - primers affecting, 303–305
 - primers for, 327
 - sample preparation for, 311–312
 - troubleshooting, 315–322
 - Web sites for, 328–329
- PCR strategies
- developing, 293–296, 296–315
 - in RNA purification, 200
 - troubleshooting, 221–222
 - weak links in, 295–296
- PDA (piperazine diacrylamide), as crosslinker, 338
- Peer-reviewed journals, 5
- Pelleting, 56, 57, 65
- improving, 66–67
- Pellets, problems with RNA, 220–221
- Peptide electrophoresis, buffer systems for, 350
- Percent *C* (%*C*), in electrophoresis, 341
- Percent gels, 345–346
- Percent *T* (%*T*), in electrophoresis, 341
- Personal computers (PCS), with spectrophotometers, 95
- Pfannkoch, Edward A., 31
- pH
- adjusting buffer, 37
 - of agar media, 137–138
 - buffer control of, 32–33, 34–35
 - buffer storage and, 38
 - of deionized water, 43
 - of 18M Ω water, 44
 - of hybridization buffers, 429
 - initial, 44
 - pK and, 33
 - for sequential double digests, 243

- of stock solutions, 37
 - of transfer buffers, 419
- pH adjustment
 - in buffering, 36
 - quantitating nucleotide solutions via, 274
- pH calibration curve, 81
- Phenol
 - in complex digests, 240–241
 - as disinfectant, 131
 - in DNA precipitation, 176
 - in DNA purification, 170
 - in drop dialysis, 258
 - in exonuclease contamination, 261
 - in RNA purification, 204–206
 - toxicity of, 120
- Phenol derivatives, as disinfectants, 131
- pH gradients, for electrophoresis gels, 366–368
- pH meters, 77–94
 - accuracy of, 87–89, 90
 - autobuffer recognition with, 82–83
 - buffers for, 83–84, 89
 - calibrating, 81, 82–83, 83–84, 87–89, 90, 92
 - cleaning, 91
 - combination electrodes in, 86–87
 - electrodes in, 77–79, 85–87, 87–89
 - field measurements with, 90
 - fill holes for, 80
 - fill solutions for, 79–80
 - junctions in, 78–79, 80
 - maintenance of, 91–92
 - measurement with, 81–82, 90
 - microelectrodes in, 86
 - Nernst equation and, 77, 81–82
 - nonrefillable electrodes in, 87
 - operation of, 80–81
 - “ready” indicator with, 85
 - reference electrodes in, 77–78
 - refillable electrodes in, 87, 93
 - resolution of, 85
 - response time of, 93
 - sensing electrodes in, 77
 - service calls for, 94
 - temperature compensation for, 84–85
 - testing, 92
 - troubleshooting, 92–94
- Phosphate buffers, in DNA purification, 170
- Phosphate groups, in polynucleotides, 287
- Phosphorus radioisotopes, 157–158, 161
 - autoradiography film and, 438, 439
 - as radioactive waste, 158
 - shielding for, 163
 - signal strength of, 406
- Photometric accuracy, of spectrophotometers, 96–97
- Photometric reproducibility, of spectrophotometers, 99
- Photons, autoradiography film and, 436
- Physical hazards, in microbiology labs, 120
- pI
 - pH gradients and, 366–368
 - 2-D gels for determining, 365–366
- Pichia methanolica*, eukaryotic expression with, 505–506
- Pichia pastoris*, eukaryotic expression with, 505–506
- Pipettes, 67–77
 - calibrating, 68, 70–77
 - cleaning, 69, 70
 - leaks in, 69, 71–72
 - maintenance of, 68–69, 70–71
 - monitoring performance of, 71–77
 - parts of, 71
 - proper use of, 122
 - selecting, 67–68
 - techniques for using, 68
 - troubleshooting, 68–69, 77, 78
 - types of, 67
- Pistons, with pipettes, 68, 70, 71, 77
- pK, pH and, 33
- Planning, 2–9
 - good fortune and, 4
- Plant measurements, with pH meters, 90
- Plant tissue
 - disruption of, 217
 - minimizing degradation of RNA from, 217
- Plaque transfers, 421
- Plasmids
 - centrifugation of, 63–64
 - in complex digests, 240
 - as expression vectors, 462–463
 - in polymerase chain reactions, 308, 309

- preparation for PCRs, 327
- purification of, 180–184
- Plastic, as shielding, 163
- Plastic cuvettes, for
 - spectrophotometers, 100
- Plastic materials, in autoclaves, 135
- Plates, streaking of, 122
- Poly(A)-selected RNA, purification
 - of, 198–201, 209–210. *See also* mRNA
- Polyacrylamide Gel Electrophoresis (PAGE)
 - buffers for, 349–350
 - Catalyst concentration, 343
 - Catalyst potency, 342
 - DNA isolation via, 187
 - electrical power for, 350–353
 - isoelectric focusing versus, 346–348
 - native versus SDS, 345–348
 - protein resolution with, 348
 - selecting gels for, 337–345, 345–348
 - successful native, 348–349
- Polyadenylation regions, in eukaryotic expression, 507–508
- Polyclonal antibodies, for Western blotting, 383
- Polyclonal selection, in eukaryotic expression, 513–514
- Polyethylene glycol (PEG), in plasmid purification, 181
- Polymerization
 - of acrylamide, 338, 339
 - reproducible, 341–343
- Polynucleotides, 281–288
 - length variation among, 284
 - manufacture of, 282–283
 - molecular weights of, 285
 - nomenclature of, 281–282
 - oligonucleotides versus, 281–282
 - phosphate groups in, 287
 - quantitating, 284–285, 285–286, 287
 - solutions of known concentration of, 285–286
 - storing, 287–288
 - structural uncertainty among, 283
- Polysaccharide-rich tissue, total RNA isolation from, 207–208
- Polystyrene cuvettes, for spectrophotometers, 100
- Poorly labeled bottles, reagents in, 42
- Pore size
 - in electrophoresis, 339–341
 - of hybridization membranes, 415
- Positive controls, in polymerase chain reactions, 308–309
- Positive displacement pipette, 67
- Post PCR detection strategy, 316
- Power. *See* Electrical power
- Power supply parameters, for PAGE (table), 351
- Prasauckas, Kristin A., 49, 55
- Precision, of pipettes, 76
- Prehybridization times, in hybridization, 426
- Preparation, of reagents, 40
- Preparing electrodes, 87–88
- Primary antibody
 - problems with, 395
 - for Western blotting, 383–384
- Primary decomposition, of radioisotopes, 156
- Primer concentration, in polymerase chain reactions, 303–305
- Primer matrix studies, 304–305
- Primers
 - computer software for selecting, 313, 327
 - optimum lengths of, 313
 - in polymerase chain reactions, 303–305, 312–315
 - troubleshooting PCR, 320
- Primer testing strategy, with polymerase chain reactions, 315
- Priority check lists, for PCR projects, 293–295
- Probe concentration, for hybridization, 425–426
- Probes
 - denaturing of, 412
 - in hybridization experiments, 402, 407–408
 - purification of, 413
 - reuse of, 412
 - storage of, 411
- Probe templates, in hybridization experiments, 402
- Problem reduction, 2
- Problem resolution, failed, 28
- Problems. *See also* Global problems; Technical problems
 - with acrylamide polymerization, 342–343

- with baculovirus experiment, 530–532
- with big companies, 12–13
- with buffers, 34–35
- with centrifuge rotors, 62, 63
- with centrifuges, 64–67
- with centrifuge tubes, 61
- with cloning, 231
- with crosslinking, 423
- data gathering for, 21–22
- defining, 20
- describing to suppliers, 27
- with discontinuous buffer systems, 349–350
- with electrophoresis protein sample preparation, 353–355
- with *Escherichia coli* protein expression, 480–486
- with eukaryotic expression, 517–521
- explanations for, 20–21
- in hybridization experiments, 448–453
- from incomplete procedural information, 37
- with methylation, 231
- with pH meters, 91–92, 92–94
- with pipettes, 68–77, 78
- with polymerase chain reactions, 315–322
- preventing, 19–20
- with radioactive shipments, 151–153
- with restriction enzymes, 255–262
- with RNA purification, 220–222
- six steps to solve, 20–23, 23–25
- with small companies, 12–13
- solving, 19, 20–23, 23–25
- with storage phosphor imagers, 447–448
- suppliers in solving, 25–26, 26–29
- from water leaks, 46–47
- with Western blotting, 389–396
- Procedural information, for buffer pH adjustment, 37
- Procedures
 - for buffer pH adjustment, 37
 - modifying, 19–20, 22–23
- Products
 - changes in, 14
 - manufacture of identical, 14
 - modifications to, 27
 - ordering custom, 18–19
 - performance of, 13–14
 - reliability of, 14
 - testing applications of, 13
 - troubleshooting absence of PCR, 315–317, 319–320
 - troubleshooting wrong PCR, 318–319
- Programming, cycling parameters and, 310
- Projects
 - completing, 4, 296–315
 - defining, 2, 293–296
 - successful, 4
- Prokaryotic promoters, 462–465
 - characteristics of (table), 463
 - leakage from, 464
 - stability of, 464–465
 - strong, 463
- Promoters, 507. *See also* Expression vectors; Prokaryotic promoters with baculovirus, 524 strengths of (table), 507
- Proofreading activity, with polymerase chain reactions, 302
- Proteases, 470
- Protective clothing, for biosafety, 118–119
- Protective gloves, for biosafety, 119
- Protein A
 - problems with, 396
 - reactivity of, 386
 - secondary antibodies and, 384
- Proteinases, in DNA extraction, 173
- Protein digestion, problems with, 485–486
- Protein expression systems
 - selecting, 465–475
 - troubleshooting, 480–486
 - working with, 475–480
- Protein G
 - reactivity of, 386
 - secondary antibodies and, 384
- Protein quantitation assays, 109–110
- Protein resolution, with composite gels, 347–348
- Proteins, 374–375
 - absorbance data and concentration for, 108–109
 - antibodies against, 378
 - databases for identifying, 367
 - elution from gels, 357, 358–359
 - for eukaryotic expression, 493–496, 501–502

- in eukaryotic expression
 - troubleshooting, 518
 - expressing glycosylated, 528
 - expressing more than one, 529
 - expressing secreted, 527–528
 - functionality of, 470
 - molecular weights of, 363–368
 - in native PAGE, 348–349
 - post-translational modification of, 469
- in protein expression systems, 468–470
- quantifying stained, 361–362
- in RNA preparations, 202
- solubility of, 481–483
- stability of radiolabeled, 157–158
- stains for (table), 360
- stripping and reprobing and, 388–389
- structural changes to, 470
- toxicity of, 469–470
- washing glassware for, 137
- Western blotting of, 363
- Protein samples, preparing for
 - electrophoresis, 353–355
- Protein size, in gene expression, 467
- Protozoa, safe handling of, 126–127, 128
- Pseudogenes, in polymerase chain reactions, 313
- Pulsed field electrophoresis, preparing
 - genomic digests for, 245–247
- Purchasing radioisotopes, 147–148
- Purification
 - after eukaryotic expression, 530
 - with fusion systems, 472
 - of polynucleotides, 284–285
 - of probes, 413
 - via centrifugation, 55–57
- Purity. *See also* High purity samples
 - of eukaryotically expressed proteins, 502
 - of nucleotides, 269–270, 272–273
 - of oligonucleotides, 279
 - of reagents, 39–40, 343–345
 - of Western blotting antibodies, 383–384, 385
- PVDF (polyvinyl difluoride)
 - membranes
 - in hybridization experiments, 414, 416
 - with Western blotting, 380
- Quality control, with Western blotting, 379
- Quality control assays, for restriction endonucleases, 234–235
- Quality control data, for restriction enzymes, 233–235
- Quantitating ability
 - membranes for, 417
 - of storage phosphor imagers, 443–445
 - of Western blotting, 377–378
- Quantitating nucleotides, 273–275
- Quantitating oligonucleotides, 279–280
- Quantitating polynucleotides, 284–285, 285–286
 - with polymerase chain reactions, 298–299
- Quantitating radioactivity, 155
- Quantitating stains, 361–362
- Quantity needs, 18
- Quartz filters, for
 - spectrophotometers, 99
- Quaternary ammonium compounds, as disinfectants, 132
- Radiation dose
 - from *Bremsstrahlung*, 152
 - minimizing, 162–164
- “Radiation equivalent man” (REM), 159
- Radiation exposure, 159–164
 - measuring, 159
 - minimizing, 162–163, 164
 - monitoring, 159–161
- Radiation safety officers (RSOs), 144, 163, 164
 - in monitoring radiation exposure, 161
 - radioactive shipments and, 150–152
 - radioactive waste disposal and, 158
- Radioactive concentration, 164–165
 - molarity and, 154
 - of radioisotopes, 145–146
 - shelf life and, 149
 - in storing radioisotopes, 157
- Radioactive detection method, with Western blotting, 375–376, 379
- Radioactive labeling
 - for autoradiography film, 438–440
 - in hybridization experiments, 405–406, 409–413
 - stability of, 411

- Radioactive materials. *See also*
 Radioisotopes
 certification for handling of, 143–144
 licensing for handling of, 143–144
 safety with, 133, 142–165, 166
 shelf life of, 148–149, 149–150
 storing, 156–159
 ten fundamental rules for handling, 142–143
- Radioactive shipments, 150–153
 arrival of, 150–151
 problems with, 151–153
 wipe test of, 151–152
- Radioactive waste, disposal of, 158–159
- Radioactive work areas
 monitoring dosage in, 161
 organizing, 164
- Radioactivity. *See also* Specific activity
 quantitating, 155
 shelf life of, 148–149, 149–150
 units of, 145–146*n*
- Radioisotopes
 autoradiography film and, 438–440
 decay of, 148–150, 155, 156–159
 describing radioactivity of, 145–146
 designing experiments with, 153–155
 handling, 159–165
 handling shipments of, 150–153
 label location of, 146
 licenses to handle, 143–144
 maximizing lifetime of, 156–157
 minimizing radioactive dose from, 159–165
 ordering, 147–148
 physical properties of common (table), 166
 selecting, 144–147
 shelf lives of, 149–150
 shielding for, 163
 signal strengths of, 406
 in solvents, 146–147
 stability of, 157–158
 storing, 156–159
- Radiolytic decomposition, 148–150
 causes of, 156
 compensating for, 150
 measuring, 155
- Radionuclides. *See* Radioactive materials; Radioisotopes
- Radius, of centrifuge rotors, 58–59
- Ramp times, for polymerase chain reactions, 310
- Rat, eukaryotic expression with, 504
- Rate-zonal centrifugation, 55–56
 rotors for, 57
- Reaction time, for complex digests, 242
- Reaction vessels, for polymerase chain reactions, 311
- Reaction volume, for complex digests, 241
- “Ready” indicator, of pH meters, 85
- Reagents, 39–47
 contaminated, 39
 DEPC treatment and, 214
 eukaryotic expression of, 493, 494, 495–496, 501–502
 grades of, 39
 judging purity of, 39–40
 new from manufacturer, 39
 from opened containers, 39
 preparation of, 40
 prepared by others, 40
 purity of, 343–345, 362
 refrigeration of, 41–42
 secondary, 384–387
 storage of, 39, 40–41, 41–42
 water for, 42–47
- Real time PCR detection strategy, 316
- REBASE database, 227
- RecA-assisted restriction endonuclease (RARE), with Achilles’ heel cleavage, 253–255
- Recognition sites, in genomic digests, 248
- Recombinant baculovirus system, 522–524
 preparing, 524
- Recombinant DNA methods, with restriction enzymes, 226
- Recombinant gene expression, 492–493. *See also* Eukaryotic expression; Gene expression
- Records, of radioactive waste disposal, 158
- Reducing agents, with simple digests, 239
- Reference date, for radioisotopes, 148, 149–150

- Reference electrodes
 - with pH meters, 77–78
 - in pH meters, 80
- Refillable electrodes
 - in pH meters, 87, 91–92, 93
 - storage of, 91–92
- Refrigerated centrifuges,
 - troubleshooting, 66
- Refrigerators, storing reagents in,
 - 41–42
- Refrigerator shelves, storing reagents
 - on, 42
- Regeneration, of oligo(dT)-cellulose,
 - 211–212
- Regulating eukaryotic expression,
 - 509–510
- Reimbursement, for company
 - liability, 28
- Relationships, with sales
 - representatives, 16–17
- Reliability
 - of balances and scales, 54–55
 - of data, 6–7
 - of products, 14
 - of reagents, 39–40
 - of suppliers, 13
- Remeta, David, 267
- Replication, data reliability and, 6
- Reporting, of research results, 8–9
- Reprobing
 - in hybridization, 432–433, 433–434
 - in Western blotting, 379, 380, 388–389
- Reproducibility
 - of DNA purification methods, 169
 - in electrophoresis, 341–343
 - improving in electrophoresis, 353
 - with polymerase chain reactions, 298
 - of storage phosphor images, 443
- Reproduction, of research results, 8
- Research
 - defending, 8–9
 - motivation for doing, 8, 9
 - reporting of, 8–9
 - sales representatives in, 15–16
 - successful, 5–9
- Research planning, 3
 - reporting results and, 8
- Research style, 2
- Resins, in RNA purification, 210
- Resolution
 - of autoradiography film, 438
 - improving in electrophoresis, 353
 - of labels, 405–406
 - of pH meters, 85
 - of spectrophotometers, 97–98
 - of storage phosphor imagers,
 - 441–442, 446
- Resources, in project planning, 2–3
- Response time, of pH meters, 93
- Restriction endonucleases
 - properties of, 232–236
 - quality control assays for, 234–235
 - star activity of, 229–230
- Restriction enzymes, 226–262
 - altering specificity of, 248–250
 - commercially available, 226–227
 - complex digests with, 239–244
 - costs of, 227–228
 - double digests with, 242–244
 - easily used, 229
 - genomic digests with, 244–255
 - methylation sensitivity of, 231
 - quality control data for, 233–235
 - restriction endonucleases as,
 - 232–235
 - selecting, 229–231
 - shipments of, 259–260
 - simple digests with, 236–239
 - site preference of, 230
 - stability of, 236
 - titer assays for, 255–259
 - transformation failures with, 260–262
 - troubleshooting, 255–262
- Restriction length fragment
 - polymorphism (RFLP) analysis,
 - 226
- Restriction sites, creating rare or
 - unique, 247–255
- Reuse, of oligo(dT)-cellulose, 211–212
- Reverse dot blots, in RNA
 - purification, 200
- Reverse osmosis, water purification
 - via, 43–44
- Review, data gathering and, 5
- Ribogreen dye, quantitating dilute
 - RNA via, 219
- Ribonuclease protection assays, in
 - RNA purification, 201, 203
- Ribonucleotides
 - nomenclature of, 269
 - quantitating solutions of, 273–275
- Riis, Peter, 373
- Ring badges, monitoring radiation
 - exposure with, 161

- RNA. *See also* Nucleotides;
 Oligonucleotides;
 Polynucleotides
 centrifugation of, 63
 as hybridization target, 402
 solutions of polymers of, 287–288
 storage of, 214–215, 219, 222
- RNA purification, 198–222
 integrity of RNA from, 202–203
 lysis in, 215
 maximizing yield from, 212–219
 pauses during, 218
 predicting yield from, 201–202
 storing RNA from, 219
 strategies for, 198–212
 troubleshooting, 220–222
- RNA sample preparation, for
 polymerase chain reactions, 312
- RNase-free techniques, 212–214
- RNase inhibition, 215
- RNases
 DNA contamination with, 169
 in DNA extraction, 173
 RNA contamination with, 212–213
 in RNA degradation, 214, 215, 217,
 219
- Robinson, Derek, 225
- Room temperature storage, of
 reagents, 40
- Rotor identification codes, for
 centrifuges, 62
- Rotors, for centrifuges, 57, 58–61,
 62–63, 64
- RT-PCR technique, 314
 in RNA purification, 200, 201, 202,
 203
 troubleshooting, 221–222, 321–322
- RTPs, nomenclature of, 269
- Saccharomyces cerevisiae*
 as biohazard, 115, 128
 recognition sites in, 248
- S-adenosylmethionine, in simple
 digests, 239
- Safety
 with acrylamide, 334–336
 with biological materials, 114–140
 electrical, 336–337
 with radioactive materials, 133,
 142–165, 166
- Safety equipment, for biosafety, 119
- Safety glasses, 118–119
- Sales representatives, 14–18
 expectations of, 15–16
 functions of, 15
 leverage via, 17–18
 motivations of, 16
 for pH meters, 94
 relating to, 16–17
- Salmonella typhi*, as biohazard, 114,
 115
- Salmonella typhimurium*, recognition
 sites in, 248
- Salt pellets, in RNA purification,
 205–206
- Salts
 as buffers, 33, 35
 in DNA precipitation, 174–175, 185,
 189
 in hybridization buffers, 427,
 428–429
 for sequential double digests, 243
 for Western blotting buffers, 382
- Sample collection, minimizing RNA
 degradation during, 214–215
- Sample concentration
 absorbance and, 104–105, 108–109
 in spectrophotometry, 103
- Sample disruption, minimizing RNA
 degradation during, 215–218
- Sample handling. *See also* DNA
 samples; High purity samples;
 Hygroscopic samples; Low ionic
 strength samples; Magnetic
 samples; Semisolid samples;
 Viscous samples
 as affecting balance accuracy, 55
 with pH meters, 93–94
 in Western blotting, 382–383
- Sample location, as affecting balance
 accuracy, 55
- Sample matrix, for pH meters, 85–86
- Sample preparation, for polymerase
 chain reactions, 311–312
- Sample volumes
 of cuvettes, 100
 for pH meters, 86
 for spectrophotometers, 95
- Scales, 51–55
 calibrating, 55
- Scaling up
 of eukaryotic expression, 514–515,
 527
 of gene expression, 478–479

- Scheduling
 - adhering to, 7
 - in project planning, 4
- Schlieren*, in acrylamide polymerization, 342
- Science, motivation for doing, 9
- Scientific literature, 5–6
- Scientists, companies and, 12
- Scientist Web site, 14
- Scintillation counters, 155
- Screens, for storage phosphor imagers, 444, 445–447
- SDS-PAGE, 337, 338, 349
 - electrical power for, 350–353
 - native PAGE versus, 345–348
 - problems with, 480–481
 - standardized gels for, 363
- Sealed containment rooms, in biosafety, 117
- Secondary antibodies, 384
 - problems with, 395
- Secondary decomposition, of radioisotopes, 156
- Secondary reagents
 - problems with, 395
 - species specificity in, 385
 - in Western blotting, 384–387
- Secondary structures, in gene expression, 467
- Secreted proteins, expressing, 527–528
- Sedimentation coefficient, 55–56
- Self-decontamination, 132
- Self-inoculation, accidental, 123
- Self-monitoring, in radioactive work areas, 161
- Semimicro balances, 51
- Semisolid samples, measuring pH of, 90
- Sensing electrodes, in pH meters, 77, 80
- Sensitivity
 - of autoradiography film, 438
 - of direct versus indirect labeling, 410
 - of hybridization experiments, 403
 - with polymerase chain reactions, 299–300
 - of storage phosphor imagers, 441–442, 445
 - in Western blotting, 377
- Sequence information, for eukaryotic expression, 499
- Sequencing cells, constant power electrophoresis with, 352–353
- Sequencing gels, constant power electrophoresis with, 352
- Sequential double digests, 243–244
- Serial numbers, for products, 25
- Serum
 - as blocking agent, 381
 - in eukaryotic expression, 511–512
- Service calls
 - for balances, 55
 - for centrifuges, 64–66
 - for pH meters, 94
 - for spectrophotometers, 106
- Service engineers, for pH meters, 94
- Sharps, proper disposal of, 120
- Shatzman, Allan R., 491
- Shearing, in DNA purification, 169
- Shelf life, 22
 - of acrylamide, 336
 - of hybridization buffers, 431–432
 - of labeled probes, 411
 - maximizing purified DNA, 172
 - of membranes after crosslinking, 423–424
 - of nucleotides, 270–271
 - of oligonucleotides, 280
 - of radioisotopes, 149–150, 156–157
 - of reagents, 40
 - of restriction endonucleases, 232
 - of restriction enzymes, 228
- Shelves, storing reagents on, 40, 42
- Shielding, in minimizing radiation exposure, 163
- Shigella flexneri*, as biohazard, 115
- Shipments, of restriction endonucleases, 232, 259–260. *See also* Radioactive shipments
- Short term monitoring, in radioactive work areas, 161
- Shower, for biosafety, 119
- Side-by-side comparisons, 26
- Signal duration
 - in hybridization experiments, 407
 - in Western blotting, 377
- Signal sequences, in protein expression, 468–469
- Signal smears
 - in electrophoresis, 356–357
 - in genomic digests, 244
 - nuclease contamination and, 169

- in polymerase chain reactions, 317–318
 - troubleshooting, 222
- Signal strength, of labels, 405–406
- Silica resins, in DNA extraction, 176–178, 186, 190
- Silver/silver chloride reference system for pH meters, 77
- Simple digests, 236–239
 - modifying reaction conditions in, 237–239
- Simple two-fold titration,
 - troubleshooting with, 255–257
- Simultaneous double digests, 242–243
- Single-beam spectrophotometers, 95
- Single-coated autoradiography film, 438
- Single nucleotide polymorphisms (SNPs), polymerase chain reactions for finding, 313
- Single-stranded DNA, A_{260} values for, 278
- Single-stranded markers, in electrophoresis, 356, 364
- Single-stranded nucleic acid polymers
 - nomenclature of, 281–282
 - solutions of, 288
- Single-vector systems, for eukaryotic expression, 510
- Site preference, of restriction enzymes, 230
- Six problem-solving steps, 20–23
 - example of, 23–25
- Skin keratin, electrophoresis band from, 368
- Slides, preparation of, 121
- Small companies, 12–13
- Smear signals
 - in electrophoresis, 356–357
 - in genomic digests, 244
 - nuclease contamination and, 169
 - in polymerase chain reactions, 317–318
 - troubleshooting, 222
- Smith, Tiffany J., 197
- Sodium phosphate buffers, in DNA purification, 179
- Software
 - for BLAST searches, 328
 - for selecting primers, 327
 - for storage phosphor imagers, 444
- Solubility, of proteins, 481–483
 - Solubility problems, in baculovirus experiment, 532
- Solution nucleotides
 - purity of, 269–270
 - stability of, 270–271
- Solutions
 - quantitating dilute RNA, 218–219
 - RNase-free, 213
- Solvents
 - radioisotopes in, 146–147
 - water as, 44
- Sonication, in DNA extraction, 173
- Southern blotting, 244, 449–453
- Species specificity, in secondary reagents, 385
- Specific activity, of radioisotopes, 145–146, 153–154. *See also* Radioactivity
- Specificity, with polymerase chain reactions, 297
- Spectinomycin, in plasmid purification, 182
- Spectral bandwidth resolution, of spectrophotometers, 97–98
- Spectrophotometers, 94–110
 - accuracy of, 96–97, 101–103, 103–104, 104–105, 105–106
 - calibrating, 96–97, 98–100
 - computers with, 95
 - cuvettes for, 100
 - light sources for, 95–96
 - limitations of, 102–103
 - maintenance of, 101, 107
 - operating, 107–110
 - resolution of, 97–98
 - selecting, 94–98
 - service calls for, 106
 - types of, 95–96
 - wavelength range of, 96
- Spectrophotometry
 - quantitating dilute RNA via, 218–219
 - quantitating nucleotide solutions via, 273, 275
 - troubleshooting RNA, 221
- Spectroscopy, quantitating nucleotide solutions via, 273, 275
- Spending limits, 18
- Spills
 - in biosafety, 123
 - in centrifuges, 66
- Spin columns, in RNA purification, 211

- Spinner flasks, in eukaryotic expression, 514
- Spinning vacuum chambers, concentrating radioactive solutions via, 164–165
- Spodoptera frugiperda*, in eukaryotic expression, 503, 525
- Spore-forming filamentous fungi, safe handling of, 127–128
- Spun column chromatography through gel filtration resins, in DNA purification, 178–179, 184–185
- Spyro Ruby stain, 359
- Stability. *See also* Heat stability
 - of cell proteins, 464–465
 - of labeled probes, 411
 - of nucleotides, 270–271, 275, 276
 - of oligonucleotides, 280
 - of radioisotopes, 157–158
 - of restriction enzymes, 236
 - of spectrophotometers, 99–100
- Stable buffers, 37–38
- Stable expression systems, for eukaryotic expression, 504–506
- Stains
 - high background, 362, 395–396
 - for nucleic acids (table), 360
 - for nucleic acid transfer, 419–420
 - problems with, 395
 - for proteins (table), 360
 - selecting for electrophoresis, 357–363
- Standard deviation, calculating, 75–76
- Standards
 - in experiments, 21
 - NIST and, 83–84
 - for protein quantitation assays, 109–110
 - for spectrophotometers, 98–100
- Standards and guidelines, for pipette calibration, 70–71
- Staphylococcus aureus*
 - as biohazard, 115–116, 131
 - preparing for pulsed field electrophoresis, 245–246
- Star activity, of restriction endonucleases, 229–230
- Start codons, in gene expression, 466
- Statistics, data reliability and, 6
- Sterilization, 116–117, 124–125. *See also* Autoclaves
 - by media room, 136
 - of nitrocellulose and nylon membranes, 417–418
 - of plastic materials, 135
- Stevens, Jane, 49, 77
- Stirred tank bioreactors, in eukaryotic expression, 515
- Stock solutions, buffers from, 36–37
- Storage
 - of acrylamide, 336
 - of buffers, 37–38
 - of hybridization buffers, 431–432
 - of labeled probes, 411
 - of membranes after crosslinking, 423–424
 - of microbial strains, 125–126
 - minimizing RNA degradation during, 214–215
 - of nucleic acid polymers, 287–288
 - of nucleotides, 270–271
 - of oligonucleotides, 280
 - of pH meters, 91–92
 - of pipettes, 68
 - of purified DNA, 172
 - of purified RNA, 219, 222
 - of radioactive materials, 156–159
 - of reagents, 39, 40–41, 41–42
 - of restriction endonucleases, 232
 - of Western blots, 383
 - of Western blotting antibodies, 384
- Storage conditions, as source of problems, 21–22, 40–42
- Storage phosphor imagers
 - dynamic range of, 442–443
 - erasure of, 447
 - in nucleic acid hybridization, 441–448
 - operation of, 441
 - problems with, 447–448
 - quantitative capabilities of, 443–445
 - resolution of, 441–442
 - screens for, 445–447
 - sensitivity of, 441–442
 - speed of, 441–442
- Straight percent gels, 345–346
- Stray light, as affecting spectrophotometer accuracy, 97, 99
- Streaking, 122
- Strength, of hybridization membranes, 414. *See also* Signal strength

- Streptavidin
 - amplification and, 387–388
 - problems with, 395, 396
 - in Western blotting, 381–382, 386–387
- Streptomyces achromogenes*, restriction enzymes from, 227
- Stripping
 - in hybridization, 432–433
 - in Western blotting, 379, 380, 383, 388–389
- Strong acids, in buffering, 36
- Strong bases, in buffering, 36
- Structure, of polynucleotides, 283
- Subcloning, in eukaryotic expression, 500
- Suboptimal growth conditions, in baculovirus experiment, 530–531
- Substrates, in complex digests, 239–241
- Successful projects, 4
- Successful research, 5–9
- Sulfur radioisotopes, 157–158
 - autoradiography film and, 438, 439
 - shielding for, 163
 - signal strength of, 406
- Supercoiled DNA, centrifugation of, 63–64
- Suppliers, 11–29
 - communicating needs to, 18–19
 - contacting, 26–29
 - expectations of, 28
 - ordering custom products from, 18–19
 - problems with, 19–29
 - products from, 13–14
 - reliability of, 13
 - sales representatives of, 14–18
 - in solving problems, 25–26
 - working with, 12–14
- Supplies, for biosafety, 119
- Surgical instruments, autoclaving of, 134
- Suspensions, proper handling of microbial, 122
- Swinging bucket rotor, 58, 59
- SYBR Gold dye, 420
 - quantitating dilute RNA via, 219
- SYBR Green dye, 420
 - quantitating dilute RNA via, 219
- Synaptic complex formation, restriction endonucleases and, 254
- Synthetic polynucleotides, 281–288
- Tags
 - in eukaryotic expression, 515–517
 - with fusion systems, 472–474, 474–475
- Tap water, 42
 - organic compounds in, 45–46
- Taq DNA polymerase
 - in DNA purification, 170–171
 - in polymerase chain reactions, 292
 - primers with, 313
- TaqI* methylase, in genomic digests, 250–251
- Target pH, buffering toward, 33–34
- Targets
 - for eukaryotic expression, 493–495, 501–502
 - of hybridization experiments, 402
- Task planning, 2
- TBE (Tris, borate, EDTA) buffer, in DNA purification, 170
- Technical problems, in project planning, 3
- Technical support, for pH meters, 94
- TEMED potency, in acrylamide polymerization, 342–343
- Temperature
 - in acrylamide polymerization, 343
 - as affecting balance accuracy, 52–53, 54–55
 - for autoradiography film detection, 440–441
 - for baking membranes, 422
 - in DNA precipitation, 174
 - in gene expression, 478
 - for hybridization, 424–425
 - nucleotides and, 275
 - pH meters and, 84–85, 86
 - during pipette testing, 73, 75
 - in plasmid purification, 180–181
 - for polymerase chain reactions, 302–303, 309–310
 - of restriction enzyme shipments, 259–260
 - storage phosphor imagers and, 446
 - in storing purified DNA, 172
 - in storing radioisotopes, 156–157
- Temperature compensation, for pH meters, 84–85
- Template contamination, minimizing in polymerase chain reactions, 306–308
- Template modification, in polymerase chain reactions, 312

- Templates, troubleshooting PCR, 315
- TenBroeck homogenizer, cell disruption via, 216
- Test liquids, in pipette testing, 73
- Test points, in pipette testing, 74
- Test volumes, in pipette testing, 74
- Therapeutic proteins, eukaryotic expression of, 493, 494, 496, 501–502
- Thermal degradation, of nucleotides, 275, 276
- Thermocycling
 - nucleotide stability and, 275, 276
 - in polymerase chain reactions, 309–310
- The Scientist Web site, 14
- Thickness, of hybridization membranes, 414–415
- 30-mer oligonucleotide, labeling in hybridization experiments, 404
- Tilt, as affecting balance accuracy, 53–54
- Time
 - autoclaving, 135, 136
 - for autoradiography film detection, 440
 - for complex digests, 242
 - in DNA precipitation, 174
 - in DNA purification, 168
 - for hybridization, 426–427
 - for media culture requests, 137
 - in minimizing radiation exposure, 162
 - for signal detection, 406
 - for stains, 361
 - for storage phosphor imager detection, 441–442
- Tip immersion, of pipettes, 69
- Tissue
 - accidental self-inoculation with, 123
 - isolating DNA from, 172–184
 - total RNA yield from, 201–202, 203–206, 207–209
- Titer assays, troubleshooting with, 255–259
- Toluene, radioisotopes in, 147
- Top-loader balances, 51
- Total RNA, purification of, 198–201, 203–206, 207–209, 212
- Toxicity, of proteins, 469–470. *See also* Neurotoxin
- Transfection, in eukaryotic expression, 513
- Transfer buffers, for nucleic acid transfer, 418–419
- Transfer membranes, with Western blotting, 379–380
- Transfer vectors, selecting, 524–525
- Transformation failures, with restriction enzymes, 260–262
- Transient expression systems, in eukaryotic expression, 502–503
- Transilluminators, crosslinking on, 422
- Translation, with prokaryotic promoters, 464
- Translation termination, problems with, 483–484
- Trichoplusia ni*, in eukaryotic expression, 503, 525–526
- Trill, John J., 491
- Triple helix formation, with Achilles' heel cleavage, 253
- Triple helix resins, in plasmid purification, 183
- Tritium
 - autoradiography film and, 438–439
 - as radioactive waste, 158
 - shielding for, 163
 - signal strength of, 406
 - storage phosphor imagers for, 446
- Troubleshooting. *See* Problems
- Troutman, Trevor, 49, 51
- Trypanosoma*, as biohazard, 128
- Tubes, for centrifuges, 61
- Tungsten lamps, in spectrophotometry, 107, 108
- 2-D gels, 365–366
 - pH gradients and, 366–368
- 2-kilobase DNA fragment, labeling in hybridization experiments, 405
- Two-phase extraction systems, for DNA and RNA precipitation, 176
- Two-step mRNA (poly(A) RNA) purification, 209
- Type A License of Broad Scope, for handling radioisotopes, 143
- Tyre, Thomas, 11, 267
- Ultracentrifuges, 57
- Ultramicrobalances, 51
- Ultraviolet-visible (UV/Vis) spectrophotometry. *See* Spectrophotometers
- Unexpected results, planning for, 3

- Unit definition
 - for restriction enzymes, 233
 - for storage phosphor imagers, 444
- Upper management, directing complaints to, 28–29
- UV (ultraviolet) crosslinking, of nucleic acids, 422
- UV lamps
 - germicidal, 116
 - maintaining, 107
 - in spectrophotometers, 103
- Vacuum baking, of membranes, 422
- Variables, controlling, 7–8
- Vented flammables cabinets, storing reagents in, 40
- Vertical rotors, for centrifuges, 63, 65
- Vibration, in centrifuges, 66
- Viral lytic systems, for eukaryotic expression, 503–504
- Viral production problems, in baculovirus experiment, 531
- Viruses, safe handling of, 126–127
- Virus purification, 171
- Viscous samples, measuring pH of, 90
- Volatile nuclides, hoods for, 163
- Volny, William R., Jr., 141
- Volume range
 - of eukaryotic expression, 514–515
 - of pipettes, 67–68, 71–72
- Volumetric flasks
 - in eukaryotic expression, 514
 - refrigerating reagents in, 41
- Volumetric titration, troubleshooting with, 257
- Walking centrifuge, 66
- Walsh, Paul R., 225
- Wash buffers, for Western blotting, 382
- Washing
 - in hybridization, 434–435
 - problems with, 395
 - in Western blotting, 382–383
- Washing efficiency, in hybridization, 435
- Wash solutions, in hybridization, 434–435
- Waste, disposal of radioactive, 158–159
- Waste decontamination, 139–140
- Water, 42–47
 - grades of, 42–44
 - leaks and, 46–47
 - microbial contamination of, 45–46
 - organic compounds in, 45–46
 - pH of, 44
 - as solvent, 44
- Water purification, via reverse osmosis, 43–44
- Water purification systems, leaks in, 46–47
- Water purity, in acrylamide polymerization, 344
- Wave Bioreactor, in eukaryotic expression, 514–515
- Wavelength accuracy, of spectrophotometers, 96, 97, 99, 105
- Wavelength range, of spectrophotometers, 96
- Wavelength reproducibility, of spectrophotometers, 99
- Weak acids, as buffers, 33
- Weak emitters, autoradiography film and, 438–439
- Web sites
 - Biosci, 13
 - for polymerase chain reactions, 328–329
- Weighing, quantitating nucleotide solutions via, 274, 287
- Western blotting, 374–397
 - amplification in, 387–388
 - antibodies in, 378
 - blocking in, 380–382
 - detection strategies with, 375–380
 - gene expression and, 477
 - molecular weight and, 365
 - primary antibody in, 383–384
 - proteins and, 374–375
 - reprobing in, 379, 380, 388–389
 - secondary reagents in, 384–387
 - setting up new methods for, 396–397
 - stained proteins and, 363
 - stripping in, 379, 380, 383, 388–389
 - troubleshooting, 389–396
 - washing in, 382–383
- Western blotting troubleshooting logic tree, 390–392
- Wet membranes
 - in hybridization, 432
 - in nucleic acid transfer, 420–421
- Wick junctions, in pH meters, 93
- Wipe test, for radioactive shipments, 151–152

- World Health Organization (WHO), 115
- Xenon lamps, in spectrophotometry, 107
- X rays
 - autoradiography film and, 439–440
 - in *Bremsstrahlung*, 152
- Yeast
 - disruption of, 217
 - eukaryotic expression with, 505–506
 - minimizing degradation of RNA from, 215, 217
 - total RNA isolation from, 208–209
- Yelling, 29
- Yields
 - from fusion systems, 471–472
 - maximizing eukaryotic expression protein, 529–530
- Z factor, of pipettes, 75, 76
- “Zippering up,” hybridization times and, 426
- Zonal centrifugation, 55–56
- Zwitterionic detergents, for native PAGE, 355
- Zymolase, cell disruption via, 217