

Index

A

- Acrylamide, safety precautions, 82, 147
- Agarose gel electrophoresis, *see also*
 - Northern blot analysis; Southern blot analysis
 - digested pGEX2 plasmid purification, 39–42
 - polymerase chain reaction products, 30–31, 64–66
 - pUC119 phagemid vector purification, 111

B

- BLAST, gene homology searching, 157–158

C

- Cesium chloride–ethidium bromide density gradient centrifugation
 - band identification, 25, 63
 - cell growth, 20–22
 - centrifugation and extraction, 22–23, 25
 - principle, 19–20
 - ribonuclease treatment in plasmid preparation, 21–22
 - solution preparation, 24

D

- Daily schedule, course synopsis, 9–14
- Density gradient centrifugation, *see* Cesium chloride–ethidium bromide density gradient

- DEPC, *see* Diethylpyrocarbonate
- Dideoxy sequencing, *see* DNA sequencing

- Diethylpyrocarbonate
 - ribonuclease elimination, 192–193
 - safety precautions, 193

- DNA sequencing
 - automated sequencing, 144, 155, 162
 - confirmation of oligonucleotide-directed mutagenesis, 5, 144
 - dideoxy sequencing
 - principle, 144
 - reaction mixtures, 152–153, 161
 - solution preparation, 153
 - templates and primers, 151
 - homology searching with BLAST, 157–158
 - polyacrylamide gel electrophoresis
 - autoradiography, 149
 - gel preparation, 147–148
 - loading, 148
 - running conditions, 148, 161
 - solution preparation, 149
 - radiation safety, 145, 147

E

- ELISA, *see* Enzyme-linked immunosorbent assay
- Enzyme-linked immunosorbent assay, quantitative analysis, 91
- Ethidium bromide, *see also* Cesium chloride–ethidium bromide density gradient centrifugation
 - safety precautions, 7, 21

F

Fusion protein, *see* VirD2, glutathione *S*-transferase fusion protein

G

β -Galactosidase

filter assay in yeast two-hybrid system, 218–219, 225–226

virD2 cloning into pUC119 phagemid vector, screening, 105–106

Genomic DNA

preparation from *Agrobacterium tumefaciens*, 165–167

restriction digestion, 169

Glutathione *S*-transferase, *see* VirD2, glutathione *S*-transferase fusion protein

H

Hybridization, *see* Northern blot analysis; Southern blot analysis

L

Ligation

pGEX2 vector, 45–46

pUC119 phagemid vector, 113–114

M

Melting temperature, DNA, 64

N

Nick translation, probe preparation

Northern blot analysis, 207–209

Southern blot analysis

labeling, 179

principle, 179

purification and quantitation, 180–181

reaction conditions, 180

solution preparation, 181–182

Northern blot analysis

applications, 192

rbsS transcripts

agarose–formaldehyde gel

electrophoresis, 199–201, 215

denaturation and blotting of RNA, 203–204

hybridization and washing, 211–212

overview, 5–6, 192

probe preparation by nick translation, 207–209

ribonuclease elimination with diethylpyrocarbonate, 192–193

RNA preparation from tobacco leaves, 195–197

O

Oligonucleotide-directed mutagenesis

overview of uracil template method, 4–5, 100–102

screening, 103

virD2 deletion mutation

annealing reaction, 129–130, 141

background, 100–102

cloning into pUC119 phagemid vector

DNA purification from agarose gels, 111

β -galactosidase screening, 105–106

ligation of restriction fragment and vector, 113–114

plasmid preparation and restriction analysis, 117

restriction digests, 106, 109

target sequence orientation, 106–107

DNA sequencing confirmation, 5, 144

oligonucleotide phosphorylation, 125–126

plasmid preparation, small-scale, 137–138

- primer extension reaction, 133–134
 - restriction analysis in mutant confirmation, 138–139
 - single-stranded template preparation
 - cell growth and infection, 120–121
 - overview, 119
 - phage harvesting and DNA extraction, 121–122
 - phage titer, 119
 - solution preparation, 122–123
 - transformation of *Escherichia coli*, 137
- P**
- PCR, *see* Polymerase chain reaction
 - Phenol, buffer equilibration, 119, 165, 195
 - Phenylmethylsulfonyl fluoride, safety precautions, 76
 - Plasmid
 - alkaline lysis preparation, 55–57
 - purification by cesium chloride–ethidium bromide density gradient centrifugation
 - cell growth, 20–22
 - centrifugation and extraction, 22–23, 25
 - principle, 19–20
 - ribonuclease treatment, 21–22
 - solution preparation, 24
 - restriction analysis, 59–61, 68, 117, 138–139
 - restriction digestion, 36–37, 66
 - types for fusion protein construction, 20
 - yeast two-hybrid system, 219
 - PMSF, *see* Phenylmethylsulfonyl fluoride
 - Polyacrylamide gel electrophoresis, *see also* Sodium dodecylsulfate–polyacrylamide gel electrophoresis
 - DNA sequencing
 - autoradiography, 149
 - gel preparation, 147–148
 - loading, 148
 - running conditions, 148, 161
 - solution preparation, 149
 - restriction fragment analysis, 139
 - Polymerase chain reaction
 - agarose gel electrophoresis of products, 30–31, 64–66
 - amplification reaction, 29–30
 - checklist, 29, 32
 - contamination, 28–29
 - ligation of product to pGEX2 vector, 45–46
 - melting temperature of DNA, 64
 - principle, 27–28
 - restriction digestion of products, 37, 67
 - solution preparation, 31
 - Power supply, safety precautions, 7
 - Protein–protein interactions, *see* Yeast two-hybrid system
- R**
- Radioisotopes, safety precautions, 7, 145, 179, 207
 - rbsS* transcripts, Northern blot analysis
 - agarose–formaldehyde gel electrophoresis, 199–201, 215
 - denaturation and blotting of RNA, 203–204
 - hybridization and washing, 211–212
 - overview, 5–6, 192
 - probe preparation by nick translation, 207–209
 - ribonuclease elimination with diethylpyrocarbonate, 192–193
 - RNA preparation from tobacco leaves, 195–197
 - Restriction digestion
 - cohesive end joining in cloning, 35
 - genomic DNA, 169
 - pGEX2 plasmid, 36–37
 - polymerase chain reaction products, 37

- Restriction digestion (*continued*)
 restriction analysis of plasmids,
 59–61, 68, 117, 138–139
- Restriction fragment length
 polymorphism, Southern blot
 analysis of *virD2*
 agarose gel electrophoresis, 171–172,
 189
 denaturation and blotting of gel,
 175–177, 189
 genomic DNA preparation from
Agrobacterium tumefaciens,
 165–167
 hybridization and washing, 185–187, 190
 overview, 5, 164
 probe preparation by nick translation
 labeling, 179
 principle, 179
 purification and quantitation, 180–181
 reaction conditions, 180
 solution preparation, 181–182
 restriction digestion of genomic
 DNA, 169
- RFLP, *see* Restriction fragment length
 polymorphism
- RNase
 contamination avoidance, 21, 119
 diethylpyrocarbonate elimination,
 192–193
 plasmid preparation treatment, 22
- RuBisCO gene, *see* *rbsS*
- S**
- Safety precautions, overview, 7–8
- SDS–PAGE, *see* Sodium dodecylsul-
 fate–polyacrylamide gel
 electrophoresis
- Sequencing, *see* DNA sequencing
- Sodium dodecylsulfate–
 polyacrylamide gel
 electrophoresis, *see also* Western
 blot analysis
 casting of gel, 82–83
 gel polymerization, 81
 loading, 83–84
 principle, 81
 protein detection, overview of
 methods, 81–82
 running conditions, 83
 silver staining, 87–89
 solution preparation, 85
- Southern blot analysis, restriction
 fragment length polymorphism
 analysis of *virD2*
 agarose gel electrophoresis, 171–172,
 189
 denaturation and blotting of gel,
 175–177, 189
 genomic DNA preparation from
Agrobacterium tumefaciens,
 165–167
 hybridization and washing,
 185–187, 190
 overview, 5, 164
 probe preparation by nick translation
 labeling, 179
 principle, 179
 purification and quantitation,
 180–181
 reaction conditions, 180
 solution preparation, 181–182
 restriction digestion of genomic
 DNA, 169
- T**
- Transformation
Escherichia coli
 fusion protein vector, 49–52,
 68
 oligonucleotide-directed
 mutagenesis, 137
 pUC119 phagemid vector, 117
 yeast, 221–223
- V**
- virD2*
 function of virulence genes, 2

- fusion to glutathione *S*-transferase gene
 - fusion plasmid
 - preparation by alkaline lysis, 55–57
 - restriction analysis, 59–61, 68
 - overview, 3–4, 18
 - plasmid purification by cesium chloride–ethidium bromide density gradient centrifugation
 - band identification, 25, 63
 - cell growth, 20–22
 - centrifugation and extraction, 22–23, 25
 - principle, 19–20
 - ribonuclease treatment, 21–22
 - solution preparation, 24
 - polymerase chain reaction for restriction site flanking agarose gel electrophoresis of products, 30–31, 64–66
 - amplification reaction, 29–30
 - checklist, 29, 32
 - contamination, 28–29
 - ligation of product to pGEX2 vector, 45–46
 - melting temperature of DNA, 64
 - principle, 27–28
 - solution preparation, 31
- protein preparation, *see* VirD2, glutathione *S*-transferase fusion protein
- purification of digested pGEX2 plasmid
 - agarose gel electrophoresis and band recovery, 39–41
 - glass milk purification technique, 41–42
- restriction digestion
 - cohesive end joining in cloning, 35
 - pGEX2 plasmid, 36–37, 66
 - polymerase chain reaction products, 37, 67
 - transformation of *Escherichia coli*, 49–52, 68
- oligonucleotide-directed mutagenesis, deletion mutation production
 - annealing reaction, 129–130, 141
 - background, 100–102
 - cloning into pUC119 phagemid vector
 - DNA purification from agarose gels, 111
 - β -galactosidase screening, 105–106
 - ligation of restriction fragment and vector, 113–114
 - plasmid preparation and restriction analysis, 117
 - restriction digests, 106, 109
 - target sequence orientation, 106–107
 - DNA sequencing confirmation, 5, 144
- oligonucleotide phosphorylation, 125–126
- plasmid preparation, small-scale, 137–138
- primer extension reaction, 133–134
- restriction analysis in mutant confirmation, 138–139
- single-stranded template preparation
 - cell growth and infection, 120–121
 - overview, 119
 - phage harvesting and DNA extraction, 121–122
 - phage titer, 119
 - solution preparation, 122–123
- transformation of *Escherichia coli*, 137

virD2 (continued)

- restriction fragment length polymorphism, Southern blot analysis
- agarose gel electrophoresis, 171–172, 189
- denaturation and blotting of gel, 175–177, 189
- genomic DNA preparation from *Agrobacterium tumefaciens*, 165–167
- hybridization and washing, 185–187, 190
- overview, 5, 164
- probe preparation by nick translation
 - labeling, 179
 - principle, 179
 - purification and quantitation, 180–181
 - reaction conditions, 180
 - solution preparation, 181–182
- restriction digestion of genomic DNA, 169
- VirD2, glutathione *S*-transferase fusion protein
 - expression and purification in *Escherichia coli*
 - cell growth and lysis, 76–77
 - glutathione affinity purification, 77
 - solution preparation, 77–78
 - strains, 75–76, 97
 - promoter for expression, 72
 - protease degradation, 72
 - sodium dodecylsulfate–polyacrylamide gel electrophoresis
 - casting of gel, 82–83
 - gel polymerization, 81
 - loading, 83–84

- principle, 81
- protein detection, overview of methods, 81–82
- running conditions, 83
- silver staining, 87–89
- solution preparation, 85
- solubility, 72
- vector construction, *see virD2*
- Western blot analysis
 - antibodies, 91–92
 - band identification, 97–98
 - blot transfer, 92–93
 - membranes, 92
 - principle, 91
 - solution preparation, 94
 - staining and washing, 93–94
- VirE1, *see* Yeast two-hybrid system
- VirE2, *see* Yeast two-hybrid system

W

- Western blot analysis
 - antibodies, 91–92
 - band identification, 97–98
 - blot transfer, 92–93
 - membranes, 92
 - principle, 91
 - solution preparation, 94
 - staining and washing, 93–94

Y

- Yeast two-hybrid system
 - applications, 218
 - principle, 6, 218
 - VirE1–VirE2 interactions
 - β -galactosidase filter assay, 218–219, 225–226
 - plasmids, 219
 - transformation of yeast, 221–223