

# Subject Index

---

## A

Abbe refractometry 799  
Ab initio calculations 702  
ABS-braking 604  
Absolute units ( $\text{cm}^{-1}$ ), scattering 408, 413–415, 418–419  
Absorption coefficient 943  
Activation energy 600, 1011  
Acrylics  
  Structural adhesives 481  
  Pressure-sensitive adhesives 483  
Activation energy 218, 219  
Adhesive 477  
Adhesive energy 529  
Adherend 477  
Adhesive bond 477  
Adhesive joint 477  
Adhesion 477  
Adhesion and van der Waals forces 477–478  
Adhesion and surface roughness 478  
Adhesion and diffusion 477–478  
Adhesion and surface energy 477  
Adsorption 529  
Adsorption heat 545, 546  
Adsorption of block copolymers 346  
Air-oven test 910  
Alpha relaxation 391  
Affine network 70  
Aggregate growth 542  
AMBER force field 59  
Amorphous carbon 545  
Amorphous polymers 607–609  
  Density 93–10  
  Polymer-solvent interaction  
    parameter  $\chi$  233–257  
  PVT Properties 91–101  
Amino acids 769  
Amplitudon 393  
Amylose 25, 526  
Andrade creep 193  
Antenna effect 689  
Antiferromagnetism 763, 764  
Antioxidant 909  
ASTM D542 799  
Atacticity 366  
Atomic force microscopy (AFM) 523  
Atom transfer radical polymerization 5

## Avrami

  Equation 621  
  Exponent 622  
Azopolymer 528

## B

Babinet compensator 800  
Ballistic cluster-cluster aggregation 542  
Ballistic deposition 543, 544  
Band assignment 395  
Barex 1017  
Barrer 1014  
Barrier properties 565  
Becke line technique 799  
Bending testing 432  
BET surface area 539  
Beta-peptides 695  
Beta relaxation 218, 391  
Biaxial extension 555  
Binary blend phase diagrams 342  
Binding free energy 529  
Binodal curve 340  
Biodegradable polymers 915–923  
Biopolymers 695, 768, 769  
Birefringence 800  
Bisphenol A polysulfone 25  
Blends 408, 414, 416–417, 419  
Block copolymers 378  
Bond dissociation 905  
Bond reactivity 905  
Bond rotational potential 69  
Bond state probability 70  
Bragg's Law 407  
Braun-Kovacs equation 191  
Brittleness 442  
Broadband Dielectric Spectroscopy (BDS) 385  
Brownian dynamics 74  
Brownian motion 76  
Buckingham potential 59  
Buffer 524  
Building blocks for controlled structured materials 578  
  Octafunctional POSS 578  
  Well-defined nanocomposite 578  
  Hydrosilylation reactions 578  
  Network structure 581

## C

$^{13}\text{C}$  NMR 366  
Capillary condensation 540  
Carbon black 417–418, 442, 595–600, 602–604  
Carbon black formation 537, 542, 543, 544  
Carbon black networking 537  
Carbon black processing 542, 543, 544  
Carbon dioxide, supercritical 320, 328–334  
Carbon nanotube composite fibers  
  Melt spun 586  
  Solution spun 586  
  Electro-spun 586  
  Draw ratio 586  
Carbon nanotube composite films  
  Pressing 586  
  Casting 586  
  Spinning 586  
Carbon nanotubes 11, 583  
  Type 583, 589  
  Diameter 593  
  Mechanical properties 584  
  Enhancements in composites 588  
Cardo polymer 1021  
Carrageenan 526  
CCA-model 698  
Cellulose 25, 526  
  Permeability 1016  
Cellulose acetate 25, 404  
  Permeability 1016  
  Solutions of, interaction parameter  $\chi$  235  
Cellulose nitrate 25, 1016  
  Solutions of, interaction parameter  $\chi$  235  
Ceramic char 963  
Ceramic composition 963  
Ceramic conversion 977  
Ceramic precursors 958  
  Boron-containing 975  
  SiC 961  
  Si<sub>3</sub>N<sub>4</sub> 968  
Ceramic yield 960  
CFF force field 60  
Chain collapse 77  
Chain conformation 408  
Chain depolymerization 903

- Chain dimensions 407, 445  
  Polyacrylics 448  
  Polydienes 447, 448  
  Polymethacrylics 448  
  Polyolefins 447  
  Temperature dependence 449, 450  
  Thermoplastics 448, 449
- Chain relaxation capability 423
- Chain stiffness 197
- Chain terminators 909
- Chain with fixed bond angles 67
- Characteristic properties 200
- Characteristic ratio 42, 51, 66–68, 260, 445  
  Polyacrylics 448  
  Polydienes 447, 448  
  Polymethacrylics 448  
  Polyolefins 447
- Characterization techniques 550
- CHARMM force field 59, 61
- Chemical adsorption 524
- Chemical potential  
  Polymer solutions 233–234
- Chemical shift 362
- Chemical shift anisotropy 373
- Chemically amplified photoresist 941
- Chimeras 705
- Chloroprene in rubber-based adhesives 482
- Class II force fields 60, 62
- Coefficient of thermal expansion 93, 95, 97
- Coexistence curves 321
- Collapse transition 78
- COMPASS force field 60, 62
- Compliance functions at  $T_g$  204
- Composite interfaces, nanotubes  
  Interfacial adhesion 588, 589  
  Interfacial shear strength 590, 592  
  Interfacial failure 592  
  Polymer crystallization 591  
  Differential scanning calorimetry 591  
  Nanotube-nucleated crystallinity 591  
  Polymer sheathing 591, 592  
  Interfacial region 592
- Composites 485, 486
- Composition fluctuations 638, 642
- Compressibility 95, 100
- Compressive testing 431
- Compton scattering 409, 413
- Concentration dependences 190
- Condis crystals 650
- Conditional bond state probability 70
- Cone calorimeter 564
- Configurational partition function 69, 71
- Conformational asymmetry 638
- Conformational partition function 44–45
- Constants 1037
- Constrained-chain model 73
- Constrained-junction model 72
- Contour length 525
- Contrast 408–411, 417  
  For X-rays 413  
  For neutrons 411, 413–414, 416
- Conversion factors 1036
- Copolymer architecture 950
- Copolymerization 946
- Copolymers, solubility in supercritical fluids 323–326
- Correspondence principles 424, 432, 435, 440
- Co-solutes  
  Effect on theta temperature 283
- Core-shell model for polymer latexes 413
- Correlation length 414–415, 417
- Corresponding states theory 540
- 2D-COSY 371
- Coulomb forces 59, 764
- Coupling model 204
- Crack propagation 664  
  Rapid 428  
  Slow 429
- Crankshaft motions 224, 230
- Crazes 427
- Creep 433  
  Recovery 434
- Creep compliance 193
- Critical molecular weight 446, 449
- Cross-coupling parameters 58
- Cross-link density dependences 192, 194, 195
- Cross-polarization 375
- Crystal structures 615
- Crystalline melting temperature 218
- Crystalline polymers 607–609
- Crystallinity 608, 609
- Crystallization 410, 414, 416  
  Kinetics 621–636
- Cubic lattice 74
- Curie temperature 763, 764, 767
- CVFF force field 62
- Cyclic polymers 12, 14–16
- D**
- Debye-Bueche model 414, 419  
  Plot 414
- Decomposition temperature 912
- Decoupling (heteronuclear) 367
- Decoupling (homonuclear) 366
- Definitions, 1027–1032
- Degradation 903
- Degradation: chemical factors 904, 905
- Degradation mechanism 905, 906
- Degradation monitoring 909, 910
- Degradation: physical factors 904
- Degree of crystallinity 196
- Dehydroabietic acid (DHAA) 203
- Delta relaxation 391
- Denaturation 701
- Density 553  
  Temperature dependence 93–96  
  Pressure dependence 95, 98–100
- Density definition 607
- Density fluctuations 410, 413
- Density general trend 607
- Density measurement 609
- Density values (table) 610–613
- Dendrimers, polymeric 18–20
- Desorption 529
- Deuterium labeling 417
- Deuterium substitution effect on thermodynamics 346
- Diads 365
- Diamagnetism 763
- Diffused-constraint model 73
- Diffusion 1009
- Diffusion coefficient 1010, 1010, 1011
- Doolittle viscosity equation 425
- Dielectric properties 537
- Differential scanning calorimetry 554
- Dipolar coupling 362
- Dipolar decoupling 375
- Dipole CH- $\pi$   $\pi$  interaction 701
- Dipole moments 50, 52, 59
- Directly measured solid surface free energy 991
- Dispersion 799
- Dispersion of nanotubes 584  
  Melt mixing 584  
  Sonication 584, 585  
  In situ polymerization 584  
  Stress concentration 585, 588  
  Surfactants 585  
  Functionalization 585
- Nitric acid 585
- Epoxide 585
- Amine 585
- PMMA-grafted 585  
  Entanglement 585  
  Bird's nest 585  
  Dispersion quality 585  
  Optimum sonication 585
- Dissolution inhibition 946, 951
- Dissolution properties 943
- DL\_POLY 62
- DNA 695
- DNA collapse 78
- DREIDING force field 60, 61
- Dual-mode sorption 1012, 1013
- DUV (248 nm) resists 943, 948
- Dynamic mechanical analysis 217, 438
- Dynamic mechanical properties 557
- Dynamic process 530
- E**
- Elastic free energy 70
- Elastic modulus 486
- Elastic scattering 408, 410
- Elastic stiffness tensor 766

- Elastomers 440  
 Electrets 767  
 Electric field effects 660  
 Electric polarization 765, 767  
 Electrochemical potential 528  
 Electron microscopy 550  
 Electronic wires 9  
 Elongation 486  
 Elongation at break 443, 444  
 End-to-end distance 42, 50  
 End-to-end distance in the melt 445  
   Polyacrylics 448  
   Polydienes 447, 448  
   Polymethacrylics 448  
   Polyolefins 447  
   Thermoplastics 448, 449  
 End-to-end vector 42, 50, 66–68, 70  
 Energy conversion 528  
 Engineering strain 431  
 Engineering stress 430  
 Entanglement criterion 445, 446  
 Entanglement molecular weight 446  
   Polyacrylics 448  
   Polydienes 447, 448  
   Polymethacrylics 448  
   Polyolefins 447  
   Temperature dependence 446  
   Thermoplastics 448, 449  
 Entanglement overlap parameter 446  
   Polyacrylics 448  
   Polydienes 447, 448  
   Polymethacrylics 448  
   Polyolefins 447  
   Thermoplastics 448, 449  
 Entanglement strand volume 446  
 Entanglements 446, 602  
 Entanglements, trapped 602  
 Entropic interactions 700  
 EPDM 602–603  
 Epoxies as structural adhesives 481  
 Epoxy resin curing 195, 196  
 Epoxy resins 193  
 Equation of state 321–326  
 E-SBR 600  
 Ethyl cellulose 1016  
   Solutions of, interaction  
     parameter  $\chi$  235–236  
 Ethylene-propylene copolymers  
   Growth kinetic coefficients 635  
 Ethylene-vinyl acetate copolymer as a  
   hot-melt adhesive 482  
 Ewald summation 58  
 Excluded volume effect 75  
 Exponents 85
- F**
- Failure mechanisms, nanotube  
 composites  
   Stress transfer 589  
   Pull-out 589
- In-situ TEM straining 588  
 Crack bridging 588  
 Fatigue 439, 569  
 Fatigue life 589  
 Ferroelectric liquid crystals 768  
 Ferroelectrics 767  
 Ferromagnetic organic polymers 764,  
 765  
 Ferromagnetism 763, 764  
 Fick's law 1010  
 Fictive temperature 189  
 Filler network 537, 595, 597–598,  
 600–601, 603  
 Filler-filler bonds 697–698,  
 601–602  
 Fillers 417, 549  
 Fingerprinting 526  
 Flame retardancy 563, 564  
 Flexural strength 492  
 Flexural modulus 492  
 Flexure testing 432  
 Flocculation 595, 597–598,  
 601–604  
 Flory approximation 85  
 Flory theta temperature 234  
 Flory-Huggins free energy of mixing  
 340, 700  
 Flory-Huggins interaction  
   parameter  $\chi$  233–257, 339, 637  
 Flory-Rehner 567  
 Fluctuations of junctions 71, 72  
 Fluorinated materials 700  
 Fluorinated polybutadiene 355  
 Fluorinated polyisoprene 355  
 Fluorohectorite 568, 569, 570  
 Foldamers 20, 696  
 Force curve 524  
 Force field parameterization 57  
 Force induced conformation  
   transition 526  
 Form factor 409, 411, 413  
 Fourier transform (FT) 364, 365  
 Fox-Loshaek equation 193  
 Fractal analysis 537  
 Fractals 83  
 Fracture  
   Brittle 437  
   Ductile 437  
   Mechanics 426  
 Free energy 697  
 Free volume 1013  
 Fracture test for adhesives 479  
 Freely-jointed chain 66, 525  
 Freely-rotating chain 67  
 Free induction-decay (FID) 364, 365  
 Free radicals 904  
 Free volume model 199  
 Friction, static and dynamic 658  
 Fullerene, dendrimer 12  
 Fullerene, side chain 11, 12  
 Fullerenes 543
- G**
- Gamma relaxation 221, 391  
 Gas permeability 218  
 Gas solubility 1010  
 Gauche effect 370  
 Gauche states 370  
 Geminal coupling 366  
 Genetic algorithm 77  
 Gibbs-Adams-DiMarzio (GAD)  
   Model 199  
 Gibbs free energy 233  
 Glass transition 217, 596, 597, 600  
   Head-to-head chains 8  
 Glass transition temperature 187, 588,  
 949, 1013  
   Reduction by supercritical fluids 327,  
 331–332  
 Glassy compliance 194  
 Glassy polymers  
   Density 95, 96  
   Tait equation 95, 99  
 Glucose 526  
 Goldstone mode 391  
 Graphitic planes 545  
 Greek alphabet 1037  
 Green tire 597  
 GROMACS 61  
 GROMOS force field 59, 61  
 Guinier plot 409, 411, 413  
 Gyromagnetic ratio 359
- H**
- Half-decomposition temperature 910  
 Halpin-Tsai 561–563  
 Havriliak-Negami relaxation 385  
 Head-to-head defects 5  
 Head-to-head polypropylene 353  
 Heat of condensation 1011  
 Heat of solution 1011  
 Heat capacity 145  
   Solid amino acids 105–111  
   Solid poly amino acids 113–132  
   Solid proteins 133–136  
 Heat-resistant polymers 905, 907–909,  
 911  
 Heat stabilizer 909  
 Hectorite 569  
 Hierarchical structures 654  
 Helical nomenclature 703  
 Henry's law 1010, 1012, 1013  
 Henry's law constant, polymer  
   melts 327–328  
 Heptads 369  
 2D-Hetcor 379  
 Hexafluorobisphenol-A  
   polycarbonate 1015  
 Hexafluoroisopropylpropylidene  
   group 222  
 HMDS 368  
<sup>1</sup>H NMR 365

- Hot-melt adhesives 481  
 Hot-melt adhesive chemistry 481–482  
 Hot-melt adhesive physical properties 482  
 Hydrogen bonding 59, 528  
 Hydrophilic interactions 700  
 Hydrophobic interaction 531, 700  
 Hydroxypropyl cellulose 26  
   Solutions of, interaction parameter  $\chi$  236  
 Hysteresis 566
- I**
- I-line (365 nm) resists 943, 947  
 Immobilization 524  
 Immobilized polymer 599  
 Impact  
   Strength 443, 444, 486, 557  
   Testing 436  
   Transition temperature 436  
 Incorporating 524  
 Induced polarisation 386  
 Inelastic scattering 408–410  
 Infrared 395, 553  
 In-situ generation of silica 549  
 Interaction parameter, polymer-solvent 233–257, 418, 419  
 Interfacial conformation 529  
 Interfacial tension 989  
 Interfacial tension, polymers/supercritical fluids 329, 333  
 Intermolecular forces 197  
 Internal plasticization 197, 219  
 Internet portals for materials 912–914  
 Inverse gas chromatography 234, 545  
 Ion channels 769  
 ISO489 799  
 Isobaric expansivity 655  
 Isotacticity 365  
 Isothermal compressibility 95, 100  
 Isothermal contraction below  $T_g$  201  
 Isothermal expansion below  $T_g$  201  
 Isothermogravimetric analysis (IGA) 910  
 Isotope effects 418–419
- J**
- James and Guth theory 71
- K**
- Kapton 222  
 Kel-F 1016  
 Kelly-Bueche equation 191  
 Kevlar 226, 227  
 Kinetic cluster-cluster aggregation 537  
 Kirchhoff matrix 71  
 Kohlrausch relaxation function 204  
 Kovacs-Aklonis- Hutchinson-Ramos (KAHR) model 199
- Kratky plot 415  
 Kuhn length 445, 525  
   Polyacrylics 448  
   Polydienes 447, 448  
   Polymethacrylics 448  
   Polyolefins 447
- L**
- Ladder polymer 26, 905–907, 1021  
 LAMMPS 62  
 Langevin equation 544  
 Langmuir adsorption isotherm 545  
 Lap shear test for adhesives 478–479  
 Larmor frequency 360  
 Lattice chain model 74  
 Lauritzen and Hoffman  
   Secondary nucleation theory 622, 623  
   Growth rate equation 622  
 Lennard-Jones potential 58  
 Lentz's law 763  
 Light scattering 408, 411  
   Measurement of chain dimensions 408  
   Polarization effects 408  
 Liquid crystals  
   Phases 653  
   Theory 662  
 Liquid-crystalline polymers 390, 768  
 Liquid state theory 642  
 Liquid surface tension 988  
 157 nm Lithography 943, 945, 946, 947  
 Living radical polymerization 5, 943  
 Long plateau 530  
 Loop structure 529  
 Lower critical temperature 260, 342  
 Lubricants 442
- M**
- Magic angle 363  
 Magic angle spinning (MAS) 375  
 Magnetic field effects 442, 661  
 Mass density 607  
 Mass fractal dimension 538, 542  
 Master curves 433, 435  
 Master equation 74  
 Matrix of rotational transformation 68  
 Mean heat release rate 564  
 Mechanical properties 485, 554  
   acrylonitrile-butadiene rubber 570, 571  
   butyl rubber 568–569  
   ethylene-propylene- dimer 571  
   hydrogenated acrylonitrile-butadiene rubber 570, 571  
   natural rubber 570, 571  
   styrene-butadiene rubber 567  
   thermoplastic 561–563  
   thermoset 565, 566  
 Melt density  
   Polyacrylics 448  
   Polydienes 447, 448  
   Polymethacrylics 448  
   Polyolefins 447  
   Thermoplastics 448, 449  
 Melting temperature, reduction by supercritical fluids 327, 329–330  
 Meso placements 365  
 Mesomorphic phases 649  
 Meta-PE (phenylene ethynylene) 697  
 Metallo-polymers 764  
 Methodology 524  
 Microgels 596, 598  
 Microstructure 3  
 Microtubules 769  
 Misnomers 608  
 Mixing time 379  
 Modified freely jointed chain (M-FJC) 525  
 Modulus, intrinsic 596  
 Modulus, shear 595, 596, 599  
 Moisture absorption 218  
 Molar refraction 799, 800  
 Molecular conformation 615  
 Molecular dynamics 74, 385, 664  
 Molecular mechanics 59, 77, 702  
 Molecular machine 527  
 Molecular modeling 702  
 Molecular models 199  
 Molecular recognition 696  
 Molecular structure 197  
 Molecular weight dependence 192  
 Molecular weights 943  
 Monomer liquid crystals 650  
 Monsanto FTF tester 569  
 Monte Carlo method 57, 75, 76, 1013  
 Montmorillonite  
   exchange capacity 560  
   structure 560  
 Mooney viscosity 570  
 Mori-Tanaka 561–563  
 Morphology 196  
 Morse potential 58  
 Multicomponent thermodynamics 348  
 Multifunctional materials 593
- N**
- Nanoindentation 442  
 Nanomechanics 532  
 Nanoreinforced Poss-based Polymer and copolymers 575  
   Monofunctional 576, 577  
   Difunctional POSS 576, 577  
   Physical Blending 575, 577  
   POSS-styrene system 576, 578  
   POSS-polynorbornene 576, 578  
   POSS-epoxy 576, 578  
   Siloxane-POSS 576, 578  
   POSS-polyethelene 576, 578  
   Polyurethane-POSS 576, 578  
   Acrylate-POSS 576, 578  
   Polyimide-POSS 576, 578

- Natural rubber  
 Compressibility 95, 98, 100  
 Density 94, 96  
 Solutions of, interaction  
 parameter  $\chi$  247  
 Thermal expansion coefficient 97  
 Thermal pressure coefficient 99  
 Néel temperature 763  
 Negative-tone photoresist 941  
 Network phases 644  
 Neutron  
 Kinetic energy 408  
 Spin 409  
 Neutron scattering 408, 410, 419  
 Nicalon 960  
 NMR 552  
 NMR (phenomenon) 359, 360  
 2D-NMR 371  
 2D-NOESY 371  
 Nomex 226  
 Nonbonded parameters 62  
 Nonelectrostatic contribution 531  
 Nonlinear optical effects 661  
 Normal modes 388  
 Normalization 525  
 Nuclear Overhauser enhancement  
 (NOE) 367  
 Nuclear polarization 367  
 Nuclear precession 360  
 Nuclear properties 360  
 Nuclear shielding 361  
 Nuclear spin coupling 362  
 Nucleation, homogeneous and  
 heterogeneous 622  
 Nylon-6 404  
 Dynamic mechanical properties 225  
 Permeability 1017  
 Nylon-6, 6  
 Dynamic mechanical properties 225  
 Permeability 1017  
 Nylon 11 766, 768, 1017  
 Nylons  
 Compressibility 95, 98, 100  
 Density 94, 96  
 Thermal expansion coefficient 97
- O**
- Occluded rubber 596  
 Off-lattice chain model 74  
 Oligo (poly(ethylene glycol)  
 fumarate) 921, 922  
 Oligomers 697  
 OPLS force field 61  
 Orientation of nanotubes 587  
 X-ray diffraction 587  
 Raman spectroscopy 587  
 Waviness 587, 589  
 Orientational polarisation 386  
 Optical configuration parameter 800  
 Optical data storage 662  
 Optical properties 943  
 Optoelectronic materials 645  
 Order-disorder transition 637  
 Osmotic pressure 234  
 Oxidation rate 905  
 Oxygen bridge 527
- P**
- Pair correlation function 408  
 Packing length 446  
 Large 449  
 Polyacrylics 448  
 Polydienes 447, 448  
 Polymethacrylics 448  
 Polyolefins 447  
 Thermoplastics 448, 449  
 Paramagnetism 763  
 Partial charge increments 62  
 Partial Volume of amino acids 112  
 Payne effect 537, 599–600, 602  
 Pauli exclusion principle 764  
 PCFF force field 62  
 Peak heat release rate 564  
 Peel test for adhesives 479  
 Pentads 368  
 Percolation 87, 537  
 Permeability 1009, 1013  
 Permeability coefficient 1010, 1013  
 Permeation 1009  
 Phantom network 71  
 Phase diagrams, polymers/supercritical  
 fluids 321  
 Phases 485  
 Phason 393  
 Photoacid generator 951  
 Photolithography process 941  
 Photonic wires 9  
 Photoresist polymer platforms 943  
 Photoresist polymers 941  
 Phthalocyanine, main-chain  
 polymer 9–11  
 Phthalocyanine, side-chain polymer 9–11  
 Physical adsorption 524  
 Physical aging 190  
 Physical properties 486  
 Piezoelectric coefficient 765, 766, 767  
 Piezoelectricity 765, 766  
 Pivot algorithm 76  
 Plastic crystals 650  
 Plasticization 1013  
 Plateau modulus 446  
 Polyacrylics 448  
 Polydienes 447, 448  
 Polymethacrylics 448  
 Polyolefins 447  
 Temperature dependence 446  
 Thermoplastics 448, 449  
 Polyacetal 26  
 Polarizability 799, 800  
 Polarization 59, 198, 409  
 Polyacetaldehyde 26  
 Polyacetylenes 26, 1020  
 Polyacrylamide 26  
 Solutions of, interaction  
 parameter  $\chi$  236  
 Polyacrylates 222  
 Poly(acrylic acid) 26  
 Polyacrylonitrile 27, 400  
 Permeability 1017  
 Solutions of, interaction parameter  $\chi$  236  
 Poly(*N*-acryloylpyrrolidine)  
 Solutions of, interaction  
 parameter  $\chi$  236  
 Poly(alkyl acrylate) 218, 219  
 Poly(alkylene oxide) 227  
 Poly(alkyl methacrylate) 219  
 Poly(*n*-alkyl methacrylate) 220  
 Poly(L-alanine) 27  
 Polyamides 27  
 Avrami coefficients 628  
 Compressibility 95, 98, 100  
 Density 94, 96  
 Growth kinetic coefficients 632  
 Permeability 1018  
 Phenyl-substituted 1017  
 Second relaxations 226  
 Thermal expansion coefficient 97  
 Polyamide imide 27, 218, 222, 223  
 Poly(amino acids) 34, 917, 923  
 Poly(6-aminocaproamide) 46  
 Polyanhydrides 917, 920–921  
 Thermal properties 917  
 Polyaniiline 27  
 Polyarylates 60, 218, 228, 229,  
 1015, 1020  
 Polyarylene-ether-ether-biphenylsulfide  
 Avrami coefficients 631  
 Polyarylene-ether-ether-phenylsulfide  
 Avrami coefficients 630  
 Growth kinetic coefficients 634  
 Poly(aryl ether) 1020  
 Poly(aryl ether ether ketone) 60, 228  
 Avrami coefficients 629  
 Growth kinetic coefficients 633  
 Poly(aryl ether ketone) 227, 1020, 1021  
 Polyarylether sulfone 1019  
 Polybenzimidazole 27, 60  
 Polybenzobisoxazole 27  
 Polybenzobisthiazole 27  
 Polybenzoxazoles 60  
 Polybenzoxazine 49  
 Poly( $\gamma$ -benzyl-L-glutamate) 28  
 Polybutadiene, *syndio*  
 Avrami coefficients 631  
 Growth kinetic coefficients 634  
 Polybutadienes 28, 46, 352, 397, 411,  
 413, 416, 419, 596  
 Force field parameters 60  
 Permeability 1015  
 Solutions of, interaction  
 parameter  $\chi$  236–237

- Poly(1,4-trans-butadiene) 46  
Poly(butene-1) 28, 46  
  Avrami coefficients 628  
  Compressibility 95, 98, 100  
  Density 94, 96  
  Growth kinetic coefficients 632  
  Solutions of, interaction  
    parameter  $\chi$  237  
  Thermal expansion coefficient 97  
Poly(*tert*-butylacetylene) 1020  
Poly(*n*-butyl acrylate) 218, 220  
Poly(butylene adipate)  
  Avrami coefficients 631  
  Solutions of, interaction  
    parameter  $\chi$  237  
Polybutylene-isophthalate  
  Avrami coefficients 631  
Polyethylene-naphthalate  
  Avrami coefficients 631  
  Growth kinetic coefficients 633  
Poly(butylene oxide) 353  
Polybutylene terephthalate 28, 228, 229,  
  354  
  Avrami coefficients 629  
Poly(*n*-butyl methacrylate) 219  
  Compressibility 95, 98, 100  
  Density 94–96  
  Solutions of, interaction  
    parameter  $\chi$  237  
  Thermal expansion coefficient 97  
Polycaprolactam 28, 617  
  Avrami coefficients 628  
  Compressibility 95, 98, 100  
  Crystal structure 617  
  Density 94, 96  
  Thermal expansion coefficient 97  
  Unit cell 617  
  X-ray diffraction 617  
Polycaprolactone 28, 917, 918–919  
  Compressibility 95, 98, 100  
  Density 94, 96  
  Growth kinetic coefficients 632  
  Mechanical properties 917  
  Solutions of, interaction  
    parameter  $\chi$  237–238  
  Thermal expansion coefficient 97  
  Thermal properties 917  
Polycarbonate 29, 49, 53, 380, 403  
  Compressibility 95, 98–100  
  Density 94–96  
  Dielectric measurements 220  
  Dynamic mechanical properties 220  
  Force field parameterization 60, 62  
  Permeability 1015  
  Secondary relaxation 218, 221  
  Semiempirical MO calculations 221  
  Solutions of, interaction  
    parameter  $\chi$  238–239  
  Tetrasubstituted 220  
  Thermal expansion coefficient 97  
Polycarbosilane 957, 963  
Poly(chloroethyl methacrylate) 219  
Poly(1-chloro-2-phenylacetylene) 1020  
Poly(chloropropyl methacrylate) 219  
Polychloroprenes 29, 1015  
  Solutions of, interaction  
    parameter  $\chi$  239  
Poly(*o*-chlorostyrene)  
  Solutions of, interaction  
    parameter  $\chi$  239  
Poly(*p*-chlorostyrene) 48, 224  
  Solutions of, interaction  
    parameter  $\chi$  239  
Polychlorotrifluoro ethylene 29  
  Avrami coefficients 628  
  Growth kinetic coefficients 632  
Poly(cyclohexyl acrylate) 218, 220, 354  
Poly(cyclohexyl methacrylate) 220  
  Compressibility 95, 98–100  
  Density 94–96  
  Thermal expansion coefficient 97  
Poly(10-decanoate) 29  
Polydichlorophosphazene 46  
Poly(*N,N*-diethylacrylamide)  
  Solutions of, interaction  
    parameter  $\chi$  240  
Poly(diethyl siloxane) 29  
Poly(*N,N*-dimethylacrylamide)  
  Solutions of, interaction  
    parameter  $\chi$  240  
Poly(dimethyl butadiene) 1015  
Poly(3,3-dimethyloxetane) 46  
Poly(2,6-dimethylphenylene ether) 220,  
  223, 353, 378  
  Compressibility 95, 98–100  
  Density 94–96  
  Thermal expansion coefficient 97  
Polydimethylsilmethylene 45  
Polydimethylsiloxane 29, 45, 46, 354,  
  398  
  Compressibility 95, 98, 100  
  Density 94, 96  
  Force field parameters 60  
  Permeability 1016  
  Solutions of, interaction  
    parameter  $\chi$  240–242  
  Thermal expansion coefficient 97  
  Thermal pressure coefficient 99  
Poly(dimethylsilmethylene) 1017  
Polydimethylsilylene 46  
Polydimethylsilylenemethylene 46  
Poly(3,3-dimethylthietane) 46  
Polydioxanones and polyoxalates 922  
Poly(dioxepane)  
  Density 94  
Poly(1,3-dioxocane)  
  Solutions of, interaction  
    parameter  $\chi$  242  
Poly(1,3-dioxolane) 46  
  Density 94, 96  
  Thermal expansion coefficient 97  
Poly(diphenylacetylene) 1020  
Poly(diphenyl siloxane) 30, 46  
Poly(2,6-diphenyl-1,4-phenylene  
  oxide) 223, 223  
Polydispersivity 86  
Poly(3-dodecylthiophene) 1020  
Polyelectrolyte 530  
Polyepichlorohydrin  
  Solutions of, interaction  
    parameter  $\chi$  242  
Polyetheretherketone 30  
  Compressibility 95, 98, 100  
  Density 94, 96  
  Thermal expansion coefficient 97  
Polyester-amide  
  Avrami coefficients 631  
  Growth kinetic coefficients 634  
Polyesters 30  
  Aromatic 62  
  Nematic 229  
Poly(ortho esters) 917, 919–920  
  Thermal properties 917  
  Mechanical properties 917  
Polyetherimide 222, 223  
Polyether ketone 30, 227, 228  
Poly(ether ketone) 1020  
Polyethersulfone 1019  
Polyether sulfone 30, 60, 222, 224, 225  
Polyethers  
  Compressibility 95, 98, 100  
  Density 94–96  
  Solutions of, interaction parameter  
     $\chi$  244–245, 252–253  
  Thermal expansion coefficient 97  
  Thermal pressure coefficient 99  
Poly(*N*-ethylacrylamide)  
  Solutions of, interaction  
    parameter  $\chi$  243  
Poly(ethyl acrylate) 218  
Polyethylene 30, 41, 44, 45, 46, 53, 353,  
  395, 408, 410–414, 416, 419, 615  
  Avrami coefficients 628  
  Carbon-filled 417–418  
  Compressibility 95, 98, 100  
  Crystal structure 615  
  Density 94, 96  
  Growth kinetic coefficients 632  
  Linear low density 229, 230  
  Permeability 1014  
  Phases 615  
  Secondary relaxations 60, 229, 230  
  Solutions of, interaction  
    parameter  $\chi$  243–244  
  Thermal expansion coefficient 97  
  Thermal pressure coefficient 99  
  Unit cell 615  
  X-ray diffraction 615  
Poly(ethylene adipate)  
  Solutions of, interaction  
    parameter  $\chi$  244  
Poly(ethyl butylene) 353  
Poly(ethylene imine) 30

- Poly(ethylene-2,6-naphthalene dicarboxylate) 1021
- Ethylene-octene copolymers  
Growth kinetic coefficients 634
- Poly(ethylene oxide) See also, polyoxyethylene 30, 353, 403  
Compressibility 95, 98, 100  
Density 94, 96  
Force field parameterization 60, 62  
Permeability 1019  
Solutions of, interaction parameter  $\chi$  244–245  
Thermal expansion coefficient 97  
Thermal pressure coefficient 99
- Poly(ethylene succinate)  
Solutions of, interaction parameter  $\chi$  245
- Poly(ethylene terephthalate) 31, 399, 617  
Avrami coefficients 629  
Compressibility 95, 98, 100  
Crystal structure 617  
Density 94, 96  
Dynamic mechanical properties 228  
Force field parameters 60  
Growth kinetic coefficients 633  
Permeability 1015  
Secondary relaxations 229  
Thermal expansion coefficient 97  
Unit cell 617  
X-ray diffraction 617
- Poly(ethyl methacrylate) 220  
Density 94–96, 1020  
Thermal expansion coefficient 97
- Poly(ethylmethyl siloxane) 354
- Poly(ferrocenyl dimethylsilane) 354
- Polyglycine 31
- Poly(glycolic acid) 915–916, 917  
Thermal properties 917  
Mechanical properties 917
- Poly(hexamethylene adipamide) 31
- Polyhexamethylene adipate) 618  
Crystal structure 618  
Unit cell 618  
X-ray diffraction 618
- Poly(hexamethylene oxide) 46
- Poly(hexamethylene sebacamide) 31
- Poly(hexamethylene sebacate)  
Solutions of, interaction parameter  $\chi$  245
- Poly(*p*-hydroxybenzoic acid) 60
- Poly(hydroxybutyrate) 31, 405  
Density 96  
Growth kinetic coefficients 632
- Poly(3-hydroxybutyrate), copolymer 917, 921  
Thermal properties 917  
Mechanical properties 917
- Poly(alpha-hydroxy esters) 915–918
- Poly(2-hydroxyethyl methacrylate) 220  
Solutions of, interaction parameter  $\chi$  245
- Poly(4-hydroxystyrene) 942, 943  
Solutions of, interaction parameter  $\chi$  245
- Polyimides 31  
Avrami coefficients 631  
Force field parameters 60  
Secondary relaxations 223
- Polyisobutylene 31, 60, 1014  
Compressibility 46, 95, 98, 100, 353  
Density 94, 96  
Solutions of, interaction parameter  $\chi$  245–247  
Thermal expansion coefficient 97  
Thermal pressure coefficient 99
- Poly(isobutyl methacrylate) 219, 220
- Polyisocyanate 31
- Polyisocyanide 32
- 3,4-Polyisoprene 352, 387
- Poly(*cis*-isoprene) 32, 46, 352, 398, 596  
Avrami coefficients 629  
Compressibility 95, 98, 100  
Density 94, 96  
Force field parameterization 60  
Growth kinetic coefficients 633  
Permeability 1015  
Solutions of, interaction parameter  $\chi$  247  
Thermal expansion coefficient 97  
Thermal pressure coefficient 99
- Poly(*trans*-isoprene) 32, 46  
Avrami coefficients 629  
Growth kinetic coefficients 633
- Poly(*N*-isopropylacrylamide)  
Solutions of, interaction parameter  $\chi$  247
- Poly lactam 32
- Poly(lactic acid) 49, 399, 916, 917, 1020  
Thermal properties 917  
Mechanical properties 917
- Poly(lactic-co-glycolic acid) copolymers 916–918  
Thermal properties 917  
Mechanical properties 917
- Poly(lactic acid) 49, 399
- Poly(*DL*-lactide)  
Solutions of, interaction parameter  $\chi$  247
- Poly lactone 32
- Polymer blends 379, 943
- Polymer bridge 524
- Polymer chain packing 380
- Polymer conformations (solid) 376
- Polymer conformations (solution) 370
- Polymer latexes 413
- Polymer liquid crystals 650  
Classification 651, 652
- Polymer mobility, dynamics 377, 381
- Polymer morphology 377
- Polymer solubility 663
- Polymer solutions 408, 410–411
- Polymer-solvent interaction  
parameter  $\chi$  233–257
- Poly(methacrylamide)  
Solutions of, interaction parameter  $\chi$  247
- Poly methacrylates 60, 219  
Tacticity 6
- Poly(methacrylic acid) 32  
Solutions of, interaction parameter  $\chi$  248
- Poly(methacrylonitrile) 1017
- Poly(methyl acrylate) 32, 48, 218, 220  
Solutions of, interaction parameter  $\chi$  248–249
- Poly(methylethylsiloxane) 1016
- Poly(methyl methacrylate) 33, 48, 53, 354, 365, 401  
Beta relaxation 220  
Compressibility 95, 98–100  
Density 94–96  
Force field parameterization 60  
Permeability 1020  
Solutions of, interaction parameter  $\chi$  249  
Secondary relaxations 219, 220  
Stereo complex 5  
Thermal expansion coefficient 97
- Poly(methyloctylsiloxane) 1016
- Poly(4-methyl pentene-1) 33, 1014  
Compressibility 100  
Density 94, 96  
Thermal expansion coefficient 97
- Poly(methyl phenyl siloxane) 48, 386
- Poly(methyl phenyl silylene) 48
- Poly(methylpropylsiloxane) 1016
- Poly( $\alpha$ -methyl styrene) 33, 48, 224, 352  
Solutions of, interaction parameter  $\chi$  249
- Poly(*o*-methyl styrene)  
Compressibility 95, 98–100  
Density 94–96  
Thermal expansion coefficient 97
- Poly(*p*-methyl styrene) 34, 224, 352
- Polymethylene See polyethylene
- Poly(methylene oxide) 33
- Poly(methyl phenyl siloxane) 33
- Polynitrile 34
- Polynorbornenes 1021
- Polynucleotides 34  
Tacticity 7
- Polyolefins 1014
- Poly(oxy-1,1-dimethylethylene) 46
- Poly(oxybutylene)  
Compressibility 95, 98, 100  
Density 94, 96  
Solutions of, interaction parameter  $\chi$  252–253  
Thermal expansion coefficient 97
- Poly(oxyethylene) 45, 46, 237, 1021  
Avrami coefficients 629  
Compressibility 95, 98, 100

- Poly(oxyethylene) (*Continued*)  
Density 94, 96  
Growth kinetic coefficients 633  
Thermal expansion coefficient 97  
Solutions of, interaction  
parameter  $\chi$  244–245  
Thermal pressure coefficient 99
- Poly(oxymethylene) 45, 46, 618  
Avrami coefficients 630  
Compressibility 95, 98, 100  
Crystal structure 618  
Density 94, 96  
Growth kinetic coefficients 633  
Thermal expansion coefficient 97  
Unit cell 618  
X-ray diffraction 618
- Polyoxypropylene  
Avrami coefficients 630  
Growth kinetic coefficients 633
- Poly(pentamethylene sulfide) 46
- Poly(*n*-pentene-2) 34
- Poly(*n*-pentene-1) 34
- Poly(*n*-pentyl methacrylate) 354
- Poly(phenyl acrylate) 48
- Poly(phenylmethylsiloxane) 1017
- Poly(phenyl sulfone) 1019
- Poly[1-phenyl-2-*p*-(trisisopropylsilyl)phenyl acetylene] 1020
- Poly(*p*-phenylene) 34, 60
- Poly(*p*-phenylene isophthalate) 60
- Poly(*p*-phenylene oxide) 35, 222, 223, 1019
- Poly(*p*-phenylene sulfide) 35, 60, 230  
Avrami coefficients 630  
Growth kinetic coefficients 633
- Poly(*m*-phenylene terephthalamide) 33
- Poly(*p*-phenylene terephthalamide) 34, 620  
Crystal structure 620  
Unit cell 620  
X-ray diffraction 620
- Poly(*p*-phenylene terephthalate) 60
- Poly(*p*-phenylene vinylene) 35
- Polyphenylsulfone 35
- Polyphosphate 35
- Polyphosphazenes 35, 60, 921, 1020  
Thermal properties 917  
Mechanical properties 917
- Polyphosphonate 35
- Polypivalolactone  
Growth kinetic coefficients 633
- Poly(3-propionate) 35
- Polypropylene 35, 48, 53, 353, 366, 397, 616  
Avrami analysis 626, 630  
Compressibility 95, 98, 100  
Crystal structure 616  
Density 94, 96  
Force field parameters 60  
Growth rate-crystallization temperature 627, 634  
Isotactic 230  
Permeability 1014
- Secondary nucleation analysis 627
- Secondary relaxations 230
- Solutions of, interaction  
parameter  $\chi$  249–250
- Syndiotactic 5
- Tacticity 7
- Thermal expansion coefficient 97
- Thermal pressure coefficient 99
- Unit cell 616
- X-ray diffraction 616
- Poly(propylene fumarate) 917, 921, 922  
Thermal properties 917  
Mechanical properties 917
- Poly(propylene fumarate-co-ethylene glycol) 917, 921, 922  
Thermal properties 917  
Mechanical properties 917
- Poly(propylene glycol) 36
- Poly(propylene oxide) 36, 48, 60, 227
- Poly(propylene sulfide) 48
- Polypropylene-terephthalate  
Avrami coefficients 629
- Poly(*n*-propyl methacrylate) 220
- Polypyrazine 36
- Polypyrazole 36
- Polypyrrolones 1021
- Polypyromellitimide 222
- Poly(pyromellitimide-1, 4-diphenyl ether) 36
- Polypyrrole 36, 49, 60
- Polyquinoxaline 36
- Polyrotaxanes 13, 17, 60  
Glass temperature 690, 691, 692, 693, 694  
Melt viscosity 692, 693  
Solubility 689, 693  
Solution viscosity 690, 691, 692, 693, 694  
Structures 689, 690, 691, 693
- Polysaccharide 526
- Polysilane 36, 46, 60
- Polysilapropylene 48
- Polysilastyrene 48
- Polysilazane 37
- Poly(silethylenesiloxane) 1017
- Poly(silhexylenesiloxane) 1017
- Poly(siloctylenesiloxane) 1017
- Polysiloxanes 37  
Compressibility 95, 98, 100  
Density 94, 96  
Solutions of, interaction  
parameter  $\chi$  240–242  
Thermal expansion coefficient 97  
Thermal pressure coefficient 99
- Poly(*m*-silphenylenesiloxane) 1017
- Poly(*p*-silphenylenesiloxane) 1017
- Polysilylenemethylene 46
- Polystyrene 37, 48, 352, 376, 402, 411–412, 414, 417–418, 596  
Avrami coefficients 630  
Compressibility 95, 98–100
- Density 94–96nm
- Force field parameterization 60
- Growth kinetic coefficients 634
- Permeability 1015
- Secondary relaxations 224
- Solutions of, interaction  
parameter  $\chi$  250–252
- Syndiotactic 5
- Tacticity 8
- Thermal expansion coefficient 97
- Thermal pressure coefficient 99
- Polysulfide 37
- Polysulfones 402  
Compressibility 95, 98–100  
Density 94–96  
Permeability 1019  
Silyl-modified 101  
Thermal expansion coefficient 97
- Polysulfur 37
- Polytetrafluoroethylene 37, 46, 53, 397, 619  
Avrami coefficients 630  
Compressibility 95, 98, 100  
Crystal structure 619  
Density 94, 96  
Dynamic mechanical properties 220  
Growth kinetic coefficients 634  
Permeability 1016  
Phases 619  
Secondary relaxations 218, 224, 225  
Thermal expansion coefficient 97  
Unit cell 619  
X-ray diffraction 619
- Polytetrafluoroethylene-*co*-hexafluoropropylene 1016
- Polytetrahydrofuran  
Compressibility 95, 98, 100  
Density 94, 96  
Solutions of, interaction  
parameter  $\chi$  252–253  
Thermal expansion coefficient 97
- Poly(tetramethylene oxide) 37, 46, 227  
Compressibility 95, 98, 100  
Density 94, 96  
Solutions of, interaction  
parameter  $\chi$  252–253  
Thermal expansion coefficient 97
- Polytetramethyl-*p*-silphenylene-siloxane  
Growth kinetic coefficients 634
- Polythiaethylene 46
- Polythiazyl 37
- Polythienyl vinylene 37
- Poly(thiodiethylene glycol) 46
- Polythiopene 38
- Poly(trifluorochloroethylene) 1016
- Polytrifluoroethylene 48
- Poly(trifluoropropylmethylsiloxane) 1016
- Poly(1-trimethylgermyl-1-propyne) 1020
- Poly(tri methylene ethylene urethane) 38
- Poly(trimethylene oxide) 45, 46



- Poly(trimethylene sulfide) 46  
 Poly(trimethylene-terephthalate)  
   Avrami coefficients 629  
   Growth kinetic coefficients 633  
 Poly[1-(trimethylsilyl)-1-propyne] 60, 1013, 1020  
 Poly(4-trimethylsilyl styrene) 352  
 Polyurea 38  
 Polyurethanes 38, 60, 405  
   Amine-containing 1019  
   Permeability 1019  
 Poly(urethane urea) 1019  
 Poly(L-valine) 38  
 Poly( $\epsilon$ -valerolactone)  
   Solutions of, interaction  
     parameter  $\chi$  253  
 Poly(vinyl acetate) 38, 48, 401, 1015  
   Compressibility 95, 98–100  
   Density 94–96  
   Solutions of, interaction  
     parameter  $\chi$  253–254  
   Thermal expansion coefficient 97  
 Poly(vinyl alcohol) 38, 48, 400, 1015  
   Solutions of, interaction  
     parameter  $\chi$  255  
 Poly(vinyl benzoate) 1015  
 Poly(vinyl bromide) 48  
 Poly(tert-butyl vinyl ketone) 48  
 Poly(vinyl butyral) 38  
 Poly(vinyl carbazole) 39, 48  
 Poly(vinyl chloride) 39, 48, 399, 766  
   Compressibility 95, 98–100  
   Dynamic mechanical properties 225, 226  
   Force field parameterization 60  
   Density 94, 96  
   Permeability 1015  
   Solutions of, interaction  
     parameter  $\chi$  255  
   Thermal expansion coefficient 97  
 Poly(vinyl fluoride) 39, 48, 766  
 Poly(vinyl formal) 39  
 Poly(vinyl methyl ether) 48, 353  
 Poly(2-vinyl pyridine) 39, 48, 352  
 Poly(4-vinylpyridine) 1021  
 Poly(N-vinyl pyrrolidone) 39, 48  
 Polyvinylidene bromide 46  
 Poly(vinylidene chloride) 39, 46, 53, 1015,  
 Poly(vinylidene fluoride) 40, 46, 60, 765–768, 1015  
   Avrami coefficients 631  
   Compressibility 95, 98, 100  
   Density 94, 96  
   Growth kinetic coefficients 634  
   Thermal expansion coefficient 97  
 Poly(vinyl methyl ether) 60, 403  
   Compressibility 100  
   Density 94, 96  
   Solutions of, interaction  
     parameter  $\chi$  255  
   Thermal expansion coefficient 97  
   Thermal pressure coefficient 99  
 Poly(N-vinyl pyrrolidone) 404  
   Solutions of, interaction  
     parameter  $\chi$  255  
 Poly(p-xylylene) 40  
 Porod's law 415, 419  
 Porphyrin, main-chain polymer 9–11  
 Porphyrin, side-chain polymer 9–11  
 Positron annihilation lifetime  
   spectroscopy 568  
 Polyhedral Oligomeric Silsesquioxane (POSS) 575  
   Three-dimensional inorganic/organic hybrids 575  
   POSS cages 575  
   Trifunctional organosilicon monomers 575  
   POSS-trisilanols 575  
   Corner capping 575  
   Multifunctional POSS derivatives 575, 578  
 Positive-tone photoresist 941  
 Preceramic polymers 958  
 Pressure effects 197  
 Pressure-sensitive adhesive  
   chemistry 483  
 Pressure-sensitive adhesive physical properties 484  
 Pressure-sensitive adhesives 483  
 Pressure-volume-temperature data  
   Amorphous polymers 93–101  
 Properties of polymers reinforced with silica 549  
 Protein folding 78  
 Pseudopoly(amino Acids) 917, 923  
   Thermal properties 917  
   Mechanical properties 917  
 Pyroelectric coefficient 766  
 Pyroelectricity 766  
 Pyrolysis 958  
 Pyrolyzability 958
- Q**
- Quantum yield 952  
 Quasi-liquids 654
- R**
- Racemic placements 365  
 Radial distribution function 408  
 Radio frequency 364  
 Radius of gyration 42, 50, 66–68, 341, 408, 411–412  
 Random deposition 543, 544  
 Random-phase approximation (RPA) 418  
 Random scission 903  
 Random walks 83  
 Rate of cooling 188  
 Rayleigh ratio 408, 411  
 Reactive ion etch 952  
 ReaxFF 62  
 Reduced residual chemical potential 23  
 Reference volume 340  
 Refractive index 799, 800, 943  
 Refractory materials 960  
 Regime plot/Secondary nucleation plot 623, 624  
 Reinforced composites 645  
 Reinforcement 595–599, 601–604  
 Reinforcement, hydrodynamic 595, 596, 601, 602  
 Relative density 607  
 Relaxation processes 217  
 Reliability 423  
 Reptation theory 79  
 Retardation functions at  $T_g$  207  
 Retardation spectrum 201  
 Rheology 567, 658  
 RNA 695  
 Rod-coil copolymers 645  
 ROMP polymers 1021  
 Rotational isomeric state model 41–55, 69  
 Rouse bead and spring model 74, 77  
 Rubber-based adhesive chemistry 482  
 Rubber-based adhesive physical properties 483  
 Rubber-based adhesives 482
- S**
- Sanchez-Lacombe lattice fluid equation of state 321  
 SANS (small angle neutron scattering) 596–597  
 Saturated 3,4-polyisoprene 353  
 Saturated polybutadiene 353  
 Saturated polyisoprene 353  
 Saturated polystyrene 352  
 Saw-tooth pattern 529  
 Scalar J-coupling 363  
 Scattering  
   Calibration 408, 412, 415  
   Neutrons 408, 410, 419  
   X-rays 408, 418  
 Scattering cross section  
   Absorption 409  
   Bound atom 409  
   Coherent 409–413, 418  
   Differential 408, 412  
   Hydrogen 409–410  
   Incoherent 409–410, 413, 418  
   Single atom 409  
   Total 409–410, 415  
 Scattering form factor 73  
 Scattering function 52  
 Scattering length 411, 413  
 Scattering length density  
   Neutron 413–414, 416–418  
   Photon (X-ray) 416, 418  
 Scattering techniques 551

- Scratch resistance 658  
 Screening effect 531  
 Second virial coefficients 234  
 Secondary relaxations 217  
 Segmental mode 388  
 Self assembly 20  
 Self-avoiding walks 84  
 Self-consistent field theory 341  
 Selenium  
   Avrami coefficients 630  
   Growth kinetic coefficients 634  
 Semicrystalline polymer 608  
 Semiflexible chains 77  
 Separation factor 1011  
 Separation media 645  
 Service performance 423  
 Shear 556  
 Shear alignment 644, 645  
 Shear yielding 428  
 Shoulder-like plateau 526  
 Silanization 524  
 Silica 595, 597–604  
 Silicon carbide (SiC) 960  
 Silicon nitride (Si<sub>3</sub>N<sub>4</sub>) 960  
 Single chain elongation 525  
 Single molecule force spectroscopy (SMFS) 523  
 Slip-link model 73  
 Small-angle neutron scattering (SANS) 408  
   Contrast factors for crystalline polymers 411  
 Small-angle X-ray scattering (SAXS) 408  
   Contrast factors for crystalline polymers 411  
 Small-angle scattering 637  
 Soft mode 391  
 Solid-liquid interface 528  
 Solubility  
   Coefficient 1010, 1011  
   Polymers in supercritical fluids 320–326  
   Supercritical fluids in polymers 321, 327–328  
 Solubility  
 Solid surface properties 991  
 Solids NMR 372  
 Solubility parameter 346  
 Solution-diffusion mechanism 1009  
 Solutions  
   Flory-Huggins theory 233  
   Polymer-solvent interaction parameter 233–257  
   Theta temperature 234  
 Solvophobic interactions 700  
 Space groups 615  
 Specific gravity 607  
 Specific surface 415  
 Specific extinction area 564  
 Specific volume, 93, 189  
 Specific weight 607  
 Spin-diffusion 377  
 Spin-diffusion coefficient (D) 378  
 Spin-lattice (longitudinal) relaxation (T<sub>1</sub>) 361, 377  
 Spin-spin (transverse) relaxation (T<sub>2</sub>) 361  
 Spinodal curve 340  
 Square lattice 75, 76, 77  
 S-SBR 597–600, 603  
 Star-branched poly(*cis*-1,4-isoprene) 391  
 Static gas adsorption 537, 539, 545  
 Statistical Associating Fluid Theory 321  
 Statistical weight matrix 43–44, 69  
 Stimuli-responsive polymer 527  
 Strain tensor 765  
 Stress at break 443, 444  
 Stress concentration factor 426  
 Stress-optical coefficient 800  
 Stress relaxation 432  
 Stress softening 595, 601–604  
 Stretching velocity 530  
 Strong segregation limit 638  
 Structural adhesive  
   Chemistry 481  
   Physical properties 480  
 Structural adhesives 480  
 Styrene-butadiene 596–597, 600  
 Substituent effects 370  
 Substituent reaction 903, 904  
 Surface activity 545  
 Surface anisotropy 544  
 Surface area/volume ratio 591, 593  
 Surface diffusion 543, 544  
 Surface energy distribution 545, 546  
 Surface fractal dimension 538, 539, 540, 541, 543, 544  
 Surface growth 538, 542, 543, 544  
 Surface roughness 538, 539, 542, 543, 545  
 Surface tension 540, 541, 542  
 Swelling 441  
 Symmetry influence 199  
 Syndiotacticity 365
- T**
- Tackifiers in hot-melt adhesives 482  
   In pressure-sensitive adhesives 483  
   In rubber-based adhesives 482  
 Tacticity 4, 199, 411  
 Tait equation 95, 98–99  
 Tear strength 557  
 Teflon-FEP 1016  
 Tensile modulus 443–4, 656  
 Tensile strength 486, 656  
 Tensile testing 430  
 Tertiary structure 696, 705  
 Tetrachlorobisphenol-A polycarbonate 221  
 Tetrads 366  
 Tetramethylhexafluorobisphenol-A polycarbonate 1015  
 Tetramethylbisphenol-A polycarbonate 221, 354, 1015  
 Tetramethyl bisphenol-A polysulfone 1019  
 Theoretical models, nanotube composites 589  
   Rule-of-mixtures 590  
   Halpin-Tsai equations 590  
   Krenchel rule-of-mixtures 591  
   Effective modulus 591, 593  
   Short fiber composite theory 592  
 Thermal conductivity 155  
   Definition 155  
   Effect of  
     Chain orientation 159  
     Density 155  
     Filler 159  
     Temperature 155, 159  
       Thermal conductivity units 155  
 Thermal conductivity of foamed polymers 155, 160  
 Thermal conductivity of particle reinforced polymers 159, 161–162  
 Thermal conductivity of polymers 156  
   Epoxides 156  
   Halogenated olefin polymers 156  
   Hydrocarbon polymers 157  
   Phenolic resins 158  
   Polyamides 156  
   Polycarbonates 156  
   Polyesters 156  
   Polyimides 157  
   Polyethers 156  
   Polyketones 156  
   Polysaccharides 158  
   Polysiloxanes 158  
   Polysulfide 158  
   Polysulfones 158  
   Polyurethanes 158  
   Vinyl Polymers 158, 159  
 Thermal conductivity of thermally-conductive polymer composites 159, 161–162  
 Thermal contraction coefficient 189  
 Thermal expansion coefficient 93, 95, 97, 554, 766  
 Thermal pressure coefficient 95, 99  
 Thermal properties 553  
 Thermal stability 903, 911  
 Thermal volatilization analysis (TVA) 910  
 Thermodynamic parameters of hydration 141–142  
 Thermodynamic properties  
   Polymer-solvent interactions 233–257  
   Proteins 138–140  
   PVT data for amorphous polymers 93–101  
 Thermoelastic measurements 450  
 Thermogravimetric analysis 553  
 Thermomechanical analysis (TMA) 910

- Thermoplastic elastomer 644  
 Thermoplastics 492  
 Thermoset 492  
 Theta temperature 234, 259–287  
   Definition 260  
   Poly(alkanes) 261–264  
   Poly(alkenes) 264–266  
   Poly(butene-1) 261  
   Polyethylene 261  
   Polyisobutylene 262  
   Poly(pentene-1) 263  
   Polypropylene 263  
   Polybutadiene 264  
   Polyisoprene 265  
   Poly(vinyls) 266, 267  
   Poly(vinyl acetate) 266  
   Poly(vinyl alcohol) 266  
   Poly(vinyl chloride) 267  
   Poly(N-vinyl carbazole) 267  
   Polystyrenes 268–271  
   Poly(acrylics) 272–276  
   Poly(methacrylics) 272–276  
   Poly(methyl methacrylate) 274  
   Poly(itaconates) 276  
   Polysiloxanes 276, 277  
   Poly(dimethylsiloxane) 276  
   Polyesters 277–279  
   Poly( $\epsilon$ -caprolactone) 277  
   Polycarbonate 277  
   Polyamides 279  
   Polyphosphates 279  
   Polyureas 279  
   Copolymers 280–282  
   Amylose 282  
   Starch 282  
   Cellulose 282  
   Cellulose derivatives 282  
   Pullulan 282  
 Thin-film  $T_g$ 's 207  
 Thompson scattering amplitude 409  
 Tread 595, 597, 604  
 Tire rolling resistance 567  
 Tires 595, 597, 604  
  
 TMS 362  
 Tool-Narayanaswamy-Moynihan (TNM)  
   model 199  
 Tortuous path model 565  
 Torlon 222  
 Toughness 588  
 Train-like conformation 530  
 Trans states 371  
 Transmission Electron Microscopy 637,  
   644  
 Transparency 553  
 Triads 366  
 Tribology 444, 657, 658  
 Trifluoroacetylated ethyl cellulose 1016  
 TRIPOS force field 61  
 True stress 664  
 Tube diameter 446  
   Polyacrylics 448  
   Polydienes 447, 448  
   Polymethacrylics 448  
   Polyolefins 447  
   Temperature dependence 446  
   Thermoplastics 448, 449  
 Tube model 601, 602  
 Tylogomer 696  
  
**U**  
 Ultracentrifugation 705  
 Uniaxial extension 554  
 Units 1033–1036  
 Universal force field 60  
 Unperturbed dimension 260  
 Unzipping 903  
 Upper critical temperature 260, 342  
 Upper use temperature 910  
 Urey-Bradley terms 58  
  
**V**  
 van der Waals attraction 540, 541  
 Vapor sorption 234  
 Verdier-Stockmayer model 75, 76  
 Vinyl polymers 40  
  
 Viscoelastic behavior at  $T_g$  202  
 Viscoelastic functions of polystyrene,  
   high molecular weight 206  
 Viscoelastic functions of polystyrene, low  
   molecular weight 205  
 Viscoelasticity 438  
 Viscosity, reduction by supercritical  
   fluids 329, 334  
 Volume-temperature dependence 188  
  
**W**  
 Water absorption 553  
 Weak segregation limit 642  
 Weight density 607  
 Wide-angle neutron scattering  
   (WANS) 407–408  
 Wide angle x-ray diffraction 559, 562,  
   567, 568, 570  
 Wide-angle X-ray scattering  
   (WAXS) 407, 410, 419  
 White noise 544  
 Williams, Landel and Ferry (WLF)  
   equation 386  
 Work of adhesion 478  
 Worm-like chain model 67, 526  
  
**X**  
 X-ray diffraction 615  
 X-ray scattering 538, 542  
  
**Y**  
 Yajima process 958  
 Yardstick method/plot 539, 540  
  
**Z**  
 Zero force contribution 531  
 Zimm plot 411–412  
 Zisman wetting criterion 477  
 Zisman critical wetting tension  
   477–478