

-
- Abel inversion 53–4
ABR theory 35–6
ABS (acrylonitrile-butadiene-styrene) 65
absorption of atoms or molecules 19–20
activation 66, 72–4, 113, 118, 141–6, 284–5
added value 111–12, 126, 184–5
adhesion promotion xix, 118–19, 141, 286
 micro-roughening 118
aerosol/DBD systems 150–2, 153
AFM (atomic force microscopy) 308–10
air plasma treatments 139, 291
air-to-air systems 69
airbags 73
ambient air treatments 101, 106, 114–16
ammonia plasmas 117
antibacterial finishes 124, 172–5, 220–1, 290
antifungal finishes 124
antistatic textiles 286, 289
APGD (Atmospheric Pressure Glow
 Discharge) xviii, xxv, 30, 94–6, 99–100
 equipment 111
APPJ (Atmospheric Pressure Plasma Jet)
 284
argon plasma treatments 255–7, 262
atmospheric-pressure processing xv,
 xvii–xviii, xxi–xxii, xxv, 79–128
 advantages over wet processing 87,
 129–30
 ambient air treatment 101, 106, 114–16
 audits 125–8
 cleaning surface contaminants 113, 118
 coatings 113, 123–5
 controlled atmosphere treatment 101,
 116–19
 corona discharge systems 90, 97–8, 102–6,
 131–2, 283
 costs 83, 111–12, 127
 of cotton 264
 current-voltage relationship 30–2
 equipment 101–11
 etching 112
 gas precursor coating 101, 119–20
 glow-to-arc transition 96–7
 liquid precursor coating 101, 120–5
 manufacturability needs 81–6
 pressure dependency of gas breakdown
 87–8
 pressure and plasma size 88–99
 surface activation 113, 118, 141
 surface engineering processes 111–25
 types of plasma 86–100
 for water and oil repellency 194–5
 see also dielectric barrier discharge
 (DBD)
atom reactions 12–14, 18–21
atomic force microscopy (AFM) 308–10
auditing atmospheric-pressure processes
 125–8
automotive fabrics 72–3

bacteria, antibacterial finishes 124, 172–5,
 220–1, 290
ballast gas 107–8, 117
bare roll treater stations 102–4
barrier discharge (BD) plasma 229–30
batch processing xxi–xxii, 195–6
battery separators 75–6
beat method 33
biocompatibility 203–4, 215–21
 antibacterial finishes 124, 172–5, 220–1,
 290
 biofouling 217–18
 immobilisation of ligand-receptor systems
 218–20
 optimized cell growth 215–17
 protein absorption 204, 217–18
biofouling 217–18
biomedical textiles xxvi, 72–3, 202–22
 advantages of plasma treatments 205
 biocompatibility 203–4, 215–21
 categories of medical textiles 203
 costs of treatments 203
 DBD treatments 141–3
 etching 206–7
 functionalisation 203, 207–9, 209–10
 assessment of 212–13

- monomer structure 208–9, 209–10
- plasma cleaning 206–7
- plasma fixation 209
- plasma grafting 209
- plasma polymerisation 209
- process parameters 205–6
- protein absorption layer 204, 217–18
- reactor techniques 210–12
- regulations and standards 203
- stain repellent finishing 213–15
- sterilisation 206–7
- surface engineering 213–21
- Boltzmann plot 51
- Boltzmann relation 50–1
- box-type vacuum chambers 68–70
- broadening mechanisms 51–3

- cell growth 215–17
- cellophane 250–1, 274
- cellulose 248
- cellulose fibres xxvii, 247–75, 290–1
 - argon plasma treatments 255–7, 262
 - cotton 248–9, 260–4, 290–1
 - free radical formation 252–4
 - interaction with rubber matrices 267–8
 - man-made cellulose 250–1, 272–5
 - oxygen plasma treatments 257–60
 - plasma interactions 251–60
 - surface modification 265–8
 - surface stability 252–4
 - vegetable fibres 249–50
 - wood-pulp fibres 250, 270–2
- chemical energy 17
- chemical plasma 66
- chemisorption 20
- chemistry of plasmas *see* physics and chemistry of plasmas
- chitosan 221
- chlorine 241
- cleaning *see* plasma cleaning
- co-polymerisation 125, 172–6
- cold plasmas xviii, xxiv–xxv, 283–4
- collisional radiative model 50–1
- collisions 14–22
 - classification 14
 - cross-sections 16
 - frequency 11
 - mean free path 4–5
 - number of 16
 - plasma-surface 17–22
 - rate constants 17, 21
 - see also* physics and chemistry of plasmas
- commercial mass-energy spectrometers 40–2
- computer simulations 154–5
- conductive coatings 125
- controlled atmosphere treatment 101, 116–19
- controlled polymerisation 122–3

- copolymers 125, 172–6
- corona discharge systems xvii, 49–50, 90, 97–8, 131–2, 283
 - ambient air systems 106, 114–16
 - drift zone 131
 - equipment 102–6
 - gas delivery systems 106
 - negative corona 131
 - ozone generation 105
 - positive corona 131–2
 - power source 102
 - treater station 102
 - treatment of foils 136–7
- costs xxii, 296
 - of atmospheric-pressure processing 83, 111–12, 127
 - and biomedical textiles 203
 - of low-pressure processing 76–7, 83
 - and water and oil repellency 200
- cotton 248–9, 260–4, 290–1
 - atmospheric-pressure surface modifications 264
 - dye uptake 261, 290
 - fluorocarbon gas treatments 263
 - hydrophilic monomer grafting 261–2
 - low-pressure surface modifications 264–4
 - water-repellent functionalities 262–3
- covered roll treater stations 102–4
- cross-sections 16
- current sensors 28–30
- current-voltage relationship 30–2
- cyclohexane plasma treatments 267

- DBD *see* dielectric barrier discharge (DBD)
- DC plasma impedance model 26–7
- Debye length 8–9
- desorption of atoms or molecules 20–1
- diagnosis and control of parameters xxiii–xxiv, 25–54
 - discharge electrical characteristics xxiv, 26–32
 - electric plasma diagnostics xxiv, 32–40
 - optical emission spectrometry xxiv, 47–54
 - plasma mass spectrometry xxiv, 40–7
- diamond-like carbon (DLC) coatings 171
- dielectric barrier discharge (DBD) xviii, xxv, 90–4, 130, 133–6, 283–4
 - adaptations to textiles 136–41
 - aerosol/DBD systems 150–2, 153
 - air as the plasma gas 139
 - ballast gas 107–8
 - chemical processes 139–40
 - current-voltage relationship 30–2
 - discharge gap 137–8
 - electrode configuration 138
 - electrode temperature 139–40
 - equipment 106–10
 - filamentary DBD 91–3, 133–4
 - glass fabrics 142, 144–5

- homogenous DBD 91–3, 98, 106–10
- hybrid corona/DBD 97–8
- hydrophobic treatments 148–9
- intermittation 138–9
- oleophobic treatments 148–9
- stability of DBD-treatment effects 145–6
- surface activation of fibres 141–6
- technical possibilities 140–1
- technical textile treatments 141–3
 - and wool 230–1
- dip processing 192–3
- discharge electrical characteristics xxiv, 26–32
 - current-voltage relationship 30–2
 - DC plasma impedance model 26–7
 - RF plasmas 27–30
- discharge gap 137–8
- discharge technologies 154
- DLC (diamond-like carbon) coatings 171
- Doppler broadening 52
- drift zone 131
- durability 127
 - of water and oil repellency 200
- dyeing 286, 290
 - cellulosic fibres 261
 - pre-treatments 73
 - synthetic fibres 288
 - wool 239–41
- elastic collisions 14
- electric plasma diagnostics xxiv, 32–40
 - electronegative plasmas 36–7
 - Langmuir probes 32–8
 - magnetised plasmas 37–8
 - retarding field analyser (RFA) 38–40
 - RF (radio frequency) plasmas 36
- electrical properties 286, 289
- electrodes in DBD systems
 - configuration 138
 - temperature 139–40
- electromagnetic energy 17, 65
- electron attachment mass spectrometry 44–5
- electron spin resonance (ESR)
 - techniques 252–3, 254
- electronegative plasmas 36–7
- electrons
 - energy distribution function (EEDF) 35, 38–9
 - free electrons in plasma 303
 - Maxwellian electrons 33, 34, 35
 - photoelectric emissions 19
 - production 19, 26
 - temperature 7
 - in weakly ionised plasma 26–7
 - see also* collisions
- electrostatic quadrupole plasma (EQP) 40–2
- emissions 47, 144, 302–3
- energy distributions 4
- environmental legislation 79, 80, 126, 127
- equipment
 - APGD (Atmospheric Pressure Glow Discharge) 111
 - atmospheric-pressure processing 101–11
 - corona discharge systems 102–6
 - DBD systems 106–10
 - low-pressure processing 68–72
- etching 284
 - atmospheric-pressure 112
 - biomedical textiles 206–7
 - low-pressure 67–8
 - see also* plasma cleaning
- experimental processing xxi–xxii
- fabrics
 - functionality coatings xx–xxi
 - plasma cleaning 163–4
 - plasma metallisation 166
 - plasma polymerisation 170–1
- felting 238, 243
- fibres
 - effect of plasma on xviii–xix
 - functionality coatings xx–xxi
 - plasma cleaning 164–5
 - plasma metallisation 166–8
 - plasma polymerisation 171–2
 - synthetic fibres 287–90
 - see also* cellulose fibres
- filamentary DBD 91–3, 133–4
- filtration fabrics 74–5, 286
- finishing xxvii–xxviii, 298
 - barriers and challenges xxii–xxiii
 - water removal 129
 - wool 239–43
 - see also* functional coatings
- finite impulse response filters 34
- fit-for-purpose protection 192
- flame retardant treatments 73–4
- flexibility in production 79, 126
- floating probes 40
- fluorine 117
- fluorocarbons 147, 171, 189, 263
- foil treatments 136–7
- Fourier transform infra-red (FT-IR) 311
- free electrons in plasma 303
- free radical formation 252–4
- frequency of collisions 11
- functional coatings xx–xxi, 113, 123–5
 - assessment 212–13
 - biomedical textiles 207–9, 209–10
- gas breakdown mechanisms 87–8
- gas delivery systems 106
- gas environment 3–6
 - electron temperatures 7
 - energy distributions 4
 - gas breakdown mechanisms 87–8

- ion temperatures 7
- kinetic energy 3–4
- mean free path 4–5
- particle flux and pressure 5–6
- radiofrequency range 65
- gas precursor coating 101, 119–20
- gases used for plasma treatments xviii
- glass fabrics 142, 144–5
- glow discharge systems 230, 283
 - see also* APGD (Atmospheric Pressure Glow Discharge)
- glow-to-arc transition 96–7
- grafting 209, 285
 - hydrophilic monomers 261–2
 - silane monomers 289–90
 - vinyl monomers 289
- hairpin resonator probes 40
- hard plasma 66
- helium 94–5, 117
- hexamethyldisiloxane (HMDSO) 170–1, 171–2
- Hidden electrostatic quadrupole plasma (EQP) 40–2
- history of plasma technology in industry xv
- homogeneous DBD 91–3, 98, 106–10
- hybrid corona/DBD 97–8
- hydrocarbon repellents 189
- hydrogen-containing plasmas 117
- hydrophilic coatings 75–6, 123, 285–6
- hydrophobic coatings 74–5, 123, 148–9, 176, 285–6, 293–4
- hydroxyl reactivity 251–2
- hyperfine splitting constant (HSC) 254
- immobilisation of ligand-receptor systems 218–20
- in-line treatments xxi–xxii
- industrial processing xxi–xxii, 296–8
 - see also* manufacturability needs
- inelastic collisions 14
- intelligent filtration 286
- intermittation 138–9
- interpulse preionisation 92
- investment returns 79, 86, 126
- ion analysis 45–6
- ion energy distribution function (IEDF) 38, 40
- ion impact 18–19
- ion temperatures 7
- ionised gases 6, 22
- kinetic energy 3–4, 17
 - and sputtering 18
- Langmuir probes 32–8
- large substrate area processing 83–4
- Larmor radius 37
- ligand-receptor systems 218–20
- ligno-cellulosics xxvii, 247–8
 - see also* cellulose fibres
- line broadening 51–3
- line radiation 47
- liquid precursor coating 101, 120–5
- liquid-repellent treatments *see* water and oil repellence
- Lissajous figures 31
- loading systems 70
- low friction coatings 123
- low-pressure processing xv, xvii, xxi, xxiv, 64–78
 - activation 66, 72–4
 - air-to-air systems 69
 - automotive fabrics 72–3
 - battery separators 75–6
 - box-type vacuum chambers 68–70
 - costs 76–7, 83
 - cotton 264–4
 - equipment 68–72
 - etching 67–8
 - filtration fabrics 74–5
 - flame retardant treatments 73–4
 - hydrophilic coatings 75–6
 - hydrophobic coatings 74–5
 - loading systems 70
 - medical fabrics 72–3
 - Meissner traps 72
 - plasma deposition 74–6
 - plasma polymerisation 68
 - pre-treatments before dyeing 73
 - pumps 72
 - roll-to-roll treatment systems 70–2
 - thin film deposition 68
 - water and oil repellence 195–200
 - web treatment equipment 68–70
 - winding systems 70–1
- luminosity 302
- magnetised plasmas 37–8
- magnetron sputtering 166–7
- man-made cellulosics 250–1, 272–5
- manufacturability needs 81–6
 - high throughput 84–5
 - large substrate area processing 83–4
 - operating conditions 292–5
 - operating speed 79, 84–5, 126
 - production flexibility 79, 126
 - temperature 81–2
 - see also* industrial processing
- mass spectrometry *see* plasma mass spectrometry
- mass-energy spectrometers 40–2
- Maxwell-Boltzmann distribution 4, 7
- Maxwellian electrons 33, 34, 35
- mean free path 4–5
- medical fabrics *see* biomedical textiles
- Meissner traps 72
- metallisation 165–8

- micro-roughening 118
 micro-titre-plates 68
 microelectronics industry xv, 22, 23, 64
 molecule reactions 12–14
 desorption 20–1
 monomers
 and biomedical textiles 208–9, 209–10
 hydrophilic monomer grafting 261–2
 silane monomer grafting 289–90
 vinyl monomer grafting 289
 nanoindentation 311
 nano-scale treatments xxv–xxvi, 158–77
 deposition of nano layers by gas
 polymerisation 146–9
 materials and methods 160–3
 plasma cleaning 163–5
 plasma co-polymerisation 172–6
 plasma metallisation 165–8
 plasma polymerisation 168–72
 pressure range 161
 reactors for plasma polymerisation 162–3
 negative corona 131
 negative ion analysis 46
 neutral plasma analysis 43–5
 nitrogen plasma treatments 117, 139, 152–3, 291
 non-stick friction coatings 123

 oil repellence *see* water and oil repellence
 oleophobic coatings 123, 148–9, 176
 oligomers 144
 OML (orbital motion limited theory) 34, 35
 on-line treatments xxi–xxii
 operating conditions 292–5
 operating speed 79, 84–5, 126
 optical coatings 125
 optical emission spectrometry xxiv, 47–54
 Abel inversion 53–4
 collisional radiative model 50–1
 Doppler broadening 52
 line broadening 51–3
 Stark broadening 52–3
 steady state corona model 49–50
 optimized cell growth 215–17
 orbital motion limited theory (OML) 34, 35
 oxygen plasma treatments 117, 139, 257–60, 291
 ozone generation 105

 paraffin emulsions 191
 parameters *see* diagnosis and control of parameters
 particle flux and pressure 5–6
 Paschen's Law 88, 93
 perforation of textiles 137
 photoelectric emissions 19
 physical plasma 66

 physics and chemistry of plasmas xxiii, 3–23
 constituent atoms and molecules 12–14
 Debye length 8–9
 gas environment 3–6
 plasma creation and physical structure 6–12
 plasma frequency 10–11
 reaction rates 16–17
 sheath creation 11–12
 see also collisions
 plasma cleaning 206–7, 284
 atmospheric-pressure 113, 118
 fabrics 163–4
 fibres 164–5
 scale-up 165
 see also etching
 plasma co-polymerisation 172–6
 plasma creation and physical structure 6–12
 plasma deposition 74–6
 plasma fixation 209
 plasma frequency 10–11
 plasma grafting *see* grafting
 plasma mass spectrometry xxiv, 40–7
 commercial mass-energy spectrometers 40–2
 electron attachment mass spectrometers 44–5
 negative ion analysis 46
 neutral plasma analysis 43–5
 positive ion analysis 45
 quadrupole mass filter 42–3
 residual gas analysis (RGA) 43
 threshold ionisation mass spectrometry 44
 time-resolved mass spectrometry 47
 plasma metallisation 165–8
 fabrics 166
 fibres 166–8
 scale-up 168
 plasma polymerisation 68, 168–72, 209, 285
 controlled polymerisation 122–3
 fabrics 170–1
 fibres 171–2
 reactors for 162–3
 scale-up 172
 plasma TVs 302
 plasma-surface collisions 17–22
 atom interaction 18–19
 atom reactions 19–21
 electron production 19, 26
 ion impact 18–19
 plasmas, definition xvi, 6, 23, 283
 polyethylene glycol (PEG) 217–18
 polymerisation *see* plasma polymerisation
 polymers, effect of plasma on xviii–xix
 polypropylene (PP) 65, 66, 287
 polyvinylchloride (PVC) 65
 positive corona 131–2
 positive ion analysis 45

- potential energy 17
 power sources xvii, 102
 PP (polypropylene) 65, 66, 287
 pre-treatments before dyeing 73
 precursors 147, 154
 gas precursor coating 101, 119–20
 liquid precursor coating 101, 120–5
 pressure
 and gas breakdown 87–8
 and nanoscale treatments 161
 and plasma size 88–99
 primary plasma 66
 printing 239–41, 286
 probe techniques 32–8, 40
 production flexibility 79, 126
 proteins
 absorption layer 204, 217–18
 ECM (extra-cellular matrix) proteins 215
 pulsed plasmas 209, 210
 pumps 72
 PVC (polyvinylchloride) 65
- quadrupole mass filter 42–3
 qualifier criteria for new technology 79, 126
 quasineutrality 8
- radiation emissions 47, 144, 302–3
 vacuum ultraviolet (VUV) radiation 159, 160, 161
 radio frequency (RF) plasmas 27–30, 36
 radiofrequency range 65
 rate constants 17, 21
 reaction rates 16–17
 reactive friction coatings 123
 reactor techniques 210–12
 for plasma polymerisation 162–3
 residual gas analysis (RGA) 43
 retarding field analyser (RFA) 38–40
 return on investment 79, 86, 126
 RF (radio frequency) plasmas 27–30, 36
 roll-to-roll treatment systems 70–2
 rubber matrices 267–8
- safety 79, 126
 Savitzky-Golay filters 34
 scale-up
 of plasma cleaning 165
 of plasma metallisation 168
 of plasma polymerisation 172
 of water and oil repellence 198–9
 scanning electron microscopy (SEM) 306–8
 Scotchguard 213
 secondary plasma 66
 sheath creation 11–12
 shrink-proofing 118, 238, 241–2
 silane monomer grafting 289–90
 silicone repellents 189
 silk 291–2
- siloxane coatings 170, 171
 silver as an antibacterial finish 173, 221
 simulations 154–5
 sisal fibres 266
 size removal 118
 soft plasma 66
 softening plasma-treated wool 242–3
 spray coatings 193
 sputtering 18, 161, 165–6
 magnetron sputtering 166–7
 stability of DBD-treatment effects 145–6
 stain repellent finishing 213–15
 Stark broadening 52–3
 steady state corona model 49–50
 sterilisation 206–7
 superelastic collisions 14
 support bandages 73
 surfaces of fibres/fabrics
 activation 66, 72–4, 113, 118, 141–6, 284–5
 and atmospheric-pressure plasma 111–25
 biomedical/technical textiles 141–3, 213–21
 cellulosic fibre-based composites 265–8
 energy of materials 187–8
 kinetics 21–2
 plasma-surface collisions 17–22
 reactions in plasma treatments 301–5
 roughness 188
 stability 252–4
 synthetic fibres 287–90
- technical textiles *see* biomedical textiles
 temperature
 of electrodes 139–40
 of electrons and ions 7
 and manufacturing needs 81–2
 tension of liquids 187–8
 testing water and oil repellence 189–90
 thermal energy 130
 thermal plasmas 82, 283
 thin film deposition 68
 threshold ionisation mass spectrometry 44
 throughput rates 84–5
 time-resolved mass spectrometry 47
 Townsend breakdown mechanism 88, 93
 trapped active coatings 125
 treater stations 102
- vacuum processing *see* low-pressure processing
 vacuum ultraviolet (VUV) radiation 159, 160, 161
 Van der Waals force 19–20
 vegetable fibres 249–50
 vinyl monomer grafting 289
 viscose 251, 274–5
 Voigt profile 52
 voltage sensors 28–30

- Wasco 121
- water and oil repellence xxvi, 130, 183–201, 292
 - and added value 184–5
 - atmospheric-pressure plasmas 194–5
 - costs 200
 - dip processing 192–3
 - durability 200
 - fit-for-purpose protection 192
 - fluorocarbon repellents 189
 - hydrocarbon repellents 189
 - low-pressure plasmas 195–200
 - paraffin emulsions 191
 - scale-up 198–9
 - silicone repellents 189
 - silk 292
 - spray coatings 193
 - surface energy of materials 187–8
 - surface roughness 188
 - surface tension of the liquid 187–8
 - testing 189–90
 - and textile type 197
 - types of plasmas used 194
 - wax emulsions 191
 - wool 292
- water removal in finishing 129
- water repellent textiles 191, 262–3
- water resistant textiles 191
- waterproof textiles 191, 192
- wax emulsions 191
- wearable electro-textiles 176
- web treatment equipment 68–70
- wettability of fabrics xix
- winding systems 70–1
- winner criteria for new technology 80, 126–7
- wood, solid wood surfaces 268–70
- wood-pulp fibres 250, 270–2
- wool xxvi–xxvii, 228–44, 291–2
 - air plasma treatments 291
 - chemical and morphological changes 231–7
 - core-shell structure 228
 - cortex 228
 - and DBD systems 230–1
 - dyeing behaviour 239–41
 - felting behaviour 238, 243
 - finishing performance 239–43
 - glow discharge treatments 230
 - hydrophobic nature 228–9
 - nitrogen plasma treatments 291
 - oxygen plasma treatments 291
 - printing behaviour 239–41
 - relevant plasma systems 229–31
 - shrink-proofing 118, 238, 241–2
 - softening plasma-treated wool 242–3
 - textile properties of plasma-treated wool 237–9
- X-ray photoelectron spectroscopy (XPS) 310–11
- Yasuda factors 210