

Subject Index

- ABA triblock copolymer 303
absorbed polymer layers 299–300
AB-type block copolymer 227
acetal, crossed polars 125
acoustic velocity 104
activation enthalpies 103, 193
adamantane 100
adsorbed layers 298–9
AFM *see* atomic force microscopy
ageing 181, 198–200
air–liquid interface 235, 284–5, 287–9
air–solid interface 235
alignment *see* molecular alignment
alkanes 8–10, 103–5
n-alkanoic acids 55, 57
alkylbiphenyl esters 58–9
alkyl chain branching 68
alpha-helix 308–10
alpha relaxation process 188, 192, 193, 194
amine-cured epoxy resins 220–2, 223
amorphous structure 12, 107, 147, 149, 179–205, 272–3
AMU *see* atomic mass units
angular momentum conservation law 76, 77
angular resolution 262
anisotropic axis 53
anisotropic electronic polarizability 71
annealing phenomena 123–4
antiplasticization 195
applications 82, 230–1
Argand diagrams 182–3
Arrhenius behaviour 27, 187, 188, 203
assessment methods 238–40
atactic form 11–12, 13–14, 109
atomic force microscopy (AFM) 44, 244–7, 268, 279, 282, 313
atomic mass units (AMU) 265, 266, 268
atomic polarization 184
atomic ratios 263
ATR (attenuated total reflection) 247
attachment 29, 32, 34–5, 142, 143
 Lauritzen–Hoffman theory 160–2
 Sadler–Gilmer theory 170
attenuated total reflection (ATR) 247
attenuation length 260
Auger process 254, 255
average energy 3
Avrami equation 156–9, 176
Avrami exponent (*n*) 158, 159
axial cellulose fibre structure 315–16
axialite 120
backbone structure 82–3, 89–91
B/A ratio 114
BCF *see* screw dislocations
bend 80
benzaldehyde 42
benzoate esters 69
benzoic acid 42–3
benzophenone-3,3',4,4'-tetracarboxylic anhydride 88
benzophenone 16, 48

- beta process 188
BFDH (Bravais–Friedel–Donnay–
Harker approach) 32–3
bicyclooctane 100
bilayers 290–1
binary polymer blends 215–16, 217–19,
276–7
binding energy (eV) 254, 257, 258
biological systems 290–1, 303, 308–20
birefringence 130–1
bischloroformate-derived polyurethanes
86
blends 142–3, 173, 195, 207–31, 273,
276–7
blind attachment 170
Bloch waves 47
block copolymers 14, 217, 224–9, 263,
302–4
blood-handling materials 263–4
blooming phenomenon 276
Boltzmann distribution 7, 27
Bombyx mori (silk worm) 317
bonds 8, 9, 33–4, 184
Borrmann effect 47
Bragg diffraction condition 46, 47
branched chain structures 224
Bravais–Friedel–Donnay–Harker
(BFDH) approach 32–3
Bravais structures 18, 19
brominated polystyrene thin film 282
8-bromo-2,2'-dimethyl-6-nitro-1'-
phenyl-(2H-[1]benzospiropyran-
2,2'-indoline) 201
n-butane 8, 9
butyl methacrylates 197

Cahn–Hilliard diffusion equation 218–
19
calcite 44
calorimetric methods 136–7
camphene 100
carbon-13 NMR 193
carbon tetrabromide 99, 100, 101
carboxy-terminated butadiene
acrylonitrile (CTBN) 221–2

CED (cohesive energy density) 194
cellulose fibres 310–17
cellulose I/II structure 312, 313
central rigid core length 61
chains
axis 108
end groups 272–3, 274, 275–6, 278
end location 150
entanglement 141, 148
folding 112–13, 115–16, 142, 145–9
mixing 104
packing 113
rigidity 55–7
sequence structure effects 58
characterization, surfaces 238
charged colloids 293–4, 296–8
chemical shifts 255, 256
chemical structure effects 196–8
chiral centres 67
chiral smectic materials 55
2-chloro-2-nitropropane 101, 102
cholesteric liquid crystals 55, 56, 67
classifications 12–14, 18, 82–3
Clausius–Mossotti equation 184
clearing point 74
cloud point 303
CMC (critical micelle concentration)
292, 301
CMT (critical micelle temperature) 292
cohesive energy density (CED) 194
coils 272
collision polarization 185
colloids 284–305
colour 82
comonomers 148, 195–6
compatibilizers 208
compatible blends 207
compressible lattice theory 275
compression theory 299–300
computer prediction 40, 41, 78–9
conformational states 8–10, 11–13
conservation laws 75–7
contact angle 234, 235, 237, 238–40
contamination 17, 42–3, 271–2
cooling rate, glassy solids 180

- copolymers 154, 207, 217
cotton fibres 312, 314–15
Coulombic interactions 3–4, 280–1, 293–5
creep behaviour 199, 200
criss-cross structure 315
critical condition 215–16
critical micelle concentration (CMC) 292, 301
critical micelle temperature (CMT) 292
critical molar mass (M_{crit}) 172
critical packing factor 300–2
critical phase separation temperature 208, 213
critical surface tension 239, 240
crossed cellulose fibre structure 314, 315–16
crossed polars 125
cross polarized microscopy 53, 79–80
crystal growth 141–76
 see also nucleation
 attachment energy 34–5
 attachment methods 32
 Bravais–Friedel–Donnay–Harker approach 32–3
 chain end location 150
 chain folding 112, 113, 115, 116, 142, 145–9
 crystal habit 24
 crystallization kinetics 150–3
 dislocations 37–40
 equilibrium melting temperature 153–6
 general Avrami equation 156–9
 heterogeneous 30–1
 homogeneous 25–30
 Ising model surface roughening 35–6
 lamellae stacks 148–50
 macrosteps 42–3
 metastable phases 171–2
 microstructural examination 46–9
 Miller's indices 20
 minimum energy conditions 143–6
 molecular fractionation 172–5
 nucleation 142–3
 orientation-induced crystallization 175–6
 periodic bond chains 33–4
 pharmaceutical chemicals 17
 relative rates 40
 small molecular systems 16–49
 stages 29–30
 theories 159–71
 thermodynamics in melt 141–2
crystalline/amorphous ratio 313
crystalline polymers 11–12, 107–39, 271–2
crystalline solid formation criteria 13–14
crystallization 21–3, 150–3, 154
 see also crystal growth; nucleation
crystallizing units *see* stems
crystallography 108–10, 114, 115
crystal morphology *see* morphology
CTBN *see* carboxy-terminated butadiene acrylonitrile
cubic crystals 18, 19
curved surfaces 288–9, 300–2
4-cyano-4'-*n*-pentylbiphenyl 60
4-cyano-4''-*n*-pentyl-*p*-terphenyl 60
cyano biphenyl molecules 58
cyclohexadiene rings 63
cyclohexane rings 63
cysteine 309
cystine 309, 310

dark brushes 79–80
data analysis 43–4
DDS *see* 4,4'-diaminodiphenylsulfone
deconvolution 255
defects in crystal growth 37, 79–81, 111, 169
de Gennes reptation theory 161
degree of crystallinity 135–8
degrees of freedom 99
densities, polymers 111
density methods 136–7
depth profiling 262–4
Derjaguin–Landau–Verivey–Overbeek (DLVO) theory 296–8

- deuterated polystyrene 279
DGEBA *see* diglycidyl ether of bisphenol A
4,4'-diaminodiphenylsulfone (DDS) 223
diazomolecules 57–8
diblock copolymers 226
DIC *see* differential interference contrast
2,2-dichloropropane 102
dicyclohexylphthallate 196
dielectric permittivity 185–6
dielectric relaxation spectroscopy (DRS) 183–9
diesel fuel 43
differential interference contrast (DIC) 132
differential scanning calorimetry (DSC)
 alkane mixtures 104
 carbon tetrabromide 101
 crystal growth kinetics 159
 degree of crystallinity determination 136
 glass–rubber transition 181
 polyethylene crystals thickening process 124
diffuse double layer 295
diffusion equation 218
diglycidyl ether of bisphenol A (DGEBA) 220, 223, 224
diluents 195
dimers 3, 21, 90
dipolar effects 71, 101–2, 183–9
director (n) 53, 72, 79–81
disinclinations 53, 79–81
dislocations 37–40, 79–81
disordered *see* amorphous
distribution function $Z(p)$ 201–2
DLVO (Derjaguin–Landau–Verivey–Overbeek) theory 296–8
DNA analysis 317
dodecane 5–8, 141
Doi–Edwards model 176
domain interface 228–9
Donnan equilibrium 294
droplet example 234–8
DRS *see* dielectric relaxation spectroscopy
DSC *see* differential scanning calorimetry
dyes 200–2, 226
dynamic mechanical thermal analysis 181–3
dynamic modulus measurement 181, 182

EHD *see* electrohydrodynamic...
elastic behaviour 75–7
elastic electron scattering 244
electrical colloid effects 294
electrical double layer 294–5
electrohydrodynamic (EHD)
 instabilities 280–2
electronic polarization 184
electron mean free path 258–62
electron microscopy (EM)
 liquid crystal systems 81
 molecular surfaces 242–4, 245
 phase separation 221, 222, 223
 polymer spherulites 119
 SBS copolymers 225, 226
 technique 128–9, 133
 X-ray emissions 244
electron recoil 252–3
electron scattering 243–4
electron spectroscopy for chemical analysis *see* X-ray photoelectron spectroscopy
electrostatic interactions *see* Coulombic interactions
elongation 78–9, 181
empirical nucleation description 27–9
emulsifiers 208
enantiomeric mesophase 83
end functionalized polymers 278
end groups 272–3, 274, 275–6
energy conservation laws 76, 77
enrichment 278–80
entanglement 141, 148
enthalpy 110, 111, 211–12, 237

- entropic model/theory 172, 299–300
- entropic stabilization 298–9
- entropy 172, 211–12, 237, 298–300
- environmental scanning electron microscopy (ESEM) 242, 245
- epoxy resins 220–4
- equation of state theories 209–10
- equilibrium melting temperature 153–6
- equilibrium shape 143–4
- escape depths 260–2
- ESEM (environmental scanning electron microscopy) 242, 245
- esters 58–9, 188
- etching samples 133–4
- eV *see* binding energy
- excluded volume effect 141
- experimental techniques 124–33, 159–70

- face-centered cubic (fcc) arrangement 234
- factor α 35
- fcc *see* face-centered cubic...
- ferroelectric liquid crystals 91
- films *see* thin films
- flat surfaces 32
- flexible chains 57, 90
- flexible spacer nature/length 89
- flocculation 298, 299
- Flory–Huggins equation 277
- Flory–Huggins interaction parameter 211, 228
- fluorescence 247
- fluorine 255
- fluorine end caps 272–3
- fluorosilane-terminated polystyrene (PS-F) 278
- folded structures 112, 113, 115, 116, 142, 145–9
- force field 71
- form birefringence 131
- forward recoil spectroscopy 252–3
- Fourier transform infrared (FTIR) imaging 268–9
- fractal structures 20
- fractal surfaces 121, 122
- fractionation process 149, 172–5, 271
- fragility 202–4
- Frank impurity mechanism 45
- freedom *see* degrees of freedom
- free energy barrier (ΔG^*) 152
- free energy (ΔG) 151
 - see also* Gibbs free energy
- free energy difference (ΔG) 25–6
- free volume 190–2, 194, 195, 198, 199–202
- freezing points, paraffin series 8
- Fresnel reflectivity/reflectance 250–1
- FTIR *see* Fourier transform infrared
- functional groups 273–4

- G see* Gibbs free energy
- gauche* state
 - n*-alkanes 8–10
 - dodecane molecule 5, 6, 7
 - polyethylene 108
 - polymer crystal growth 141–2
 - polymer solidification 107
- Gay–Berne (GB) potential 78
- general Avrami equation 156–9, 176
- geometry of crystal growth 158
- GGX motifs 317, 319
- Gibbs absorption isotherm 287
- Gibbs equation 286
- Gibbs free energy (*G*)
 - binary polymer blend surfaces 276–7
 - end group segregation to surface 276
 - homogeneous crystal growth 25–6
 - homopolymer surface tension 274–5
 - Lauritzen–Hoffman theory 161
 - phase separation 208–9, 213
 - surfaces 233–8
- Gibbs interface 284–5
- Gibbs–Thomson relationship 27
- glass–rubber transition (T_g) 179–205
 - chemical structure effects 196–8
 - comonomer incorporations 195–6
 - dielectric relaxation spectroscopy 183–9
 - fragility 202–4

- Kauzmann paradox 198
 molar mass effects 194–5
 phenomenology 180–90
 physical ageing 181, 198–200
 physical characteristics 194–8
 plasticization effect 195
 pressure dependence 198
 process 192–4
 SBS block copolymer 226
 temperatures 197
 theories 204–5
 globular molecules 99, 100, 101, 102
 glucose, quenching behaviour 198–9
 Gouy–Chapman regime 295, 297
 growth of crystals 141–76
 see also habit; lamellae; nucleation
 chain end location 150
 chain folding 112, 113, 115, 116,
 142, 145–9
 equilibrium melting temperature
 153–6
 general Avrami equation 156–9
 kinetics 150–3
 Lauritzen–Hoffman theory 160–9
 minimum energy conditions 143–6
 rate equations 169
 regimes 164–9
 Sadler–Gilmer theory 169–70
 thermodynamics in the melt 141–2
 habit 17, 23–5, 113–16, 309
 hair 308–10
 Hamaker constant 237, 280, 296
 handedness, screw dislocations 38
 Hartman–Perdok model 40, 41, 45
 heats of fusion 110, 111
 helical structures 109, 110, 111, 308–
 11, 315–16
 Helmholtz energy 285
 hemicellulose 313, 314, 315
 heterogeneous crystal growth 30–1
 hexagonal crystals 18, 19
 hexamethylethane 99, 100, 236
 higher energy states 7, 107
 higher order structures 308–20
 high-impact polystyrene (HIPS) 219–
 21, 222
 high molar mass samples 120
 HIPS (high-impact polystyrene) 219–
 21, 222
 history 2, 52
hkl values 20–1
 homogenous crystal growth 25–30
 homologous series 7–8, 58–9
 homopolymers 273–5
 H-shaped dimers 90
 hydrodynamic flow 75
 hydrogen bonding 312
 ideal gas equation 287
 ideal non-mixing liquids 285–7
 imbalance of forces, surfaces 233–4
 immiscible blends 208
 immiscible liquids 285–7
 impact properties 219–20
 impurities 17, 42–3, 271–2
 indolinobenzospirans 200
 inelastic electron scattering 243–4, 260
 inelastic mean free path 260
 instability condition 209
 interaction potentials 237
 interfaces
 see also surfaces
 block copolymer phases 228–9
 Gibbs free energy 233–8
 liquid droplet example 234–8
 molecular surfaces 233–69
 types 233
 interference microscopy 133
 intermediate hair filaments 309
 internal rotation 196–8
 inverse square law 237
 investigation techniques 107–39
 ion beam analysis 252–3
 ionic solids 2–5
 ions 293–5
 Ising model 35–6
 isotactic structure 11–12, 13–14, 109, 110
 isothermal volume contraction 181
 isotropic–mesophase temperature 84

- J_n (mass nucleation rate) 27–8
- Kauzmann paradox 198, 204
- KDP *see* potassium dihydrogen phosphate
- kebab structures 121, 122
- keratin, hair 308–10
- kinetics 21–3, 150–3, 218–19
- kinked faces 32
- Krafft point 292
- lamellae 115–17
- chain ends location 150
 - distortions 148, 149
 - melt-crystallized 117–18
 - polymer crystal growth 143, 144
 - spherulite formation 118–23
 - stacks 148–50
 - supercooling effect on thickness 145
 - surface area 146
- Lang diffraction technique 46, 48
- Langmuir–Blodgett films 290–1
- Langmuir trough 289–90
- lattices 3, 17, 18, 19, 217
- Laue X-ray diffraction 46, 48
- Lauritzen–Hoffman (LH) theory 160–9
- layer polymers 88
- LCST (lower critical solution temperature) 213
- Legrande polynomials 72, 73
- length scale 128
- Lennard–Jones potential 78–9
- Leslie–Erickson theory of hydrodynamic flow 75–7
- LH (Lauritzen–Hoffman theory) 160–9
- light microscopy techniques 53, 79–80, 127–33, 241–2, 267
- lignins 314
- like sign dislocations 38–9
- linear cascade regime 264
- linear dimers 90, 91
- linear expansion coefficient 180–1
- linear momentum conservation law 75–6, 77
- linear polyethylene 150, 169, 173
- linking groups 62–4
- liquid–air interface 235, 284–5, 287–9
- liquid crystal phase 52–92
- applications 82
 - common molecular features 59–66
 - computer simulations 78–9
 - definition 52
 - molecular structure effects 55–9
 - silk 318
 - structure visualization 92
- liquid droplet example 234–8
- liquids
- micelle formation 291–3
 - molecular organization 284–305
 - phase structures 302–5
 - surface tension values 235
- liquid–solid interface 235, 236
- loss factor 183
- lower critical solution temperature (LCST) 213
- lowest energy structures 2–3, 5–7, 11
- low molar mass material 8–10, 149, 155
- lyophilic colloids 293, 294
- lyophobic systems 293, 294
- lyotropic molecules 53, 54, 284
- macrosteps 42–3
- macrostructures, biological 308–20
- Madelung constant 4
- Maier–Saupe theory 73–4
- main chain crystalline polymers 84–8
- mass conservation law 75
- mass nucleation rate (J_n) 27–8
- M_{crit} *see* critical molar mass
- MCS (modulation contrast system) 132
- MDI (methylenediphenyldiisocyanate) 229
- mean field theory 5, 71, 72, 73
- mechanical model development 72
- melting points 84, 111, 145, 146
- melting process 99–100, 143
- melts 117–23, 141–2
- membranes 290–1, 303
- mesogenic phase 59–60

- mesogens, definition 53
- mesomorphic *see* mesophase
- mesophase 53, 78, 83–4, 85, 86–7
- metallocene polymers 148, 173–5
- metastable limit (ΔC_{\max}) 28
- metastable phase 22, 23, 171–2
- methane 103
- methylenediphenyldiisocyanate (MDI) 229
- 4-methylpentene-1 111
- α -methylstyrene-alkane copolymer system 193
- Metropolis technique 78
- micelles 291–3, 295–6, 300–2
- microfibrils 122, 309–10, 311, 312
- microscopy
see also electron microscopy;
individual microscopy techniques
 optical 53, 79–80, 125–34, 241–2, 267
- microstructures 46–9, 319–20
- microtomes 126–7
- Miller's indices 20
- minimum energy conditions 143–6, 287–9
- miscibility 207, 209–12, 215–17
see also phase separation
- modelling 204–5, 209–10, 264–5
- modulation contrast system (MCS) 132
- modulus 181–3
- molar mass effects 83, 194–5, 215–17
- molar mass segregation/fractionation 149, 172–5, 271
- molecular organization
 cellulose fibres 311–12
 higher order structures 308–20
 liquid crystal computer simulations 78–9
 liquid crystal mechanical model development 71–5
 liquids 284–305
 nematic liquid crystals 53, 80
 rotation 8–11, 102–3, 196–8
 smectic liquid crystals 54–5
- molecular solids 1–14
- molecular surfaces *see* surfaces
- monoclinic crystals 18, 19
- monolayers 123, 164, 290–1
- monomers 91, 197
- Monte Carlo approach 78, 151, 170
- morphology
 annealing phenomena 123–4
 block copolymers 225
 cellulose fibre 312, 314–15
 chemical structural polymer type classification 13
 crystal lamellae 115–17
 crystalline polymers 107–39
 crystal structures 23–5, 40, 41
 experimental techniques 124–33
 hair 309–10
 melt grown crystals 117–23
 molecular surfaces 233
 polymer spherulites 118–23
 prediction 24–5
 single polymer crystals 112–15
 snow crystals 20
 solid polymers 1
- motional freedom *see* degrees of freedom
- moving element (T_g process) 192–4
- multilayer reflectivity 251–2
- multiple nucleation 165–6, 167
- n see* Avrami exponent; director
- N *see* nematic liquid crystal phase
- naphthalene 41
- 2,6-naphthalene-based polymers 88
- natural silks 317–20
- nature *see* biological systems
- nearly miscible blends 213–14
- nematic liquid crystal phase (N)
 characteristics 6, 7, 53
 distributions/order 72–5
 elastic behaviour modelling 75–7
 linking group influence on thermal stability 62–4
 molecular arrangements 80
 molecular features 60–2
- nematic to isotropic transitions *see* transitions

- Nephilu chuvipes* 317
neutron diffraction analysis 247–52,
267
n-nonadecane 104
non-planar geometries 116–17
non-polar end groups 274
non-wetting droplets 235–6
norbornylene 99, 100
n-pentane 10
nuclear magnetic resonance (NMR)
193
nucleation 31–2, 36–41
Avrami equation 156–8
crystal growth rates 31–2
crystallization 22, 25
empirical description 27–9
Lauritzen–Hoffman regime II/III
growth 165–7
polymer crystal growth 142–3, 152
site sources 36–41
spherulite formation 119–20
- octadecane 103
opposing sign dislocations 39
optical display applications 82
optical microscopy 53, 79–80, 125–34,
241–2, 267
order parameters 71, 72–5
orientation birefringence 130
orientation-induced crystallization 175–
6
orthorhombic structure 18, 19, 108
ortho spin positronium (o-Ps) 189–91
oscillation 181, 182, 184
osmium tetroxide staining 221–2, 226
Ostwald ripening 22
overlayer method 260
- packing 113, 300–2
paired ions 2–3
palmitic acid 284
PALS (positron annihilation lifetime
spectroscopy) 189–90
paracetamol 17
paraffin homologous series 7–8
parallel plate model 296
para spin positronium (p-Ps) 189
partially miscible blends 207
PBC (periodic bond chains) 33–4
PDMS (polydimethylsiloxane) 13
pendant groups 65–6, 68–9
Pendellösung effect 47, 48
periodic bond chains (PBC) 33–4
permittivity 101, 102, 185–6
persistence length 169
PES *see* poly(ether) sulfone; potential
energy surface
pharmaceutical chemicals 17
phase contrast microscopy 129
phases
behaviour 300–2, 303–5
diagrams 213–14, 215–17, 227, 302–
4
inversion 220
liquid polymer systems 302–5
segregation at surfaces 278–80
separation 142–3, 172–5, 207–31
smectic liquid crystals 54–5, 56
m-phenoxy ether 190, 191
phonon spectra 135
physical properties 2–11, 110, 111, 181,
194–200
pick off annihilation 189
pinning attachment 170
pivalic acid 99, 100
planes of crystal growth 20–1
plane surfaces 288–9
plant cell walls 310–17
plastic crystals 99–105
plasticization effect 195
platelet formation 43
Pluronic 304–5
PMMA *see* poly(methyl methacrylate)
point group 19
Poiselle flow 281
poisoned growth 44
polarization colours 131
polarized light microscopy 53, 79–80,
118, 119, 120, 129–30
trans-poly(1,4-butadiene) 172

- poly(4-methylpent-1-ene) 117
- polyalanine 319
- 1,4- β -D-linked
 - polyanhydroglucopyranose chains 310, 311
- polydimethylsiloxane (PDMS) 13
- poly(ester anhydrides) 87
- poly(esterimide)s 87
- poly(ether sulfone) (PES) 223
- poly(ether-urethane) block copolymers, XPS 263
- polyethylene
 - chemical shift 256
 - crystal growth 112–13, 114, 148, 154, 169
 - crystallography 108
 - growth rate equations 169
 - low MW highly linear metallocene-synthesized 123
 - melt-crystallized lamellae 117–18
 - minimum energy conditions 144–5
 - non-planar geometries 117
 - nucleation in melt 143
 - Sadler–Gilmer theory 169
 - shape vs. growth conditions 114
 - SIMS 265, 266
 - single crystal growth 112–13
 - spherulites 119
 - structure 2
 - thickening process 123–4
- poly(ethylene oxide) 110, 114
- polyimides 85–6
- polyisobutylene 265, 266
- polymer dispersed liquid crystals 82
- polymeric liquid crystalline materials 82–91
- polymerization, history 2
- polymer network stabilized liquid crystal phase 91
- polymer–polymer miscibility 209–11
- polymer spherulites 118–23, 125–33, 308
- poly(methylene) 10–11
- poly(methyl methacrylate) (PMMA) 179, 188–9, 196, 278–9
- polymorphism 108, 109–10, 142
- polyoxymethylene (POM) 110, 114, 115, 117, 156
- polypropylene 11–12, 109–10, 265, 266
- polysaccharides 310–17
- polystyrene 219–20
 - chemical shift 256
 - fluorine end caps 272–3
 - SIMS spectrum 266
 - spherulites 119
 - structure 179
 - XPS shake up satellites 255, 258, 259
- polystyrene-*block*-polybutadiene-*block*-polystyrene (SBS) block copolymer 224–9
- polystyrene-*block*-polyisoprene-*block*-polystyrene 224–5
- polystyrene–poly(methyl methacrylate) (PS-*b*-PMMA) 230
- polysubstituted aromatics 102, 103
- polytetrafluoroethylene (PTFE) 156, 184, 256
- polythiophene 259
- poly(trimethyl terephthallate) 154
- polyurethanes 86, 229–31, 263
- poly(vinyl acetate) 199
- poly(vinyl alcohol) (PVA) 255
- poly(vinyl bromide) 256
- poly(vinyl chloride) (PVC) 200, 256, 262
- polyvinylidene fluoride 258
- positron annihilation lifetime spectroscopy (PALS) 189–90
- potassium dihydrogen phosphate (KDP) 45
- potential energy 102
- potential energy surface (PES) 204
- p-Ps *see* para spin positronium
- prediction, crystal morphology 24–5
- pressure 199, 217
- primary nucleation 22, 152
- primitive lattice cells 18
- propane 103
- propylene–ethylene copolymer 121
- proteins 294

- PS-b-PMMA (polystyrene–poly(methyl methacrylate)) 230
pseudo-liquid crystals 314
PS-F *see* fluorosilane-terminated polystyrene
PVC *see* poly(vinyl chloride)
pyramidal shape 112, 113
pyromellitic acid dianhydride 256
pyromellitic dianhydride 88
pyromellitic diimide 257
- quenching behaviour 198–9
quills 309
- radius of gyration 147
Raman scattering 104–5, 135
random copolymers 14
random lamellar structures 120
real polymer molecules 11–13
reciprocal lattices 21
reflectance 247
reflectivity 247–52
refractive index 125, 248–50
regimes of growth 164–9
regular chain folding 149
relative crystal growth rates 40
relaxation behaviour 184, 193, 202–4
reptation theory of de Gennes 161
restricted chain mobility 141
rigid backbones 89–91
rigid block size 57–8
rigid rod-like polymers 84, 85, 86
RIG (rough interface growth)
 mechanism 40
ring closure process 201–2
ring structures 57–69
RISM *see* Rotational Isomeric States Model
rod-like molecules 67, 84, 85, 86
rod-like silk structures 318–19
‘roof-top’ structure 229, 230
rotation 8, 9, 10–11, 102–3, 196–8
Rotational Isomeric States Model (RISM) 11, 141, 147
rotator phase 172
rotor–plastic behaviour 101–5
roughening temperature (T_r) 169
rough interface growth (RIG)
 mechanisms 40
roughness 35–6, 239–40, 241
Rouse modes 175
rubber elasticity 175, 180, 225
rubber toughened epoxy resins 220–2
Rutherford backscattering 252–3
- Sadler–Gilmer theory 169–71
SALS (small-angle light scattering) 126
sample preparation for EM 133–4
sampling depths, XPS 263
SANS (small-angle neutron scattering) 147
saturated solutions 22–3
SAXS (small-angle X-ray scattering) 135
SBS (polystyrene-*block*-polybutadiene-*block*-polystyrene) 224–9
scanning electron microscopy (SEM) 121, 122, 242, 243–4, 267
scanning tunnelling microscopy (STM) 267
scattering 21, 243–4, 252–3
Scherrer shape factor 135
Schiff bases 63, 69
screening effect 294–5, 296
screw dislocations 37–8, 39–40
secondary ion mass spectrometry (SIMS) 264–8
secondary nucleation 22, 152
sectorization 116
segregation 149, 172–5, 271–6, 278–80
self-assembling systems 297, 316
SEM *see* scanning electron microscopy
sensor applications 230–1
seven crystal systems 18
shake up satellites 255, 258
shape of crystal *see* habit
sheet structure 3
shift factor 192
shish-kebab structures 121, 122
side chain liquid crystalline polymers 89, 91

- silks 317–20
 SIMS (secondary ion mass spectrometry) 264–8
 single crystals 5–8, 16, 99, 100, 112–15
 single knock off regime 264
 size of rigid block 57–8
 small-angle light scattering (SALS) 126
 small-angle neutron scattering (SANS) 147
 small-angle X-ray scattering (SAXS) 135
 small molecular systems 16–49
 smectic liquid crystals 6, 7, 54–5, 56, 67–71, 110
 snow crystals 20
 soaps 284, 287, 292
 sodium chloride 2–5, 17
 sodium stearate 289–90, 292
 solid–air interface 235
 solidification process 107
 solid–liquid interface 235, 236
 solid state 11–13
 solubility curve, typical 22, 23
 solution-grown crystals 112, 115, 271
 solutions 22–3, 29–30
 solvent etching 133–4
 space group 19
 specific free energy of melting 143
 specimen preparation 127
 spectroscopy 183–90, 247, 252–8, 262–4, 267
 specular reflection 247, 248
 spherical *see* globular
 spherulites 118–23, 125–33, 308
 spiders 317–19
 spidroin 1/2 317
 spinning process, spiders 317–18
 spinodal condition 214, 215–16
 spinodal decomposition 209, 218–19
 spirals 38–9
 splays 80, 120
 spreading of drops on surfaces 239, 240
 spreading films 235
 sputtering 264
 stability of colloids 293–4, 296–8
 stains 127, 133–4, 221
 static method 181
 statistical methods 71, 72
 stearic acid 284
 steepness index 204
 stems 146, 160–2
 step growth 32, 37–8, 43–4
 steric hindrance 197–8
 steric stabilization 298–9
 Stern model 296, 297
 STM (scanning tunnelling microscopy) 267
 strain birefringence 130–1
 stress tensors 75–7
 structure–property relationships 1–14
 classification of polymers 12–14
 ionic solids 2–5
 liquid crystal phase formation 55–9
 low molar mass hydrocarbons 8–10
 molecular solids 5–8
 physical basis 2–11
 polymers 1–14
 poly(methylene) chains 10–11
 real polymer molecules in solid state 11–13
 sodium chloride solid crystal 2–5
 styrene–butadiene–styrene block copolymers 131
 styrene–polybutadiene–polystyrene 220
 substituent changes 59
 succinonitrile 100
 supercooling (ΔT) 151–2, 153, 163
 super-folding model 148
 supersaturated solutions 22–3, 41
 surfaces 233–69
 see also interfaces
 amorphous polymers 272–3
 area 289–90, 293
 assessment methods 238–40
 binary polymer blends 276–7
 characterization 238
 crystalline polymers 271–2
 electrohydrodynamic instabilities in polymer films 280–2
 end functionalized polymers 278
 energy 5, 145, 146, 231, 233–8

- enrichment 278–80
- FTIR imaging 268–9
- ion beam analysis 252–3
- neutron diffraction analysis 247–52
- phase segregation 278–80
- polymer blends 273
- roughness 35–6, 239–40, 241
- spectroscopy 247
- theoretical description 273–5
- vacuum techniques 253–68
- visualization 240–4
- X-ray analysis 247–52
- surface tension 234–8, 273–5
- surfactant–water–oil system 302
- ‘Swiss cheese’ structure 123
- switchboard model 147
- symmetry operations 18–19
- syndiotactic polypropylene 11–12

- tactic polypropylene 11–12
- take-off angle, XPS 263
- TDI (toluenediisocyanate) 229
- TEM *see* transmission electron microscopy
- temperature dependence
 - dodecane *gauche/trans* states 7
 - liquid crystal colour 82
 - liquid crystalline phase modelling 71, 73, 74
 - main chain crystalline polymers 84
 - polymer crystal growth 151
- terminal groups 64–5, 66, 67–8
- o*-terphenyl 180
- tertiary nucleation 152
- TETA (triethylenetetra-amine) 220, 222
- tetragonal crystals 18, 19
- T_g *see* glass–rubber transition
- thermal expansion behaviour 180–1
- thermal stability 61, 62–4
- thermodynamics 21–3, 141–2, 155, 208–12
- thermoplastic toughened epoxy resins 222–3
- thermotropic liquid crystals 53, 54
- thickening process 123–4

- thickness 145, 162, 228–9
- thin films 280–2, 290–1
- Thompson–Gibbs equation 145, 146, 154, 155, 163
- tight folds 149
- toluenediisocyanate (TDI) 229
- torsional angles 8–10
- T_r *see* roughening temperature
- trans*-crystalline polyethylene 108, 123
- transitions
 - see also* glass–rubber transition
 - alkyl chain branching effects 68
 - linking group effects 64
 - nematic liquid crystal molecular features 60–2
 - pendant group effects 66
 - terminal substituent effects 66
- translation 100, 102
- transmission electron microscopy (TEM) 112, 221, 222, 242, 243
- trans* polymer solidification 107
- trans* state 5, 6, 7, 8–10
- transverse cellulose fibre structure 315–16
- triblock copolymers 303–5
- 1,1,1-trichloroethane 102
- triclinic crystals 18, 19
- triethylenetetra-amine (TETA) 220, 222
- trigonal crystals 18
- trimer structure 3
- T-shaped dimers 90, 91
- twist 67, 80
- two-dimensional nucleation 36–7

- UCST *see* upper critical solution temperature
- unit lattice cells 17
- universal curve 261
- upper critical solution temperature (UCST) 213, 217
- urea 229
- urethane 229

- vacuum techniques 253–68
- van der Waals interactions 280–1

VFT *see* Vogel–Fulcher–Tammann

virtual mesophase 83

Vogel–Fulcher–Tammann (VFT)

equation 203

volume variation 180–1

water–air interface 284–5

wave front analogy 156–8

weight fraction 225, 227

wetting droplets 235

white beam X-ray topography *see* Laue

X-ray diffraction

Williams–Landau–Ferry (WLF)

equation 153, 161, 165, 190–2, 200

Wulff plot 40

XPS *see* X-ray photoelectron
spectroscopy

X-ray photoelectron spectroscopy
(XPS) 253–8, 262–4, 267

X-rays 247–52, 267

see also crystallography

diffraction 46–8, 134–5, 150

emissions 244

scattering 104, 109, 137–8

xylene solutions 112, 114

Young's equation 234–8