

#### FURTHER READING

- URQUHART, A. R., and HOWITT, F. O. *The Structure of Textile Fibres* (Textile Institute)
- MATTHEWS, A. *Textile Fibres* (Chapman and Hall)
- KUNDU, B. C., BASAK, K. C., and SARCAR, P. B. *Jute in India* (Indian Central Jute Committee)
- Indian Jute Atlas* (Indian Central Jute Committee)
- Marketing of Jute in Pakistan* (Dacca University Socio-economic Research Board)
- KIRBY, R. H. *Vegetable Fibres* (Leonard Hill/Interscience)
- MORTON, W. E., and WRAY, G. R. *Introduction to the Study of Spinning* (Longmans)
- MORONEY, M. J. *Facts from Figures* (Pelican Books)
- MURPHY, T., NORRIS, K., and TIPPET, L. *Statistical Methods for Textile Technologists* (Textile Institute)

## Index

- Adjustable drag, 154
- Alternative fibres, 26
- Analysis of the system, 178
- Anatomy of jute stem, 14
- Angle of wrap on flyer leg, 157
- Application tests, emulsion, 200
- Apron drafting, 142
- Autolevelling drawing frame, 125
  
- Bale moisture contents, in U.K., 25
- Bale opener, 58
  - , Fraser, 59
- Ballooning, 153
- Batching, 56
  - , emulsions, 44
  - , hessian yarns, 58
  - , oil, requirements of, 41
  - , sacking yarns, 79
- Batch selection, 198
- Bearer plate, 154
- B.J.T.R.A. autoleveller drawing, 125
  - Probe Moisture Meter, 200
  - Spreader Feed Indicator, 65
- Blending cuttings and long jute, 100, 102
  - raw jute, 56
- Bobbin building at spinning, 150
  - capacity, 163, 165
  - carrier, 150
- Breaker card, 87
  - draft and fibre length, 90
- Breast plate, 140, 141
- Builder pinion, 136
  - speed, roving, 132
  - spinning, 149
  
- Capstan effect on flyer leg, 157
- Card draft and fibre length, 90
  - maintenance, 196
  - pinning, 97, 98, 101
  - settings, 89
  - speeds, 98
  - , types of, 86
- Carding calculations, 103
  - drafts, doublings, sliver counts, 99
  - worker, stripper action, 92
- Carrier, bobbin, 150
- Cellulose, 30
- Cob-webbing, spools, 193
- Colloid mill, 51
  
- Colouring at batching, 49
- Cone dimensions, 188
  - roving, 131
  - winding, 188
- Cop winding, 190
  - — machines, speeds, 191
- Control charts, 202
- Corchorus capsularis*, characteristics of, 13
  - *olitorius*, characteristics of, 13
- Count control, 201
  - testing, 144
  - systems, 39
- Creaming, emulsions, 47
- Crimped sliver, 122
- Croppy fibre, 21
- Crown wheel, 130
- Cultivation of jute, 15
- Cuttings, 23, 37
  - opener, 81
  
- Daisee jute, 13
- Dazed fibre, 21
- Dead spindle, 149, 150
- Defects in fibre, 20
- Differential gear, 130
- Doffer action, 93
- Dollop, 62, 87
- Double thread spiral, 117
- Doubling, 36
  - plate, 112
  - —, effect on sliver, 114
- Doublings, number in system, 121
- Draft, card, 99
  - constant, 67, 116
  - control, drawing, 106
  - —, spinning, 139
  - drawing, 105
  - spinning, 144
- Drafting, apron control, 142
  - , pin control, 106, 143
  - , reach, 105
- Drafts, common, 171
- Drag, adjustable, 153, 154
- Drag-pads, 151
  - , dirt on, 155
  - , position of, 153
- Drawing draft, effect of, 114
  - frame calculations, 124
  - — pinning, 110

- Drawing frame, types, 115  
   — systems, 120  
 Drum-winding, 189  
 Dual creel, cuttings, 102
- Efficiency, 173, 176  
 Emulsifying agents, 46  
 Emulsification machines, 49  
 Emulsion application tests, 200  
   —, broken, 48  
   — cracking methods, 199  
   — creaming, 47  
   — distribution systems, 73  
   — plant maintenance, 196  
   — recipes, 54  
   — sprays, 77  
   — weirs, 77  
 Emulsions, 44  
 End breaks, causes, 158  
   — breakage rates, 162  
 Ends down tests, 205  
 End-use problems due to oil, 43  
 Equilibrium regain, 28
- Falaflyer, 165  
 Falaspin frame, 165  
 Faller bar, 106, 115  
   — drops, 118  
   — slubs, 108, 110, 113  
 Fibre bundles in stem, 14  
   — defects, 20  
   — development, 14  
   — extraction, 18  
   —, floating, 105  
   — grade and yarn quality, 198  
   — grading, 20  
   — gulping, 61  
   — loading in cards, 94, 173  
   — quality factors, 20  
   — yield per acre, 15  
 Finisher card, 95  
   — — drawing head, 96  
   — sliver, 122  
 Flow efficiency, 174  
   —, equations for satisfactory, 175  
 Flowmeters, 75  
 Fluorescence of oils, 200  
 Fluorescent tracers, 200  
 Flyer cap, 145  
   — lead, 129  
   — leg, design, 164  
   — —, throw-out, 147, 165  
   — rove, 128  
   — speed and end breaks, 161  
   — spinning, 145  
 Frame speed and yarn tension, 160  
 Fraser bale opener, 59  
   — root-cuttings system, 100  
 Friction at drag-pads, 151, 155
- Friction radius, 154  
 Front reach, 108
- Gain, winding, 190  
 Gill pins, 106, 140, 143  
 Grading of jute, 20  
 Gulping, 61
- Harvesting of jute, 17  
 Hat, 19  
 Heart cam, 149  
   — damage, 25  
 Heating, cuttings, 80  
   —, spreader sliver, 78  
 Hemicellulose, 30  
*Hibiscus cannabinus* (mestha, kenaf), 26  
   — *sabdariffa* (Siamese jute), 26  
 Homogenizers, 51  
 Hopper feeder, 101  
 Hyperbolic cones, 131
- Idle spindles, 162, 205  
 Index wheel, 137  
 Introduction of jute to Europe, 34
- J 1 card, 100  
 J 3 card, 100  
 Jute acreage, 10  
   — floor coverings, 11  
   — grades, 21  
   — growing areas, 10  
   — packaging, 11  
   —, physical properties, 33  
   — plant, 13  
   — reeds, 27  
   — seed, 17, 18
- Kenaf, 26  
 Kutcha grading, 19, 23
- Laddering, 16  
 Lattice feeder, 80  
 Lauryl pentachlorophenate, 49  
 Lead, 67  
   — roll-former, 99  
   — spiral screw, 118  
 Leader rolls, 67  
 Lignin, 31  
 LPCP, 49
- Machine loading, 173  
   — maintenance, 196  
 Mackie root-cutting system, 101  
 Marketing of jute, 19  
 Material balance, 180  
   — flow, 174  
 Mayonnaise method of preparing emulsion, 55  
 Mestha, 26  
 Moisture content, control of, 199

- Moisture content, definition, 28  
 — —, raw jute, 25  
 — equilibrium regain, 30  
 — level in process, 182  
 — losses at spinning, 181  
 — meters, 200  
 — regain, definition, 28  
 — —, spinning, 143
- Normal distribution, 111  
 Number of doublings, effect of, 111
- Oil application rate, 74  
 — content, 42  
 — —, control of, 199  
 — —, effect on yarn strength, 42  
 — for special products, 44  
 — stains, 43
- On-winding tension, 156  
 Open-winding, 188
- Physical properties of jute, 33  
 Piecing, 168  
 Pin control tracks, 116  
 — draft control, 106  
 — specifications, cards, 98  
 — —, drawings, 110  
 Pitch, spiral screw, 117  
 Pitch-pin 123  
 Pot-spinning, 166  
 Precision winding, 188  
 Pressure gauges, spreader, 74  
 Process observations, 204  
 Production capability, 185  
 — constants, 186  
 — costs, 184  
 —, spinning, 163  
 Pucca baling, 19  
 — grades, 23  
 Push-bar drawing, 115  
 — drawing-head, 97
- Raw jute, moisture content, 24  
 Retting, 18  
 Roll-forming, 99  
 —, sliver requirements, 172  
 Root-cuttings feeder, 81  
 — softener, 81  
 — system, Fraser, 100  
 — —, Mackie, 101  
 Rot-proofing at batching, 49  
 Rove twist, 128, 133  
 — yarns, 127  
 Rovings production, 137  
 Runners, 20
- Shell feed, 88  
 — settings and yarn quality, 91  
 Siamese jute, 26  
 Slave pointer, 63
- Sliver counts, common, 171  
 — Dispersal Unit, 100  
 — doubling plate, 112  
 — packing in cans, 123  
 Slubs, faller-bar, 108  
 Sodium benzoate, 32  
 Softener, 79  
 —, root cuttings, 81  
 Specky fibre, 21  
 Speed, machines in system, 172  
 — and tension at spinning, 160  
 Spindle vibration, 159  
 Spinning efficiency, 166  
 — frame, draft control, 141  
 — —, maintenance, 197  
 — —, sizes, speeds, 163  
 — —, stop motions, 168  
 — tension, 152  
 — twist, 148  
 Spiral drawing frames, 115  
 Spool dimensions, 188  
 — winding, 188  
 Sprays, emulsion, 77  
 Spreader, 59  
 —, calculations on, 68, 82  
 — feed indicator, 64  
 — feed system, 62  
 — operating data, 78  
 — roll-forming, 77  
 — sliver irregularity, 70  
 Stricks, 59  
 — overlap, effect of, 72  
 Stripping fibre, 19  
 Surface-active agents, 46  
 Surface tension, 46  
 System efficiencies, 177  
 — operating data, 176  
 —, requirements of, 170
- Tag-end bobbins, 191  
 Tape joint, tension pulses due to, 155  
 Teaser card, 87  
 Tenacity of jute, 30  
 Tension pulses, spinning, 158  
 — records, 159  
 Textile fibre production, 9  
 Throw-out of flyer leg, 147, 165  
 Tin rollers, 94  
 Torque, spinning, 151  
 Tossa jute, 13, 20  
 Tracers, fluorescent, 200  
 Transmitted tension, 156  
 Triple-thread screws, 117  
 Turns per inch, 134  
 Twist angle, 133  
 — changes at winding, 194  
 — constant, 136  
 — factor, 135, 148  
 —, strength relations, 134  
 — take-up, 147

- Ultimates, 15, 27, 33
- Ultrasonic emulsification, 52
- Ultra-violet lamp for oil tests, 200
- Urena lobata* (Congo jute), 26
- Uses of jute, 10, 11, 12
  
- Variable draft drawing frame, 126
- Vibration of spindles, 159
  
- Waste, 179
- Wavelength of sliver irregularity, 70, 109
- Weirs, emulsion, 77
- Wharf-cap, 145
- , tension above, 156
- White jute, 13, 20
- Wicking of oil, 43
  
- Winding faults, 193
  - production, 191
  - ratio, 190, 191
- Winding-on rate, 129, 150
  
- Yarn ballooning, 153
  - count testing, 144
  - — systems, 39
  - irregularity, sources of, 203
  - manufacturing methods, 40
  - quality and fibre grade, 198
  - tension, 152, 153, 156
  - twist, 148
  - types spun, 34
- Yellowing of jute, 32
- Yield of fibre per acre, 15
  - of system, 182

**LIBRARY**  
**College of Agriculture**  
**Andhra Pradesh**  
**Agricultural University**  
**Wardhanah, Dist. W.**