

Glossary

A

- α -amylase** Enzymes which hydrolyse starch, α -amylases found in animals, β -amylases found in plants.
- α -fucosidase** Enzyme which metabolises fucose, a mucopolysaccharide present in blood group substances and human milk.
- α -galactosidase** Enzyme which catalyses the metabolism of galactosides.
- Acetazolamide** Carbonic anhydrase inhibitor. Used as an anti-epileptic and to treat glaucoma. Has antidiuretic properties.
- Acetaminophen** Also known as Paracetamol.
- Acetylsalicylic acid** Also known as Aspirin. Achalasia Failure of muscles to react. Often refers to discordant oesophageal peristalsis leading to swallowing disorders.
- Achlorhydria** Absence of hydrochloric acid in the lumen of the stomach.
- Acid phosphatase** One of a group of enzymes which catalyse the hydrolysis of phosphoric acid esters. Acid phosphatase has an optimum pH of between 4.0 and 5.4. Present in kidney, serum, semen and prostate gland. It is associated with resorption of bone and teeth.
- Acute myeloid leukaemia** Malignant disease of leucopoietic tissue i.e. tissue which produces white blood cells.
- Adrenocorticosteroids.** A group of hormones secreted by the adrenal cortex. See also steroids.
- Aerosol** A dispersion of solid or liquid particles in a gas stream.
- Air embolism** A bubble or bolus of gas in the bloodstream. A sufficiently large embolism can be fatal.
- Albumin** One of the major serum proteins.
- Albuterol** See salbutamol.
- Aldehyde dehydrogenase** This enzyme catalyses the conversion of primary aldehydes to the corresponding carboxylic acid.
- Aldolase** Enzyme present in skeletal and heart muscle and liver. Converts glycogen to lactic acid.
- Aldosterone** Mineralocorticoid hormone secreted by the adrenal cortex. Regulates metabolism of sodium, chloride and potassium.
- Alizapride** A prokinetic agent. Synchronises and accelerates disturbed motility of the gut.
- Alkaline phosphatase** Phosphatase with an optimum pH of 9. Its function is in the mineralization of bone.
- Alkaline tide** Occurrence of alkaline urine during gastric digestion.
- Alkanes** Any saturated aliphatic hydrocarbon with the general formula C_nH_{2n+2} . Also called paraffins.
- Alveolar-capillary membrane** The one cell thick membrane through which gaseous exchange occurs in the lung.
- Alzheimers disease** A chronic, organic mental disorder characterised by presenile dementia.
- Amberlite resin** Trade name for a series of polyelectrolyte ion-exchange resins widely used for chromatography.
- Amenorrhoea** Absence or suppression of menstruation.
- Aminophylline** A mixture of theophylline and ethylenediamine used in acute asthma.
- Aminosalicylic acid** An anti-tuberculosis drug.
- Amityriptiline** An antidepressant drug.
- Amoxycillin** A semi-synthetic penicillin.
- Amylase** A class of enzymes that split or hydrolyse starch.
- Amylopectin** The insoluble component of starch.
- Amylose** A groups of carbohydrates that includes starch cellulose and dextrin.
- Anaerobes** Able to live without oxygen.
- Anaesthetics** Drugs which reduce or eliminate certain sensory functions.
- Angina pectoris** Severe pain and a sensation of constriction of the heart. Caused by deficiency of oxygen to heart muscle.
- Angiotensin** A vasopressin substance produced when renin is released from the kidney.
- Anorexia nervosa** Psychiatric disorder with a fear of becoming obese. Weight loss may be extreme.
- Anthracene** An aromatic molecule consisting of 3 fused benzene rings. It is strongly carcinogenic.
- Anthraquinones** A class of laxative agents.
- Anti-reflux agents** Agents which react with gastric acid to form a floating foam on the gastric contents. These suppress gastro-oesophageal reflux.
- Antibiotics** A variety of natural and synthetic substances which destroy microorganisms.
- Anticonvulsants** An agent which prevents or relieves convulsions.
- Antiemetics** Agent which relieves or prevents nausea and vomiting.
- Antigens** A protein marker on the surface of a cell which identifies type of cell and whether it is "self" or "non-self".
- Antihistamines** Agents which oppose the effect of histamine.
- Antihypertensives** Agents which control or reduce high blood pressure.
- Antimicrobials** Destructive to or preventing the development of microorganisms.

Antipyrine An analgesic and antipyretic drug.

Antisense oligonucleotide An oligonucleotide complementary to a specific gene sequence which binds to mRNA and prevents transcription.

Antivirals Opposing the actions of a virus.

Appendices epiploicae Pouches of peritoneum. Filled with fat and attached to the colon.

Appendix A short blind pouch arising near the junction of the small and large intestines.

Aqueous humor Transparent liquid contained in the anterior and posterior chambers of the eye.

Arachidonic acid An essential fatty acid formed from unsaturated acids of plants. It is a precursor of prostaglandins.

Arachis oil Ground-nut or peanut oil. Used as a faecal softener.

Areolar relating to the areola, which is a small space or cavity in tissue. Areolar tissue—loose connective tissue which occupies the interspaces of the body.

Aspirin Acetylsalicylic acid. A derivative of salicylic acid. A widely used analgesic and anti-pyretic.

Asthma Disease which causes increased responses of the tracheobronchial tree to various substances. The result is constriction of the airways.

Atopy Genetic predisposition to hypersensitivity or allergic reaction. Hayfever and asthma are common inherited allergies.

Atropine Alkaloid obtained from *bella donna*. It is a parasympathetic agent.

Auerbach plexus A plexus of sympathetic nerve fibres located between the circular and longitudinal layers of the stomach and small intestine.

Azelastine Topical preparations of an antihistamine used to treat seasonal allergic conjunctivitis.

B

β -blockers Also known as β -adrenoceptor blocking drugs. Agents which act on sympathetic nerves to block the action of adrenaline and noradrenaline.

β -cyclodextrins see Cyclodextrins.

β -glucosidase An enzyme that catalyses the hydrolysis of a glucoside.

β -glucuronidase An enzyme that splits glycosidic linkages in glucuronides.

B cells Lymphoid stem cells from the bone marrow which migrate to and become antigen specific cells in the spleen and lymph nodes.

B lymphocytes Cells which identify foreign antigens and can differentiate into antibody producing plasma cells or memory cells.

Bacteroid Resembling bacteria.

Bartholin's glands A small compound mucous gland situated one in each lateral wall of the vestibule of the vagina.

Basal lamina Bottom most layers of cells of a membrane. Gives structural integrity.

Basement membrane See Basal lamina.

Bauhin's valve Ileocaecal valve.

Beclomethasone A corticosteroid drug.

Benzalkonium chloride An antibacterial preservative.

Benzocaine A local anaesthetic used topically.

Benzoic acid Compound used in keratolytic ointments.

Betaxolol A β -blocking drug.

Bethanechol Cholinergic drug used to treat paralytic ileus and urinary retention not caused by organic disease.

Bidomide A sodium channel blocker used as a cardiovascular anti-arrhythmic.

Bifidobacterium A soil-borne bacterium commonly colonizing the gastrointestinal tract.

Bile A secretion of the liver. A thick viscid fluid that has a bitter taste. Used to emulsify dietary fats and oils prior to absorption.

Bioadhesion Adhesion of a substance to a biological substrate.

Bladder A membranous sac or receptacle for secretions.

Bleomycin Any one of a group of antitumour agents produced by *Streptomyces verticillus*.

Blood-brain barrier A barrier membrane between circulating blood and the brain preventing damaging substances from reaching the brain and cerebrospinal fluid.

Bowman's membrane Membrane separating corneal epithelium from corneal substance.

Bromisoval (Bromisovalum) A sedative and hypnotic drug

Bronchiectasis Chronic dilatation of a bronchus or bronchi.

Bronchitis Inflammation of mucous membrane of the bronchial tubes.

Brunner's glands Compound gland of the duodenum and upper jejunum. They secrete a clear alkaline mucinous fluid.

Budesonide Corticosteroid used to treat asthma.

Bulimia nervosa Disorder which is characterised by binge eating and vomiting to control weight.

Buprenorphine Opioid with both agonist and antagonist properties. Used as an adjunct in opioid dependence, premedication and analgesia.

Buserelin Gonadorelin analogue used to treat prostate cancer.

Butorphanol Anti-migraine drug.

C

Caffeine Alkaloid present in tea, coffee, chocolate and other food and over the counter medications. Actions include stimulation of the central nervous system, decreases total sleep time and increases gastric acid production.

Calcitonin Hormone released from the thyroid gland and important in bone formation and calcium metabolism.

Calcium Metallic element which must be carried in

- solution by the blood in order to be available for bone growth and metabolism. It is also of great importance in blood coagulation.
- Calcium channel blockers** A group of drugs which slow the influx of calcium into a cell. Used to treat angina, hypertension and supraventricular tachycardia.
- Calveolated cells.** See **tuft cells**
- Candida** A genus of yeastlike fungi which is part of the normal flora of the mouth, skin, intestinal tract and vagina. One of the most common causes of vaginitis in women of reproductive age.
- Carbamazepine** Drug used to treat temporal lobe epilepsy.
- Carbohydrates** A group of chemicals which include sugars, glycogen, starches, dextrans and celluloses that contain only carbon, oxygen and hydrogen. Basic source of energy for the body.
- Carbomers** Synthetic high molecular weight polymers of acrylic acid cross-linked with either allyl ethers of sucrose or allyl ethers of pentaerithrityl. Used to treat dry eye.
- Carbon dioxide** Colourless gas expelled from the lungs. It is the final metabolic product of carbon compounds present in food.
- Carbonic anhydrase** Enzyme which catalyses the union of water and carbon dioxide to form carbonic acid or reverses the action. Present in red blood cells.
- Carbonic anhydrase inhibitors** Inhibitor of the carbonic anhydrase enzyme used to treat glaucoma.
- Carbopol** Trade name for a series of poly-(acrylic acid) polymers used as bioadhesives due to their polyelectrolyte properties.
- Carboxylesterase** Any enzyme which hydrolyses an ester at the carboxyl linkage.
- Carboxymethylcellulose** A chemically modified cellulose polymer used as a thickening agent and rheological modifier in many formulations.
- Carbromal** Very little used sedative-hypnotic drug.
- Caries** Gradual decay and disintegration of soft or bony tissue or tooth.
- Carteolol** A β -blocker used as a eye drop to reduce intra-ocular pressure.
- Castor oil** Oil expressed from the plant *Ricinus communis*. Used externally as an emollient and internally as a cathartic.
- Cells of Cajal** Located in oesophagus. Precise function not known.
- Cellulose** A structural polysaccharide abundant in plants
- Cellulose acetate phthalate** An acid-insoluble polymer used for enteric coatings
- Cementum** Thin layer of calcified tissue formed by cementoblasts which covers the tooth root.
- Ceramides** Class of lipids which do not contain glycerol.
- Cerebrospinal fluid** A water cushion which protects the brain and spinal cord from impact.
- Cervix** Neck or part of an organ resembling a neck.
- Charcoal** Soft powder prepared from soft charred wood.
- Chewing gum** A substance made for chewing such as polyvinyl acetate. Drugs may be delivered in this form.
- Chief cells** Cells which line the gastric glands and secrete pepsinogen.
- Chitosan** A biopolymer derived from chitin, a major component of animal exoskeletons.
- Chloramphenicol** An broad-spectrum antibiotic originally isolated from *Streptomyces venezuelae*, but is not made synthetically.
- Chlorhexidine** A topical anti-infective agent.
- Chlormadinone acetate** Orally active progestin.
- Chlorobutol** Pharmaceutical preservative.
- Chlorofluorocarbon (CFC)** A volatile liquid or gas used as an aerosol propellant, now banned due to its environmental ozone-damaging properties. Medical devices have exemption from the ban but CFC's are rapidly being replaced in most formulations.
- Cholecystokinin** Also known as cholecystokinin-pancreozymin. A hormone secreted into the blood by the mucosa of the upper intestine. Stimulates gall bladder contraction.
- Cholera** An acute infection which involves the entire small bowel. It is characterised by a watery diarrhoea and vomiting resulting in acute dehydration.
- Cholesterol** A sterol widely distributed in animal tissues. It can be synthesised in the liver and it is a normal constituent of bile.
- Cholinergic agonists** These have their action on autonomic effector cells innervated by post-ganglionic parasympathetic nerves.
- Chondroitin** Polysaccharide present in connective tissue.
- Choroid plexi** Network of blood vessels between the sclera and retina.
- Chylomicrons** Small globule of fat in the fat after digestion and absorption.
- Chyme** Food that has been processed by the stomach. The particle size is reduced, it is hydrated and optimised for delivery to the small intestine where it can be absorbed.
- Chymotrypsin** A proteolytic enzyme present in the intestine. Hydrolyses proteins.
- Ciliogenesis** Formation of cilia.
- Cilioinhibition** Inhibiting the movement of cilia.
- Ciliotoxicity** Toxic to cilia, influencing or stopping the ciliary beat.
- Cimetidine** One of the first H_2 receptor antagonists, for several years the world's no. 1 selling drug. Used to reduce gastric acid production.
- Cinnarizine** Antihistamine used to treat vertigo and nausea associated with Ménière's disease and middle ear surgery.
- Citrate** Anion of the tribasic citric acid, commonly found in fruit juice, and part of the citric acid cycle, a major energy-utilizing metabolic pathway.
- Clara cells** Secreting cells in the surface epithelia of bronchioles.

Clonazepam An anticonvulsant drug.

Clonidine An antihypertensive drug.

Codeine An alkaloid analgesic obtained from opium. Methylmorphine.

Collagen The predominant structural protein in animals.

Colloidal delivery The use of colloidal particles as drug delivery systems.

Colloid A small particle, generally smaller than 1 micrometre in size.

Conjunctiva mucus membrane that lines eyelids and is reflected onto the eyeball.

Connective tissue Noncellular tissue composed of fibrous proteins having a structural role in many organs.

Constipation Difficult defaecation. Infrequent defaecation with hard dry faecal matter.

Corticosteroids See steroids.

Cotransport A transport process for a molecule which depends on the simultaneous transport of another molecule.

Creams Viscous emulsions used to retain and deliver topically applied drugs. Despite their ubiquitous nature the structure of many creams is poorly understood.

Crohn's disease Regional inflammation of the ileum (ileitis).

Crypt Small sac or cavity extending into an epithelial surface or a tubular gland particularly those found in the intestine.

Crypts of Lieberkühn A tubular gland in the intestine which secretes intestinal fluid. Its wall is composed of columnar epithelium with aneth cells at the base. The crypts open between the bases of the villi.

Crystal suspension A suspension of crystalline drug in a vehicle, usually oil, often used for intramuscular delivery.

Cryptococcus A genus of pathogenic yeastlike fungi.

Cushing's syndrome Condition resulting from hypersecretion of pituitary corticosteroids, or from prolonged administration of adrenocortical hormones. Symptoms include adiposity, fatigue, impotence, skin discolouration and excess hair growth.

Cyanoacrylate microspheres Colloidal (q.v.) microspheres made from cyanoacrylate polymers. This material has the advantage of being degraded by esterases *in vivo*, thus forming a biodegradable colloid.

Cyclacillin A semisynthetic penicillin antibiotic.

Cyclic AMP A cyclic nucleotide participating in the activities of many hormones.

Cyclodextrins Cyclic polysaccharides with a tubular cylindrical structure which can enclose and solubilize a small hydrophobic molecule in their interior.

Cyclosporin A An immunosuppressive agent derived from a micro-organism.

Cystic fibrosis An inherited disease affecting exocrine glands. It is characterised by chronic respiratory infection, pancreatic insufficiency and increased electrolytes in sweat.

Cystic fibrosis transmembrane conductance regulator The apical or luminal membrane of crypt epithelial cells contain a cyclic AMP-dependent chloride channel known also as the cystic fibrosis transmembrane conductance regulator or CFTR because mutations in the gene for this ion channel result in the disease cystic fibrosis.

Cytosis the uptake of materials outside the cell by invagination and enclosure of a portion of the cell membrane.

Cytosol the aqueous liquid medium inside the cell, excluding the organelles.

D

Danazol Drug which inhibits pituitary gonadotrophins.

Decongestant sprays Nasal aerosols which unblock the congested nasal airways.

Decylmethyl sulphoxide A powerful hydrophobic solvent used as a transdermal penetration enhancer.

Defaecation The expulsion of faeces.

Deltoid muscle Triangular muscle which covers the shoulder.

Deoxycorticosterone A hormone from the adrenal gland which controls salt and water metabolism.

Dermis The inner layer of the skin, lying beneath the epidermis.

Descemet's membrane A fine membrane which lies between the endothelial layer of the cornea and the substantia propria.

Desmopressin A synthetic vasopressin analogue used as an antidiuretic.

Desmosomes Small spot-like structures joining adjacent cells.

Dexamethasone A synthetic glucocorticoid drug.

Dextran A polysaccharide used as a viscosity enhancer, and as a hydrophilic macromolecular marker.

Dextropropoxyphene Propoxyphene—an analgesic which can cause addiction.

Diabetes insipidus Disease caused by insufficient secretion of vasopressin. Characterised by excessive thirst and urine production.

Diabetes mellitus A chronic disorder of carbohydrate metabolism. There are two-types, insulin dependant and non-insulin dependant diabetes.

Diarrhoea Liquid or watery faeces, often caused by lower gastrointestinal disturbances.

Diazepam Anti-anxiety and sedative drug, Trade name is Valium.

Diazoxide Drug used in treating hypertension emergencies.

Dichlorodiphenyltrichloroethane (DDT) An early insecticide, now ubiquitous throughout the animal and plant kingdom due to overuse.

Diclofenac Non-steroidal anti-inflammatory drug used to treat pain and inflammation in rheumatic disease.

- Diffusion coefficient** Constant of proportionality in Fick's law, a measure of the speed with which a molecule diffuses in a specified environment.
- Diflunisal** Non-steroidal anti-inflammatory drug used to treat pain and inflammation in rheumatic disease.
- Digoxin** A cardiac glycoside derived from the fox-glove.
- Dimethyl sulphoxide** A powerful hydrophobic solvent used as a transdermal penetration enhancer.
- Dipalmitoyl lecithin** A phospholipid in which both acyl chains are derived from palmitic acid.
- Disaccharides** Small carbohydrates formed by linking two simple sugar molecules, the best-known example being sucrose.
- Disodium cromoglycate** Sodium cromoglycate. Mast cell stabilizer used to treat asthma, food allergies and allergic rhinitis.
- Disopyramide** Drug used to treat ventricular arrhythmia.
- DNA** Deoxyribonucleic acid, the nuclear component carrying the genetic code.
- Domperidone** An anti-nausea drug.
- Dopamine** A catecholamine synthesized by the adrenal gland. It is the precursor of noradrenaline. Also a neurotransmitter or brain messenger.
- Dorzolamide** A carbonic anhydrase inhibitor used in the treatment of glaucoma.
- Doxycycline** A broad-spectrum tetracycline antibiotic.
- Duodenal receptors** Receptors located in the duodenum, sensing the calorific load delivered to the small intestine.
- Duodenogastric reflux** Reflux of duodenal contents (often containing bile) into the stomach.
- Duodenum** The short length of gastrointestinal tract situated between the lower gastric pylorus and the small intestine.
- Dyspepsia** Vague term applied to a variety of upper gastrointestinal symptoms, often associated with food consumption and acid secretion.
- E**
- Eccrine sweat glands** Gland distributed over the entire skin surface which secrete sweat and are essential for regulation of body temperature.
- EDTA** Ethylene diaminetetracetic acid. A powerful chelating agent which binds many metal cations
- Eicosanoids** All of the products of metabolism of arachidonic acid.
- Elastin** An extracellular connective tissue protein that is principal component of elastic fibres.
- Electroosmosis** The movement of solvent to balance the osmotic pressure due to movement of ions in an electric field.
- Electropermeabilization** See electroporation.
- Electroporation** The permabilization of cell membranes by brief high voltage electric pulses.
- Embolism** A blockage in a blood vessel caused by a solid particle, gas bubble, blood clot, or oil droplet.
- Emphysema** A chronic pulmonary disease characterised increase in the size of air spaces and destructive changes to the wall.
- Emulsions** Codispersions of two immiscible liquids, normally requiring an emulsifier to remain stable.
- Endocrine** An internal secretion. Endocrine gland secretes directly into the bloodstream.
- Endocytosis** Ingestion of foreign substances by a cell.
- Endometriosis** Ectopic endometrium located in various sites throughout the pelvis or in the abdominal wall. It causes pelvic pain and can cause infertility.
- Endometrium** Mucous membrane lining the inner surface of the uterus.
- Endoscopy** The use of a viewing device such as a miniature camera or fibre optic probe to view inside the body.
- Endotoxins** Bacterial toxin confined within the body of a bacterium and is released only when the bacterium is broken down.
- Enprofylline** A phosphodiesterase inhibitor of the xanthine type
- Enterocoele** Hernia of the intestine through the vagina or posterior vaginal hernia.
- Enterocytes** Intestinal cell.
- Enteroglucagon** Hormone release from the small intestinal endocrine cells.
- Enterohaptic recirculation** Bile acids are poorly absorbed in the proximal small intestine, but are absorbed by an active process in the terminal ileum. After absorption, bile acids have a high hepatic clearance and are re-secreted in the bile.
- Enterokinase** Previous term used for enteropeptidase.
- Enteropeptidase** Enzyme occurring in the mucosa of the duodenum essential for the activation of the trypsinogen to trypsin.
- Enuresis** Involuntary discharge of urine.
- Eosinophilia** Presence of an unusual number of eosinophils in the blood.
- Ephelides** Freckles.
- Epidermis** The outer layer of skin cells.
- Epimysium** Outermost sheath of connective tissue that surrounds a skeletal muscle.
- Ergotamine tartate** A alkaloid derived from ergot. Stimulates smooth muscle of blood vessels and the uterus inducing vasoconstriction and uterine contractions.
- Erythema** Redness of the skin.
- Erythrocyte ghost** The cell membrane of an erythrocyte emptied of its intracellular contents.
- Erythromycin** An antibiotic from *Streptomyces erythraeus*. It is active against many gram positive and some gram negative bacteria.
- Erythropoietin** A hormone which stimulates red blood cell production.
- Escherichia coli** One of the most common faecal bacteria.

- Esterase** An enzyme which degrades an ester, usually into an alcohol and a carboxylic acid.
- Esters** Compounds formed by reaction between an alcohol and a carboxylic acid.
- Ethinylestradiol** Synthetic oestrogen.
- Ethmoid bone** Spongy bone which forms the roof of the nasal fossae.
- Ethyl oleate** An oil commonly used as a pharmaceutical excipient.
- Ethylcellulose** A chemically modified cellulose used as a pharmaceutical excipient.
- Ethylenediaminepentaacetic acid** A powerful chelating agent which binds many metal cations.
- Eudragit** Trade name for a series of wax-based pharmaceutical excipients.
- Extravasation** The escape of fluids into the surrounding tissue.

F

- Faraday crispations** Fluctuations in the surface of a liquid induced by ultrasound, leading to the production of aerosol droplets.
- Fatty acids** Carboxylic acid derivatives of higher alkanes, generally 4–24 carbon atoms long, often unsaturated.
- Fenoterol** Adrenoceptor stimulant used to treat reversible airways constriction.
- Ferrireductase** A cytochrome P450 reductase which converts ferric to ferrous iron.
- Fibrinogen** A protein present in the blood plasma essential for clotting.
- Fibronectin** A group of proteins present in blood plasma and extracellular matrix.
- Fick's law** Fundamental relation between diffusion rate and concentration gradient.
- First-pass metabolism** Blood from the small intestine goes directly to the liver where nutrients and some drugs are metabolised substantially. This can result in the loss of a large proportion of active drug before it can reach its target site.
- Flunisolide** Corticosteroid used in the prophylaxis and treatment of allergic rhinitis.
- Fluorescein** Strongly fluorescent dye often used as a biochemical marker.
- Fluorocarbons** Organic molecules in which a substantial fraction of the hydrogen atoms have been replaced by fluorine. If all the hydrogen has been replaced they are termed perfluorocarbons. These molecules dissolve substantial amounts of respiratory gases and have been widely studied for the formulation of blood substitutes.
- Folds of kerckring** Folding of the epithelium to increase surface area.
- Formaldehyde** The simplest aliphatic aldehyde, CH₂O, used as a preservative. It denatures proteins and is highly toxic.
- Foveola** A minute pit of depression.
- Frenulum linguae** Fold of mucous membrane which runs from the floor of the mouth to the inferior surface of the tongue.
- Fundus** The larger part, base or body of a hollow organ or the portion of the organ furthest from the opening. The fundus of the stomach is closest to the oesophagus.

G

- GALT** See gut-associated lymphoid tissue.
- Gamma scintigraphy** The use of gamma emitting radionuclides to study behaviour of drug formulations within the body for research. It is a routine technique in nuclear medicine for diagnosis. Requires a gamma camera.
- Ganciclovir** Antiviral drug.
- Gastric glands** cardiac, fundic or oxyntic and pyloric glands of the stomach.
- Gastric inhibitory peptide (GIP)** A polypeptide in the cells of the duodenum and jejunum which acts to inhibit secretion of gastric acid.
- Gastrin** A hormone secreted by the pyloric area of the stomach and duodenum to stimulate gastric secretion.
- Gastritis** Inflammation of the stomach.
- Gastro-oesophageal junction** Region where the stomach and oesophagus meet. Gastric tissue lines the first few centimetres of the oesophagus to protect it from acid damage.
- Gastro-oesophageal reflux** Reflux of gastric contents into the oesophagus where it can cause oesophagitis. Causes the classic symptom of "heartburn".
- Gastrocolic reflex** Peristaltic wave in the colon initiated by the intake of food into the stomach.
- Gelatinase** Enzyme which breaks down gelatin.
- Gellan gum** A polysaccharide used as a rheological modifier in pharmacy and as a food additive.
- Gelling polymers** Polymers which form gels in solution.
- Gels** Solutions which have become rigid due to a linked polymer network.
- Gentamicin** Aminoglycoside used in the treatment of serious infection.
- Giant unilamellar vesicles** Large (several micrometres) single-layered liposomes.
- Gingiva** The gum and tissue that surrounds the neck of the teeth.
- Gingivitis** Inflammation of the gums.
- Glands of Kraus** Small glands in the conjunctiva of the eyelids.
- Glands of Manz** Small glands which secrete the mucoid layer or tears.
- Glands of Wolfring** Produces the watery lacrimal secretion of tears.
- Glands of Zeis** Large sebaceous glands found in the eyelids.
- Glaucoma** Elevation of intraocular pressure.
- Globulin** One of a group of simple proteins insoluble in water but soluble in neutral solutions of salts and strong acids.
- Glucagon** Polypeptide hormone which increases the concentration of glucose in the blood.
- Glucocorticoids** A general classification of hormones produced by the adrenal cortex and are primarily active in protecting against stress.

- Glucose-6-phosphate dehydrogenase (G-6-PD)** An enzyme which dehydrogenates glucose-6-phosphate to form 6-phosphoglucon. This is the initial step in the pentose phosphate pathway of glucose catabolism.
- Glucuronic acid** Important acid in human metabolism by virtue of its detoxifying action.
- Glucuronosyltransferases** Liver enzymes responsible for glucuronidation of xenobiotics.
- Glutamine** The monoamide of aminoglutaric acid. It is present in the juices of many plants and is essential in the hydrolysis of proteins.
- Glutamic oxaloacetic transaminase** A metabolic enzyme found in liver and heart tissue which is released into the bloodstream by tissue damage, and hence used as a therapeutic indicator.
- Glutamic pyruvic transaminase** see glutamic oxaloacetic transaminase.
- Glutathione** A tripeptide of glutamic acid, cysteine and glycine. Important in cellular respiration.
- Glycerol** A simple polyhydric alcohol, propane 1, 2, 3-triol.
- Glyceryl trinitrate.** See nitroglycerin.
- Glycine** The simplest amino-acid.
- Glycocalyx** A thin layer of glycoprotein and polysaccharide which covers the surface of some cells such as muscle.
- Glycofurol** A polar solvent used mainly in cosmetics and creams.
- Glycogen** A polysaccharide commonly called animal starch. The conversion of glycogen to glucose is called glycogenolysis. Glycogen is the form by which carbohydrate is stored in the body.
- Glycolipids** Lipids with an attached sugar molecule.
- Glycoprotein** A protein with an attached polysaccharide chain, often membrane-resident and conferring antigenic properties.
- Glycosaminoglycan** A mucopolysaccharide found in cell walls and mucus.
- Goblet cells** Secrete mucus in the gastrointestinal and respiratory tracts.
- Gradient-charged system** A controlled release system in which the concentration of drug varies throughout its thickness in order to achieve a specified release profile.
- Gramicidin D** An antibiotic.
- Greenhouse gases** Gases which absorb solar infrared radiation, causing an elevation in the Earth's temperature.
- Griseofulvin** An antifungal agent. Its poor water solubility led to its being used as a model drug for a wide range of formulation studies.
- Guar gum** A plant polysaccharide used as a viscosity modifier, pharmaceutical excipient, and food additive.
- Guinea pig** Small furry animal so widely used for experimental studies that it has given its name idiomatically to anyone or anything who is the subject of a novel experiment or trial.
- Gut associated lymphoid tissue (GALT)** term applied to all lymphoid tissue associated with the gastrointestinal tract including tonsils, appendix and Payer's patches. It is responsible for controlling the entry of organisms via the gastrointestinal tract.
- ## H
- H⁺/K⁺ ATPase** The active transporter system responsible for pumping acid (H⁺) into the gastric lumen.
- H₁ receptors** Histamine receptors found in the cells of the bronchiole muscle.
- H₂ receptors** Histamine receptors found in the cells that secrete gastric acid.
- Haemoglobin** The mammalian oxygen transport protein located in the erythrocytes.
- Haemolysis** Disintegration of red blood cells with the release of haemoglobin.
- Haemorrhoidal plexus** The network of blood vessels surrounding the anal canal.
- Haustra** Sacculated pouches of the colon.
- Hayfever** Hypersensitivity of the eye and upper respiratory tract to inhaled pollens.
- Heartburn** See gastro-oesophageal reflux.
- Helicobacter pylori** An organism which lives beneath the mucus layer in the stomach and is associated with gastritis.
- HEMA** See hydroxyethyl methacrylate.
- Hemidesmosomes** See desmosomes.
- Heparin** A polysaccharide which inhibits blood coagulation.
- Hepatic flexure** The junction of the ascending and transverse colon.
- Hepatic portal vein** See also first pass metabolism. Only main vein in the body which does not go directly to the heart. It links the gastrointestinal tract to the liver.
- Hexose transporter system** An active transport system which transfers hexoses across the cell membrane.
- HFAs** See hydrofluoroalkanes.
- Histamine** A substance produced from the amino acid histidine. It is released from injured cells. Histamine increases gastric secretion, dilatation of capillaries and contraction of bronchial smooth muscle.
- Histidine** An amino acid obtained by hydrolysis from tissue proteins, necessary for tissue repair and growth.
- Histiocytes** A macrophage present in all loose connective tissue.
- HIV infection** Human immunodeficiency virus also known as AIDS (acquired immune deficiency syndrome).
- Horseradish peroxidase** Used to study aqueous pathways between cells.
- Housekeeper contractions** See migrating myoelectric complex.
- Humidification** saturation of air with water, esp. in the nose, so that the airflow does not dehydrate deeper tissues
- Hyaluronic acid** An acid mucopolysaccharide found in the ground substance of connective tissue that acts as a binding and protective agent. Also

- found in the synovial fluid and aqueous and vitreous humors.
- Hyaluronidase** Enzyme found in the testes and is present in the semen. It depolymerises hyaluronic acid and acts to disperse cells of the ovum thus facilitating entry of sperm.
- Hydrochloric acid** HCl, the acid secreted in the stomach.
- Hydrochlorthiazide** A diuretic.
- Hydrocortisone** A corticosteroid hormone produced by the adrenal cortex.
- Hydrocyanic acid** HCN, the acid from which cyanides are derived.
- Hydrodynamically balanced system** A drug delivery device designed to have the same density as the gastric contents.
- Hydrofluoroalkanes** Alkanes in which a number of hydrogen atoms have been replaced by fluorine, replacing chlorofluorocarbons as aerosol propellants since they do not damage the ozone layer.
- Hydrogels** Hydrophilic gels formed from a range of polymers, esp. polyions such as hydroxyethyl methacrylate.
- Hydrogen sulphide** H₂S, a toxic and malodorous gas commonly formed during digestion of sulphur-containing foods.
- Hydrolases** An enzyme that causes hydrolysis.
- Hydroxyethyl methacrylate** A hydrophilic gel-forming polymer.
- Hydroxyethylcellulose** A chemically modified cellulose used as a pharmaceutical excipient.
- Hydroxyproline** An amino-acid.
- Hydroxypropylcellulose** A chemically modified cellulose used as a pharmaceutical excipient.
- Hydroxypropylmethylcellulose** A chemically modified cellulose used as a pharmaceutical excipient.
- 5-Hydroxytryptamine** See Serotonin.
- Hypogonadism** Excessive secretions of the sex glands.
- I**
- IgA** See Immunoglobulins.
- IgG** See Immunoglobulins.
- Ileocaecal junction** Junction between the small intestine and ascending colon.
- Iliac fossa** One of the concavities of the iliac bones of the pelvis.
- Immunoglobulins** One of a family of closely related proteins capable of acting as antibodies.
- Impotence** Absence of sexual power.
- Indomethacin** Anti-inflammatory drug used extensively to treat rheumatoid arthritis.
- Infertility** Inability of reduced ability to have children.
- Inflammatory bowel disease** Associated with pain, constipation or diarrhoea.
- Insulin** A hormone secreted by the islets of Langerhans of the pancreas. Essential for the metabolism of blood sugar.
- Integument** A covering or skin.
- Interferon** A group of proteins released by white blood cells and fibroblasts in response to viral invasion. They inhibit the production of the virus within infected cells.
- Intrinsic factor of Castle** A substance present in the gastric juice that makes absorption of vitamin B₁₂.
- Inulin** A polysaccharide found in plants. It is used to study renal function.
- Ion exchange resins** Polymer resins with numerous ionized sites which can reversibly bind a number of ions; commonly used for separation and purification purposes.
- Iontophoresis** The process of forcing an ionized drug to pass into a tissue using an electric current.
- Ipratropium bromide** Anticholinergic drug used to control asthma.
- Isomaltase** A membrane protein involved in carbohydrate metabolism.
- Isoprenaline** An inotropic sympathomimetic used to treat heart block and severe bradycardia.
- Ispaghula** Bulk-forming laxative.
- IUDs** See intrauterine devices.
- J**
- Jet nebulizer** A nebulizer in which a liquid stream is dispersed by a jet of air under high pressure.
- K**
- Kanamycin** Aminoglycoside antibiotic now superseded by other aminoglycosides
- Keratinocytes** Any one of the cells in the skin that synthesize keratin.
- Kerkring's folds** See Folds of Kerkring.
- Ketobemidone** An opiate analgesic.
- Kupffer cells** A variety of macrophage cells found in the liver.
- L**
- L-tryptophan** An aromatic amino-acid
- Labrafl WL** A waxy material used as a pharmaceutical excipient
- Lactase** An intestinal enzyme which splits lactose into dextrose and galactose.
- Lactate dehydrogenase** An enzyme which is important in the oxidation of lactate.
- Lacteal** Pert. To milk or an intestinal lymphatic that takes up chyle and passes it to the lymphatic system.
- Lactic acid** Formed during muscular activity by the breakdown of glycogen.
- Lactic dehydrogenase** See Lactate dehydrogenase.
- Lactobacillus** A genus of gram positive, nonmotile rod shaped bacteria. They are responsible for the souring of milk as they produce lactic acid from carbohydrates.
- Lactobacillus acidophilus** Organism which produces lactic acid by fermenting sugars in milk. Found in the faeces of bottle-fed infants and adults. Also present in carious teeth and the human vagina.

Lactose Disaccharide that hydrolyses to yield glucose and galactose.

Lactulose A synthetic disaccharide that is not digested or absorbed in humans. It is metabolised by colonic bacteria.

Lamina cribrosa Cribriform plate of the ethmoid bone.

Lamina propria Thin layer of fibrous connective tissue that lies immediately below the surface epithelium of mucous membranes.

Langerhans Islets of Special cells scattered through the pancreas which secrete insulin.

Langmuir trough An apparatus which allows surface-active molecules to be studied as films on the surface of a liquid.

Lanolin A wax derived from sheep fat used in a number of topical formulations.

Lanthanum A rare-earth element used in colloidal form as a marker.

Laryngectomy Removal of the larynx.

Lateral diffusion Transverse diffusion of a solute in a 2-dimensional system such as a lipid membrane.

Laureth-9 Non-ionic detergent.

LCFA See long-chain fatty acids

Lecithins Generic name for a wide range of natural phospholipids, generally implying a heterogeneous mixture of headgroups and acyl chains.

Lectins Plant protein which causes stimulation of lymphocytes to proliferate.

Leucine aminopeptidase A proteolytic enzyme present in the pancreas, liver and small intestine.

Leucotrienes A group of arachidonic acid metabolites which function as chemical mediators for inflammation. Leucotrienes C₄, D₄ and E₄ constitutes what was formally known as slow-releasing substance of anaphylaxis (SRS-A).

Leucotriene inhibitors Used in the prophylaxis and treatment of asthma.

Levonorgestrel A steroid hormone used as a contraceptive.

Lidocaine A local anaesthetic.

Limbus The edge or border of a part.

Lipases Enzymes which degrade lipids

Lipids A generic name for a wide variety of fatty materials.

Liposomes hollow vesicular structures formed when phospholipids (lecithins) are dispersed in water. They contain an enclosed aqueous space which can be used to entrap and deliver hydrophilic molecules.

Lithium The smallest alkali metal, used in the treatment of certain mental disorders.

Locust bean gum A plant gum used as a food additive and excipient.

Long-chain fatty acids Fatty acids in which the alkane chain is generally longer than 12–14 carbon atoms.

Loperamide Antimotility drug used to treat diarrhoea.

Lorazepam Benzodiazepine used to treat anxiety, status epilepticus or insomnia.

Lotion Liquid applied to the skin.

Lower oesophageal sphincter Also known as the cardia. Sphincter which is located between the stomach and oesophagus and serves to prevent gastro-oesophageal reflux.

Loxiglumide Highly potent cholecystokinin receptor antagonist. It inhibits postprandial gall bladder contraction and causes accelerated gastric emptying.

Lozenge A drug delivery system designed to dissolve slowly in the mouth.

Lymphocytes Cell present in the blood and lymphatic tissue. These cells travel from the blood the the lymph and back again. They provide the main immune capability of the body.

Lymphoglandula Lymph gland.

Lyppressin A posterior pituitary hormone obtained from pigs and used as an antidiuretic.

Lysine An amino-acid.

Lysosome Part of an intracellular digestive system that exists as separate particles in the cell. Inside their limiting membrane they are capable of breaking down and certain carbohydrates.

Lysozyme Enzyme now called muramidase. Found in blood cells.

M

Macrophages They have the ability to recognise and ingest all foreign antigens through receptors on the surface of their cell membranes. 50% of all macrophages are found in the Kupffer cells of the liver.

Malic acid Found in some fruits such as apples. Active in aerobic metabolism of carbohydrates.

Maltase A salivary and pancreatic enzyme that acts on maltose hydrolysing it to glucose.

Maltose A disaccharide present in malt, malt products and sprouting seeds. Maltase hydrolyses it to glucose.

Maltotriose A small carbohydrate produced by the action of salivary Amylase on starch.

Mast cells Cells which are located in the connective tissue just below epithelial surfaces, serous cavities and around blood vessels. They synthesize and store histamine. When stimulated they release all mediators of inflammation including leukotrienes. They produce the signs of hypersensitivity reactions.

Matrix-diffusion controlled system A controlled release device whose release rate is determined by the diffusion rate of the drug through a polymer matrix.

M-Cells these cells are located in the small intestine where they play an important part in the immune system. They lack fully developed microvilli, but are pinocytic and contain many vesicles.

MDR See multi-drug resistance.

Medoxyprogesterone acetate A progestational agent used intramuscularly.

Meibomian glands One of the sebaceous glands between the tarsi and conjunctiva of eyelids.

- Pectoral muscle** Chest muscle.
- Penbutolol** A β adrenergic blocking drug.
- Penetration enhancers** Compounds which promote absorption of drugs. Usually their action is non-specific.
- Penicillin** One of a group of antibiotics biosynthesized by several species of mold.
- Pepsin** Chief enzyme of gastric juice which converts proteins into proteoses and peptones. It is formed by the chief cells of the gastric glands.
- Pepsinogen** Pepsin precursor.
- Peptides** Building blocks of proteins formed from amino acids.
- Perfusion** Passing of fluid through spaces.
- Perimysium** Connective tissue sheath which envelops each bundle of muscle fibres.
- Periodontal disease** Disease of the supporting structures of the teeth.
- Periodontitis** Inflammation or degeneration or both of the dental periostium, alveolar bone, cementum and adjacent gingiva.
- Periodontosis** Any degenerative disease of the periodontal tissues.
- Peritoneum** The serous membrane reflected over the viscera and lining of the abdominal cavity.
- Persorption** Sloughing off of cells from the tips of villi in the small intestine leaves a gap through which particles can enter the blood stream.
- Pessaries** drug delivery device or supporting structure inserted into the vagina.
- Pethidine** Also known as Peridine. Opioid analgesic used for moderate to severe pain.
- Petrolatum** A purified semisolid mixture of hydrocarbons obtained from petroleum.
- Petrolatum based jelly** A purified semisolid mixture of hydrocarbons obtained from petroleum which is decolourised and stabilized.
- Peyer's patches** An aggregation of lymph nodules found chiefly in the ileum near to its junction with the colon. They are circular or oval and about 1 cm wide and 2–3 cm long.
- pH** Measurement of acidity and alkalinity ranging from 0 (acid) to 14 (alkaline). pH 7 is neutral. Formula is $\text{pH} = -\log[\text{H}^+]$. As the scale is logarithmic, there is a 10 fold difference between each unit.
- pH-partition hypothesis** The principle that drug passage through a membrane is controlled by the pH of the environment since this controls the ionization of the drug, which can only be absorbed in its unionized state.
- Phagocytosis** Ingestion and digestion of bacteria and particles by phagocytes.
- Pharmacokinetics** Study of the metabolism and action of drugs with particular emphasis on the time required for absorption, duration of action, distribution in the body and method of excretion.
- Phenobarbital** A hypnotic drug. long-acting sedative and anti-convulsant.
- Phenol red** A dye used as a pH indicator.
- Phenylalanine** An aromatic amino-acid.
- Phenylephrine** Vasoconstrictor and pressor drug similar to adrenaline, but more stable.
- Phlebitis** Irritation of a blood vessel.
- Phonation** Speaking; the act of making a sound.
- Phosphatidylcholine (PC)** One of the commonest phospholipids, consisting of a glycerol backbone in which the 1- and 2-alcohol groups are esterified to fatty acids, while the 3-alcohol is esterified to a phosphate group. The phosphate is in turn joined to a *headgroup*, which is choline in the case of phosphatidylcholine.
- Phosphatidylethanolamine (PE)** A phospholipid in which the headgroup is ethanolamine. See phosphatidylcholine.
- Phosphatidylinositol (PI)** A phospholipid in which the headgroup is inositol. See phosphatidylcholine.
- Phosphatidylserine (PS)** A phospholipid in which the headgroup is serine. See phosphatidylcholine.
- Phosphoglucomutase** An enzyme which interconverts glucose-1 phosphate and glucose-6-phosphate.
- Phospholipid; stealth** A phospholipid carrying an ethylene oxide chain attached to the headgroup, which forms a heavily hydrated outer layer when the phospholipid is formed into liposomes. This reduces the extent which the liposomes are recognised by the reticuloendothelial system.
- Pilocarpine** Alkaloid which is used to cause contraction of the pupil.
- Pituitary hormones** Hormones secreted from the pituitary gland which regulate many body processes. These include growth hormone, adrenocorticotrophic hormone which regulates functional activity of the adrenal cortex, thyrotrophic hormone which regulates activity of the thyroid gland and gonadotrophic hormone amongst others.
- Plaque** A patch on the skin or on a mucous surface. A blood platelet. Dental plaque is a gummy mass of microorganisms that grows on the crowns and spreads along the roots of teeth. These are the forerunner of caries.
- Plasma membrane** The outer membrane of the cell, composed of phospholipids, proteins, etc.
- Platelets** A round or oval disk 2 to 4 μm in diameter found in the blood. They are important for coagulation.
- Plicae semilunares** Transverse fold of mucosa of the large intestine lying between sacculations.
- Pluronic[®]** Trade name for a range of poly (ethylene oxide)-poly (propylene oxide)-poly (ethylene oxide) triblock copolymers widely used in drug formulation and delivery.
- pMDI** See pressurized metered dose inhalers.
- Polyacrylic acid** A copolymer of acrylic acid.
- Polyalkylene glycols** Block copolymers of the form HO-(R-O)-H where R is any alkyl group. Polyethylene glycol and polypropylene glycol are the most commonly encountered.
- Polycarbophil** Generic name for crosslinked acrylic acid copolymers used as thickening agents and bioadhesives.
- Polyethylene** One of the earliest polymers, consisting

- of a long alkyl chain, formed by polymerizing ethylene.
- Polyps** A tumor with a pedicle. Commonly found in vascular organs such as the nose, uterus and rectum.
- Polysaccharides** Biopolymers formed from chains of carbohydrate (sugar) molecules.
- Polysorbates** Complicated surfactants formed by esterifying sorbitol with fatty acids to render it hydrophobic, and conjugating poly (ethylene oxide) to provide hydrophilic groups. Available commercially as the Tween® series of surfactants.
- Polyurethane** A polymer widely used in medical devices such as catheters.
- Polyvinyl alcohol** A water soluble polymer made by polymerizing vinyl alcohol, commonly used as a surfactant and viscosity enhancer in drug delivery systems.
- Polyvinylpyrrolidone** A polymer used as a swelling agent and binder in formulation.
- Positron emission tomography (PET)** Reconstruction imaging of various organs by using various positron emitting isotopes.
- Prazosin** A drug used in treating hypertension.
- Prednisolone** A glucocorticosteroid drug.
- Preservatives** Compounds added to a formulation to enhance stability. They include antibacterials, antioxidants, and chelating agents.
- Pressurized metered dose inhalers** Miniature aerosols which use a metering valve to eject a fixed dose of drug for inhalation therapy.
- Progesterone** A steroid hormone obtained from the corpus luteum and placenta. It is responsible for the changes in the endometrium in the second half of the menstrual cycle.
- Progestin** A corpus luteum hormone which prepares the endometrium for implantation of the fertilized ovum.
- Prolapse** A falling or dropping of an organ or internal part e.g. uterus or rectum.
- Proline** An amino-acid.
- Promethazine** An anti-histamine.
- Propranolol** A β adrenergic blocking drug.
- Propylene glycol** Propane (1, 2 diol), a solvent widely used in the formulation of creams and injectables.
- Prostaglandins** A large group of biologically active unsaturated fatty acids. They are short range autocooids which have a wide range of actions including lipolysis, fluid balance, platelet aggregation, blood flow, gastrointestinal function, neurotransmission, pancreatic endocrine function and corpus luteum regression.
- Prostap** A morphiate narcotic antagonist.
- Proteoglycans** Structural polysaccharides found in cartilage.
- Ptyalin** Salivary enzyme which hydrolyses starch and glycogen to maltose and a small amount of glucose.
- Pylorectomy** Surgical removal of the pylorus.
- Pyloroplasty** Operation to repair the pylorus especially one to increase the diameter of the pylorus by stretching.
- Pyrogens** Any substance which induces fever.
- ## Q
- Quinine** An alkaloid derived from cinchona bark, one of the first successful antimalarials.
- ## R
- Racemose glands** Glands which resemble a bunch of grapes.
- Radiolabelling** the act of making a drug or formulation radioactive to facilitate its tracking in vivo or the study of its metabolism.
- Radiotelemetry capsule** A capsule containing a small transmitter which can be swallowed or implanted, and transmits the value of a physiological variable, commonly pH or pressure.
- Ranitidine** H_2 receptor antagonist used to reduce acid secretion.
- Rectocele** protrusion or herniation of the posterior vaginal wall with anterior wall of the rectum through the vaginal.
- Reserpine** Drug which lowers blood pressure and acts as a tranquiliser.
- Respiration** Interchange of oxygen and carbon dioxide by breathing.
- Reticulin** An albuminoid or scleroprotein substance in the connective tissue framework or reticular tissue.
- Reticuloendothelial system** The collection of immune cells such as macrophages which identify and remove foreign materials.
- Rhinitis** Inflammation of the nasal mucosa.
- Rhinorrhea** Thin watery discharge from the nose.
- Riboflavin** Vitamin B_{12} essential for tissue repair.
- Rivinus's gland** A sublingual gland.
- Rivotril** Trade name for Clonazepam, a benzodiazepine.
- Ryle's tube** A small bore gastric tube, weighted at the tip and generally inserted through the nose.
- ## S
- Saccharin** Artificial sweetener.
- Salbutamol** β_2 adrenoceptor agonist used to treat asthma. Also called Albuterol.
- Salicylates** Salts of salicylic acid.
- Salicylazosulphapyridine** See sulphasalazine. Salicylic acid o-hydroxybenzoic acid, one of the earliest analgesics, derived from willow bark.
- SCFA** See short-chain fatty acids.
- Sebom** Fatty secretion of sebaceous glands of the skin.
- Secretin** A hormone which stimulates pepsinogen secretion by the stomach and inhibits the secretion of acid by the stomach.
- Sennosides** Anthraquinone glucosides present in senna and used as cathartics.
- Sephadex®** Trade name for a polymeric gel with pores of controlled sizes, commonly used for

- size exclusion (gel filtration) chromatography, in which macromolecules are separated on the basis of their molecular weight.
- Serotonin** Also known as 5-hydroxytryptamine, a chemical present in platelets, gastrointestinal mucosa, mast cells and carcinoid tumors. It is also believed to be important in sleep and sensory perceptions.
- Shellac** A natural resin derived from the dried secretions of the lac insect.
- Short-chain fatty acids** Fatty acids with an acyl chain of less than 5–6 carbon atoms.
- Sialase** An enzyme which degrades sialic acid.
- Sialic acid** An amino-sugar widely found in mucus polysaccharides
- Silicones** Polymers based on silicon rather than carbon.
- Silicones elastomers** Highly flexible and elastic cross-linked silicone polymers used for medical devices such as catheters.
- Silicones oil** medium-chain silicone polymers widely used as viscosity standards.
- Single photon emission computed tomography (SPECT)** An imaging method which allows reconstructions of cross-sections through the body of a radiotracer.
- Sinusitis** Inflammation of the sinuses.
- Skene's glands** Glands lying just inside and on the posterior of the female urethra
- Slow-reacting substance of anaphylaxis** See Leucotrienes.
- Smallpox** Acute contagious disease, which is regarded to have been eradicated in the modern world.
- Smoking** Inhalation of cigarette or cigar smoke. Persons indulging in this habit are at risk of extreme damage to their lungs.
- Sodium alginate** A viscous carbohydrate biopolymer derived from various seaweeds. Used in oral controlled release devices and to form a floating gastric 'raft' in antireflux agents.
- Sodium azodisalicylate** Seeosalazine.
- Sodium caprate** Salt of capric acid, a short-chain fatty acid.
- Sodium cromoglycate** See Disodium cromoglycate
- Sodium deoxycholate** A surfactant with a steroid nucleus found in bile, whose purpose is to emulsify and transport fats during digestion. Used as a solubilizing agent and emulsifier in some drug formulations.
- Sodium glycocholate** A surfactant similar to sodium deoxycholate (q.v.).
- Sodium hyaluronate** A polysaccharide used to treat osteoarthritis of the knee. It is injected intraarticularly to supplement natural hyaluronic acid.
- Sodium laurate** Sodium salt of dodecanoic acid, used as a surfactant.
- Sodium lauryl sulphate** An anionic surface active agent used in pharmaceuticals.
- Sodium taurocholate** A surfactant similar to sodium deoxycholate (q.v.).
- Sodium valproate** An anti-epileptic drug.
- Sodium-potassium exchange pump** An alternative name for the Na^+/K^+ ATPase.
- Solution** A liquid containing a dissolved substance. The liquid into which the substance is dissolved is called the solvent. The solute is the substance which is dissolved.
- Solvent drag** Proposal that the amount of water present in the small intestine affects paracellular drug absorption and may affect the absorption of small and hydrophilic drugs.
- Somatostatin** A hormone which inhibits the release of somatotropin. It is a hypothalamic peptide that also inhibits the secretion of insulin and gastrin.
- Sonophoresis** The use of ultrasound to increase the absorption of drugs through the skin.
- Spacer devices** These are used with pressurised inhalers. They provide a space between the device and the mouth reducing the velocity of the aerosol and the subsequent impaction on the oropharynx. They also allow greater evaporation of the propellant so a larger proportion of the drug can be inhaled into the lung.
- Span** Trade name for a family of hydrophilic surfactants produced by esterifying fatty acids with a hydrophilic sorbitol nucleus.
- Splenic flexure** Junction of the transverse and descending colon.
- Squalane** An unsaturated carbohydrate present in shark-liver oil and some vegetable oils. It is an intermediate in the biosynthesis of cholesterol.
- Squamous epithelia** Flat form of epithelial cells.
- SRS-A** See Leucotrienes.
- Starch** Carbohydrate of the polysaccharide group found in plants. And includes pectins, dextrans and gums. All are reduced to simple sugars before being absorbed.
- Status epilepticus** A type of epileptic seizure.
- Stem cells** Cell which gives rise to a specific type of cell.
- Stensen's duct** Excretory duct of the parotid gland.
- Stercobilin** Brown pigment derived from bile. Gives the colour to faeces.
- Steroid** A term applied to a large group of substances chemically related to sterol. Includes sterols, D vitamins, bile acids and certain hormones.
- Sterol** A group of substances related to fats and belonging to the lipoids. They are found in both plants and animals.
- Stilboestrol** A synthetic preparation possessing oestrogenic properties. It is several times more potent than the natural compound and may be given orally.
- Stomach** Sac-like distensible portion of the gut. It lies between the oesophagus and small intestine. It acts as the initial receptacle for ingested food where it processes it to chyme (q.v.). Stokes' law The relationship between settling rate, particle size, and viscosity in a particle suspension.
- Stratum basale** Innermost layer of the uterus.
- Stratum compactum** Superficial layer of the endometrium.

Stratum corneum Outermost horny layer of the epidermis.

Stratum germinativum Innermost layer of the epidermis.

Stratum spongiosum Middle layer of the uterus.

Stroma Formation supporting tissues of an organ.

Subclavian vein Large vein draining arm.

Subcutaneous delivery drugs introduced beneath the skin.

Subcutaneous fat Layer of fat beneath the skin.

Sublingual tablet Tablets which are designed to be placed under the tongue.

Substance P An 11-amino acid polypeptide believed to be important as a neurotransmitter in the pain fibre system.

Succinic dehydrogenase An enzyme involved in the Krebs' cycle which converts succinate to fumarate.

Succus entericus See intestinal juice.

Sucrase Enzyme found in the intestinal juice which splits cane sugar into glucose and fructose.

Sucrose Sugar found in sugar cane and sugar beet. Split into glucose and fructose in the small intestine by sucrase.

Sufentanil An analgesic opiate analogue.

Sulphotransferases Enzymes responsible for sulphonation of xenobiotics in the liver

Sulphapyridine A sulphonamide used to treat dermatitis herpetiformis.

Sulphasalazine Drug used to treat ulcerative colitis, Crohn's disease and rheumatoid arthritis.

Sulphomucins Sulphated mucin.

Sulphur dioxide An irritating gas. Used in refrigerators and as a bactericide.

Sumatriptan An antimigrane drug.

Superioris alaeque Muscle which raises upper lip and flares nostrils.

Suppository A semi-solid substance which is used to deliver drug to the rectum, vagina or urethra.

Surfactant An agent which lowers surface tension.

Suspension Solid particles which are suspended in, but not dissolved in, a liquid.

Symphysis pubis Junction of the pubic bones on midline in front.

T

T cells Lymphoid cells from the bone marrow that migrate to the thymus gland, where they develop into mature differentiated lymphocytes that migrate between the blood and lymph. Mature T cells are antigen specific i.e. each responds to different antigens.

T lymphocytes See T cells.

Tachycardia Abnormal rapid heartbeat.

Talin A sweet-tasting protein extracted from *Thaumatococcus danielli*, approximately 100,000 times sweeter than sucrose. Also known as Thaumatin.

Technetium-99m (^{99m}Tc) A gamma emitting radioisotope with a half-life of 6 h. Used as a diagnostic agent for diagnostic gamma imaging. It is also used in research to follow

the behaviour of formulations in the body. It can be complexed in many ways e.g. with diethylenetriaminepentaacetic acid (DTPA), hexakis (t-butyl isonitrile), hexamethylpropyleneamine oxidase, HIDA or with tannous phytate.

Teflon (polytetrafluorethylene) A white thermoplastic material with a waxy texture. It is non-flammable, resists chemical action and radiation and has a low coefficient of friction.

Terbutaline A synthetic sympathomimetic amine used for treating asthma.

Terpenes Any member of the family of hydrocarbons with the formula $\text{C}_{10}\text{H}_{16}$. There are found in the essential oil of many plants especially conifers.

Testosterone Androgen produced by the testes. The hormone is also produced by the adrenal cortex in both males and females.

Tetracyclines Broad spectrum antibiotics.

Tetrahydrozoline A vasoconstrictor used as a nasal decongestant.

Theophylline Bronchodilator drug used for reversible airway constriction.

Thermogram A graphic record of variation in the amount of heat required to cause a change in temperature; the heat capacity as a function of temperature.

Thermophoresis The movement of small particles toward a warm surface as a result of differences in diffusion rate.

Thiomersal An organomercurial used as a pharmaceutical antibacterial and preservative.

Thrombosis Formation, development or existence of a blood clot or thrombus. Life-saving during haemorrhage, but life threatening if it occurs at any other time since it can occlude blood supply to a vessel.

Thymidine A nucleoside present in deoxyribonucleotide.

Timolol A β adrenergic blocking drug.

Titanium dioxide Used to protect the skin from the sun.

Total parenteral nutrition (TPN) Intravenous nutrition which provides total nourishment to a patient.

Tragacanth Dried gum exuded from the plant *Astragalus gummifer*. Used as a mucilage for greaseless lubrication and as an application for chapped skin.

Transferrin Blood globulin which binds and transports iron.

Transfersomes Liposomes made from a blend of phospholipids which have a high degree of flexibility, allowing them to pass through small gaps in the lipid structure of the epithelium.

Transition temperature (lipids) The temperature at which a phospholipid bilayer undergoes a phase transition from an ordered to a disordered state.

Transitional epithelium Epithelium which shows a gradation in type at the boundary between different organs, for example between the oesophagus and the stomach.

Tributyrase An enzyme which hydrolyses tributyrin to glycerol and butyric acid.

Triceps muscle Extends forearm and arm.

Tricyclic antidepressants Drugs used to treat moderate to severe endogenous depression.

Trypsin Proteolytic enzyme formed in the intestine.

Trypsinogen Proenzyme of inactive form of trypsin.

Tuberculin A soluble cell substance prepared from the tubercle bacillus used to determine the presence of a tuberculosis infection.

Tuft cells An intestinal epithelial cell of uncertain function.

Turbinates Bones which project from the lateral nasal wall.

Tween Trade name for a family of hydrophilic surfactants produced by conjugating ethylene oxide and fatty acids to a sorbitol nucleus.

Tyrosine An amino acid.

U

Ulcer An open sore or lesion of the skin or mucous membrane.

Ulcerative colitis Inflammation and ulceration in the colon.

Urea The diamine of carbonic acid found in the blood lymph and urine. It is formed in the liver from ammonia derived from amino acids by deamination. It is the main constituent in urine.

Urobilin A brown pigment formed from the oxidation of urobilinogen, a decomposition product of bilirubin.

Uveal tract The portion of the eye consisting of the iris, ciliary body, and choroid.

Uvula Small soft structure hanging from the free edge of the soft palate.

V

Vaccines A suspension of infectious agents or part of them administered for the purpose of establishing resistance to an infection.

Vagus The 10th cranial nerve. It is a mixed nerve with both motor and sensory functions.

Valium Trade name of diazepam.

Vasoactive intestinal peptide (VIP) Peptide present in the mucosa of the gastrointestinal tract with the main function of inhibiting gastric function and secretion.

Vasopressin Hormone formed in the hypothalamus. It has an antidiuretic effect and pressor effect that elevates blood pressure.

Vastus One of three muscles of the thigh.

Verapamil Calcium channel blocker used to treat hypertension and angina.

Villi Pl. of Villus. Short filamentous processes found on certain cells, generally to increase absorptive area.

Vinca alkaloids Drugs such as vincristine and

vinblastine derived from periwinkles. Antineoplastic drugs.

Virus A minute organism not visible with ordinary light microscopy. It is parasitic and relies entirely on nutrients in host cells. They consist of a strand of DNA or RNA but not both.

Viscolyzers Agents used to enhance the viscosity of solutions or suspensions.

Viscosity modifiers See Viscolyzers.

Vomer The bone which forms the lower and posterior portion of the nasal septum.

W

Wharton's duct Duct of the submandibular salivary glands opening into the mouth at the side of the frenulum linguae.

Witepsol Trade name for a series of surfactants used in some oral dose forms.

X

X-ray studies x-rays are high energy electromagnetic waves varying in length from 0.05 to 100 Å. They can penetrate solid matter to differing degrees and act on photographic film. Hence they are used for diagnosis and therapy. They were used to study the behaviour of drug formulations within the body, but the radioopaque materials adulterated the formulations and the radiation dosimetry limited the number of x-rays which could be taken.

Xanthines drugs such as caffeine, theophylline and theobromine which are stimulants and diuretics.

Xerostomia Dryness of the mouth caused by reduction in the normal production of saliva.

Xylan An anticoagulant polysaccharide similar to heparin.

Xylometazoline A vasoconstrictor drug used to treat nasal congestion.

Z

Zeta potential The electrical potential of a charged particle at its hydrodynamic plane. This is similar to the potential at the particle surface but takes into account the fact that the particle normally moves carrying a layer of adsorbed solvent. It is the zeta potential which is calculated from the drift velocity in an electrophoresis experiment.

Zonulae adherens See desmosomes.

Zonulae occludens See tight junctions.

Zymogen A substance that develops into a chemical ferment or enzymes. Zymogen granules are secretory granules of a pre-enzyme substance seen in cells of organs such as salivary glands or the pancreas.

Index

A

- α -adrenergic agonists 208, 228
- α -amylase 43
- α -fucosidase 202
- α -galactosidase 202
- α -naphthylesterase 276
- Acetazolamide 268
- Acetaminophen See Paracetamol
- Acetylsalicylic acid See Aspirin
- Achalasia 70
- Achlorhydria 93
- Acid phosphatase 202, 276
- Acid secretion 80
- Acute myeloid leukaemia. 131
- Add-vantage® 24
- Adhesives 187
- Adrenocorticosteroids. See steroids
- Aerosol deposition Effects of disease 242
- Aerosols 232
- Aerx® 236
- Ageing 68
- Air embolism 22
- Airbron 245
- Albumin 47, 213, 258
- Albuterol 243
- Aldehyde dehydrogenase 202
- Aldolase 202
- Aldosterone 149
- Alizapride 172
- Alkaline phosphatase 276
- Alkaline tide 80
- Alkanes 183
- Alveolar-capillary membrane 226
- Alzheimers disease 33
- Amberlite resin 50, 122
- Amenorrhoea 214
- Amidopyrine 130
- Aminopeptidase 276
- Aminophylline 244
- Aminosalicylic acid 163
- Amitriptyline 135
- Amoxicillin 14
- Ampicillin 173
- Amylase 82, 119
- Amylopectin 119
- Amylose 119
- Anaerobes 150
- Anaesthetics 170, 214, 262, 268
- Anal canal 272
- Analgesics 54, 171
- Angina pectoris 44, 53
- Angiotensin 230
- Animal models Gastric emptying 103
- Anorexia nervosa 93
- Antacid Chewable 50
- Anthracene 164
- Anthraquinones 164
- Anti-allergy agents 243
- Anti-fungal agents 49, 54, 278
- Anti-migraine treatment 210
- Anti-Parkinsonian drugs 102
- Anti-reflux agents 98
- Antiarthritics 171
- Antibacterial agents 173
- Antibiotics 54, 67, 130, 245, 265, 268
- Anticonvulsants 169
- Antiemetics 172
- Antigens 277
- Antihistamines 214
- Antihypertensives 262
- Antimicrobials 53
- Antipyryne 130, 134
- Antisense oligonucleotide 33
- Antivirals 268
- Antrum 83, 84 pH 83
- Appendices epiploicae 146
- Appendix 144
- Aqueous humor 251, 252, 257, 259
- Arachidonic acid 208
- Arachis oil 168
- Areolar layer 60
- 5-ASA. See 5-aminosalicylic acid
- Ascending colon 144
- Aspergum® 49
- Aspirin 129, 171, 173
- Asthma 205, 230, 243, 244
- Asthmatics 205
- Atopy 231
- Atropine 171, 244, 277
- Auerbach plexus 61, 148
- Autohaler® 234, 236
- Azelastine 214
- Azone® 48, 191

B

- β adrenergic receptor agonist, 214, 243
- β -blockers 130
- β -cyclodextrins 210
- β -glucosidase 202

- β-glucuronidase 276
 - B cells 115
 - B lymphocytes 115
 - Bacteria
 - Epithelial 187
 - Degradation of drugs 165
 - Bacteroides sp. 150
 - Bartholin's glands 275
 - Basal lamina 7
 - Basement membrane 39
 - Bauhin's valve 144
 - Beclomethasone 214
 - Belt desmosomes. See desmosomes
 - Benzalkonium chloride 213, 262
 - Benzocaine 55
 - Benzoic acid 130
 - Beta adrenergic receptor agonists See β₂ adrenergic receptor agonist
 - Betaxolol-poly-ε-caprolactone 265
 - Bethanechol 102, 122
 - Bicarbonate 149
 - Bidisomide 133
 - Bifidobacterium 150
 - Bile salts 48, 210, 214
 - Function 116
 - Secretion 116
 - Bioadhesion
 - Delivery systems 279
 - Formulation 212
 - Microspheres 213
 - Nose 212, 213
 - Oral mucosa 51
 - Vaginal 279
 - Black lipid films 6
 - Bladder 272
 - Bleomycin 279
 - Blood-brain barrier 32
 - Blood-eye barrier 250, 256, 257
 - Blood-retinal barrier 267
 - Bowman's membrane 252
 - Breathing 230
 - Bromisoval 173
 - Bronchiectasis 205, 232, 244
 - Bronchitis 228, 231, 244
 - Brownian diffusion 239
 - Brunner's glands 110, 116
 - Brush border. See microvilli
 - Budesonide 164, 173, 236
 - Bulbospongiosus muscle 273
 - Bulimia nervosa 93
 - Buprenorphine 54
 - Buserelin 209
 - Butorphanol 210
- C**
- Caco-2 cell lines 128
 - Caecum 144 Animal 145
 - Caffeine 173
 - Calcitonin 210, 280
 - Calcium 134
 - Calcium channel blockers 55
 - Calcium pectate 164
 - Calveolated cells. See tuft cells
 - Candida 54
 - Capillary basement membrane 24
 - Capsules
 - Correct dosing 65
 - Hard gelatin 94
 - Oesophageal transit 63
 - Soft gelatin 94
 - Soft jelly 278
 - Carbamazepine 170, 173
 - Carbohydrates 119
 - Carbomers 264
 - Carbon dioxide 150
 - Carbonic anhydrase 80
 - Carbonic anhydrase inhibitors 268
 - Carbopols 212, 264
 - Carboxylesterase 43, 202
 - Carboxymethylcellulose 55, 262
 - Carbromal 173
 - Cardia. See gastro-oesophageal junction
 - Cardiac glands 60
 - Cardiovascular active drugs 173
 - Caries 39, 54
 - Carrier mediated diffusion. See facilitated diffusion
 - Carteolol 265
 - Castor oil 124
 - Cavernous sinusoids 201
 - Cell junctions 8
 - Cell membranes 2
 - Transport across 12
 - Cells of Cajal 61
 - Cellulose 150
 - Cellulose acetate phthalate 66, 264
 - Cementum 39
 - Ceramides 46, 183, 191
 - Cerebrospinal fluid 32
 - Cervix 272
 - CFTR See Cystic fibrosis transmembrane conductance regulator
 - Charcoal 43
 - Charcoal block 237
 - Chewing gum 52
 - Chief cells 79
 - Chitosan 213
 - Chloramphenicol 257
 - Chlorhexidine 53
 - Chloride ions 149
 - Chlormadinone acetate 278
 - Chlorobutol 214
 - Chlorofluorocarbon 233

- Cholecystokinin 113, 148, 152
 Cholera 117
 Cholesterol 46, 112, 115, 183
 Bile salts 116
 Cholinergic agonists 102, 214
 Chondroitin 263
 Choroid plexi 32, 252
 Chronic alcoholism 70
 Chylomicrons 115, 120
 Chyme 117, 118, 122
 Chymotrypsin 119
 Cigarette smoking 206, 231, 242
 Ciliogenesis 276
 Ciliolinhibition 213
 Ciliotoxicity 213
 Cimetidine 130, 133
 Cinnarizine 100
 Citrate 50
 Clara cells 225
 Clonazepam 169
 Clonidine 187
 Codeine 32, 135, 156, 172, 173
 Coffee 156
 Collagen 7, 184, 252
 Shields 266
 Colloidal delivery 33
 Colon
 Anatomy and physiology 144
 Bacteria 147, 150
 Blood supply 147
 Drug absorption 157
 Co-medication 165
 Disease 165
 Drug delivery 157
 Electrical activity 152
 Environment 149
 Humoral control 148
 Interspecies variation 145
 Motility 151, 153
 Mucosa 146
 Nervous and control 148
 Particle size 159
 pH 150
 Structure 146
 Targeting 161, 162, 163
 Temporal factors 161
 Transit of dose forms 156, 158
 Transit time 154
 Water and electrolytes 149
 Columnar cells 8
 Columnar epithelium 8, 111
 Upper airway 225
 Conjunctiva 252
 Drug penetration 259
 Conjunctival fornix 255
 Connective tissue 39
 Constipation 92
 Contraceptive pill 134
 Copper 279
 Cornea 251, 252, 257
 Corneocyte 183
 Corticosteroids See also Steroids 53, 173
 Cotransport 14
 Cotton pledgets 63
 Cough 229
 Creams 48, 189, 278
 Crohn's disease 147, 165
 Crypt cells 117
 Crypts of Lieberkühn 16, 113, 146
 Crystal suspension 27
 Cryptococci 54
 Cushing's syndrome 214
 Cyanoacrylate microspheres 33
 Cyclacillin 14
 Cyclic AMP 10
 Cyclodextrins 164, 187, 192
 Cyclosporin A 130
 Cydot 52
 CYP 3A4 See cytochrome P450:3A4
 Cysteinyl leukotriene receptors 244
 Cystic fibrosis 244
 Cystic fibrosis transmembrane conductance
 regulator 117
 Cytochrome p-450 dependent
 monooxygenases 202
 Cytochrome p450 128 3A4 131, 134
 Cytoplasm 2
 Cytosis 15
 Cytosol 7
- ## D
- Danazol 277
 DDT. See dichlorodiphenyltrichloroethane
 Decongestant sprays 208
 Decylmethyl sulphoxide 191
 Defaecation 153
 Deltoid. See muscle
 Density 96, 99
 Dental systems 53
 Deoxycorticosterone 53
 Dermis 182, 184
 Descemet's membrane 251, 252
 Descending colon 145
 Desmopressin 209, 212
 Desmosomes 9, 11, 273
 Dexamethasone 214, 265
 Dextran 213
 Hydrogels 162
 Dextropropoxyphene 135, 173
 Diabetes insipidus 209
 Diabetes mellitus 70
 Diarrhoea 117
 Diazepam 169, 170, 173

Diazoxide 262
 Dichlorodiphenyltrichloroethane 136
 Diclofenac 172
 Diet 154
 Elemental 156
 Diffusion 32
 Coefficient 12
 Diflunisal 171
 Digestion
 Fat 90
 Digoxin 128, 130, 133, 165
 Dimethyl sulphoxide 191
 Dipalmitoyl lecithin, 228
 Disaccharides 118
 Diskhaler® 241
 Diskus® 234, 241
 Disodium cromoglycate 243
 Disopyramide 134
 DNA 2
 Dogs 103, 216
 Domperidone 102
 Dopaminergic antagonists 102
 Dorzolamide 279
 Dosage forms
 Lung 232
 Dosing times
 Effect of meals 98
 Doxycycline 70, 134
 DPIs. See dry powder inhalers
 DPNH diaphorase 276
 Drops 262
 Drug absorption 2, 127, 157
 Dietary factors 161
 Interaction with food 133
 Lung 242
 Position of dose form 135
 Transdermal 188
 Uterus 277
 Vagina 277
 Drug delivery
 Colon 157
 Nasal 210
 Uterus 279
 Vaginal 277
 Drug distribution
 Eye 259
 Dry powder inhalers 210, 232, 234
 Radiolabelling 238, 239
 Duodenal receptors 89
 Duodenogastric reflux 92
 Duodenum 110
 Dyspepsia 92

E

Eccrine sweat glands 185
 EDTA 210

Eicosanoids 244
 Elastin 184
 Elastin fibres 110
 Electroosmosis 192
 Electroporaneabilization. See
 electroporation
 Electroporation 183, 190, 193
 Embolisms 24
 Emotions 214
 Emphysema 231
 Emulsions 210
 Endocrine cells 79, 113
 Endocrine-like cells 79
 Endocytosis 15
 Endometriosis 209
 Endometrium 274, 277
 Endoscopy 68, 94
 Endotoxins
 Penetration 47
 Enema 167, 168, 171, 173
 Enprofylline 173
 Enterocele 277
 Enterocytes 111
 Enteroglucagon 113
 Enterohepatic recirculation 117
 Enterokinase 116
 Enteropeptidase 116
 Enuresis 209
 Eosinophilia 206, 208
 Ephelides 185
 Epidermis 182, 183
 Epimysium 26
 Epithelium 2, 7
 Alveoli 225
 Blood vessel 7
 Bronchi and bronchioles 225
 Columnar 61
 Keratinised 40
 Non-keratinized 40
 Oesophageal 60
 Oral sulcular 47
 Squamous 61
 Stomach 8
 Stratified squamous 60
 Vaginal 273
 Ergotamine tartate 210, 245
 Erythema 268
 Erythrocyte ghost, 6
 Erythromycin 130, 133
 Erythropoietin 194, 280
Escherichia coli 150
 Esterase 259, 276
 Esters 191
 Estrone sulphokinases 134
 Ethinylestradiol 134
 Ethmoid bone 200
 Ethyl oleate 262

Ethylcellulose 262
 Ethylenediaminepentaacetic acid 48
 Eudragit 161, 164
 Exercise 93, 123, 154, 229
 Exosurf® 229
 Explotab® 66
 Extravasation 22
 Eye 250–270

- Cornea 251
- Drops 260, 262
- Drug distribution 259
- Drug permeation 257
- Drug retention 260
- Eyelids 252, 253
- Gelling polymers 264
- Instilled volume 261
- Intraocular devices 268
- Ionization 257
- Iontophoresis 268
- Liposomes 267
- Microparticulates 267
- Nanoparticles 267
- Ointments 264
- Particulates 265
- Perfusion 262
- pH 257
- Pigmentation 258
- Precorneal tear film 253
- Preservatives 261
- Protein binding 258
- Sprays 263
- Structure 251
- Sustained release devices 265
- Systemic administration 262, 268
- Viscosity 263

F

Facilitated diffusion 14
 Faraday crispations 235
 Faspak® 24
 Fast-dissolving dosage forms 48, 50, 66
 Fats 91, 119, 152
 Fatty acids 48, 183, 191
 Fenoterol 55, 243
 Ferrireductase 120
 Fibre

- Dietary 134, 150, 154, 155, 157, 161

 Fibrinogen 274
 Fibronectin 7, 8
 Fick's law 12
 First-pass metabolism 20, 114, 118, 134, 171, 172, 182

- Rectum 166

 Fluid mosaic model 2
 Flumist® 210

Flunisolide 214
 Fluorescein 256
 Fluorocarbons 25
 Folds of kerckring 111
 Food

- Absorption 82, 118
- Digestion 82, 118
- Flavour 39
- Ingestion 214
- Mixing 90

 Formaldehyde 207
 Foveolae 77
 Frenulum linguae 38
 Fundus 76
 Fungizone 23

G

GALT See gut-associated lymphoid tissue
 Gamma scintigraphy 50, 52, 94, 127, 213

- Lungs 237
- Oesophageal transit 66

 Ganciclovir 268
 Gap junctions 9, 10
 Gastric emptying See also stomach: motility

- Disease 93
- Dosage forms 95, 97
- Drug-induced effects 102
- Exercise 93
- Fat 91
- Menstrual cycle 92
- Oils 91
- Pellets 97
- Physiological factors 92
- Posture 101

 Gastric glands 79
 Gastric inhibitory peptide 113
 Gastric

- Juice 80
- Motility 85
- Mucus 77
- Peptides 7
- Pits 77
- Secretion 80

 Gastric emptying

- Pregnancy 92

 Gastric pH 83

- Enteric coatings 102

 Gastrin 79, 80, 113, 148, 152
 Gastritis 93
 Gastro-oesophageal junction 61, 68, 77, 83
 Gastro-oesophageal reflux 63, 70, 88, 92, 93
 Gastrocolic reflex 152, 161
 Gelatin cylinders 63
 Gelatinase 82
 Gellan gum 264

Gelling polymers 264
 Gels 189, 278
 Gentamicin 268
 Gentlehaler® 233
 Giant unilamellar vesicles 6
 Gingiva
 Disease 47
 Penetration 46
 Sulcus 46
 Gingivitis 53, 54
 Glands of
 Kraus 255
 Manz 255
 Wolfring 255
 Zeis 255
 Glaucoma 268
 Global warming 233
 Globulin 258
 Glucagon 148
 Glucocorticoids 268
 Glucose-6-phosphate dehydrogenase 202
 Glucuronate 263
 Glucuronosyltransferases 128
 Glutamic acid 119
 Glutamic oxaloacetic transaminase 202
 Glutamic pyruvic transaminase 202
 Glutathione-s-transferases 128
 Glycerol 3, 119
 Glyceryl trinitrate. *See* nitroglycerin
 Glycine 119
 Glycocalyx 7, 8
 Glycofurol 171
 Glycogen 275, 277
 Glycolipids 7, 112
 Glycoprotein 7, 77
 Glycosaminoglycans 184, 263
 Goblet cells 113, 147, 202, 225, 228, 242
 Gradient-charged system 189
 Gramicidin D 130
 Grapefruit juice 134
 Green cross fluosol 25
 Greenhouse gases 233
 Griseofulvin 136
 Guar gum 66, 126, 155, 164
 Guinea pig 216
 Gum 49
 Gut associated lymphoid tissue 114, 115, 147

H

H⁺/K⁺ ATPase 14
 H₁ receptors 243
 H₂ receptors 80
 Habitrol™ 190
 Haemoglobin 26
 Haemolysis 22
 Haemorrhoidal plexuses 148

Hair 184
 Follicles 184
 Hard gelatin capsules 66, 94
 Haustra 146
 Hayfever 205, 231
 Heartburn *See* gastro-oesophageal reflux
 Helicobacter pylori 85, 98
 HEMA *See* hydroxyethyl methacrylate
 Hemidesmosomes. *See* desmosomes
 Heparin 230
 Hepatic flexure 144
 Hepatic portal vein *See* also first pass
 metabolism 44, 79, 114.
 Hexose transporter system 14
 HFAs. *See* hydrofluoroalkanes
 Histamine 47, 80, 230
 Histidine 119
 Histocytes 184
 HIV infection 54
 Horseradish peroxidase 46, 47
 Housekeeper contractions. *See* migrating
 myoelectric complex
 Humidification 207
 Hyaluronan 213
 Hyaluronate 263
 Hyaluronic acid 263
 Hyaluronidase 47
 Hydrochloric acid 79, 80
 Hydrochlorthiazide 126, 128
 Hydrocortisone 55, 188
 Hydrocyanic acid 277
 Hydrodynamically balanced system 99
 Hydrofluoroalkanes 233
 Hydrogels 29, 163, 167, 171, 190
 Nasal delivery 212
 Hydrogen 150
 Hydrogen sulphide 153
 Hydrolases 202
 Hydroxyethyl methacrylate 163
 Hydroxyethylcellulose 263
 Hydroxyproline 119
 Hydroxypropylcellulose 263, 279
 Hydroxypropylmethylcellulose 52, 212,
 263
 5-hydroxytryptamine 230
 Hypogonadism 53

I

IgA 113, 115
 IgG 113
 Ileocaecal junction 121, 127, 144
 Ileum 110
 Blood supply 113
 Iliac fossa 144
 Immunoglobulin A. *See* IgA
 Impotence 214

Indomethacin 165, 172
 Infertility 209
 Inflammatory bowel disease 163, 173
 Inhaled particles 203
 Inhaler technique 241
 Insulin 33, 194, 213, 245, 277, 280
 Integument 182
 Interferon 194
 Intestinal cells 116
 Obstruction 123
 Reserve length 132
 Intestinal juice
 pH 116
 Intra-ocular injection 262
 Intramuscular delivery 26
 Pharmacokinetics 26
 Intranasal
 Drugs 208
 Intraocular devices 268
 drug delivery 266
 Intrauterine devices 279
 Intravaginal inserts 278
 Intravenous delivery 20, 21
 Intrinsic factor of castle 79, 82, 112
 Inulin 260
 Iodides 277
 Ion exchange resins 101
 Iontophoresis 190, 192
 Eye 268
 Ipratropium bromide 209, 244
 Iris 256
 Iron 120, 134
 Isomaltase 119
 Isoprenaline 122
 Ispaghula 155
 IUDs. See also intrauterine devices

J

Jejunum 110
 Blood supply 113
 Jet nebulizer 235

K

K99-fimbrial proteins 129
 Kanamycin 245
 Kartegener's syndrome 205
 Keratinocytes 183, 187
 Kerkring's folds 118
 Ketobemidone 48
 Kupffer cells, 24

L

L-tryptophan 90
 Labrafil WL2514 168

Lacrimal drainage system 255
 Lacrimal glands 202, 255
 Lacrimal puncta 255
 Lactase 119
 Lactate dehydrogenase 202, 276
 Lacteals 114
 Lactic acid 150, 275
 Lactic dehydrogenase 202
 Lactobacillus 150
 Lactobacillus acidophilus 275
 Lactose 66, 119
 Lactulose 150
 Lamina cribrosa 252
 Lamina propria 39, 60, 110
 Langerhans cells 183, 187
 Langmuir trough 2
 Lanolin 264
 Lanthanum 46
 Large intestine. See colon
 Laryngectomies 206
 Larynx 222
 Lateral diffusion 4
 Laureth-9 210
 LCFA. See long-chain fatty acids
 Lecithins 172, 230, 232
 Lectins 128, 163
 Leucine aminopeptidase 202
 Leucotrienes 208
 Leukotriene inhibitors 244
 Levonorgestrel 278
 Lidocaine 52, 191
 Limbus 251
 Lipases 82, 120, 151
 Lipids 7, 46
 Liposomes 4, 6, 7, 29, 33, 191
 Eye 267
 Lithium 126
 Liver 20, 116
 Locust bean gum 164
 Long-chain fatty acids 156
 Loperamide 156
 Lorazepam 55
 Lotions 189
 Lower oesophageal sphincter 92
 Loxiglumide 157
 Lozenge 49
 LTE4 244
 Lung
 Anatomy and physiology 222
 Biochemical processes 230
 Blood supply 229
 Defenses 228
 Deposition 241
 Disease 230
 Dosage forms 232
 Drugs 243
 Drug absorption 242

- Epithelium 225
 - Factors affecting deposition 239
 - Humidity 240
 - Lymphatic system 229
 - Mucus 227
 - Nervous control 229
 - Particle size 240
 - Permeability 227
 - Radiolabelling formulations 238
 - Surfactant 228
 - Lycopersicon esculentum* 163
 - Lymph 21
 - Composition 115
 - Ducts 273
 - Formation 115
 - Lung 229
 - Stimulation of transport 115
 - Lymphatic system 21, 114
 - Drug absorption 136
 - Nose 202
 - Structure 114
 - Lymphocytes 110, 115
 - Lymphoglandular complexes 147
 - Lypressin 209
 - Lysine 119
 - Lysosomal proteinases 202
 - Lysozyme 113, 202, 258
- M**
- M-cells 114, 129
 - Macrophages 146
 - Magnesium 134
 - Magnetic dose forms 100
 - Malic enzymes 202
 - Maltase 119
 - Maltose 119
 - Maltotriose 119
 - Marshmallows 63
 - Mast cells 7, 110, 184, 244
 - Matrix-diffusion controlled system 189
 - MDR See multi-drug resistance
 - Medoxyprogesterone acetate 278
 - Meibomian glands 255
 - Meissner plexus 61, 148
 - Membrane asymmetry 7
 - coating-granules 46
 - proteins 7
 - permeation controlled system 189
 - Menopause 275, 277
 - Menstrual cycle 207, 274, 275, 276, 278
 - Menthol 164
 - Mercaptans 153
 - Mesalazine 163, 173
 - Mesenteric veins 147
 - Met-enkephalin 153
 - Metabolism
 - Gut wall 147
 - Metaproterenol 243
 - Metered dose inhalers 232
 - Methacrylate copolymer 66
 - Methadone 171
 - Methane 150
 - Methohexital 170
 - Methotrexate 22, 29
 - Methylcellulose 212, 263
 - Methylene blue 277
 - Methylmethacrylate 163
 - Methylmorphine 32
 - Methylxanthines 244
 - Metoclopramide 172
 - Metronidazole 53, 55, 133, 172
 - Micelles 3
 - Microfold cells See M-cells
 - Microneedles 190
 - Microparticulates
 - Eye 267
 - Micropor™ 190
 - Microsealed system 189
 - Microspheres 213
 - Microvilli 111, 112, 118
 - Midazolam 170, 210
 - Migraine 93, 245
 - Migrating motor complex See Migrating myoelectric complex
 - Migrating myoelectric complex 85, 117, 122, 124
 - Milk 133
 - Mist-assist® 234
 - Mistabron® 245
 - Mitomycin 22
 - Monkey 216
 - Monozygotic twins 204
 - Montelukast sodium 244
 - Morphine 32, 54, 156, 165, 171
 - Motilin 113
 - Motility
 - Colon 151, 153
 - Gastric 85
 - Oesophageal 61
 - Small intestine 120
 - Mouse 216
 - Mucins 147
 - Muco-ciliary escalator 228
 - Mucoadhesion See also bioadhesion 18, 99
 - Oral tablet 52
 - Patches 48
 - Mucociliary clearance 203, 204
 - Mucoid cells 79
 - Mucolytics 244
 - Mucopolysaccharides 260
 - Mucostasis 207
 - Mucus 17, 96, 147, 202, 227, 276
 - Lung 227

Multi-drug resistance 130
 Multilamellar vesicles 6
 Multiparticulates 96
 Muscle 26
 Muscularis externa 146
 Muscularis mucosae 110, 146
 Myometrium 274
 Myristyl tripalmitate 126

N

N-(2-hydroxyethyl)-2-pyrrolidone 191
 Na⁺/K⁺ ATPase 118
 Na⁺/K⁺ electrolyte balance 7
 NAD⁺-dependent 15-hydroxyprostaglandin dehydrogenase 202
 NAD⁺-dependent formaldehyde dehydrogenase 202
 Nadolol 260
 Nafarelin 209
 Nails 184
 Nanoparticles 265
 Eye 267
 Nanosphere 265
 Nasal. See also nose
 Cycle 203
 Mucosa 207
 Sprays 211
 Vestibule 200
 Nasopharynx 222
 Nausea 93
 Fat 92
 Nebuhaler[®] 236
 Nebulizers 232, 235
 Nervous control
 Lung 229
 Neurotensin 113, 148
 Neutrophilia 206
 Nickel 279
 Nicoderm 190
 Nicotine 190
 Nicotrol[™] 190
 Nifedipine 55, 173
 Nitrates 53
 Nitroglycerin 44, 51, 53
 Non-steroidal anti-inflammatory drugs 67, 94, 136, 182, 268
 Non-ulcer dyspepsia 92
 Nonoxynol-9 278
 Norethindrone 278
 Norgestrel 278
 Nose
 Age 204
 Anatomy and physiology 200
 Bioadhesives 211
 Cycle 203
 Deposition 204

Deposition patterns 210
 Epithelia 201, 203
 Excipients 213
 Increasing residence times 212
 Interspecies comparisons 216
 Lymphatic system 202
 Measuring clearance 204
 Pathophysiology 204
 pH 214
 Secretions 202
 Septum 200
 NSAIDs. See non-steroidal anti-inflammatory drugs
 Nucleus 2
 Nystatin 49

O

Obesity 82, 92
 Ocuserts[®] 265
 Oedema 214
 Oesophagus
 Adhesion 65, 67
 Anatomy and physiology 60
 Damage 67
 Disease 69
 Innervation 61
 Motility 61
 pH 60
 Pressure 62
 Targeting 70
 Transit 63, 64
 Oestradiol 209, 278
 Oestradiol-3-cyclopentyl 136
 Oestrogen 134, 276, 277
 Oils 91
 Oily vehicles 94
 Ointments 48, 189, 250, 256, 264
 Oleic acid 48, 151, 232
 Oligosaccharides 7, 18
 Olsalazine 163
 Opiates 156
 Opioids 54
 Orabase[®] 48
 Oral cavity 38
 Bioadhesion 51
 Clearance 43
 Dosage forms 48
 Drugs 53
 Drug absorption 44, 48
 Drug delivery 45
 Epithelium 39
 Mucosa 39, 40, 41
 Penetration enhancers 47
 Oral drug delivery
 Disadvantages 44
 Oral transmucosal system 52

- Oros® 158
 Osmotic delivery device 167, 173
 Osmotic minipump 268
 Osmotic pump 97
 Osteoporosis 210, 214
 Oxidoreductases 202
 Oxprenolol 173
 Oxygen carriers, intravenous 25
 Oxyntic cells 79
 Oxyquinolone 277
 Oxytocin 55
- P**
- P-aminoclonidine 260
 P-glycoprotein 32, 130–131, 134
 Palate 38
 Palmitic acid 4
 Pancreas 116
 - secretion 116
 Paneth cells 113, 147
 Papillary layer 184
 Paracetamol 100, 130, 171, 173
 Parenteral administration
 - Drug delivery 19
 - Drug distribution 30
 Parietal cells 7, 14, 79, 80
 Particle size
 - Lung 240
 - Nasal deposition 210
 Particulates 24, 265
 Partition coefficient 12
 Passive diffusion 12
 Peanut proteins 277
 Pectins 126, 155, 164
 Pectoral See muscle
 Pellets See also multiparticulates
 Penbutolol 260
 Penetration enhancers 191, 210
 - Oral mucosa 47
 Penicillin 133, 135, 214
 Pepsin 79, 82
 Pepsinogen 79, 82
 Peptides
 - Delivery 209, 213
 Perfusion
 - Eye 262
 Perimysium 26
 Periodontal disease 54
 Periodontitis 53
 Periodontosis 53
 Peritoneum 110
 Persorption 16
 Pessaries 278
 Pethidine 54
 Petrolatum 264
 Petrolatum based jelly 262
 Peyer's patches 110, 114, 128, 151
 pH 156, 192
 - Colon 150
 - Eye 257
 - Faecal 154
 - Small intestine 129
 - Vagina 275
 pH-partition hypothesis 13
 Phagocytosis 16
 Pharmacokinetics
 - Lung deposition 243
 Phenobarbital 170
 Phenol red 277
 Phenylalanine 209
 Phenylephrine 208
 Phlebitis 22
 Phonation 222
 Phosphatidylcholine 3, 7
 Phosphatidylethanolamine 3, 7
 Phosphatidylinositol 3
 Phosphatidylserine 3
 Phosphoglucosyltransferase 202
 Phospholipid 7, 115
 - Stealth 29
 Pigmentation 258
 Pigs 103
 Pilocarpine 257, 258, 265, 277
 Pituitary hormones 7
 Plaque 54
 Plasma membrane 2
 Platelets 82
 Plicae semilunares 147
 Pluronic 264
 pMDI See pressurized metered dose inhalers
 Polyacrylic acid 279
 Polyalkylene glycols 262
 Polycarbophil gel 279
 Polyethylene 24, 174
 Polygonal cells 251
 Polyps
 - Eosinophil 206
 - Neutrophil 206
 Polysaccharides 7
 Polysorbates 33
 Polystyrene particles 25
 Polyurethane 24
 Polyvinyl alcohol 263, 277
 Polyvinylpyrrolidone 262
 Positron emission tomography 237
 Potassium chloride 136
 Potassium iodide 244
 Potassium ions 149
 Prazosin 135
 Precorneal tear film 253
 Prednisolone 173
 Pregnancy 275

Gastric emptying 92
 Preoperative medication 170
 Preservatives
 Eye 261
 Pressurized metered dose inhalers 211
 Radiolabelling 238
 Progesterone 148, 277, 279
 Progestin 278
 Prolapse 277
 Proline 119
 Promethazine 172, 173
 Propranolol 135, 214, 260
 Propylene glycol 191
 Prostaglandins 7, 82, 208, 230, 277
 Prostap 190
 Protein binding 31, 129
 Eye 258
 Proteins 245
 Proteoglycans 82, 184
 Ptyalin 43
 Puberty
 Delayed 53
 Pulmonary See also lung
 Circulation 20
 Deposition patterns 241
 Parenchyma 224
 Pulsincap™ 162
 PVA (polyvinyl alcohol) gel 266
 Pylorectomy 88
 Pyloric portion 76
 Pyloroplasty 88
 Pyrogens 20

Q

Quinine 277

R

Rabbit 216
 Racemose glands 60
 Radio controlled capsule 135
 Radiolabelling 237, 239
 Radiotelemetry capsule 159
 Ranitidine 130
 Rat 216
 Receptor-mediated transport 33
 Rectal
 Dosage forms spreading 168
 Recto-uterine pouch 272
 Rectocele 277
 Rectum 145, 147, 272
 Adjuvants 167
 Dose forms 167
 Drugs 169
 Drug administration 166
 Enhancers 167

 Irritation 173
 Replens® 279
 Reserpine 262
 Respimat® 236
 Respiration 224
 Reticulin fibres 184
 Reticuloendothelial system 25
 Retina 252
 Rhinitis 204, 214
 Allergic 205, 208, 214
 Perennial 205
 Rhinorrhoea 205
 Riboflavin 100, 126
 Rivinus's ducts 42
 Rivotril 169
 Rotahaler® 234
 Ryle's tube 129

S

Saccharin 50
 Salbutamol 243
 Salicylates 48, 277
 Salicylazosulphapyridine. See sulphasalazine
 Salicylic acid 130, 135, 136
 Saliva 42, 60
 Salivary glands
 Parotid 41
 Sublingual 42
 Submaxillary 41
 Salivary secretion 41
 SCFA See short-chain fatty acids
 Sclera 251, 252
 Drug penetration 259
 Scleroderma 70
 Sebaceous glands 185
 Sebum 185
 Secretin 113, 148
 Sennosides 165
 Sephadex 213
 Serotonin 113
 Sheep 216
 Shellac 66
 Short-chain fatty acids 156
 Sialase 147
 Sialic acid 7, 202
 Silicones 24
 Elastomers 278
 Oil 279
 Single photon emission computed
 tomography 237
 Singulair 244
 Sinusitis 205, 214
 Sjögrens syndrome 206
 Skatole 153
 Skene's glands 275
 Skin 182

- Absorption 186
- Age 188
- Disease 189
- Factors affecting absorption 188
- Individual variation 188
- Iontophoresis 192
- Models 185
- Occulsion 188
- Penetration enhancers 191
- Race 189
- Site 188
- Structure 182
- Surface 185
- Temperature 188
- Vehicles and devices 189
- Sleep 214
- Slow-reacting substance of anaphylaxis 205
- Small intestine
 - Anatomy and physiology 110
 - Circulation 113
 - Damage by drugs 136
 - Density 127
 - Epithelium 111, 112
 - Glands 116
 - Measuring transit 122
 - Motility 120
 - Morphology 110
 - Mucosa 110, 111
 - Pathophysiological effects 123
 - Permeability 129
 - pH 113, 129
 - Physiological effects 123
 - Secretions 116
 - Transit of dosage forms 124
 - Transit of food 123
- Smallpox 28
- Smartmist® 236
- Sneezing 203, 208
- Sodium
 - alginate 126
 - azodisalicylate. See olsalazine
 - caprate 210
 - cromoglycate 234
 - deoxycholate 48, 210
 - glycocholate 210
 - hyaluronate 263
 - ions 149
 - laurate 210
 - lauryl sulphate 48
 - taurocholate 210
 - valproate 170
- Sodium-potassium exchange pump 149
- Soft gelatin capsules 94
- Solmin® 50
- Solutions 210, 250, 256
- Solvent drag 129
- Somatostatin 113
- Sonophoresis 194
- Spacer devices 236
- Span 232
- Splenic flexure 144
- Sponges 278
- Spot desmosomes. See desmosomes
- Spray formulations 210
- Sprays
 - Eye 263
- Squalane 183
- Squamous cell metaplasia 213
- Squamous cells 40
- Squamous epithelia 7, 203, 225, 251
- SRS-A. See slow-reacting substance of anaphylaxis
- Starch 213
- Status epilepticus 169
- Stem cells 113
- Stensen's duct 41
- Stercobilin 153
- Steroid hydroxylases 202
- Steroids 53, 244
 - Intranasal 214
- Sterols 5
- Stilboestrol 165
- Stomach
 - Stokes' law 239
 - Stomach
 - Age 85
 - Anatomy and physiology 76–108
 - Antrum 76
 - Blood 79
 - Body 76
 - Carbohydrate 84
 - Circadian rhythm 84
 - Dispersion of dose forms 94
 - Functions 76
 - Gender 85
 - Glands 79
 - Motility 85, 86, 89
 - Mucosa 77
 - Mucus 77
 - Nerve supply 79
 - pH 83, 91
 - Protein 84
 - Retention of dosage forms 98
- Smoking 85
- Stratum basale 274
- Stratum compactum 274
- Stratum corneum 183
- Stratum germinativum 183
- Stratum spongiosum 274
- Stroma 252, 257
- Substantia propria 252
- Subclavian vein 23
- Subcutaneous colloidal delivery systems 29
- Subcutaneous delivery 28
- Subcutaneous fat 184

Sublingual tablet 49
 Substance P 148
 Succinic dehydrogenase 202, 276
 Succus entericus. See intestinal juice
 Sucrase 119
 Sucrose 119
 Sufentanil 210
 Sulphotransferases 128
 Sulphapyridine 163
 Sulphasalazine 163, 165
 Sulphomucins 147
 Sulphur dioxide 207
 Sumatriptan 210
 Superioris alaeque 201
 Suppocire AP 174
 Suppositories 167, 171, 173, 278
 Surfactants 48
 Susadrin® 51
 Suspensions 210, 250, 256
 Sustained release intraocular devices 268
 Swallowing. See also oesophagus: motility
 68, 69
 Difficulty 49
 Swelling dose forms 100
 Symphysis pubis 272

T

T cells 115
 T lymphocytes 146
 Tablets 96, 278
 Correct dosing 65
 Enteric coated 96
 Film coated 66
 Oesophageal transit 63
 Sugar coating 66
 Uncoated 66
 Tachycardia 173
 Talin 50
 Tears
 Physical properties 255
 Volume 253
 Viscosity 255
 Technetium-99m
 Diethylenetriaminepentaacetic acid
 (DTPA) 52, 237
 Hexakis (t-butyl isonitrile) 237
 Hexamethylpropyleneamine
 oxidase 238
 HIDA 49
 Stannous phytate 237
 Teeth 39
 Teflon 24
 Terbutaline 243, 277
 Terpenes 191
 Testosterone 53
 Tetracyclines 53, 134, 245, 265

Tetrahydrozoline 208
 Theophylline 70, 133, 173, 244
 Thermogram 5
 Thermophoresis 240
 Thiomersal 213
 Thrombosis 22
 Thymidine 47
 Thyrotropin-releasing hormone 55
 Tight junctions 9
 Timolol 260, 269
 Tissues 2
 Titanium oxide 66
 Tongue 39
 Tonsils 39
 Total parenteral nutrition 23
 Tracheo-bronchial tree
 Structure 223
 Tragacanth 164
 Transcytosis 33, 128
 Transdermal delivery See also skin
 Advantages and disadvantages 187
 Transferrin 33
 Transfersomes 192
 Transition temperature 4
 Transitional epithelium 8
 Transverse colon 144
 Transverse diffusion 4
 Tributyrase 82
 Triceps See muscle
 Tricyclic antidepressants 102
 Trypsin 116, 119
 Trypsinogen 116
 Tuberculin 28
 Tuft cells 112
 Tumours, targeting 24
 Turbinates 200, 211
 Turbuhaler® 234, 241
 Tween 232
 Tyrosine 209

U

Ulceration
 Drug/formulation induced 102
 Rectal 173
 Ulcerative colitis 147, 168
 Undifferentiated cells 113
 Upper airway 222
 Urea 191
 Urethra 272
 Urobinin 153
 Uterine
 Cavity 274
 Drug delivery 279
 First pass effect 277
 Uterus
 Anatomy and physiology 272

Drug absorption 277
 Fluid 275
 Uveal tract 251
 Uvula 38

V

Vaccines 128, 210
 Vagina
 Anatomy and physiology 272
 Blood 275
 Disorders 277
 Drug absorption 277
 Drug delivery 277
 Enzymatic activity 276
 Fluid 275
 Mucosa 273
 Mucus 276
 Nerve supply 275
 Rings 278
 Vagus 79, 81
 Valium 169
 Vasoactive intestinal peptide 33, 113
 Vasopressin 55, 216
 Vastus lateralis See muscle
 Vegetable oils 262, 264
 Verapamil 55
 Villi 111, 118
 Vinca alkaloids 130
 Vinyl acetate 66
 Viruses 205
 Viscolyzers 263
 Viscosity modifiers
 Nose 212
 Vitamin
 B12 82, 112, 128

C 50, 134
 effects 134
 K 150
 Vitraser® 268
 Vitreous body 253
 Vomer 200
 Vomiting 93

W

Water
 Absorption 117
 Movement 83
 Secretion 117
 Wharton's duct 42
 Witepsol 168, 174
 Womb See uterus
 Wood dust 207

X

X-ray studies 95
 Xanthines 173
 Xerostomia 43
 Xylan 164
 Xylometazoline 208

Z

Zeta potential 265
 Zinc 279
 Zonulae adherens See desmosomes
 Zonulae occludens See tight junctions
 Zydis® See Fast-dissolving dosage forms
 Zymogen cells 79