WOODHEAD PUBLISHING IN TEXTILES



Clothing appearance and fit: Science and technology

J. Fan, W. Yu and L. Hunter







Clothing appearance and fit: Science and technology

Clothing appearance and fit: Science and technology

J. Fan, W. Yu and L. Hunter





CRC Press Boca Raton Boston New York Washington, DC

WOODHEAD PUBLISHING LIMITED

Cambridge England

Published by Woodhead Publishing Limited in association with The Textile Institute Woodhead Publishing Limited
Abington Hall, Abington
Cambridge CB1 6AH
England
www.woodhead-publishing.com

Published in North America by CRC Press LLC 2000 Corporate Blvd, NW Boca Raton FL 33431 USA

First published 2004, Woodhead Publishing Limited and CRC Press LLC © 2004, Woodhead Publishing Limited The authors have asserted their moral rights.

Every effort has been made to trace and acknowledge ownership of copyright. The publishers will be glad to hear from the copyright holders whom it has not been possible to contact concerning: Figures 1.2, 3.4, 6.1, 6.3, 6.5, 6.6, 7.3, 7.9, 8.26, 8.27, 10.4 and 10.7; Tables 6.3, 6.4, 6.5, 6.7, 6.12, 6.13 and 6.14.

This book contains information obtained from authentic and highly regarded sources. Reprinted material is quoted with permission, and sources are indicated. Reasonable efforts have been made to publish reliable data and information, but the authors and the publishers cannot assume responsibility for the validity of all materials. Neither the authors nor the publishers, nor anyone else associated with this publication, shall be liable for any loss, damage or liability directly or indirectly caused or alleged to be caused by this book.

Neither this book nor any part may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, microfilming and recording, or by any information storage or retrieval system, without permission in writing from the publishers.

The consent of Woodhead Publishing Limited and CRC Press LLC does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific permission must be obtained in writing from Woodhead Publishing Limited or CRC Press LLC for such copying.

Trademark notice: Product or corporate names may be trademarks or registered trademarks, and are used only for identification and explanation, without intent to infringe.

British Library Cataloguing in Publication Data A catalogue record for this book is available from the British Library.

Library of Congress Cataloging-in-Publication Data A catalog record for this book is available from the Library of Congress

Woodhead Publishing Limited ISBN 1 85573 745 0 CRC Press ISBN 0-8493-2594-3 CRC Press order number: WP2594

The publisher's policy is to use permanent paper from mills that operate a sustainable forestry policy, and which have been manufactured from pulp which is processed using acid-free and elementary chlorine-free practices. Furthermore, the publisher ensures that the text paper and cover board used have met acceptable environmental accreditation standards.

Project managed by Macfarlane Production Services, Markyate, Hertfordshire (macfarl@aol.com) Typeset by MHL Typesetting Limited, Coventry, Warwickshire Printed by TJ International Limited, Padstow, Cornwall, England

Contents

| | List of figures | ix |
|-----|--|------|
| | List of tables | XV |
| | Preface | xvii |
| | Acknowledgements | xix |
| 1 | Perception of body appearance and its relation to clothing J FAN | 1 |
| 1.1 | Introduction | 1 |
| 1.2 | Beauty | 1 |
| 1.3 | Facial attractiveness | 3 |
| 1.4 | Body physical attractiveness | 4 |
| 1.5 | Body image | 8 |
| 1.6 | Modification of body appearance by dressing | 9 |
| 1.7 | References | 13 |
| 2 | Subjective assessment of clothing appearance J FAN | 15 |
| 2.1 | Introduction | 15 |
| 2.2 | Assessment of fabric surface smoothness | 15 |
| 2.3 | Assessment of seam appearance | 20 |
| 2.4 | Assessment of crease retention | 24 |
| 2.5 | Assessment of appearance retention of finished garments | 25 |
| 2.6 | Reliability of subjective assessment | 27 |
| 2.7 | References | 29 |
| 3 | Subjective assessment of clothing fit W Y U | 31 |
| 3.1 | Definition of fit | 31 |
| 3.2 | Influences on clothing fit | 32 |
| | | |

| vi | Contents |
|----|----------|
| | |

| 3.3 | Testing methods for dimensional fit | 33 |
|-----|---|-----|
| 3.4 | Subject rating scales | 37 |
| 3.5 | Subjective fitting guide | 38 |
| 3.6 | Conclusions | 41 |
| 3.7 | References | 41 |
| 4 | Objective evaluation of clothing appearance J FAN, L HUNTER AND F LIU | 43 |
| 4.1 | Introduction | 43 |
| 4.2 | Objective evaluation of fabric wrinkling | 43 |
| 4.3 | Objective evaluation of fabric pilling | 54 |
| 4.4 | Objective evaluation of seam pucker | 60 |
| 4.5 | Objective evaluation of overall garment appearance | 66 |
| 4.6 | References | 68 |
| 5 | Objective evaluation of clothing fit W Y U | 72 |
| 5.1 | Introduction | 72 |
| 5.2 | Moiré optics | 72 |
| 5.3 | Algebraic evaluation of clothing fit | 78 |
| 5.4 | Clothing waveform | 80 |
| 5.5 | Pressure evaluation of clothing fit | 84 |
| 5.6 | 3D modelling of pressure fit | 86 |
| 5.7 | Conclusions | 86 |
| 5.8 | References | 87 |
| 6 | Fabric properties related to clothing appearance and fit L HUNTER AND J FAN | 89 |
| 6.1 | Introduction | 89 |
| 6.2 | Reviews | 92 |
| 6.3 | Fabric objective measurement (FOM) | 92 |
| 6.4 | References | 111 |
| 7 | Garment drape L HUNTER AND J FAN | 114 |
| 7.1 | Introduction | 114 |
| 7.2 | Reviews on drape | 114 |
| 7.3 | The measurement of fabric drape | 115 |
| 7.4 | Empirical prediction of static drape | 117 |
| 7.5 | Dynamic fabric drape | 122 |
| 7.6 | Seamed fabric drape | 122 |
| | | |

| | Conter | nts vii |
|--|--|---|
| 7.7 7.8 7.9 7.10 | Modelling fabric and garment drape Drape models in commercial CAD and Internet systems Concluding remarks References | 123 125 130 131 |
| 8 | 3-D body scanning W YU | 135 |
| 8.1 8.2 8.3 8.4 8.5 8.6 8.7 | Introduction Global development of body scanners Principles and operations of body scanning technologies Benchmarking Challenges of 3D body scanning Concluding remarks References | 135 136 145 161 164 166 167 |
| 9 | Human anthropometrics and sizing systems W $$ Y U | 169 |
| 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 | Terms and definitions Traditional anthropometry Historical development of sizing system Latest national size survey using 3-D body scanner International sizing Principles of sizing systems Conclusion References | 169 171 174 177 182 184 190 |
| 10 | Garment design for individual fit | 196 |
| 10.1 10.2 10.3 10.4 10.5 10.6 | Introduction Pattern alteration for fit Prediction of garment patterns from body measurements Three-dimensional (3-D) apparel design systems for pattern generation and garment fit Virtual fitting on the Internet References | 196 196 203 207 226 229 |
| Index | | 234 |

| 1.1 | Golden ration in nature, design and architecture. | 2 |
|------|--|----|
| 1.2 | Beautiful faces fitted with beauty masks. | 4 |
| 1.3 | Ideal Greek proportions of female figure. | 5 |
| 1.4 | Ideal Greek proportions of male figure. | 6 |
| 1.5 | Female body figures having varying WHR. | 7 |
| 1.6 | (a) Plot of log(VHI) versus log(AR) by male viewers; (b) plot | 8 |
| | of log(VHI) versus log(AR) by female viewers. | |
| 1.7 | Nine-figural scale of Thompson and Gray, 1995. | 10 |
| 1.8 | Interaction between viewer, clothing, body and environment. | 10 |
| 1.9 | Effect of design on the perception of body proportion. | 12 |
| 1.10 | The perceived body size grades of the thin model, medium | 12 |
| | model and obese model. | |
| 2.1 | Lighting equipment for viewing test specimens. | 16 |
| 2.2 | View device for pilling assessment. | 17 |
| 2.3 | ICI Pilling Box Tester. | 18 |
| 2.4 | Martindale Tester. | 18 |
| 2.5 | Random Tumble Pilling Tester. | 19 |
| 2.6 | Photographic Comparative Ratings for Single and Double Needle Seams. | 21 |
| 2.7 | Viewing Apparatus for Garments. | 23 |
| 2.8 | Grade scale of yoke position. | 24 |
| 2.9 | Grade scale of armhole position. | 24 |
| 2.10 | Grade scale of buttonhole placket position. | 24 |
| 2.11 | Grade scale of button placket position. | 25 |
| 2.12 | Grade scale of pocket position. | 25 |
| 2.13 | Rating Scale for the Appearance of Wool Suits. | 26 |
| 3.1 | Criteria for qualitative evaluation of clothing fit. | 32 |
| 3.2 | Difference between the (a) new and (b) conventional dress form | 36 |

| X | Figures |
|---|---------|
| ^ | i iquic |

| 3.3 | Digital human body model based on anatomical landmarks. | 36 |
|------|---|-----|
| 3.4 | Taninaka's Dress stand. | 37 |
| 3.5 | Wearer acceptability scale. | 38 |
| 3.6 | Fit evaluation scale. | 39 |
| 4.1 | SAWTRI Wrinklemeter. | 44 |
| 4.2 | (a) The measuring system using laser triangulation; (b) The laser scanner from CyberScan. | 56 |
| 4.3 | Schematic set-up of the image-analysis system. | 59 |
| 4.4 | The 3-D Model Maker laser scanner. | 64 |
| 4.5 | (a) Subjective Grade vs $Log(\sigma^2)$ for Yoke seam; (b) Subjective | 66 |
| | Grade vs $Log(\sigma^2)$ for Pocket seam; (c) Subjective Grade vs | |
| | $Log(\sigma^2)$ for Placket seam; (d) Subjective Grade vs $Log(\sigma^2)$ for | |
| | Armhole seam. | |
| 4.6 | Objective evaluation of overall garment appearance. | 68 |
| 5.1 | Moiré measurements of the human body. | 73 |
| 5.2 | Schematic setup of the moiré system. | 74 |
| 5.3 | Moiré image of bra cup. | 75 |
| 5.4 | Moiré system for jacket measurement. | 75 |
| 5.5 | Moiré image of jacket. | 76 |
| 5.6 | Sectional analysis of clothing fit. | 76 |
| 5.7 | Polynomial curves of centre back profile. | 77 |
| 5.8 | Maternity support. | 78 |
| 5.9 | Outer suit. | 78 |
| 5.10 | Example of a Signature Curve on the bodice. | 80 |
| 5.11 | Cross-sectional profile of body and clothing at the waist line; | 81 |
| | body shape, clothing shape, calculated clothing shape. | 01 |
| 5.12 | Cross-sectional shape of clothing at the waistline and its | 82 |
| 5.12 | derived waveform. | 02 |
| 5.13 | Clothing waveform of different sizes: 9, 11 and 13. | 82 |
| 5.14 | Cross-sectional waveforms of various clothing materials at (a) | 83 |
| | the hip level, (b) the waist level and (c) the bust levels for a | 00 |
| | body size no. 9. | |
| 5.15 | Magnitude of the wavelet transform at the bust line waveform | 83 |
| 0.10 | of a body size no.9: (a) cross-sectional clothing shape, (b) | 05 |
| | amplitude of waveform, (c) magnitude of the wavelet | |
| | transform. | |
| 5.16 | Manufacture of soft mannequin. | 84 |
| 5.10 | manufacture of soft mannequin. | U-T |
| 6.1 | Process used by experts in the subjective evaluation of fabric | 90 |
| | handle. | |
| 6.2 | A history of the textile technology of the twentieth century. | 92 |

| | Figures | xi |
|------|---|-----|
| 6.3 | System for the objective evaluation of fabric handle. | 95 |
| 6.4 | The KES-F system for measuring fabric mechanical properties. | 98 |
| 6.5 | Principles used in the KES-F instruments for the objective | 99 |
| | measurement of fabric mechanical and surface properties. | |
| 6.6 | Typical deformation-recovery curves for (a) fabric extension | 100 |
| | or lateral compression, and (b) fabric bending or shear, | |
| | showing the energy loss during a complete cycle as the | |
| | shaded area. | |
| 6.7 | Relation between the three primary hands and the mechanical | 101 |
| | properties. | |
| 6.8 | Basis of objective evaluation of KES-FB system. | 102 |
| 6.9 | High TAV zone for suit expressed by the three components. | 104 |
| 6.10 | 'Tailoring Control Chart' and high quality zone from wear | 104 |
| | comfort. | |
| 6.11 | The FAST control chart for light-weight suiting fabrics. | 110 |
| 7.1 | Cusick's Drapemeter. | 116 |
| 7.2 | Drape image. | 116 |
| 7.3 | Some factors contributing to fabric drape behaviour. | 117 |
| 7.4 | An image analysis system for measuring static and dynamic | 118 |
| | drape behaviour of fabrics. | |
| 7.5 | Particle-based model. | 125 |
| 7.6 | Visualisation of garment in 3D. | 127 |
| 7.7 | Computer screen of Maya Cloth TM . | 128 |
| 7.8 | Cloth simulation in Syflex. | 129 |
| 7.9 | Virtual draping of clothing in My Virtual Model TM . | 130 |
| 8.1 | Horizontal sliding gauge and vertical sliding gauge. | 136 |
| 8.2 | (a) Algin Method and (b) Gypsum Method. | 137 |
| 8.3 | Silhouette analyser. | 138 |
| 8.4 | Fujinon Moiré Camera in 1980s. | 139 |
| 8.5 | Output of Conusette's scan. | 139 |
| 8.6 | Digital output from Voxelan laser scanner. | 140 |
| 8.7 | Cubic's hardware structure. | 140 |
| 8.8 | Close look at CubiCam. | 141 |
| 8.9 | CubiCam's optical design. | 142 |
| 8.10 | SYMCAD OptiFit. | 145 |
| 8.11 | Schemetic set up of 2D photographic methods. | 146 |
| 8.12 | Schemetic set up of LASS system. | 147 |
| 8.13 | Figure of moiré image of human body. | 149 |
| 8.14 | RSI DigiScan 2000. | 151 |
| 8.15 | Figure of TC ² PMP theory. | 152 |
| 8.16 | TriForm 3D Body Scanner. | 153 |

| 8.17 | 3D Scanner's ModelMaker. | 154 |
|-------|---|-----|
| 8.18 | Cyberware WB4 Scanner. | 155 |
| 8.19 | Vitus body scanner. | 156 |
| 8.20 | Voxelan's HEV-1800HSW scanner. | 157 |
| 8.21 | FastScan scanner. | 158 |
| 8.22 | IR Sensor. | 158 |
| 8.23 | LED with PSD system. | 159 |
| 8.24 | Stereo picture. | 160 |
| 8.25 | Schematic diagram of stereoscopy. | 160 |
| 8.26 | Cubic Compact Model and Entire Body Model. | 162 |
| 9.1 | Critical anatomical points. | 170 |
| 9.2 | Key body landmarks. | 171 |
| 9.3 | Definition of vertical body measurements. | 172 |
| 9.4 | The year of birth versus the average stature of Japanese people aged 20. | 179 |
| 9.5 | Three measuring postures. | 179 |
| 9.6 | Distribution of figure types in ISO (1991). | 187 |
| 10.1 | Cross sectional view of the geometric model for the experimental pattern. | 204 |
| 10.2 | Computer pattern draft of experimental pattern. | 204 |
| 10.3 | Locations of photographic measurements. | 205 |
| 10.4 | Design of blouse superimposed onto photographs of the human body. | 208 |
| 10.5 | Location of the crucial shaping points. | 209 |
| 10.6 | Division of the body into triangular sections. | 210 |
| 10.7 | The mapping of the garment at the bust level. | 211 |
| 10.8 | Diagram of two vertical cross sections of the body and a 'last' for a basic skirt. | 212 |
| 10.9 | Diagram of a 'last' for a basic skirt. | 213 |
| 10.10 | The selection of base sections and an example of a different growth ratio for the bust section. | 214 |
| 10.11 | The generic feature model of a mannequin with detailed features listed. | 216 |
| 10.12 | The generation of the bodice dummy; (a) a pair of images | 217 |
| | captured by two cameras; (b) reconstructed mesh structure and | |
| | shaded surface for right front panel; (c) assembled bodice model with four panels. | |
| 10.13 | The overview of the 3D garment design system operations. | 220 |
| 10.13 | | 222 |
| 10.15 | Multistrand garment-piece pattern. | 223 |
| 10.16 | The Overlaps eliminated by the spreading out of strands. | 223 |
| 10.10 | The continue of the spreading out of straines. | 223 |

10.17 The integration of the design interface, the pattern flattening and the fabric drape engine, a) stylished 3D garment panel design with dart, b) garment panel triangulation with dart, c) 2D flattening of panel with dart, d) 3D drape of panel with texture rendering.

| 2.1 | Rating standard based on standard three-dimensional replicas | 23 | | | | |
|------|---|-----|--|--|--|--|
| 2.2 | Rating standard based on photographic standards | | | | | |
| 3.1 | Advantages and disadvantages of fitting standards | 34 | | | | |
| 3.2 | Exercise protocol | | | | | |
| 6.1 | Assessment of fabric performance in apparel | 89 | | | | |
| 6.2 | Fabric properties that are related to tailoring performance, appearance in wear, and handle | | | | | |
| 6.3 | Basic fabric mechanical properties and related quality and performance attributes of fabrics and garments | | | | | |
| 6.4 | Application of fabric objective measurement technology | 94 | | | | |
| 6.5 | The sixteen parameters describing fabric mechanical and surface properties | 100 | | | | |
| 6.6 | Primary hands | 101 | | | | |
| 6.7 | Influence of measured parameters on PHV | 102 | | | | |
| 6.8 | The desirable range of mechanical properties for high-quality suit production | 103 | | | | |
| 6.9 | The range of mechanical properties for fabric to be rejected | 103 | | | | |
| 6.10 | Interrelation between difficulties in sewing process and ranges of mechanical parameters | 103 | | | | |
| 6.11 | The criteria for ideal fabric | 105 | | | | |
| 6.12 | Summary of CSIRO's FAST system | 108 | | | | |
| 6.13 | Fabric properties associated with problems in garment making | 109 | | | | |
| 6.14 | Fabric properties associated with potential poor garment appearance in wear | 109 | | | | |
| 7.1 | Drape coefficients (%) | 119 | | | | |
| 8.1 | Major 3D scanner manufacturers | 162 | | | | |
| 8.2 | Comparison between different body scanners | 163 | | | | |

xvi Tables

| 9.1 | Examples of latest size designations in various countries | 182 |
|-----|--|-----|
| 9.2 | German men's figure type categorisation | 187 |
| 9.3 | American sizing system | 188 |
| 9.4 | Classification of the French tables according to types | 188 |
| 9.5 | Japanese garment types and key dimensions | 189 |
| 9.6 | Size labelling and body measurements in various countries | 190 |
| 9.7 | Comparison of size interval and drop value of men in different countries | 191 |

Decoration, modesty and protection are the three most fundamental reasons for people to wear clothing. Two of these, decoration and modesty, are directly influenced by the appearance and fit of the clothing. The question which arises is how clothing should be designed, manufactured and dressed so as to provide not only good individual fit, but also body image enhancement. The subject is interdisciplinary, involving science of beauty, social psychology, human anthropometrics, fashion and textile design and technology. Most books related to the subject cover aspects, such as sociology (e.g. dressing for the right occasion) and dress-making, and there is a lack of a comprehensive treatment of the subject, particularly from the scientific and technological perspective.

This monograph is the first book aimed at providing a critical appreciation of technological developments and scientific understanding in areas related to clothing appearance and fit, bridging the science of beauty, fashion design, fabric and garment evaluation technology, garment drape, as well as human anthropometrics and sizing.

The book is divided into ten chapters, each dealing with a specific topic. Chapter 1 considers body attractiveness or image and how it relates to clothing material and design parameters. Both classical theories of beauty and recent findings on the interrelationship between body image, body measurements and clothing are discussed. Chapters 2 and 3 present and discuss the techniques, methods and standards used by the industry and researchers for assessing clothing appearance and fit. Chapters 4 and 5 review research and development on objective measurement technologies for the evaluation of clothing appearance and fit. Chapters 6 and 7 deal with fabric objective measurement, relevant fabric properties and garment drape. R&D and related aspects on body measurement, anthropometrics and sizing systems are covered in Chapters 8 and 9. The last chapter reviews published work on garment design and pattern alteration for achieving good clothing appearance and fit.

The book is intended for a wide spectrum of readers, including students, researchers and academics, as well as professionals in the clothing and textile industries. For easy comprehension, the text is supplemented by illustrations and

xviii Preface

photographs wherever possible. Although it is essentially a research monograph, it includes considerable industrial standards, techniques and practices. It is therefore not only useful for the academia, but also provides a handy reference for professionals in the industry.

Jintu Fan, Winnie Yu and Lawrance Hunter Hong Kong We would like to express our sincere gratitude to all individuals and organisations who have directly or indirectly contributed towards the publication of this book. In particular, we would like to acknowledge:

- Mei-ying Kwong, Lecturer at the Institute of Textiles and Clothing, The Hong Kong Polytechnic University, for her contribution of Chapter 10.
- Lilian Lau Lai-yan, Research Assistant at the Institute of Textiles and Clothing, The Hong Kong Polytechnic University, for her excellent assistance in formatting the manuscript, preparation of index and coordination among the authors.
- Al-Pun Chan, PhD student, for collecting literature about draping models applied in commercial CAD systems and Internet websites.
- Dr Fu Liu, Postdoctoral Research Fellow, for drafting parts of Chapter 4.
- Marcus Tung, Research Assistant at the Institute of Textiles and Clothing, The Hong Kong Polytechnic University, for his assistance in the literature search and database management of Chapters 3, 5, 8 and 9.
- Dr Kenneth Wang, for proof-reading of Chapters 3, 5, 8 and 9.
- Institute of Textiles and Clothing, The Hong Kong Polytechnic University, for funding the work through its Area of Strategic Development Programme.

Jintu Fan Winnie Yu Lawrance Hunter