
Index

- Abrasion, 413
- Absorption, 853
- Accidental exposure, 124–125
- Acclimatization, 815
- Acetylated lanolin, 840
- Achromobacter, 782
- Acid, 70, 102, 112, 352
- Acidic milieu, 717
- Acidic rinse, 418
- Acne, 13, 50, 72, 196, 206, 234, 287, 292, 300, 352, 725, 837, 843
- Acnegenic potential, 840, 843
- Acnegenic testing, 843
- Acne-pore strips, 843
- Acrylic acid/alkyl acrylate copolymer, 776
- Active agent (*see* Ingredient, active)
- Active preservation, 248–249
- Active substance (*see* Ingredient, active)
- Activity spectrum, 248
- Acyl
 - amino acid, 418, 437–438
 - amino alkane sulfonate, 436
 - ethylenediamine, 441–442
 - glutamate, 413, 418, 437
 - peptide, 437
 - sarcoside, 437–438
- Adhesion, 68
- Adhesive layer, 239–240
 - dry, 240
 - pressure-sensitive, 239
- Adipose tissues, 533
- Adsorption, 240
 - isotherm, 425
- Adulteration, source of, 741
- Adverse effect, 47–50, 69, 77, 80, 89, 114, 254, 459
- Advertising, 798
 - self-regulation, 753
- Advisory opinion, 737
- Aeromonas, 782
- Aerosol, 397, 779
 - can, 226
 - emulsion, 226
 - foam (*see* Foam, aerosol)
- Aesthetics, 394, 770
- Aflatoxin, 372
- Afterfeel, 400
- Aftershave, 261
- Agar, 385
 - Baird Parker, 784, 792
 - Cetrimide, 784, 791
 - Mac Conkey, 784, 791
 - Sabouraud Chloramphenicol, 784, 790
 - tryptic soy, 784, 789
- Age, 69, 715, 716, 808
- Aging of the skin
 - accelerated, 770
 - histological changes, 723
 - morphological changes, 723
 - physiological changes, 723–724
 - process, 463

- AHA (*see* Alpha hydroxy acid)
- Air conditioning, 782
- Air quality, 782
- Alachlor, 60
- Alcohol, 150, 227, 246, 247, 261
alkoxylated, 443–444
ethoxy sulfate, 433
- Alginate, 385
- Alkali, 70, 102, 112
- Alkane sulfonate, 435
- Alkanolamide, 418, 445, 585
ethoxylated, 445
- Alkoxylated polysiloxane, 449
- Alkyl
amine-oxide, 418
aryl sulfonate, 435
betaine, 440
carbohydrate ester, 446, 448
chain, 336–337
dimethicone, 391, 392
dimethyl betaine, 440
ether phosphate, 437
ether sulfate, 417, 433–434, 585
glucoside, 418
phosphate, 437
polyglucoside, 444–445, 725
sulfate, 417, 433, 585
sulfonate, 434–435
sulfosuccinate, 417
- Alkylamido betaine, 440
- Alkylamine, 438
ethoxylated, 440–441
- Alkylimidazoline, 438–439
- Allergen, 48, 77–84, 89–93, 829, 833
- Allergenicity, 77–84
- Allergic reaction (*see also* Contact dermatitis, allergic), 459
- Allergy, 77–84, 718
contact (*see* Contact dermatitis, allergic)
diagnosing of, 83
reaction, 259
- Aloe barbadensis, 373
- Alopecia, 40, 41, 43, 304, 578
- Alphabisabolol, 266, 277–284, 287
healing power of, 281
isomers of, 279
natural, 279
- [Alphabisabolol]
protective properties of, 281
substantivity, 283
synthetic, 279–284
- Alpha hydroxy acid, 14–15, 261, 287, 295, 311–314, 352, 362, 364, 546, 726, 855
- Alpha-olefin sulfonate, 417, 434
- Alpha-sulfo methyl ester, 436
- Alpha-tocopherol, 63
- Alternative methods, 95–103, 119–137
- Aluminum
chlorhydrate ACH, 690–692
chloride, 292–293
salt, 246, 690–691
zirconium chlorhydrate, 691
- Aluminum-magnesium hydroxide, 384
- Alveolar bone, 623
- Amide ether sulfate, 434
- Amido guanidine, 419
- Amine oxide, 448
- Amino acid, 347, 355
- Aminobenzoic acid, 457
- Ammonia, 356
- Ammonium hydroxyde, 831
- Amodimethicone, 341–342, 391, 395
- Amphiphile, 161
- Anagen (*see* Hair)
- Analytical methods/techniques, 370, 372
- Androsterone, 847
- Anesthesia, 215
- Animal, 123–125, 475–476
testing, 731
welfare, 124
- Anisotropy, 161, 831
- Anosmia, 704
- Antagonism, 264
- Anthralin, 71
- Antiaging, 12, 206
- Antibacterial, 7, 10, 13, 354
agent, 245–250
for plaque, 637
product, 245–247
triclosan, 639–641
- Anti-calculus dentifrices, 632–635
- Anticaries, 10,
- Anticellulite treatments, 536–539
- Antidandruff, 10, 579

- Antifungal, 78, 354
- Antigen, 48
- Anti-inflammatory, 855
 - constituent, 373
 - effect, 273, 277, 304, 373, 463
- Anti-irritant, 253–298, 394, 854, 855
 - antisensory, 285–297
 - ingredients, 264, 277, 403, 408–411
 - strategy of making cosmetics, 263–265
 - studies, 265–267
 - for surfactant-based products, 271–274
 - systems, 271
- Antimicrobial
 - activity, 195
 - agent, 78, 162, 163, 248–250, 259, 490
 - deodorant, 704, 705
 - efficacy, 247–248
 - in vitro tests, 247–248
 - products, 245–247
- Antioxidant, 82, 163, 204, 259, 292, 299–306, 314, 463, 468, 546
 - activity, 473
 - defense, 469
 - lipophilic, 299
 - network, 304–306
 - system, 464, 465
 - thiol, 302–303
- Antiperspirant, 10, 11, 89–90, 246, 292–293, 396, 397, 689–691, 770, 846
 - aerosols, 692
 - deodorants, 704
 - polymers, 691
 - roll-ons, 692
 - sticks, 692–693
- Antiphlogistic, 277, 304
- Antiseborreic, 579
 - preparation, 435
- Antisensory anti-irritant (*see* Anti-irritant, antisensory)
- Antiseptic, 248
 - effect, 247
 - hand wash, 246
- Anti-whitening, 397
- Anti-wrinkle, 12, 543–549, 482, 802
- APG (*see* Alkyl polyglucoside)
- Apigenin, 304
- Apigenin-7-glucoside, 373
- Apocrine sweat, 690
- Apoptosis, 68
- Appearance, 165, 770, 773
- Aqueous humor, 122–123
- Arachidonic acid cascade, 277–278
- Arbutin, 475
- Artificial tanning, 551
- Ascorbic acid, 292, 301–302, 468, 570
- Ascorbyl palmitate, 469
- Aspergillus niger, 786
- Assay
 - cumulative irritation, 110–112
 - enzyme-release, 99
 - genotoxicity, 570
 - immersion, 112, 115
 - interleukin-1
 - MTT viability, 99
 - mutagenic, 602
 - protective barrier, 116
 - repeat application, 112
 - tape stripping, 181
 - topical application, 134
 - 21-day cumulative irritation, 113–114
- Atopic, 115, 355
- Atopy, 557
- ATR-FTIR, 272
- Authorities, 798
- Avenanthamide, 372
- Axilla, 689, 696, 703, 846
- Axillae bacterial flora, 246
- Axillary odor malodor, 845, 849
- Azulene, 266, 371
- Baby lotion, 719–720
- Baby shampoo, 442, 719
- Baby skin
 - care of, 719–720
 - cleansing of, 719
 - development of, 715–716
 - physiology of, 716–717
 - problems with, 717–718
 - protection of, 720
- Bacteria, 245
 - anaerobic, 837
 - bad breath, 849
 - counts, 784

- [Bacteria]
 gram-negative, 786
 gram-positive, 786
 growth inhibition, 846
 growth, 249
 sulfur-producing, 849
Bacterial metabolism, 788
Bactericidal activity, 195, 245, 438, 786
Bacteriostatic activity, 245, 786
Bag-in-can, 230
Balance, 64
Bar feel, 496
Barrier, 22, 53, 68, 71, 97, 127–128,
 211, 256, 272, 273, 393
 cream, 110, 116, 557–566, 829, 833
 function, 256, 264, 314, 356, 363,
 466, 479, 716, 717, 816
 protective, 557
 repair, 281
 restorative, 557
Barrier cream efficacy, 829, 830, 831
Bath additive, 719
Bead, 177, 777
Beef tallow, 486
Beeswax, 403
Benzalkonium chloride, 71, 439
Benzophenone, 82, 457
Benzoyl peroxide, 195–196, 300
Benzyl cinnamate, 452
Benzyl salicylate, 452
Beta hydroxy acids, 546
Beta-carotene, 470
Betaine, 413, 725
Beta-ionone, 465
Binding, 58, 272
Binding site, 272, 427
Bioavailability, 63
Biodegradability, 338
Biodegradable carrier, 177
Bioengineering methods, 72, 116, 255–
 257, 816
Bioerosion, 177
Biometric method, 802–803
Bioré pore strip, 842, 843
Biotin, 470
Birbeck granules, 22
Bird's nest hair, 578
Bisabolol (*see also* Alphabisabolol), 373
Black heads, 837, 843
Blemish, 840, 843
Blister, 855
Blood flow, 115, 255, 301
Body wash, 504
Botanical handbook, 373–374
Bowman's layer, 122
Breakout, 840, 843
Broth, 784, 790, 791
Brush, 12
Buffers, 789–791
Build-up, 337, 339
Bullae, 67, 71
Burning, 50, 71, 72, 273, 285, 295, 807,
 809, 811, 855
Butane, 221
Butylene glycol, 347–348
Butylmethoxydibenzoylmethane,
 458
Calcitonin, 285
Calcium, 274
Calculus, 625, 632
CAM vascular assay (CAMVA), 134
Camphor derivative, 457
Can, 226
Candida albicans, 718, 783, 784, 786
Capacitance, 115, 116, 256
Capryloyl salicylic acid, 292
Capsaicin, 809
Capsule, 776
Carbohydrate, 407
Carbon black, 378
Carbon chain length, 274
Carboxylate, 432
Carboxymethylcellulose, 380, 381, 386
Carcinogen, 60
Carcinogenesis, 304
Care, 146
Caries, 625
Carrageenan, 384, 385, 386, 413
Carrier, 146–147, 157, 171, 179, 185
Castor oil derivative, 445
Catagen (*see* Hair)
Catalase, 299
Cationic guar gum, 410
Cationic macromolecule, 399
Cationic moieties, 409

- Cavities, 627, 629
CBBB (Council of Better Business Bureau), 753
Cells
 basal, 19, 576
 clear, 26
 cornified, 21
 culture, 97–103, 466
 cuticle, 332
 dark, 26
 diffusion, 55
 fat, 716
 granular, 21
 immune, 285
 inflammatory, 295
 Langerhans, 22–23, 32, 103, 121, 301, 724
 mast, 285
 membrane lipids of, 464
 Merkel, 23
 myoepithelial, 26
 nail plate, 31
 neurosensory, 123
 proliferation of, 466
 spinous, 20
 squamous, 121
 squamous carcinoma, 451
Cellulite, 531–541
Cellulose derivative, 411
Cellulose ether derivative, 380, 381, 384, 385, 386
Cementum, 621
Cer[OSE], 362–365
Ceramides, 201, 264, 314, 361–366
 commercially available, 363–366
 from epidermis, 362–365
 fractions, 362–365
 future of, 366
 from stratum corneum, 364–365
Ceresin, 403
CERP (Cosmetic Establishment Registration Program), 751
Cetrimonium chloride, 335–337
Chain length, 390, 403
Challenge test, 785–788
Challenge, 798
Chamazulene, 277
Chamomile, 266, 277, 371, 373
Chapping, 71
Charge density, 333, 407
Chelating agent, 249
Chelator, 474
Chemical absorber, 453
Chemicals, 98–102
Chemotaxin, 68
Children, cosmetics not allowed for, 730
Chitosan, 407
Chitosan-PCA, 407
Chloasma, 571
Chlorexidine, 247
Chlorine dioxide, 851
Chlorphenesin, 82
Cholesterol, 183, 361–362
 ester, 361
 sulfate, 361, 365
Chorio-allantoic membrane (CAM), 129
Choroid, 123
Chromameter, 255
Chromametry, 116, 280
Ciliary body, 123
Cinnamate, 455–456
Cinnamic, 62, 80, 90, 91
CIP (cleaning in place), 782
CIR (Cosmetic Ingredient Review), 752
Citric acid, 311
Claim, 2, 7–15, 63, 84, 233
 absolute, 801
 antiwrinkle, 544
 categories of 799–801
 comparative, 801
 cultural, 800
 efficacy, 800
 juxtaposition, 800
 medically-oriented, 799
 noncomparative, 800
 oil-free type, 392
 on ingredients, 801
 proof of, 797–784
 regional requirements, 797–799
 related to endorsement, 800
 safety-related, 800, 802
 sensory, 803
 subjective, 800
 substantiation of, substantiation, 373
 support of, 801–804

- Classification, 95, 124, 127, 761–762
 - of colorants, 327
 - Hamilton's, 41
 - ingredient, 1, 13
 - physical-chemical, 149
- Clay, 377, 380, 384, 386, 414
- Cleansing, 146, 394, 719
- Clearance premarket, 762
- Clinical
 - assessment, 254, 815
 - picture, 90
 - study, 802
 - trial, 690
- Cloud point, 380, 420, 433, 444, 448
- Coal tar, 840
- Coal-tar hair-dye exemption, 741
- Coalescence, 775
- Cocamidopropylbetaine, 82, 83
- Coco amphocarboxy glycinate, 442
- Cocoa butter, 403
- Coefficient of developed skin surface, 831
- Co-emulsifier, 153
- Co-enzyme A, 467
- Cohesion, 257
- Cold, 809
- COLIPA, 136, 730, 731
- Collagen, 355, 407, 466
- Collagen synthesis, 292, 302, 312, 469
- Colloidal dispersion, 223
- Colloidal solution, 150
- Color, 259, 769, 773
 - additive, 745–746
 - law, 317
- Colorant, 317–329, 489
 - application area, 318–324
 - approved for cosmetics, 325–327
 - classification, 327
 - cosmetics products and, 327–329
 - natural, 325
 - semi-permanent, 599
 - substantive, 329
- Colorimetry, 255
- Coloring agent, 83, 152, 317
- Combar, 491–493
- Combo bar, 740
- Comedogenesis, 837
- Comedogenic potential, 839, 840, 843
- Comedone, 837, 843
- Compatibility, 769
- Complaint, 296
- Composition, 150
- Concentration, 63, 162, 283, 372
- Conditioner, 287, 586, 612
- Conditioning agent, 331, 335–341, 413, 437
- Conditioning effect, 202, 395, 409
- Conductance, 256
- Conjunctiva, 121–122, 124
- Connective tissue, 533
- Consistency, 97–98, 769
- Consumer testing, 527
- Contact dermatitis, 47–49, 717, 829
 - airborne, 79, 80
 - allergic, 48–49, 67, 77–84, 89–93
 - contributing factors to, 78–80
 - diagnosis of, 91–92
 - irritant, 313, 519, 557 (*see also* Irritation)
 - acneiform, 72
 - acute, 48, 70–71, 107
 - cumulative, 48, 71–72, 107, 114
 - delayed acute, 48, 71, 107
 - inhibitor of, 297
 - nonerythematous, 72
 - pustular, 72
 - subclinical, 115
 - traumatic, 72
 - traumiterative, 72
 - photoallergic, 49
 - photoirritant (*see* Photoirritation)
 - protein, 355
- Contact thermography, 533
- Container, 225–226
- Contamination, 787–788
 - source of, 781–782
- Cooling, 779
- Copolymer, 192, 199, 409, 412
- Cornea, 120–122, 124, 351
 - isolated, 127
 - opacity, 127
 - permeability, 127
- Corneocyte, 256, 312, 807
 - cohesion, 311
- Corneosurfametry, 811
- Cornification, 467

- Cornified envelope, 365
- Corrosion, 225–226, 438
- Corrositex, 97–98
- Corrosive material, 67, 70
- Corrosivity, 95–98
- Corticosteroid, 314, 718
- Cortisone, 855
- Coryneforme bacteria, 703, 704
- Cosmeceutic(al), 14–15, 63–64, 84, 299, 480, 511, 763
- Cosmetic intolerance syndrome, 50
- Cosmetics, 1–3, 480, 739, 761–763
 - adulterated, 741
 - categories of 762–763
 - control of, 740–752
 - definition of, 5–15, 729
 - delivery, 215–216
 - deregulation, 764
 - directive, 249, 798
 - formulation, 389
 - future of, 764–766
 - history of, 5–6,
 - label warning, 749–750
 - labeling, 729, 746–747
 - misbranded, 742
 - percutaneous absorption of, 60–63
 - perfumed, 90–92
 - professional, 747
 - registration program, 751–752
 - safety, 743–744
 - therapeutic, 15,
 - vehicles (*see* Vehicles)
- Cosmetic ingredient,
 - label declaration, 747–749
 - prohibited, 744
 - restricted, 744
- Cosmetic patch, 233–243
 - application of, 234–235
 - components of, 238–240
 - development of, 235–236
 - differences with classical forms, 235
 - functional, 237
 - future of, 242–243
 - history of, 233
 - production, 240–241
 - regulation, 241–242
 - types, 236–238
- Cosolvent, 151
- Co-surfactant, 156–157, 175
- Counterirritant, 272
- CPIS (Cosmetic Product Ingredient Statements), 751
- CPSC (Consumer Product Safety Commission), 737
- Cracking, 71
- Cream, 151–155
 - protective, 718
 - baby, 719–720
- Creaminess, 400
- Creaming, 775
- Criminal prosecution, 743
- Critical micelle concentration (CMC), 134, 419
- Cross-sensitivity, 79
- Croton oil, 808
- Crow's feet, 829
 - furrows, 830
- Culture media, 789–791
- Cumene sulfonate, 435
- Cutaneous aging, 829
- Cyanoacrylate, 840, 842, 843
- Cyclodextrin, 777
- Cyclomethicone, 341–342, 390–397, 405
- Cyclo-oxygenase, 304
- Cyclosiloxane (*see* Cyclomethicone)
- Cytokine, 68, 101, 137–138
- Cytotoxicity, 128
- Dandruff, 352
- Dansyl chloride, 291
- Deciduous (milk) teeth, 619
- Decontamination, 58–60
- Decoration, 146
- Decorative cosmetic, 325, 391
- Defense system, 306
- Deformation, 377
- Degradation, 443
- Dehydroascorbic acid, 302, 305
- Delivery, 777
 - active, 147, 160–161, 171–186, 211–216, 396
 - system, 171, 177, 233, 235
- Dental plaque, 627, 629
- Dental pulp, 621
- Dentifrice, 627–631
 - bad breath, 629

- Dentin, 621
- Dentinal hypersensitivity, 635
- Dentinal tubuli, 636
- Deodorancy, 802
- Deodorant, 10, 89–90, 246, 396, 703–713, 846
 - aerosols, 709
 - delivery systems, 708
 - odor-neutralizing, 704
 - odor-quenching, 704
 - odor-masking, 704
 - pump sprays, 710
 - sticks, 708
- Depigmentation, 467, 476
- Depilatory, 293
- Deposition, 336
- Dermal drug transport, 183
- Dermaspectrometer, 255
- Dermatitis
 - atopic, 69, 718
 - connubial, 79, 80
 - contact (*see* Contact dermatitis)
 - diaper, 717–718
 - ectopic, 79, 80
 - irritant, 107
 - neuro (*see* Atopic)
 - photocontact, 80
- Dermatoheliosis, 724
- Dermis, 715
 - de-epidermized, 101
- Descemet's layer, 122
- Descriptive analysis, 852, 853, 854
- Desmosome, 312, 350
 - hemi-, 19, 20
- Desquamation, 60, 256, 311, 347, 467, 723
- Detention, 742
- Detergent, 259, 584
- DGIII, 730, 731
- Dialkyl ammonium salt, 419
- Diaper, 717–718
 - candidiasis, 718
- Dibenzoyl methane, 82, 459
- Dicetyldimonium chloride, 335–337
- Diffusion, 177, 178
- Digital camera, 831
- Diglyceride, 403
- Dihydrosphingosine, 362
- Dihydroxyacetone (DHA), 551–556, 746
- Dimethicone, 339–342, 390, 391, 392, 395, 397, 401, 405, 449
 - copolyol, 341–342, 395, 396, 449
 - gum, 391
- Dimethiconol, 391, 392, 395, 397
- Dimethyl diallylammonium chloride, 411
- Dimethylsulfoxide (DMSO), 808, 809
- Dioxane, 741
- Dipalmitoyl-ethyl hydroxyethylmonium methosulfate, 338
- Discomfort, 855
- Disease, 50
- Disinfectant, 248, 439, 718
- Disperse system, 158
- Dispersion, 150
 - hydrolipid, 156
 - phase, 173
- Dissolution, 159
- Distribution, 166
- Dithranol, 71
- Divalent cation, 274
- DNA photodamage, 301
- DOPA, 567
- Dorsal root ganglia, 285
- Dossier, 798
- Drag, 853
- Droplet size, 175
- Drug, 7–15, 63, 84, 234, 453, 467, 704, 740, 761
 - delivery, 177–179, 184, 211–216
 - release, 177, 179, 181
 - transport, 184
- Dryness, 71, 72, 114, 723
- D-squame, 256, 519
- Dye, 830, 831
- Dynamic light scattering, 166
- Dynamic surface tension, 422–423
- Ectoderm, 715
- ECVAM, 102, 136
- Edema, 67, 71, 532, 533
- EEC Cosmetic Directive, 729–734
 - annexes, 730
 - implementation of, 731–734
- 18-methyleicosanoic acid, 365

- Einstein relation, 377
- Elastic
- component, 385
 - modulus, 385, 386
 - stress, 378, 379
- Elasticity, 312, 377, 379–381, 386, 466
- Elastin, 407
- Elderly skin, 723–726
- skin care for, 724–726
 - skin cleansing for, 725–726
- Electrical conductivity, 773
- Electrical methods, 816
- Electrolyte, 162, 382, 414, 437
- Electron transport chain, 305
- Electrorepulsion, 211
- Electrostatic attachment, 339
- Electrostatic interaction, 425, 427
- Ellagic acid, 473–477
- Ellagitannin, 473
- Emolliency, 391
- Emollient, 152, 261, 264, 399, 400–406, 413, 448, 718, 726
- dry, 405
 - lipophilic, 401–403
 - occlusive, 405
- Emulgator, 259
- Emulsification, 174, 401
- Emulsifier, 79, 83, 151–155, 343
- Emulsion, 151–155
- micro- (*see* Microemulsion)
 - multiple, 154–155, 173–175, 178, 181, 512
 - nano- (*see* Nanoemulsion)
 - oil-in-water, 152–153
 - oil-in-water-in-oil, 174
 - submicron (*see* Nanoemulsion)
 - water-in-oil, 153–155, 432
 - water-in-oil-in-water, 174
- Emulsion micellar, 774
- Emulsion multiple, 774
- Enamel, 619, 629, 630
- Encapsulation, 171–186, 191–200, 204
- future of, 185–186
 - use of, 179–185
- Enterobacterium, 782, 783, 784
- Environmental pollutant, 299
- Environmental safety, 338
- Enzyme, 55, 299
- EPA (Environmental Protection Agency), 737
- EpiDerm, 99
- Epidermis, 19–26, 715
- biopsy, 840, 842
 - cells, 20–23
 - cyst, 361
 - derivatives, 23–26
 - proliferation, 312
 - renewal, 466
 - stratified culture, 99
 - thickening, 466
 - thickness, 312, 352
 - turnover, 723
- Epidermolysis, 311
- Epiocular culture, 128
- Episkin, 98
- Epithelial crest, 715
- Epithelium, 19, 121
- Equivalent
- epidermal, 97
 - skin, 97–98, 101
- Erosion, 71
- Erythema, 61, 67, 71, 72, 255, 293, 313, 724, 809, 830
- Erythemameter, 255
- Escherichia coli*, 784
- Esculose, 266
- Ester carboxylate, 432
- Esterase inhibitors, 704
- Esterified quaternary, 441
- Esterquat (*see* Esterified quaternary)
- Esters, 445–448
- Estradiol, 56
- Estrogen, 547, 725
- Ethanol, 229
- Ether carboxylate, 432–433
- Ethers, 443–445
- Ethical frames, 815
- Ethoxylation level, 274, 403, 423, 434, 440, 448
- Ethylenediaminetetra-acetic acid (EDTA), 249
- Eucalyptol, 249
- Eumelanin, 576
- European Directive, 2, 241, 452
- European Norm, 247
- Euxyl K400, 81

- Evaporimeter, 256
- Excipient, 83, 154
- Excoriation, 67
- Excretion, 53
- Exfoliant, 14
- Experimental error, 57
- Expert evaluation, 802
- Expiration date, 730
- Exposure time, 113
- Exsiccation eczematid, 72
- Extraction method, 370
- Eye, 719
 - anatomy, 120–123
 - injury measurement, 126
 - irritation testing (see test)
 - isolated, 127
- Eyelid, 90
- Eyeliners, 668–669
- Eyeshadows, 661–658

- Facial cleanser, 504, 505
- Facial cleansing powder, 499
- Facial lines, 830, 831
- Facial masque, 236
- False negative, 79
- Farnesol, 82
- Fat, 401, 486
 - lobules, 532
 - micro/macronodules, 531, 533
 - septa, 532
 - subcutaneous, 361, 532, 537–539
- Fatty acid, 201, 362, 409, 486
 - alkanolamide, 413
 - ester, 362, 401
 - ethoxylated, 446
 - isethionate, 436
 - saturated, 486
 - unsaturated, 486
- Fatty alcohol, 404, 442
- Fatty carbon chain, 409
- Fatty ester sulfonate, 436
- FD&C Act, 6–7, 740–746
- FDA (Food and Drug Administration), 5–15, 246, 248, 352, 452, 455, 737–756, 798
- Feel (*see also* Skin feel, Hair feel, Mouth feel, Foam feel), 392, 396
- Feeling, 50
- Fibers
 - beta, 808
 - C-, 809, 810
 - delta, 808
 - nerve, 285, 808
 - sensory, 809
- Fibrillar network, 533
- Fibroblast, 312
- Fibrosclerosis, 531
- Film
 - backing, 238
 - hydrolipidic, 717
- Filmogen compound, 264, 351, 355, 392
- Firmness, 312
- Fissuring, 72, 114
- Flaking, 114
- Flaky scales, 312
- Flavobacterium, 782
- Flavonoid, 277, 299, 303–305
- Flexibility, 389, 394
- Flocculation, 775
- Flow characteristics, 162
- Fluid
 - cutting, 112
 - Newtonian, 377–378
 - non-Newtonian, 378–379
 - preliposomal, 206
 - receptor, 55
- Fluoride, 14, 247, 630, 631
- Fluorosurfactant, 449
- Foam (*see also* Mousse; Surfactant, effect on foam), 342, 394, 499
 - aerosol, 221
 - assessment methods, 422–425
 - booster, 221, 396
 - density of, 226
 - effect of additives on, 401–406
 - feel, 400
 - height, 423
 - moisturizing, 223
 - shaving, 225, 226
 - stability of, 226, 422, 423–425
 - structure, 221, 227
 - temperature of, 228

- Foamability, 423–425
- Follicle
- rabbit's ear, 839
 - sebaceous, 50
- Follicular
- duct, 840
 - impaction, 839, 840, 841
 - irritation, 839, 843
 - plug, 844
- Food additive, 473
- Food grade, 448
- Formaldehyde, 81, 82, 245
- Formula
- simplicity, 78
- Formulation, 163, 769
- Foundations, 662–664
- Fragrance, 80–81, 89–93, 259, 489, 769, 770, 771
- masking, 846
 - mix, 81, 89–93
- Freckles, 567
- Free radical, 463, 464
- Free samples, 747
- Freeze/thaw, 770, 772
- Frequency, 78, 80
- Friction, 717
- FTC (Federal Trade Commission), 737, 798
- Fungal counts, 784
- Fungi, 245, 785
- Fungicidal action, 786
- Fungicide, 372
- Fungistatic action, 786
- Galactomannane polysaccharide, 410
- Galenical form, 782
- Gamma linoleic acid, 264
- Gas, 221
- Gas chromatography, 372, 849
- Gel, 155, 384, 419
- hydrogel, 155
 - hydrophobic, 155
 - liquid crystalline, 386
 - strong, 385
 - weak, 385
- Gelatine, 385
- Gelling agent, 155, 157, 380, 384–386
- Gene
- expression, 306
 - transcription, 306
- Genistein, 304
- Geraniol, 249
- Germ, 437, 717
- Germicidal, 439
- Gibbs elasticity, 422
- Gingiva, 622
- Gingivitis, 625
- Gland
- apocrine, 36, 689
 - conjunctival, 122
 - eccrine, 24, 689
 - holocrine, 24
 - salivary, 624
 - sebaceous, 24, 36, 300, 583, 689
 - sweat, 24–26, 716
- Gluconic acid, 311
- Glutathione (GSH), 299, 302–305
- Glutathione peroxidase, 299, 465
- Gluten, 407
- Glyceraldehyde, 552
- Glyceride, ethoxylated, 403
- Glycerin, 249, 348–351, 406, 486, 489
- Glycerol ester, 46
- Glycerylmonothioglycolate, 82
- Glycol ester, 446
- Glycolic acid, 288–292, 295, 311, 313
- Glycolic extract, 266
- Glycolysis, 311
- Glycosaminoglycan, 351
- Glycyrrhizic acid, 287
- Good Manufacturing Practice, 751
- GRAS (generally regarded as safe), 691
- Green tea, 287
- Gray levels, 831
- Guar gum, 410
- Guidance document, 737
- Guidelines for biophysical methods, 481
- Guinea pig skin, 829, 830, 831
- Gums, 622
- Hair, 35–45, 467, 468
- African, 606–607
 - anagen, 37–44, 581
 - appearance, 575
 - body, 853

[Hair]

care, 853
 catagen, 37, 40
 caucasian and Asian, 608–615
 conditioner, 331–343, 355, 394–395, 438, 439
 hydrophobicity, 336–337
 lipophilic, 338
 needs and preferences, 343
 properties, 336–337
 bleaching, 577, 601
 blushers, 658
 catagen, 581
 charge, 333, 338, 339
 chemically treated, 334–335
 color, 854
 coloring, 329, 396, 598–601, 854
 combing, 331, 332, 335, 338, 341, 394, 396, 853
 conditioners, 588
 cortex, 23, 331, 426, 575, 576, 582, 606
 cosmetics, 36, 581–603
 count, 42–43
 curls, 853
 cuticle, 23, 331–335, 396, 426, 575, 582, 606
 damage, 331–335, 396, 596
 density, 40, 41, 43
 diameter, 41, 44, 353
 dry, 347
 drying aid, 396
 dye, 82
 feel, 331, 335, 340, 342, 395
 fiber, 331–335, 426
 fixative, 396
 flyaway, 396
 follicle, 23–24, 36–37,
 follicle proliferation, 304
 friction, 331, 335
 function, 35–36
 graying, 575
 growth evaluation methods, 40–45
 isoelectric point, 333
 length, 41, 854
 lipids, 365
 loss, 41, 42
 matrix, 576

[Hair]

medulla, 575, 576
 oxidation color, 329
 oxidative colorants, 600
 oxidative damage, 334
 oxidative dyeing, 577
 oxidative dyes, 599
 permanent colorants, 600
 permanent dyeing, 578
 permanent waving products, 592
 perming, 577, 854
 photography, 41, 43, 44
 protection, 332
 rinses, 588
 root sheath, 23
 shaft, 365, 576
 shine, 396, 802, 853
 static electricity, 576
 straighteners, 607
 straightening, 597–598
 structure, 37–39
 styling gels, 589
 styling mousses, 589
 styling products, 584
 styling sprays, 589
 substantivity to, 335, 339, 341, 426
 swatches, 854
 telogen, 579, 582
 temporary colorants, 599
 terminal, 37
 texture, 854
 thickness, 854
 trichoptilosis, 578
 vellus, 37
 virgin, 333–334
 weight, 42
 whitening products, 567–573
 Haircare, 853, 854
 Haircare product, 394–396
 Hairdressers, 558
 Hairdressings, 589
 Hairless mouse skin, 829
 Halitosis, 849, 851
 Hand eczema, 69
 Hardening, 71
 Hazard, 95, 110
 Heat, 437
 Heat separation, 361

- Heating, 779
Heavy metal, 372
Heliodermatitis, 724
Hemostase, 533
Hen's egg-CAM (HET-CAM), 129, 136
Henle's layer, 24, 37
Henna plant, 555
Herb, 370
Heterocyclic ammonium compound, 439
High performance liquid chromatography, 372
Histamine, 293, 724, 810, 855
HLB, 443, 446, 839
Hormone, 10, 14,
Horny layer, 202, 413, 467
Human health, 730
Humectant, 14, 152, 221, 249, 244, 261, 343, 347–357, 406–407, 468, 724, 725
Huxley's layer, 24, 37
Hyaluronic acid, 351, 726
Hydrating agents, 347–357, 853
Hydration, 146, 155, 167, 256, 717, 815
Hydration tests, 818
Hydrocarbon chlorinated, 839
Hydrogenated tallow octyl dimonium chloride, 338
Hydrolytic enzyme, 350
Hydrophilic hydrophobic balance, 420, 513
Hydrophilicity, 333, 336–337
Hydrophobic coating, 336, 340
Hydrophobic interaction, 407, 409, 427
Hydrophobic surface, 365
Hydrophobicity, 272, 333, 393, 407
Hydroquinone, 53–55, 62, 63, 476, 567
Hydrotrope, 435
Hydroxyapatite, 633
Hydroxyethyl cellulose, 343, 380
Hydroxypropylcellulose, 380, 382
6-hydroxysphingosine, 362
Hygiene cosmetic, 271
Hygroscopic substance, 347, 352, 356, 406
Hyper and hypothermic zones, 534
Hyperhydrosis, 215
Hyperirritability, 73
Hyperkeratosis, 67, 71, 554
Hyperkeratotic plug, 839, 842
Hyperkeratotic skin disorder, 356
Hypermelanosis, 568
Hyperpigmentation, 469, 567
Hyperreactivity, 807
Hypersensitive, 84, 724
Hypertrophy adipose tissues, 533
Hypoallergenic, 77–84, 263
Hypodermis interface, 535
Hypodermis, 534
Hyponychium, 29, 32

Ichtyosiform, 72
Ichtyosis, 352, 354, 356
IFRA (International Fragrance Association), 752
IL (*see* Interleukin)
Image analysis, 257, 830, 831
Imino diacid, 442
Immune
 response, 23
 responsiveness, 724
Immunological, 47–49
Impactions, 842
Impedance, 255, 256
Impurity, 78, 372
In vitro data, 274
INCI (International Nomenclature for Cosmetic Ingredients), 730
Inflammation, 47, 49, 50, 67, 68, 101, 112, 128, 215, 253, 277–284, 292–297
 response, 833
Inflammatory disorder, 468
Infrared absorption, 816
Infrared thermal imaging, 535
Infusion, 371
Ingredient
 active, 13–14, 63, 82–83, 146, 152, 159, 180, 191, 195, 202, 234, 371, 372, 770
 extraction of, 371–272
 release of, 178, 195
 antimicrobial, 248
 antistatic, 438, 439, 442
 category-specific, 82–83
 classification (*see* Classification)
 coloring, 730

- [Ingredient]
 - concentration, 78, 80
 - cosmetic, 234
 - exfoliating, 413
 - film-forming, 405–411
 - forbidden, 730
 - fragrance (*see* Fragrance)
 - gelling, 384–386
 - labeling, 766
 - lipophilic, 153
 - natural, 82
 - negative list, 765
 - new, 765
 - occlusive, 401–402
 - positive list, 766
 - purity, 78
 - skin-whitening, 473–477
 - superfatting, 725, 726
 - suspending, 381–382
 - thixotropic, 321–384
- Inhalation risk, 222
- Injunction, 742
- Inoculum, 784
- Inoculum, preparation of, 787
- Inorganic pigment, 458, 649–653
- Instability identification, 773
- Instrumental measurement, 255–257, 803
- Interaction, 272
- Interorneocyte cohesion, 311
- Interface
 - liquid-liquid, 223–225
 - liquid-gas, 223–225
- Interfacial gelation, 382
- Interfacial tension, 175, 224, 390
- Interleukin (IL), 68, 128, 295
- Internet, 374
- Interviewing process, 846
- Intolerance, 70
- Invasive, 40
 - non-, 41–45
 - semi-, 40–41
- Involucrin, 22
- Iontophoresis, 211–216
 - effect on stratum corneum, 214
 - effect on the skin, 214
 - safety issues, 214–215
 - topical delivery by, 215–216
- Iontophoretic transport,
 - applications of, 215–216
 - mechanism of, 212–213
 - parameters affecting, 213–214
- Iris, 123, 124
- Irritancy (*see* Irritation)
- Irritant, 67–73, 253, 271, 808, 829, 833
 - acidic, 287–293
 - basic, 293–294
 - cosmetic, 259–261
 - effect, 183
 - neutral, 294
 - occupational, 259
 - ocular, 294–295
 - primary, 70
 - reaction, 71, 253
 - weak, 112
- Irritation, (*see also* Contact dermatitis, irritant)
 - chronic, 253
 - cumulative, 253, 291
 - depressor, 273
 - epidemiology, 69–70
 - evaluation of, 254–257
 - factors influencing, 257–259
 - age, 258
 - climate, 258
 - ethnic groups, 258
 - exposure, 258
 - external, 257
 - gender, 258
 - intrinsic, 257
 - regional, 258
 - invisible, 809
 - in vitro tests, 95–103
 - in vivo tests, 107–116, 123–126, 261–263
 - mechanism, 67–68
 - mild, 99
 - model, 271
 - objective, 253
 - ocular, 123–137
 - potential, 107
 - predisposing factors, 68–69
 - primary, 109, 840
 - sensory, 48, 50, 72–73, 285–297
 - clinical evaluation, 286
 - on arms, 288–293

- [Irritation]
 on face, 287–288, 292
 on legs, 293
 inhibitors of, 297
 scale, 286–287
 to axilla, 292–293
severe, 291
 skin, 47–48, 67–73, 156, 183, 195,
 196, 253–298, 854, 855
 SLS-induced, 280, 314
 sodium hydroxide-induced, 280
 by surfactants, 431–449
subclinical, 253
suberythematous, 50
subjective, 48, 273, 459, 807
symptoms of, 254–257
- Isethionate, 413
Isoelectric point, 407, 410
Iso-eugenol, 80, 90
Isopropyl myristate, 61
Isotretinoin, 829, 832
Isovaleric acid, 847
Itch-inducing chemicals, 294
Itching, 50, 71, 72, 273, 285, 294, 295,
 807, 811, 855
- Japan, 761–767
Jojoba oil, 403
- Keratin, 20, 29, 31, 33, 407, 466, 837
Keratinization, 466, 582
Keratinocyte, 20–22, 67, 101, 295, 312,
 466
Keratinocyte detachment, 311
Keratohyalin, 21
Keratolytic, 314, 354
Keratoplastic agent, 356
Keratosis, 352, 451, 553
Kinase, 306
Kitchen workers, 558
Klotz equation, 426
Kojic acid, 475, 570
Krafft point, 419
Krebs cycle, 311
- Labeling, 84, 95, 798
Lacrimal drainage system, 122
Lactate, 347
- Lactic acid, 73, 116, 254, 287–288,
 295, 311, 351–352, 809, 810,
 855
Lamellar bodies, 21
Lamellar granules, 837
Lamina fuschia, 122
Laminometer, 423
Langmuir equation, 426
Language, 730
Lanham Act, 753
Lanolin, 403, 404
 derivative, 401, 404, 445
 oil, 401
Laser diffraction, 166
Laser Doppler, 534, 831
 flowmetry, 116, 255
 imaging, 535
Laser high energy pulsed CO₂, 832
Laser pulsed CO₂, 832
Lather, 488, 583
Lauryl sulfate, 433
Laurylmethicone copolyol, 391
Law, 1, 737
 case, 12,
Lawsone, 555
Laxity, 723
Leakage, 776
Leave in products, 588
Lecithin (*see* Phosphatidylcholine)
Legislation, 95, 729–734, 761–767
Lentigines, 567
Leukocyte, 68
Leukotriene, 277, 810
License, 762, 799
Lichenification, 67, 71
Licorice, 266
Lidocaine, 58, 287
Light exposure, 772
Light-conditioning formulation, 337
Linear alkylbenzene sulfonate, 435
Linoleic acid, 201, 205, 363
Lipase, 717
Lipids, 24, 68, 151, 153, 156, 261, 264,
 350, 361–366, 726
 covalently bound, 362, 365
 from hair, 365
 from nail, 365
 from oral stratum corneum, 365

- [Lipids]
 - hydrophilic, 403, 404
 - lamellae, 363
 - peroxidation, 301, 305, 464, 468
- Lipodystrophy, 531–541
- Lipogel, 155
- Lipoic acid, 305
- Lipoid particle, 181
- 5-lipoxygenase, 304
- Liposome, 176, 186, 201–208, 726, 776
 - application of, 206–208
 - compatibility of, 204
 - dispersion, 208
 - future of, 208
 - hydrolysis of, 206
- Liposphere, 180
- Lipstick, 499, 670–672
- Liquid crystal, 161, 350, 419–420, 534
- Liquid crystalline phase, 419–420
- Liquid film movement, 423
- Loading, 194, 199
- Lobuli, 716
- Location, 80
- Long-lasting benefit, 392
- Long-term tests, 818
- Loss modulus, 385
- Lotion, 151–155
- Lubricant, 405
- Lubricity, 340, 392, 409
- Lunula, 29
- Lymph vessels, 533

- Maceration, 371
- Macroemulsion, 774
- Magnesium, 274
 - ascorbyl palmitate, 469
 - ascorbyl-2-phosphate, 302
 - lauryl sulfate, 274
 - sulfate, 274
- Maillard reaction, 552
- Makeup remover, 80
- Malic acid, 311
- Manicuring instrument, 12
- Manufacture, 730
- Manufacturing date, 730
- Manufacturing process, 782
- Marangoni effect, 422
- Mascara, 664–667

- Mass spectrometry, 372
- Massage, 536
- Matrix, 171, 173, 191
- Mechanical profilometry, 832
- Mechanical properties, 576
- Mediator, 67, 101, 128, 285
- Medicinal plant handbooks, 373
- Melanin, 22, 469, 474, 567, 575, 576, 582
- Melanocyte, 32, 103, 121, 475, 567, 576
- MelanoDerm, 103
- Melanogenesis, 473
- Melanoidins, 552
- Melanosomes, 567, 576
- Melasma, 567
- Membrane
 - basement, 19, 24, 121–122
 - biological, 201, 305, 464
 - glassy, 24
 - polymeric, 173
- Menthyl anthranilate, 457–458
- Mercaptans, 593
- Mesoderm, 715
- Mesophase, 161
- Metabolism, 56
- Metastable state, 151, 156, 204
- Methacrylate, 82
- Methyl(chloro)isothiazolinone, 78, 81
- Methylcellulose, 380
- Methyldibromoglutaronitrile, 81
- Methylhydroxypropylcellulose, 380, 382
- Mexameter, 255
- Micelle, 151, 156, 272, 419
- Microbial
 - contamination, 775
 - growth, 162
 - health hazard, 781
 - limits, 782–783
- Microbiological information, 731
- Microbiological strains (maintenance of), 787
- Microcapsule, 171, 191, 777–778
- Microcomedone, 50, 837
- Microemulsion, 156, 175, 178, 182, 420, 774
- Microorganism, 162, 717
- Microparticles, 171–172, 177, 179
- Micropigment, 459
- Microscopy, 166

- Microsphere, 171, 177, 179, 191, 777
biodegradable, 191
porous, 191–200
 application of, 195–199
 loading, 194–195
 preparation of, 192–194
 visualization of, 194
- Microsponge, 177
- Microtopography features, 830, 832
- Mildness, 273, 400
- Milk crust, 718
- Milk protein, 407
- Minimal erythematous dose (MED), 300, 301, 451, 808
- Minimal inhibitory concentration (MIC), 246
- Mitotic activity, 466
- Mixing, 779
- Models, 95–103, 17–116
 arm immersion, 114
 cornea, 127–128
 eye, 127
 mouse ear, 112–113
- Moisture, 343, 347, 406
 accumulation test, 818
 content, 503
 sensing device, 788
- Moisturization, 14, 154, 392, 400, 463, 725
- Moisturizer, 152, 366, 401, 468, 546, 720
- Moisturizing properties, 405, 407, 409, 820
- Monocyte, 277
- Monoglyceride, 403
- Monograph, 13,
- Monomer, 272, 419
- Monophasic system, 159
- Mould, 784
- Mousses, 221–232
 aerosol, 25–226
 appearance of, 221
 application characteristics, 222
 attributes, 221–223
 disinfectant, 225
 emulsion, 226–227
 future of, 213–232
 hair-setting, 228–229
- [Mousses]
 hairstyling, 222, 225
 metastable, 223
 moisturizing, 221
 physical quality of, 223
 post foaming, 230–231
 quick-break, 227–228
 shave, 221, 222
 technology, 223
 types of, 226–231
 unstable, 221
- Mouth rinse, 246–247, 641
- Mouthfeel, 383
- Mouthwashes, 641
- Multi-approach, 803–804
- Multilayer cell culture, 127–128
- Multiphasic system, 159
- Multiple application, 818
- Muscle, arrector, 36–37
- Mutagenicity, 570
- N-acetyl-cysteine, 302
- N-acyl amidopropyl betaine, 419
- NAD (National Advertising Division), 753, 798
- Nail, 29–34
 aesthetics, 34
 anatomy, 29
 apparatus, 32
 artificial, 686
 bed, 29, 32
 cuticle removers, 687
 cuticle, 29
 elasticity, 31
 film former, 685
 film modifier, 685
 fold, 29, 32
 histology, 29–33
 lacquers, 672
 lipids, 365
 matrix, 32
 permeability, 33
 physicochemistry, 33
 physiology, 33–34
 plate, 29, 31, 33
 surgery, 34
 top coatings, 685
 whitener, 687

- N-alkyl amino acid, 442
 Nanocapsule, 172, 178, 180
 Nanoemulsion, 156–157, 175, 178,
 183–184, 204, 208
 Nanoparticle, 156–157, 172–173, 177, 180
 Nanosphere, 172, 177
 NARB (National Advertising Review
 Board), 753
 Nasolabial fold, 809, 855
 Natural acid mantle, 717
 Natural extracts
 categorizing, 370
 constituents to avoid in, 372
 definition, 369–370
 production of, 370–372
 quality of, 370–372
 standardization of, 372–373
 Natural Moisturizing Factor (*see* NMF)
 Necrosis, 67, 71
 Neoplasm, 724
 Neurokinin-A, 285
 Neurological sensation, 285
 Neuron, 295
 Neuronal depolarization, 295
 Neurosensory perception, 73, 480
 Neurotransmitter, 73, 295
 Neutralizing solution, 595, 783, 788,
 789–791
 Neutrophilic infiltrate, 839
 Newborn, 716, 717
 Newtonian system, 162
 Niacinamide, 470
 Nickel contact allergy, 830
 Niosome, 176, 776
 Niotenside, 201
 Nitrosamine, 741
 NMF, 14, 256, 261, 347, 353, 355, 406,
 501
 N-nitroso compound, 354
 Non comedogenic, 837, 843
 Nonacnegenic, 837, 843
 Noncooling, 397
 Noniceptor (type-C), 285, 294, 295
 Noninvasive techniques, 211, 255–257,
 815
 Non-Newtonian system, 162, 411
 Nuclear magnetic resonance, 816
 Nylon particle, 778
 Oak moss, 90
 Occlusion, 61, 79, 113, 262, 717
 Occlusive effect, 273
 Occlusive material, 399
 Occupational, 69
 Ochronosis, 569
 Octocrylene, 457
 Octyl methoxycinnamate, 455, 459
 Ocular instillation, 295
 Odland bodies, 21
 Oenothain B, 373
 Oil, 61, 156, 157, 173–176, 401, 403, 486
 baby, 719
 bath, 399, 448, 726
 coconut, 487
 essential, 90, 91, 246, 247, 249, 266,
 277, 371
 ethoxylated, 445
 impregnated towelet, 719
 mineral, 281, 401, 403, 719, 840
 palm, 487
 palm kernel, 487
 vegetable, 401
 Oleochemistry, 432
 Oleogel, 155
 Omega-hydroxyacid, 362
 Omega-hydroxyceramide, 362
 Onychodermal band, 29
 Onychomycosis, 356
 Oozing, 67
 Opacifier, 443, 586
 Opaque formulation, 458
 Open epicutaneous application, 262
 Oral flora, 247
 Oral mucosa, 625, 627
 Oral pellicle, 634
 Organic pigments, 649–654
 Organosilicone, 449
 Osmotic gradient, 185
 OTC, 10, 13–15, 452, 690
 Overconditioning, 339
 Oxidant, 299
 Oxidation, 163, 443
 Oxidative damage, 465
 Oxidative stress, 299–302, 306, 465
 Oxybenzone, 457
 Oxygen radical, 277
 Ozone, 222, 300, 306

- PABA, 452, 455, 459
 ester, 459
- Packaging, 225, 249, 241
- Palate, 623
- Palm stearin, 487
- Panthenol, 352–353, 467–468
- Panthenic acid, 353, 467
- Papilla, 19
- Papule, 50
- Paraben, 82
- Paraffin, 469, 716
- Paraffin sulfonate, 434
- Particle size, 165, 397
- Partition coefficient, 160, 181
- Partitioning, 53, 58, 177, 178
- Pathological changes of eye injury, 137
- PCA, 347, 353–354, 407
- Pearlescent agent, 446
- Pearlescent pigments, 655
- Pectin, 385
- Peel solution, 291
- PEG-2 cocomonium chloride, 337
- PEG-15 stearamonium chloride, 337
- Pencils, 669–670
- Penetration, 67, 158, 160, 154, 156, 178, 273
 enhancing, 79, 202
 percutaneous, 182
- Peptide, 272–273
- Perception, 274
- Percutaneous absorption, 53–64, 716
 methods, 55–57
 steps, 53–55
 variations, 57–58
- Perfume, 79, 89–93, 152, 704
 bottom note, 704
 encapsulated, 182
 middle note, 704
 top note, 704
- Periderm, 715
- Periodontal ligament, 621
- Permanent teeth, 619
- Permeability, 392, 716, 718, 720
 barrier, 366
 skin, 211, 273, 356
- Permeation, 156, 202, 235
- Peroxide, 299, 302
- Peroxyl radical, 469
- Perspiration, 690, 716
- Persulfate, 82
- Pesticide, 372
- Petrolatum, 116, 719
- pH, 102, 134, 151, 166, 246, 249, 287, 312, 352, 437, 440, 441, 717
- Pharmaceutical patch, 233–234
- Pharmaceutical technology, 233
- Pharmacopoeial handbook, 373
- Phase inversion, 161, 175, 420
- Phase separation, 161
- Phenyl salicylate, 452
- Phenyl trimethicone, 391, 396
- Phenylbenzimidazole sulfonic acid, 457
- Pheomelanin, 576
- Phosphate ester, 437
- Phosphatidylcholine, 183, 201–203, 205, 405
 bilayer of, 204
 hydrogenated, 203, 205
 unsaturated, 203, 205
- Phospholipid, 176, 201, 361–362, 405
- Photoaging, 287, 352, 451, 467, 543, 724
- Photoallergy, 720
- Photocontact dermatitis, 460
- Photographic pictures, 534, 536
- Photoirritation, 49
- Photolysis, 458
- Photoprotection, 303
- Photoreactivity, 458
- Photoreceptor, 123
- Photosensitivity, 313, 458
- Photosensitizer, 83
- Phototoxicity, 49
- Physical blocker, 453–454
- Physiotherapeutic treatments, 536
- Phytosphingosine, 362
- Pigmentation, 724
 disorder, 80
- Plant
 collecting, 370
 cultivation, 370
 drying, 370–371
 exudate, 377
 protein, 407
- Plasmatic exudate, 532
- Poloxamer plasticization, 312

- Plasticizer, 396, 403, 686
- Poison Information Center, 730
 - addresses of, 731–734
- Polarity, 150, 159, 444
- Polyacrylate, 162, 386
- Polyacrylic acid, 382, 384, 385
- Polyamide, 343
- Polycarboxylate, 442
- Polydimethylsiloxane, (*see* Dimethicone)
- Polyethylene glycol ether, 443
- Polyethylene glycol, 406, 516
- Polyglycerol, 205
- Polymer, 155, 156, 171–172, 173, 178,
 - 192, 272–273, 378, 380, 385, 389, 407–412
 - cationic, 338–339, 343, 399
 - charge of, 272
 - EO/PO block, 444
 - molecular weight of, 407
 - natural, 377, 407–411
 - quaternary, 395–396
 - quaternized, 272, 411–412
 - size of, 272
 - synthetic, 411–412
- Polymeric emulsifiers, 512
- Polymerization, 194
- Polymerizing coating, 686
- Polyphenol, 303
- Polypropylene glycol ether, 443
- Polyquat (*see* Polyquaternium)
- Polyquaternium, 338–339, 342, 411
- Polysaccharide, 351, 385
- Polyvinyl pyrrolidone (*see* PVP)
- Pore cleaner, 238
- Porogen, 194
- Porosity, 192
- Positive list, 731
- Post-shampoo formulation, 335
- Pouching material, 240
- Pouch-on-valve, 230
- Powders, 658–660
- Prediction, 95–116, 130
- Preservation, 162, 248–250
- Preservative, 78–82, 152, 163, 249–250,
 - 259, 342, 490, 517, 730
- Pre-shampoo formulation, 335
- Presurgical preparation, 246
- Process, 249
- Procyanidin, 304
- Product
 - body-cleansing, 399
 - causative, 90
 - composition, 78
 - dishwashing, 247
 - labeling, 1, 11,
 - leave-on, 79
 - occlusive, 563
 - occupational, 558
 - oral care, 246–247
 - perfumed, 90–92
 - pharmaceutical, 78
 - quality, 163
 - rinse-off, 79, 335, 399
 - scented, 92
 - skin-cleansing, 399
 - strontium-containing, 296
 - suncare, 465
 - sun-protection, 157
- Profilometry, 545
- Proliferation, 68
- Pro-oxidant effect, 302
- Propane, 221
- Propellant, 222, 224, 229
- Propyl gallate, 82
- Propylene glycol, 406
- Prostaglandin, 180, 277
- Protease, 717
- Protection, 154, 167, 300, 350, 393, 464
 - active (of), 177
 - from cold, 720
 - from dehydration, 392
 - from micro-organisms, 717
 - from percutaneous absorption, 716–717
 - skin, 203, 205
 - sun, 206, 264, 720
 - UVB, 103
 - by vehicle, 146
 - against water loss, 716
- Protein, 272–273, 355, 407
 - derivative, 409–410
 - hydrolyzate, 409–410, 437
 - hydrolyzed, 355
 - quaternized, 409–410
- Proteinases, 544
- Protocol, 130
- Pseudoplastic rheology, 380

- Pseudoplasticity, 383
Psoriasis, 313
Psyche, 482
Pupil, 123
Purity, 370
Pustule, 50, 71
Pustulogenicity, 50
PVP, 409, 412
Pyrollidone carboxylic acid, (*see* PCA)
Pyruvic acid, 311
- QSAR (quantitative structure activity relationship), 130–132
Quasi-drug, 84, 473, 799
 future of, 766
Quat (*see* Quaternary ammonium compound)
Quaternary ammonium compound, 335–338, 419, 439
 alkyl chain, 336, 337
 compatibility with anionics, 337
 ethoxylated, 337
Quercetin, 304
Questionnaire, 257
- Ra parameter, 832
Rabbit's ear, 839, 840
Radicals, 302, 304
 ascorbyl, 305, 306
 chromanoxyl, 305
 free, 306
 hydroxyl, 302
 scavenging, 303
 tocopheryl, 306
Radiolabeled, 56
Raw material, 2
 from biological origin, 782
 microbiological control of, 781–785
 microbiological quality of, 781–782
Razor blade, 12
Reactive oxygen species, 299
Recall, 741, 743
Red veterinary petrolatum, 452
Redness (*see* Erythema)
Refattener, 273, 400–406
Refattening agent (*see* Refattener)
Reflectance, 255
Regression method, 815
Regulation, 1, 95, 241, 249, 737–756, 761–766
 of color additive, 648–649
Regulatory, 10–15, 84, 95, 124, 452–453
Release liner, 239
Relevance, 92, 101, 124
Relief, 256
Removal of nail coatings, 687
Repetitive irritation test, 831
Reservoir, 79, 171, 178, 195
Resistance, 249
Retina, 123
Retinal, 467
Retinoic acid, 196–199, 313, 467, 546, 569
Retinoid, 311, 313, 465, 467
Retinol, 467, 546
Rheological additive, 377–386
Rheology, 150, 162, 165, 377–386, 394
Rhus, 831, 832
RIFM (Research Institute for Fragrance Materials), 752
Rinsing, 400
Risk, 63, 80
Robinson-Patman Act, 753
Rosacea, 568
Ross-Miles test, 423
Rough sensation, 273
Roughness, 400, 725
Rz parameter, 832
- Safety, 14–15, 47–50, 119, 731, 770
 assessment program, 130
 hydrating substances (of), 347–356
Salicylate, 457
Saliva, 624, 627
Sallowness, 725
Salt, 151, 225
Sanguinarine extract, 247
Saponification, 491
Saponin, 448
Saprophyte, 717
Sarcosinate, 413, 437
Saturation solubility, 160
Scale
 categories, 848
 hedonic, 849, 850
 line, 848
 numerical, 848

- Scaliness, 724
Scaling, 67, 71, 72, 816
Scaling techniques, 846, 851
Scalp
 biopsy, 40
 proxigraphy, 44
Scavenger, 468
Sclera, 122
Screening, 96
Scrub agent, 413
Scurvy, 301
Sebaceous follicle, 837
Sebaceous gland, 837
Sebaceous lipids, 361
Seborrheic dermatitis, 353
Sebum, 583, 724, 837
 follicles, 581, 582
 plug, 238
Sedimentation, 157, 775
Seizure, 742
Self-assessment, 803, 810
Self-emulsifying, 515
Self-perception, 257, 851
Self-preserving formula, 248–249, 342
Self-regulation, 752–753
Sensation, 285
Sensitive-skin products, 845
Sensitive skin, 50, 73, 79, 257, 263–264, 285, 296, 468, 499, 807–812, 845
 clinical parameters for, 808
 epidemiological studies for, 807–808
 tests for, 807–812
Sensitive teeth, 635
Sensitivity, 97–98
Sensitization, 77–84, 156, 353, 720, 855
Sensory, 23, 50, 155, 167, 395
 analysis, 852, 853
 assessment, 496, 845, 855, 856
 feeling, 499
 panel, 527
 profile, 852
 properties, 154, 399
 tests, 845, 856
 triggers, 399–414
Serine biosynthesis, 311
Sesquiterpene, 277
Sex, 68, 808
Shampoo, 578, 583–588, 607–610
 baby, 586, 719,
 daily use, 611
 dandruff, 586
 greasy hair, 611
 special, 611
 2-in-1, 332, 342, 612
Shampooing, 854
Shaving, 579
Shear
 rate, 165, 378, 379, 383
 stress, 162, 165, 383
 thinning, 379, 386
Shelf stability, 380
Shielding product, 558
Shine, 853
Short-term tests, 816
Shower product, 726
Silflo adhesive, 830
Silica, 378, 382, 384, 386
Silicon rubber, 830
Silkiness, 395
Silicone, 154, 155, 157, 222, 339–342, 389–397, 409, 413
 conditioning properties of, 340–341
 dioxide, 384
 organic group of, 389
 blend, 391
 derivative, 405–406
Siloxane backbone, 389
Silymarin, 304
Single application, 816
Site, 79, 149
Size of particulate, 150
Skin, 19–26, 467
 after feeling, 499
 aging, 723–724
 atopic, 79, 499
 baby, (*see* Baby skin)
 barrier, 563, 717, 808
 biopsy, 831
 cadaver, 830
 cancer, 451
 cleansing liquids, 499–510
 cleansing, 58–60
 color, 479, 480
 compatibility, 271

[Skin]

compromised, 114, 115
 condition, 79
 conditioners, 490
 conditioning, 399, 400, 409, 410, 413
 conductance, 522
 corrosivity, 95–98
 damaged, 79
 desquamation index, 520
 dry, 79, 152, 347, 352, 356, 724, 802, 815
 dryness, 481
 elasticity, 481
 elderly, 723–726
 equivalent, 97–98, 101
 excised, 361
 exfoliation, 553
 extensibility, 352
 fair, 69
 feel spectrum descriptive analysis, 527
 feel, 154, 167, 257, 386, 391, 399–414, 444, 468, 845, 851, 853
 feeling, 151
 flexibility, 347
 frame, 815
 full-thickness, 97
 human, 830
 irritants, 557–566
 lightening, 469
 lipids, 501, 502
 models, 97–103
 moisturization, 853
 orange-peel, 531
 pH, 482, 501, 503
 photodamaged, 467
 phototypes, 544, 554
 pig, 361–365, 829
 pigmentation, 476
 protectant, 393, 411, 452
 regeneration, 206
 repair, 563
 replicas, 536, 545
 roughness, 815
 scaling, 479, 480, 481
 sensitive (*see* Sensitive skin)
 sensitization, 720
 shedding, 579

[Skin]

squames, 815
 susceptibility, 499
 texture, 312
 type, 808
 tolerability, 720
 turnover, 291
 whitening, 473–477, 802
 Skin² system, 97–98
 SkinEthic culture, 128
 Skin feel agent, 273–274, 399–414
 Skin-feel panel, 853
 Skin surface
 surface topography, 534, 535
 impression, 830
 rating, 829
 replica, 830
 roughness, 820
 scaling, 820
 water loss, 820
 Slaughterhouse workers, 558
 Slimming/anticellulite ingredients, 537
 Slipperiness, 400
 Slough/mush, 495
 SLS, 808, 840
 Smell, 303
 Smoothing effect, 407
 Smoothness, 257, 273, 400
 Soap, 114, 404, 432, 584, 585–497, 739–740
 additives, 488
 alkaline, 261
 bar, 245, 485–497, 493, 499, 501, 506
 cracking, 495
 crystalline phases, 488
 liquid, 246
 wear rate, 495
 Sodium dodecyl sulfate, 425
 Sodium hydroxide, 110, 116, 280
 Sodium lactate, 14, 352
 Sodium lauryl sulfate, 68, 110, 113, 115, 116, 265, 271, 280, 356, 433, 831
 Softening effect, 202
 Softness, 257, 395
 Solar elastosis, 451
 Solid partition, 849

- Solubility, 150–151, 303
 Solution, 150–151, 158
 Solvent, 79, 159, 261, 686
 extraction, 371
 type cleansers, 507–509
 Sorbitan ester, 446, 447
 Sorbitol, 249, 355, 406
 ester, 447
 Sorption-desorption test, 818
 Specific anosmia, 847
 Specificity, 97–98
 Spectroscopy, 116
 SPF, 13, 392, 451–460, 554
 Sphingolipid, 176
 Sphingosine, 362
 Sphingosine, 176
 Spider veins, 554
 Split end, 395
 Spore, 785
 Spray, 397
 drying, 372
 Spread, ease of, 853
 Spreadability, 162, 167, 222, 395
 Spreading, 153, 390, 392, 400
 Squamometry, 115, 255, 256
 Squeaky feel, 400
 Stability, 162
 control, 781–792
 testing, 769–780
 definition of, 769–770
 design for, 761–763
 of emulsion, 774–775
 formula-related reasons for, 774–775
 information provided by, 770–771
 of molecular carrier, 777
 non–formula-related reasons for,
 779–780
 of particulate systems, 777–779
 raw material substitution, 778
 situations requiring, 773–774
 storage for, 772
 of vesicular system, 776–777
 Stabilizer, 377–386
 Standardization, 372, 815
 Staphylococcus, 782
 aureus, 783, 784, 786
 epidermidis, 703
 State of matter, 150
 Static control, 396
 Status cosmeticus, 50, 72
 Steam distillation, 371–372
 Stearalkonium chloride, 335–337, 396
 Stearamidopropyl dimethylamine, 338
 Stearate derivative, 447
 Stick, 157, 394
 Stickiness, 400
 Sticky tape, 256
 Stinger, 73, 254, 855
 Stinging, 50, 72–73, 254, 273, 285, 295,
 807, 809, 811, 855
 Storage temperature, 775
 Stratum
 corneum, 22, 53–56, 68, 72, 97, 146,
 160, 184, 300, 311, 347, 350,
 353, 807, 811, 842
 lipids from, 361–365, 502
 oral, 365
 granulosum, 21
 lucidum, 21
 spinosum, 21, 22
 Streptococcus, 782
 Stripping, 55, 56, 236, 350, 855
 Stroma, 122
 Strontium
 chloride, 287–295
 mechanism of action, 295–296
 nitrate, 287–295
 pretreatment, 287–288
 safety, 295
 salt, 285–297
 Suberythrogenic, 543–544
 Subjective, 72, 257
 Substance P, 285, 294, 810
 Substantivity, 160, 272, 392, 394, 397,
 399–414
 Sucrose ester, 448
 Sugar ester, 448, 777
 Sulfate, 433–434
 Sulfide monitor, 849
 Sulfite, 595
 Sulfonate, 434–436
 Sulfosuccinamate, 436
 Sulfosuccinate, 435–436, 725
 Sun
 damage, 723, 725
 exposure, 724

- Sun protection factor (*see* SPF)
- Sunblock, 452
- Sunburn, 465, 473, 476
- Sunflower oil, 840
- Sunless/self-tanners, 551
- Sunscreen, 13, 82, 160, 451, 452, 453, 554, 720, 853
- Suntanning, 10,
- Superfating agent, 404
- Superficial epidermis, 479
- Superoxide, 299, 468
- Superoxide dismutase, 299, 465
- Surface
 - activity, 390
 - elasticity, 422
 - microscopy, 479
 - property, 389
 - tension, 340, 390, 396
 - topography, 816
- Surfactant, 151, 175, 223–224, 229, 399, 417–428, 499–500, 584, 719, 808, 811
 - adsorption
 - hair (on), 426–428
 - solid surface (on), 425–426
 - aggregation, 425, 426
 - amphoteric, 272, 412, 441–442, 501, 585
 - anionic, 271, 417–418, 431–438, 501, 584
 - cationic, 335–338, 419, 438–441
 - classification of, 431–449
 - combination of, 271–272
 - compatibility with, 411
 - containing-formula, 100
 - effect on foam of, 431–449
 - foaming properties of, 42–424
 - irritancy, 100
 - mildness characteristics of, 431–449
 - mixture, 272–273
 - nature of, 407
 - nonhydrocarbon specialty, 449
 - nonionic, 176, 272, 413, 442–448, 501, 585
 - phase behavior of, 420–421
 - polyethoxylated, 585
 - salt of, 274
- [Surfactant]
 - secondary, 431
 - skin feel of, 412–413
 - solubility of, 419
 - solution properties of, 417–421
 - synthetic, 417, 493–494
- Surgical hand scrub, 246
- Suspending agent, 381–382
- Suspension, 157
- Sweat, 26
 - apocrine glands, 689
 - apocrine secretion, 703
 - eccrine glands, 689
 - eccrine secretion, 704
 - gland duct, 690
 - production, 846
 - reduction, 690
- Sweating, 724
- Syndet bar, 436, 491–493, 740
- Systemic, 53, 62–63, 350, 716
- Tactile evaluation, 815
- Tannin, 304, 373
- Tartaric acid, 311
- Tattoo, 83
- Taurate, 413, 436
- Tauride, 436
- t-butyl hydroquinone, 82
- Tea tree oil, 229–231, 249
- Telangiectasia, 568, 724
- Telogen, 37–44
- Temperature, 115, 161, 716
- TER (*see* Transcutaneous electrical resistance)
- Teratogenicity, 313
- Test
 - animal, 107, 109–113, 119–126
 - cell culture, 800
 - consumer, 803
 - corrosivity, 95–98
 - cumulative irritation, 113–114
 - Draize, 96, 109–110
 - Draize eye irritation, 123–124
 - ethical, 103
 - exaggerated use, 262–263
 - eye irritation, 119–137
 - flex wash, 263
 - fluorescein leakage, 128

- [Test]
- forearm immersion, 263
 - forearm wash, 263
 - 4-hour patch, 113
 - hand immersion, 263
 - home-use, 263
 - hydration, 818
 - immersion, 115, 801
 - in vitro, 95–103, 126–137, 247–248, 801–802
 - choice of, 135
 - in vivo, 107–116, 123–126, 800, 801
 - in-use, 263
 - low volume eye, 124
 - MIC, 247
 - microbiological, 781–792
 - neutral red release, 128
 - neutral red uptake, 128, 136
 - occlusive patch, 262
 - open, 49
 - organism, 247
 - patch, (*see also* Cosmetic patch), 47, 62, 69, 83, 91–92, 115, 808, 810
 - photopatch, 83
 - prick, 724
 - protein denaturation, 274
 - pull, 43
 - quality control, 166
 - red blood cell lysis, 128
 - repeat insult patch, 720
 - repeat irritation, 110, 116
 - repeat patch, 112
 - ROAT, 83, 92
 - scarification, 114
 - semiopen, 83
 - sensory, 800, 803
 - single-application patch, 113
 - skin compatibility, 96
 - skin irritation, 98–103, 261–263
 - soap chamber, 114–115
 - stinging, 809–810
 - stripping, 256
 - 3-dimensional tissues, 127–128
 - time-kill, 248
 - wash, 115–116, 811
 - zone inhibition, 247–248
- Test article (*see also* Test material)
 - compatibility of, 133
 - dilution of, 133
 - Test material, 129–130, 133
 - Tetra-alkyl (-aryl) ammonium salt, 439
 - Tetraphtalydine dicamphor sulfonic acid, 458
 - Tewameter, 256, 280
 - TEWL (*see* Transepidermal water loss)
 - Thermal sensation, 808–809
 - Thermodynamic activity, 160
 - Thermodynamic parameter, 427
 - Thermographic pattern, 534
 - Thermoregulation, 24, 716
 - Thickener, 343, 377–381, 414, 443, 444, 514, 586
 - Thickness of fatty layer, 535
 - Thin-layer chromatography, 364, 372
 - Thin-layer distillation, 372
 - Thioglycolate, 293
 - Thioglycolic acid, 593–595
 - Thiol, 299, 302–303
 - Thixotropic agent, 154, 382–384
 - Thixotropy, 162, 377, 386
 - Threshold, 809
 - Thymidine, 723
 - Tightness, 72, 273, 274, 807, 811
 - Tinea versicolor, 354
 - Titanium dioxide, 378, 452, 458, 459
 - TNF-alpha, 68, 295
 - Tocopherol, 300, 301, 464
 - sorbate ester of, 301
 - Tocopheryl radical, 464
 - Tocotrienol, 300, 301
 - Toilet paper, 80
 - Toiletries, 271, 389, 390
 - Toluene, 110, 116
 - sulfonate, 435
 - Toner, 287
 - Tongue, 623
 - Toothpaste, 10, 246–247, 383, 627–631
 - Topical application, 301
 - Topical delivery, 211–216
 - Topical pharmaceuticals, 480
 - Topographic record, 830
 - Toxic compound, 372
 - Toxicity, 60–63, 95, 130, 459
 - Toxicological profile, 731

- Trade correspondence, 11–12,
Transcutaneous electrical resistance
(TER), 96–97
Transdermal delivery, 211–216
Transdermal system, 242
Transepidermal water loss (TEWL), 68,
116–5, 116, 146, 201, 203, 255,
256, 273, 280–283, 350, 356,
401, 481, 546, 563, 715, 716,
808, 810, 816, 820
Transfersome, 176, 185
Transglutaminase, 22
Trends, 800
Tretinoin, 71, 180, 546, 725
Trichogram, 40
 photo-, 43
 unit area, 41
Triclocarban (TCC), 245
Triclosan, 246, 247, 706
Triglyceride, 401, 403, 485, 486
Trimethylsiloxysilicate, 391
Trimethylsilylamodimethicone, 391,
395–396
Trisodium ascorbyl palmitate, 469
2-hexyldecanoxyoctane, 61
2-in-1 shampoo (*see* Shampoo)
2-in-1 emulsion, 399
Tyrosinase, 22, 473, 474, 567
 inhibitor, 473, 476

Ubiquinol, 305, 465
Ubiquinone, 465
Ulceration, 67
Ultrasonic echography, 534
Ultrasonic imaging, 535
Ultrasound, 116
Ultraviolet (ir)radiation (*see* UVR)
Underarm microflora, 703
Underarm odor, 703–713
Urea, 204, 314, 347, 356, 831
Uric acid, 299
Urinous odor, 847
Urinous smell, 847
Ursolic acid, 266
Urticaria, 49, 80, 355, 724, 810
Use tests, 843
USTR (Office of the U.S. Trade Repre-
sentative), 755

UV damage, 334, 464
UV filter, 259, 451–460, 554, 720, 730
 mechanism of action, 453–455
 nomenclature, 455
 regulatory, 452–453
 toxicity, 459–460
UV light, 463, 466, 475
UVA, 451, 457–459, 545
UVA I, 451, 458
 blocker, 452
UVA II, 451, 457, 458
UVB, 301, 451, 455–457, 469, 545
 absorber, 455, 457
Uvea, 123
UV-induced erythema, 372
UVR, 299, 300, 306, 333, 451–460, 543
UVR-induced inflammation, 304

Validation, 97–98, 129, 784, 786
 of biophysical methods, 481
Valve, 222, 397
Van der Waals forces, 336
Vasodilatation, 255
VCRP (Voluntary Cosmetic Registration
Program), 739, 751
Vector
 design aspect, 171–177
 properties of, 177
Vehicle, 58, 63, 145–167, 171, 178,
195, 264, 512
 appearance of, 147
 application of, 147
 biological characterization, 167
 characterization of, 165–167
 chemical characterization, 166
 classification of, 147–150
 composition of, 158–165
 definition of, 150–157
 description of, 150–157
 effect of, 145, 158–165
 function of, 145–147
 functional design of, 158–168
 interactions, 160
 metamorphosis of, 161
 physical characterization, 165–166
 preparation of, 165
 selection of, 157–161
 target profile of, 158

- Velocimetry, 810
Venous network, 533
Vesicle, 67, 71, 72, 176, 179, 184–185, 204
Viability, 128
Virucidal action, 786
Virus, 785
Viscoelastic property, 256, 820
Viscosity, 150, 153, 157, 161, 162, 165, 343, 377–386, 406, 422, 431, 446, 719, 771, 773
 agent, 152
Viscous compound, 385
Visual evaluation, 815
Vitamin A, 180, 465–467
 acetate, 467
 ester, 467
 palmitate, 466, 467
Vitamin B5, 353, 467–468
Vitamin B6, 470
Vitamin C, 292, 299, 301–302, 304, 305, 465, 468–470
Vitamin D, 470
Vitamin E, 63, 180, 299–301, 304, 305, 463–465, 469
 acetate, 63, 301, 464, 465
 delivery of, 300
Vitamin K, 470
Vitamin P, 303
Vitamins, 463–470
Vitamins A, C, D, and E, 546
Volatile compound, 371
Volatile odor molecules, 703
Volatile Organic Compound (VOC), 391, 699

Warning letter, 742
Warning system, 285
Water, 151–155, 347–357
 activity, 163, 249
 availability, 788–789

[Water]
 binding, 820
 content, 406
 extraction, 371
 feel, 413
 hardness, 414, 496
 holding capacity, 352, 354, 356, 366
 in oil, 853
 in silicone emulsions, 516
 loss, 716
 microbiological control, 782, 784–785
 quality, 225
 repellant products, 558
 resistant, 451
 retention, 820
Wax, 157, 394, 401, 403
Wheat, 809, 810
Wheat, 355
Whitehead, 837
Whitening, 459
Whitening toothpastes, 627
Willow herb, 373
Winter, 69, 257
Wool, 426
Wound healing, 304, 463, 468, 469
Wrinkles, 312, 463, 480, 543
 coarse, 832
Wrinkling, 723, 725, 829
 ranking scales, 829

Xanthan gum, 384, 386, 413
Xerosis, 71, 352, 519, 816
Xylene sulfonate, 435

Yeast, 245, 784
Yield stress, 377, 386

Zinc oxide, 452, 458, 459, 718
Zinc pyrithione, 14
Zirconium-aluminum, 246, 293