

---

## References

- Adams JFE, Baker AG. *Trans Inst Chem Engrs* 1956; 34:91.
- Askeli I, Cetinkaya C. Acoustic testing and characterization techniques for pharmaceutical solid dosage forms. *J Pharm Innov* 2008; 3(4):216–236.
- Avis KE, Akers MJ. In: Lachman L, Lieberman HA, Kanig JL, eds. *The Theory and Practice of Industrial Pharmacy*. 3rd ed. Philadelphia: Lea and Febiger, 1986; 619–638.
- Bolsover SR, Hyams JS, Jones S, et al. *From Genes to Cells*. New York: Wiley, 1997.
- Bond FC. *Trans Amer Inst Chem Engrs* 1952; 193:484.
- Bose S, Kelly B, Bogner RH. Design space for a solventless photocurable pharmaceutical coating. *J Pharm Innov* 2006; 1(1):44–53.
- Box GEP, Hunter WG, Hunter JS. *Statistics for Experimenters: An Introduction to Design, Data Analysis, and Model Building*. New York: John Wiley and Sons Inc, 1978.
- Brown RL, Richards JC. Profile of flow of granules. *Trans Inst Chem Eng* 1960; 38:243.
- Byrn SR, Liang JK, Bates S, et al. PAT—process understanding and control of active pharmaceutical ingredients. *PAT* 3(6):14–19.
- Carey WF, Stairand CJ. Recent advances in mineral dressing. *Inst Min Metall* 1953:117.
- Carstensen JT. *Pharmaceutical Principles of Solid Dosage Forms*. Lancaster, PA: Technomic, 1993:73.
- Cherry GB, McCann EP, Parker A. *J Appl Chem* 1951; 1:S103.
- Cleverley H, Williams PP. *Chem Ind* 1959:49.
- Cochran WG, Cox GM. *Experimental Designs*. 2nd ed. New York: John Wiley and Sons, Inc., 1957.
- Cogdill RP, Forcht R, Shen Y, et al. Comparison of terahertz pulse imaging and near-infrared spectroscopy for rapid, non-destructive analysis of tablet coating thickness and uniformity. *J Pharm Innov* 2007; 2(1–2):63–75.
- Crowder TM, Hickey AJ. The physics of powder flow applied to pharmaceutical solids. *Pharm Tech* 2000; 24:50–58.
- Dankwerts PV. *Research* 1953; 6:355.

- Deming WE. *Statistical Adjustment of Data*. New York, NY: Dover Publications Inc., 1964 (originally published in 1938).
- Dickey GD. *Filtration*. New York: Reinhold, 1961.
- Doelker E. *Powder Technology and Pharmaceutical Processes*. In: Chulia D, Deleuil M, Pourcelot Y, eds. Amsterdam: Elsevier, 1994:403–471.
- Donald MB, Roseman B. *Br Chem Engng* 1962; 7:749.
- Drennan JK III. Introducing PQLI innovations from IPSE's product quality life cycle implementation (PQLI) initiative. *J Pharm Innov* 2008; 3(2):59.
- Dushman S, Lafferty JM. *Scientific Foundations of Vacuum Technique*. 2nd ed. New York: Wiley, 1962:48.
- Francisco TW, Yembrick S, Leffew KW. Semi-batch polymerization analysis by multi-point Raman Spectroscopy. *PAT* 2006; 3(5):13–19.
- Fuchs NA. *The Mechanics of Aerosols*. Oxford: Pergamon Press, 1964 (Dover Edition, 1989).
- Gaden EL, Humphrey AE. *Industr Eng Chem* 1955; 47:924.
- Gammage RD, Glasson DR. *Chem Ind* 1963:1466.
- Garcia T, Cook G, Nosal R. PQLI key topics—criticality, design space, and control strategy. *J Pharm Innov* 2008; 3(2):60–68.
- Green HL, Lane WR. *Particulate Clouds: Dusts, Smokes, and Mists*. London: Spon Ltd, 1957:334.
- Gregg SJ. *Trans Br Ceram Soc* 1955; 54:257.
- Groves MJ. *Parenteral Technology Manual*. 2nd ed. Buffalo Grove, IL: Interpharm Press, 1988:17–36.
- Harrison RG. *Protein Purification Process Engineering*. New York: Marcel Dekker, 1994.
- Heckel RW. Density-pressure relationships in powder compaction. *Trans Metall Soc AIME* 1961; 221:671.
- Heywood H. In: Cremer HW, Davies T, eds. *Chemical Engineering Practice*. Butterworths, 1957; 3:8.
- Hickey AJ. Lung deposition and clearance of pharmaceutical aerosols: what can be learned from inhalation toxicology and industrial hygiene. *Aerosol Sci Technol* 1993; 18:290–304.
- Hinds WC. *Aerosol Technology, Properties Behavior and Measurement of Airborne Particles*. 2nd ed. New York: Wiley, 1999:182–205.

- Hlinak AJ, Kuriyan K, Morris KR, et al. Understanding critical material properties for solid dosage form design. *J Pharm Innov* 2006; 1(1):12–17.
- Hofmann FK. Scaleup of production and purification of cell-expressed proteins. In: Klegerman ME, Groves MJ, eds. *Pharmaceutical Biotechnology, Fundamentals and Essentials*. Buffalo Grove, IL: Interpharm Press, 1992:138–164.
- Holmes JA. *Trans Inst Chem Engrs* 1957; 3S:125.
- Humphrey AE, Gaden E. *Industr Eng Chem* 1956; 48:2172.
- ICH Topic Q8 Annex Pharmaceutical Development, Annex to Note on Guidance for Pharmaceutical Development, EMEA/CHMP/ICH/518819/2007.
- Ives KJ. Symposium: Interaction between fluids and particles. *Inst Chem Engr* 1962:260.
- Ives KJ, *Proc Inst Civ Engrs* 1963; 25:345.
- Jennings TA. Discussion of primary drying during lyophilization. *J Parent Sci Tech* 1988; 42:118–121.
- Kaufman A. *Industr Eng Chem (Fundamental)* 1962; 1:104.
- Kuhlman H, Coleman D. Engineering Aspect of WFI Systems Design. In: Avis KE, ed. *Process Engineering Applications*. Buffalo Grove, IL: Interpharm Press, 1995:221–268.
- Lacey PMC. Development in the theory of particle mixing. *Trans Instn Chem Engrs* 1953; 21:53.
- Lacey PMC. *J Appl Chem* 1954; 4:257.
- Lapore J, Spavins J. PQLI design space. *J Pharm Innov* 2008; 3(2):79–87.
- Lee JM. *Biochemical Engineering*. Englewood Cliffs, NJ: Prentice Hall, 1992:138–189.
- Maroudas A, Eisenklam P. *Chem Eng Sci* 1965; 20:867.
- Martin A. *Physical Pharmacy*. 4th ed. Baltimore, MD: Williams and Wilkins, 1993:212–251.
- Masters K. *Spray Drying Handbook*. New York: Langman Scientific and Technical, 1991.
- McCabe WL, Smith JC, Harriott P. *Unit Operations of Chemical Engineering*. 7th ed. New York, NY: McGraw Hill, Inc., 1997.
- Mendendorp JP, Wyse J, Lodder RA, et al. Rapid Near-Infrared quantification of microcrystalline cellulose and sodium caprate minitables through intact enteric coated capsules. *PAT* 2006; 3(3):11–17.

- Mullin JW. Crystallization. 3rd ed. Oxford, U.K.: Butterworth-Heinemann, 1993:1–28.
- Myers RH, Montgomery DC. Response Surface Methodology, Process and Product Optimization Using Designed Experiments. New York: Wiley Interscience, 1995.
- Nail SN. The effect of chamber measure on heat transfer in the freeze drying of parenteral solutions. *J Parent Drug Assoc* 1980; 34:358–368.
- Nelson KL. In: Prokop A, Bajpai RK, Ho C, eds. Recombinant DNA Technology and Applications. New York: McGraw Hill, 1991:415–459.
- Newman ACC, Axon A. Monograph. *Soc Chem Ind* 1961; 14:291.
- Nosal R, Schultz T. PQLI definition of criticality. *J Pharm Innov* 2008; 3(2):69–78.
- Oakland JS, Followell RF. Statistical Process Control: A Practical Guide. 2nd ed. Oxford, U.K.: Heinemann Newnes, 1986.
- Papp MK, Pujara CP, Pinal R. Monitoring of high-shear granulation using acoustic emission: predicting granule properties. *J Pharm Innov* 2008; 3(2):113–122.
- Perry RH, Chilton CH. Chemical Engineers Handbook. 7th ed. New York: McGraw Hill, 1999.
- Pikal MJ, Roy ML, Shah S. Mass and heat transfer in vial freeze-drying of pharmaceuticals. The role of the vial. *J Pharm Sci* 1984; 73:1224–1237.
- Pillai RS, Yeates DB, Miller IF, et al. Controlled release from condensation coated respirable aerosol particles. *J Aerosol Sci* 1993; 25:461–477.
- Portillo PM, Ierapetritou M, Tomassone S, et al. Quality by design methodology for development and scale-up of batch mixing processes. *J Pharm Innov* 2008; 3(4):258–270.
- Pringle AT. Fermentation and Mammalian Cell Culture. In: Klegerman ME, Groves MJ, eds. *Pharmaceutical Biotechnology: Fundamentals and Essentials*. Buffalo Grove, IL: Interpharm Press, 1992:115–137.
- Prokop A, Bajpai RK. Bioreactor design and operation. In: Prokop A, Bajpai RK, Ho C, eds. Recombinant DNA Technology and Applications. New York: McGraw Hill, Co, 1991:415–459.
- Prokop A, Bajpai RK, eds. Recombinant DNA Technology and Applications. New York: McGraw Hill, 1991:415–459.
- Sacchetti M, Van Oort M. Inhalation Aerosols. 2nd ed. New York: Informa Healthcare, 2006:307–346.
- Salter KC, Hosking AP. *Chem Eng Pract* 1958; 6:487.

- Shewhart WA. *Statistical Method from the Viewpoint of Quality Control*. New York, NY: Dover Publications Inc, 1986 (originally published in 1939).
- Shotton E, Ridgway K. *Physical Pharmaceutics*. Oxford: Clarendon Press, 1974.
- Soh JL, Boersen N, Caravajal MT, et al. Importance of raw material attributes for modeling ribbon and granule properties in roller compaction: multivariate analysis on roll gap and NIR spectral slope as process critical control parameters. *J Pharm Innov* 2007; 2(3–4): 106–124.
- Stairmand CJ. *Trans Inst Chem Engrs* 1950; 28:130.
- Suits CG. *The Collected Works of Irving Langmuir, Vol. 10*. New York: Pergamon, 1961:394.
- Sykes G, Carter DV. *J Appl Bacteriol* 1954; 17:286.
- Tatterson GB. *Scaleup and Design of Industrial Mixing Processes*. New York: McGraw Hill, 1994.
- Terjsten SG, Cherry CB. *Trans Inst Chem Engrs* 1947; 25:89.
- Thompson SK. *Sampling*. 2nd ed. New York: Wiley, 2002.
- Train D. Pharmaceutical aspects of mixing solids. *Pharm J* 1960; 185:129.
- Treasure CRG. *Trans Inst Chem Engrs* 1965; 43:T199.
- Wagner JG. Biopharmaceutics: absorption aspects *J Pharm Sci* 1961; 50:359–387.
- Wheeler R. *Filtration*. 1964; 1:41.
- White PAF, Smith SE. *Research* 1960; 13:228.
- Williams REO, Blower R, Garrod LP, et al. *Hospital Infection—Causes and Prevention*. London: Lloyd-Luke, 1961:167.
- Zu Y, Luo Y, Ahmed SU. PAT initiative in generic product development. *Am Pharm Rev* 2007; 10(7):10–16.

---



## Bibliography

- Allen T. Particle Size Measurement. 5th ed. New York: Chapman and Hall, 1996.
- Allen L, Popovich NG, Ansel HC. Ansel's Pharmaceutical Dosage Forms and Drug Delivery Systems. 8th ed. Malvern, PA: Lippincott Williams and Wilson, 2004.
- Andrews GA, Knisely RM, Wagner HN. Radioactive Pharmaceuticals. U.S. Atomic Energy Commission, 1996.
- Bear J. Dynamics of Fluids in Porous Media. Mineola, NY: Dover, 1972.
- Bird RB, Stewart WE, Lightfoot EN. Transport Phenomena. 2nd ed. New York: Wiley, 2006.
- Cairolì R, Dalang RC. Sequential Stochastic Optimization. New York: John Wiley and Sons, Inc., 1996.
- Carey VP. Liquid-Vapor Phase-Change Phenomena. New York: Hemisphere, 2007.
- Cheremisinoff NP, ed. Air/Particulate Instrumentation and Analysis. Ann Arbor, MI: Ann Arbor Sciences, 1981.
- Cheremisinoff NP. Practical Fluid Mechanics for Engineers and Scientists. Lancaster, PA: Technomic, 1990.
- Chhabra RP. Bubbles, Drops and Particles in Non-Newtonian Fluids. 2nd ed. Boca Raton, FL: CRC Press, 2006.
- Cho YI, Hartnett JP. Non-Newtonian fluids in circular pipe flow. *Adv Heat Transfer* 1982; 15:59–141.
- Chulia D, Deleuil M, Pourelot Y. Powder Technology and Pharmaceutical Processes. Amsterdam: Elsevier Science, 1993.
- Coulson JM, Richardson JF, Backhurst JR, et al. Chemical Engineering. Vol 1, 5th ed. New York: Butterworth-Heinemann, 1996.
- Crank J. The Mathematics of Diffusion. 2nd ed. Oxford, U.K.: Oxford University Clarendon Press, 1980 (reprinted 1992).
- Crowder TM, Hickey AJ, Louey ML, et al. A Guide to Pharmaceutical Particulate Science. New York: Informa Healthcare, 2003.

Cussler EL. Diffusion Mass Transfer in Fluid Systems. 2nd ed. Cambridge, U.K.: Cambridge University Press, 1997.

Fayed ME, Otten L, eds., Handbook of Powder Science and Technology. 2nd ed. New York: Van Nostrand Reinhold, 1997.

Florence AT, Attwood D. Physicochemical Principles of Pharmacy. 4th ed. London: MacMillan Press, Ltd, 2006.

Fung HL. In: Banker GS, Rhodes CT, eds. Chemical kinetics and Drug Stability Modern Pharmaceutics. New York: Marcel Dekker, 1990:209–237.

Groves MJ, Olson WP, Anisfeld MH. Sterile Pharmaceutical Manufacturing. Buffalo Grove, IL: Interpharm Press, 1991.

Hartnett JP, Kostic M. Heat transfer to Newtonian and non-Newtonian fluids in rectangular ducts. *Adv Heat Transfer* 1989; 19:247–356.

Hesketh HE, El-Shobosky MS. Predicting and Measuring Fugitive Dust. Lancaster, PA: Technomic, 1985.

Hyman D. Mixing and agitation. In: *Advances in Chemical Engineering*. Vol 3. New York: Academic Press, 1962.

Lachman L, Lieberman HA, Kanig JL. The Theory and Practice of Industrial Pharmacy. 3rd ed. Philadelphia, PA: Lea and Febiger, 1986.

Lefebvre AH. Atomization and Sprays. New York: Hemisphere, 1989.

Little A, Mitchell KA. Tablet Making. 2nd ed. Liverpool: Northern Publishing, 1963.

Meyer RE. Introduction to Mathematical Fluid Dynamics. Mineola, NY: Dover, 1982.

Neumann BS. The flow properties of powders. In: *Advances in Pharmaceutical Sciences*. Vol 2. New York: Academic Press, 1967:181–221.

Orr C. Particulate Technology. New York: Macmillan, 1966.

Ozisik MN. Boundary Value Problems of Heat Conduction. Mineola, NY: Courier Dover, 2002 (reprint of 1968 edition).

Pietsch W. Size Enlargement by Agglomeration. New York: Wiley, 1991.

Podczek F. Particle-Particle Adhesion in Pharmaceutical Powder Handling. London: Imperial College Press, 1998.

Prantl L, Tietjens OG. Fundamentals of Hydro- and Aeromechanics. Mineola, NY: Dover, 1957.

- Reist PC. *Aerosol Science and Technology*. 2nd ed. New York: McGraw Hill, Inc., 1993.
- Rietema K. *The Dynamics of Fine Powders*. New York: Elsevier, 1991.
- Rumpf H. *Particle Technology*. London: Chapman and Hall, 1990.
- Shotton E, Ridgway K. *Physical Pharmaceutics*. Oxford: Clarendon Press, 1974.
- Taylor R, Krishna R. *Multicomponent Mass Transfer*. New York: Wiley, 1993.
- Tien C. *Granulator Filtration of Aerosols and Hydrosols*. Boston, MA: Butterworths, 1989.
- Van-Hook A. *Crystallization: Theory and Practice*. ACS Monograph No. 152. London: Chapman and Hall, 1961.
- Weidenbaum SS. *Mixing of Solids*. In: *Advances in Chemical Engineering*. Vol 2. New York: Academic Press, 1958.
- Wert CA, Thomson RM. *The Physics of Solids*. McGraw Hill, Inc.: New York, 1970.



# Index

- Activated carbon filters, 184
- Active pharmaceutical ingredient
  - manufacture, critical steps in, 203
  - PAT and, 202
- Agitated batch dryers, 80
- Air conditioning
  - applications in pharmaceutical processes, 63
  - and humidification. *See* Humidification of air
- Air filtration
  - air filters for
    - bacterial aerosols, 130–131
    - design of, 131, 133
    - fibrous and granular filters, 131
    - mode of operation of, 130
    - testing of, 132–133
  - mechanism of, 129
- Airlift fermenter, 190
- Angle of repose, 56
- API. *See* Active pharmaceutical ingredient
- Atomizers, 84
- Azeotropes, separation of, 114–115
  
- Ball mill, 146–148
- Batch centrifugal filter, 134
- Batch distillation, 114
- Batch dryers
  - agitated, 80
  - fluidized bed dryers, 79–80
  - freeze-drying, 80
    - applications of, 81
    - basic principle of, 81–82
    - equipment for, 82
  - hot air ovens
    - advantage and disadvantage of, 78
    - schematical illustration of, 77
  - tumbling dryers, 79
  - vacuum tray dryers
    - construction of, 78–79
    - drying temperatures of, 79
- Bernoulli's theorem
  - equation for, 9
  - for flow rate measurement
    - incompressible fluid through
      - constriction, 10–11
      - orifice meter, 12–13
      - pitot tube and rotameter, 13
      - Venturi meter, 11–12
    - kinetic energy, 8, 9
    - mechanical energy, 8–9
    - statement of, 8
- Binary mixtures
  - azeotropic distillation of minimum-boiling, 115
  - of immiscible liquids, 107–108
  - of miscible liquids
    - boiling point, 110–111
    - vapor pressures, 108–110
- Bioprocessing, 188
  - plant design, 191
- Bioreactor design
  - factors influencing, 188
    - heat transfer, 191
    - mass transfer, 190
    - mixing, 191
    - rheology, 189
    - shear damage, 191
  - principles of, 186
- Bioreactors
  - design of. *See* Bioreactor design
  - stirred tank reactor, 190
  - types of, 189
- Biotechnological innovation, 192
- Biotechnological process, 189
  - and pharmaceutical manufacturing operations, difference between, 188
- Blending solids, mixing of, 167
- Blowers, 25
- Boiling liquids, heat transfer to, 38–39
  - in evaporator, 100
  - with forced circulation, 41
  - pool boiling process, 39–40
  - in vertical tubes, 40–41
- Bond's theory, second principle of, 140

- Boundary layer
  - distribution of velocities at, 5
  - mass transferred across, 49–50
  - turbulent, 20
- Bourdon gauge, 7
- Bulb hygrometer, wet and dry, 65–66
- Cakes
  - compressibility of, 121–122
  - filtration of, 117–118
    - filters for. *See* Filters
  - stress distribution in, 122
  - washing and dewatering, 122
- Capsules, hard
  - filling of, 171, 172–173
  - from gelatin, 170
  - locks of, 173, 174
  - manufacturing process of, 173
  - shells of, 170
  - size of, 171
- Cell kinetics
  - growth cycle, 186
  - models for, 186
  - Monod kinetic parameters, 187
- Central composite design, 199–200
- Centrifugal filtration, 134
- Centrifugal impeller pumps
  - disadvantage of, 28–29
  - impeller of, 27
- Centrifugal sedimentation
  - of particles, 134–135
  - rate of, 135
  - separation in, 133
- Clarification
  - application of, 117
  - particle retention in, 120
- Classification
  - cyclone separator for, 153–154
  - drag force on particle and, 151–152
  - elutriator for, 152–153
  - sieves and screens for, 150–151
- Coefficient of contraction, 12
- Coefficient of discharge
  - factors influencing, 11
  - for orifice meter, 12
- Colloid mill, 150
- Compressibility of fluids, 5
- Compressors, 25
- Condensation, 53
  - dropwise, 42
  - film, 41
  - of mixed vapor, 42
  - of pure vapor, 42
- Conduction
  - definition, 31
  - in films, 35
  - through walls
    - Fourier's equation for, 32
    - steady nondirectional heat transfer, 33
- Continuous dryers
  - drum dryer, 85–86
  - spray dryers
    - atomizers for, 84
    - chambers of, 83
    - operating mechanism of, 84–85
- Convection
  - definition, 31
  - dimensional analysis of, 36–38
  - free, 36
- Cooling crystallizer, 98–99
- Critical quality attributes (CQA), definition of, 204
- Crushing, 137
  - deformation under stress. *See* Deformation free, 138–139
- Crystal growth, 54
  - nucleation and, 93–94
- Crystalline materials, theoretical
  - strength of, 138
- Crystallization, 53
  - in melts, 92–93
  - from solutions
    - agitation and crystal growth, 95
    - basic steps of, 94
    - solubility curves, 95–96
  - from vapor, 92
- Crystallizers
  - classification of, 98–99
  - mode of operation of, 96–97
  - supersaturation of, 97
- Crystal system, 54
- Cyclone separator, 153–154
- Data, levels of understanding emanating from, 2
- Deformation
  - and failure, 138
  - of solid under tensile stress, 137–138
- Dehumidification of air, 67
- Deionized water, 184
- Demixing
  - mechanism of, 161–163
  - rate of, 163
- Depth filters, particle retention in, 120
- Depth filtration, 117
- Design space development, 200–201

- Dew point, 64
- Diaphragm pump, 26
- Differential distillation, 111
- Diffuser pump, flow through, 28
- Diffusion
- across liquid film, 50
  - mechanism, 46
  - molecular. *See* Molecular diffusion
  - through stationary, nondiffusing gas, 48
- Dimensional analysis, 17
- frictional losses, 18
  - mass transfer coefficient, 50–51
  - pipe friction chart, 19
  - shear stress at wall, 19
  - turbulent boundary layer, 19–20
- Dimensions, 61–62
- Distillation, 107
- azeotropic, 115
  - differential, 111
  - extractive, 115
  - molecular, 116
  - steam, 107–108
- Dosage forms
- drug released from, 168
  - drug to final, 169
  - manufacturing of, 202
- DPI. *See* Dry powder inhaler
- Drag force, 22
- Drug
- grinding of, 141
  - radiation-induced changes in, 180
  - released from dosage forms, 168
- Drum dryer, 85–86
- Dry grinding
- conditions for, 141
  - dust hazards from, 143
  - equipment for, pharmaceutical materials
    - ball mill, 146–148
    - colloid mill, 150
    - edge and end runner mills, 143–144
    - fluid energy mill, 149–150
    - hammer mill, 144–145
    - pin mill, 145–146
    - roller mill, 150
    - vibratory mill, 148–149
- Dry heat, 178
- Drying
- definition, 68
  - internal mechanism of, 73–74
  - at low relative humidities, 70
  - methods of, 46
    - batch dryers, 77–83
    - conduction from heated surface, 75–76
    - continuous dryers, 83–86
    - hot surface, 77
- [Drying]
- objectives of, 68
  - theories of
    - moisture content, 68–70
    - rate of evaporation, 71
    - through-circulation, 75
    - vs.* filtration, 68
    - of wet granular beds, 71–73
- Drying curve
- for skin-forming material, 73
  - for tablet granulation dried in tray drier, 74–75
- Dry powder inhaler, 177
- Dynamic vapor sorption techniques, 70
- Eddy diffusion, 46
- Edge and end runner mills, 143–144
- Effervescent tablets, 176
- Elutriator, 152–153
- Equimolecular counterdiffusion, 47–48, 50
- Ethylene oxide
- cidal rate of, 181
  - properties of, 180
  - toxicity of, 180
- Evaporation
- definition of, 100
  - without boiling, 107
- Evaporative crystallizer, 98, 99
- Evaporators
- efficiency of, 106
  - film, 105–106
  - forced circulation, 104–105
  - natural circulation, 103–104
- Experimental design. *See* Statistical experimental design
- Extraction method, choice of, 89
- Extractive distillation, 115
- Factorial design, 199
- Fick's law
- for molecular diffusion in gases, 47
  - for steady-state, equimolar counterdiffusion, 49
- Film(s)
- boiling of, 40
  - coefficient, 35
  - condensation, 41
  - conduction in, 35
- Filter media
- flexible media, 128–129
  - rigid media, 128

- Filter(s)
  - aids, 121
  - cakes, stress distribution in, 122
  - gravity, 123–124
  - pressure, 125–128
  - vacuum, 124–125
- Filtration, 46
  - of air. *See* Air filtration
  - applications of
    - cake filtration, 117–118
    - clarification, 117
    - centrifugal, 134
  - factors affecting rate of
    - permeability coefficient, 119–120
    - pressure, 118–119
    - viscosity, 119
  - filters for. *See* Filters
  - sterile. *See* Sterile filtration
  - theory
    - flow of fluids through porous media, 118
    - particle retention, 120–121
- Fine crystals, production of, 97
- Fine particles
  - importance in pharmacy, 136–137
  - preparation of, 136
- Fishbone approach, 194, 195
- Flocculation of slurries, 121
- Flow meters, 10–12
- Fluid energy mill, 149–150
- Fluid flow, 4
  - laminar, 13–14
  - past a cylinder, 8, 20
  - schematic of, 5
  - through constriction, 10
  - through packed beds
    - flow velocity, 25
    - and hydraulic diameter, 24
    - volumetric flow rate, 23–24
  - turbulent, 14–15
- Fluidization
  - by gases, 60
  - particle size and, 61
- Fluidized bed dryers, 79–80
- Fluids
  - compressibility of, 5
  - definition, 4
  - heat transfer between, 31–32
  - in motion, 8, 22–23
  - pressure energy of, 9
  - at rest, study of. *See* Hydrostatics
  - thermal conductivity of, 34
  - viscosity of, 4–5
- Food and Drug Administration, 180, 193, 202
- Form drag, 22
- Fractionation
  - continuous and batch, 113–114
  - definition of, 111
  - ideal stages in, 112
  - plate columns for, 112–113
- Free convection, 66
- “Free-crushing,” 138–139
- Freeze-drying, 80
  - applications of, 81
  - basic principle of, 81–82
  - equipment for, 82
- Frictional losses
  - dimensional analysis of, 18
  - at pipe fittings, 21
- Fundamental dimensions, 61
- Gauge pressure, 6
- Gear pump, 26–27
- Granular materials, 60
- Granulation, 60
- Gravity filters, 123–124
- Grinding
  - dust hazards of, 143
  - efficiency of, 139–140
  - fundamental aspects of, 138
  - structural changes during, 143
- Growth cycle of cells, 187
- Hammer mill, 144–145
- Heat flow, rate of
  - expression for, 32
  - thermal resistance influence on, 33, 35, 42
- Heat flux
  - total, 62
  - variation in, 39
- Heat transfer
  - to boiling liquids, 38
    - in evaporator, 100
    - with forced circulation, 41
    - pool boiling process, 39–40
    - in vertical tubes, 40–41
  - from condensing vapors, 41–42
  - by conduction and convection, 31
  - between fluid and solid boundary, 34–36
  - between fluids, 31–32, 34
  - in pipes, 34
  - by radiation, 31, 42–43
  - temperature gradients produced by, 34–35
  - through walls
    - Fourier’s equation for, 32
    - steady nondirectional heat transfer, 33
  - in tubes, 34

- Heat transfer coefficient
  - boiling, 40
  - mean, expression for, 42
  - variation in, 39
- Hot air ovens
  - advantage and disadvantage of, 78
  - schematic illustration of, 77
- Hot surface, solids moving over, 77
- Humidification of air, 66–67
- Humidity
  - determination of
    - from dew point, 64
    - wet and dry bulb hygrometers for, 65–66
    - from wet bulb depression, 64–66
  - psychrometric chart to measure, 63–64
  - of vapor-gas mixture, 63
- Hydraulic diameter, 24
- Hydrostatics, 6
  
- Immiscible liquids, binary mixtures of, 107–108
- Impeller pumps
  - centrifugal. *See* Centrifugal impeller pumps
  - propeller pump, 29–30
- Industrial solids, 43
- Inhalation products, 177
- Input variables, collation of, 3
- Interfacial mass transfer
  - in dissolution, 52
  - in drying process, 51–52
  - phases of, 51
- Ionizing radiation, 179
- Isodiametric particles, coarse
  - porosity of, 59
  - size distribution of, 60
  
- Kirchhoff's law, 43
  
- Lactose granulation, 70
- Laminar flow, 15
  - flow rate under, 24–25
  - velocity distribution in, 19
- Laminar sublayer
  - definition, 19
  - mass transfer in, 49
  - resistance to heat flow in, 35–36
- Large crystals, production of, 97–98
- Latin square designs, 198–199
- Leaching
  - choice of solvent for, 89
  - factors affecting rate of, 89–90
- [Leaching]
  - by immersion, 88
  - by percolation, 87–88
- Liquid flow in pipes
  - dimensional analysis, 17
  - frictional losses, 18
  - pipe friction chart, 19
  - shear stress at wall, 19
  - turbulent boundary layer, 19–20
  - streamline flow in tube
    - mathematical analysis, 15
    - velocity profile, 16
- Liquid-solid mixture, flow
  - properties of, 167
- Lobe pump, 26–27
  
- Manometer
  - components of, 6
  - U-tube, 7
- Mass transfer
  - definition, 46
  - diffusion. *See* Diffusion
  - interfacial, 51–52
  - in laminar flow, 49–50
  - in turbulent flow, 49–50
- Mass transfer coefficient, 50
- Melts, crystallization in, 92–93
- Membrane filters, 181
- Metafilter, 127
- Metered-dose inhaler filling line, 177
- Milling
  - contamination of griseofulvin during, 142
  - efficiency, 139–140
  - of temperature-sensitive materials, 142
- Mills
  - ball, 146–148
  - colloid, 150
  - and contamination, 142
  - dry and wet grinding, 141–142
  - edge and end runner, 143–144
  - fluid energy, 149–150
  - hammer, 144–145
  - operation of, 140
  - pin, 145–146
  - roller, 150
  - vibratory, 148–149
- Mind mapping, 194, 195
- Mixers, 163–164
- Mixing
  - classification of, 155
  - definition, 155
  - degree of, 159–161
  - diffusive, 163

- [Mixing]
  - machines
    - trough mixer, 163–164
    - tumbler mixer, 164
  - mechanism of, 161–163
  - of miscible liquids, 164
    - flow pattern, 165
    - by paddle mixer, 165
    - by propeller mixer, 165–166
    - by turbine, 166
  - and “scale of scrutiny,” 155–156
  - of solid-liquid, 166–167
  - of solids
    - displacement of particles, 156
    - samples, 157
- Moist heat, 178
- Molecular diffusion
  - definition, 46
  - in gases, 46–47
  - in liquids, 48–49
- Molecular distillation, 116
- Monod kinetic parameters, 187
- Mono pump, 27
- Multicomponent melts, crystal growth in, 94
  
- Newtonian fluids, 4
- Non-Newtonian fluids, 4
- Nucleate boiling, 40
- Nucleation
  - and crystal growth, 93–94
  - spontaneous, 93
  
- Operability region (OR), 200
- Orifice meter, 12–13
  
- Packed beds, fluid flow through
  - flow velocity, 25
  - and hydraulic diameter, 24
  - volumetric flow rate, 23–24
- Paddle mixer, 165, 166
- Particle retention, in depth filters, 120
- Particles
  - interaction between
    - cohesion and adhesion, 55–56
    - tensile stress, 56
  - preparation techniques
    - constructive methods, 53
    - destructive methods, 54
  - properties of, 54–55
  - structure of, 54
- Particle size and mass flow rate, relation
  - between, 58
  
- PAT. *See* Process Analytical Technology
- Permeability and filtration rate, 119–120
- Pharmaceutical formulations, heterogeneous
  - nature of, 1
- Pharmaceutical mixing, sample
  - distribution in
    - active ingredient, 157
    - dose uniformity, 159
- Pharmaceutical process engineering, 205
- Pharmaceutical water systems
  - pretreatment and sources of water, 183
  - quality control of, 185
  - storage and distribution, 185
  - validation of, 185–186
  - WFI of, 183–185
- Pin mill, 145–146
- Pipe
  - fittings, frictional losses at, 21
  - heat transfer in, 34
  - liquid flow in. *See* Liquid flow in pipes
  - pressure drop in, 20–21
- Pitot tube, 13
- pMDI. *See* Pressurized metered-dose
  - inhaler
- Pool boiling process, 39–40
- Positive displacement pumps
  - rotary, 26–27
    - single-acting piston, 26
- Potable (drinking) water
  - distillation of, 184
  - treatment of, 183, 184
- Powder bed, tensile and shear strength of, 57
- Powders
  - classification of
    - cyclone separator for, 153–154
    - drag force on particle and, 151–152
    - elutriator for, 152–153
    - sieves and screens for, 150–151
  - gravity flow of
    - factors influencing, 57
    - vibration and tapping, 58
  - packing of
    - porosity and, 59
    - spheres, 58–59
  - property of, 53
- Prandtl number, 51
- Precoat filtration, 125
- Preformulation studies, 168
- Pressure drop in pipe, 20–21
- Pressure filters
  - applications of, 125
  - metafilter, 127
  - plate and frame filter press, 126–127
  - small-scale, 128
  - “streamline” filter, 127–128

- Pressure intensity, measure of
  - Bourdon gauge for, 7
  - manometer for, 6–7
  - pitot tube for, 13
- Pressure measurement apparatus, 7
- Pressurized metered-dose inhaler, 177
- Priming of centrifugal pump, 29
- Process Analytical Technology, 202
- Process development tools
  - fishbone approach, 194, 195
  - implications of, 196
  - mind map, 194, 195
- Process engineering, 1
- Process input variables
  - and their contribution to output properties, 3
- Propeller mixer, 165–166
- Propeller pump, 29–30
- Protein purification processes, 191–192
- Psychrometric chart, 63–64
- Psychrometry, 63
- Pumps
  - centrifugal impeller. *See* Centrifugal impeller pumps
  - classification of, 25
  - mechanical efficiency of, 29
  - positive displacement, 25–26
  - propeller of, 29–30
  
- QbD. *See* Quality by Design
- Quality by Design
  - definition of, 193
  - guidances, ICH quality, 194
  - strategies, 205
  
- Radiation
  - between adjacent surfaces, 42
  - definition, 31
  - exchange of, 43–44
  - sources of, 179
  - sterilization, 178–180
- Radiochromic solids, 180
- Randomized design, 198
- Random mixture, properties of
  - dose uniformity, 159
  - sample distribution, 157–159
- Regulatory initiative, pharmaceuticals production, 193
- Response surface maps
  - and design space, 200–201
  - operability region, 200
- Reverse osmosis, 184–185
  
- Reynold's experiment, 14
- Reynolds number
  - expression for, 18
  - significance of, 20
  - turbulent flow and, 19
- Rittinger's law, 139
- Roller mill, 150
- Rotameter, 13
- Rotary positive displacement pumps, 26–27
- Rotary vacuum filters, 124–125
  
- "Scale of scrutiny," 155–156
- Scale of segregation, 156
- Schmidt number, 51
- Single-acting piston pump, 26
- Single-component melt, crystal growth in, 94
- Size separation. *See* Classification
- Sliding vanes, 27
- Slug formation, 40
- Slurry conditioning, 121
- Solid-bowl batch centrifuge, 134
- Solid dosage forms
  - additives employed in, 168
  - division of, 168
  - drug to final, 169
  - granules, 169–170
  - hard capsules
    - filling of, 171, 172–173
    - from gelatin, 170
    - locks of, 173, 174
    - manufacturing process of, 173
    - shells of, 170
    - size of, 171
  - inhalation products, 177
  - tablets
    - coating of, 175
    - composition of, 176
    - effervescent, 176
    - manufacture steps, 174–175
- Solid-liquid mixing, 166–167
- Solid particles, size and size distribution of, 90
- Solubility-supersolubility diagram, 94
- Solution, physical properties of, 101
  - active constituents of, 102–103
  - boiling temperature and external pressure, relation between, 101–102
  - boiling temperature and solute concentration, relation between, 101
  - solubility, 102
  - viscosity and solute concentration, relation between, 102

- Solvent
  - choice of, 89
  - physical properties of, 91
- Spontaneous nucleation, 93
- Spray dryers
  - atomizers for, 84
  - chambers of, 83
  - operating mechanism of, 84–85
- Static beds
  - of nonporous solids
    - critical moisture content, 72
    - relation of moisture content and time of drying, 71–72
  - of porous solids, 74–75
- Statistical experimental design
  - objective of, 197
  - techniques of
    - central composite design, 199–200
    - factorial design, 199
    - Latin square approach, 198–199
    - randomization, 198
- Steam distillation, 107–108
- Stefan–Boltzmann law, 43
- Sterile filtration
  - adsorption and screening, 181–182
  - filter integrity, 182
- Sterilization
  - using ethylene oxide, 180–181
  - using heat, 178
  - using radiation, 179–180
- “Streamline” filter, 127–128
- Streamline flow in tube
  - mathematical analysis, 15
  - velocity profile, 16
- Streamlines, 8
- Stress distribution in filter cake, 122
- Sublingual tablets, 176
- Supercentrifuge, 134
- Surface tension, 6
  
- Tablets
  - coating of, 175
  - composition of, 176
  - effervescent, 176
  - manufacture steps, 174–175
- Tabletting processes, 63
- Temperature-humidity sequence of drying
  - air, 77
- Thermal conductivity, 32
- Thermal resistance, 33
- Thermal stabilization, 178
- Tray dryer, 77
- Trough mixer, 163–164
- Tumbler mixer, 164
- Tumbling dryers, 79
- Turbulent boundary layer, 19–20
- Turbulent flow, 14–15
  - in noncircular ducts, 21
  - temperature gradients and, 34
- Unit processes
  - relationship of, 2
- Units, 61–62
- Unmixedness concept, 156
- U-tube manometer, 7
  
- Vacuum crystallizers, 99
- Vacuum tray dryers
  - construction of, 78–79
  - drying temperatures of, 79
- Validation procedure, WFI, 185–186
- Vapor
  - condensation, 41–42
  - constituents of, 41
  - formation, 40
  - removal and liquid entrainment, 106–107
- Vapor-gas mixture, humidity of, 63, 64–66
- Vapor-liquid equilibrium diagrams, 111
- Venturi meter, 11–12
- Vibratory mill, 148–149
- Viscosity, 4–5
  - and flow rate, 119
- Viscous drag, 22
- Vitrification, 93
- Volumetric flow rate, 10–11, 23–25
- Volute pump, performance curve of, 28
  
- Water for injection (WFI), 183–185
- Wet bulb depression, humidity determination
  - from, 64–66
- Wet grinding, 142
  
- Zeolite water softener, 184



## Pharmaceutical Science

### about the book...

This revised and expanded **Second Edition** summarizes fundamental engineering principles, operations, and development considerations that are critical to converting bulk pharmaceutical products into patient-ready and appropriate drug delivery dosage forms. **Pharmaceutical Process Engineering** facilitates a comprehensive understanding of the practical aspects of drug production and current development philosophy in an accessible, step-by-step format.

Improving communication among diverse professionals in the field—including pharmaceutical researchers, and chemical, industrial, and process engineers—the **Second Edition of Pharmaceutical Process Engineering considers:**

- the relation of global concepts in pharmaceutical development, exemplified by Quality by Design Principles, to the application of fundamental principles and major unit operations in pharmaceutical engineering
- heat transfer, mass transfer, and fluid flow
- control of manufacturing environments
- preparation of sterile materials
- drying, evaporation, and crystallization processes
- techniques of filtration and centrifugation
- particle size reduction, mixing, granulation, and drying methods
- the manufacture of biological materials
- and more, with references to statistical experimental design and process analytical technology as they support a philosophy of Quality by Design

### about the authors...

ANTHONY J. HICKEY is Professor of Molecular Pharmaceutics and Biomedical Engineering, University of North Carolina at Chapel Hill, Chapel Hill, and President and CEO of Cirrus Pharmaceuticals, Inc., Durham, North Carolina, USA; Founder and former Chief Scientific Officer of Oriel Therapeutics, Inc.; and Chair of the Aerosols Expert Committee of the United States Pharmacopeia. The author, coauthor, and coeditor of numerous journal articles, book chapters, and books, including *Pharmaceutical Inhalation Aerosol Technology*, *Inhalation Aerosols*, and *A Guide to Pharmaceutical Particulate Science* (all Informa Healthcare titles), he is Fellow of the Institute of Biology, the American Association of Pharmaceutical Scientists, and the American Association for the Advancement of Science. He received his B.Sc. degree (1977) from Portsmouth Polytechnic, UK; M.Sc. degree (1980) from the University of Birmingham, UK; and Ph.D. (1985) and D.Sc. (2003) degrees from Aston University, Birmingham, UK.

DAVID GANDERTON was formerly Director, Vectura Limited, Bath, UK. Dr. Ganderton received his B. Pharm. and Ph.D. degrees from the University of London, London, UK. He is the author or coauthor of numerous journal articles, book chapters, and books. Dr. Ganderton is also Fellow of the Royal Pharmaceutical Society of Great Britain.

Cover illustration by Jeff Priester

*Printed in the United States of America*

**informa**  
healthcare

[www.informahealthcarebooks.com](http://www.informahealthcarebooks.com)

52 Vanderbilt Avenue  
New York, NY 10017  
Telephone House  
69-77 Paul Street  
London EC2A 4LQ, UK

H8475

