

# Index

---

AABB-type polymers 27, 54  
AB-type polymers 27, 54  
acetic acid 171  
acid dyes 81–2, 149–50, 213–14  
acid effects on nylon 71–2  
acrylamide 170  
acrylic fibres 167–231  
    A.H.F. variant 220–1  
    antibacterial finishes 219  
    antistatic finishes 221  
    asbestos replacement fibres 210–12  
    bicomponent fibres 215–18  
    carbon fibre precursor 214–15  
    chemical intermediates 168–71  
    chemical variants 210  
    copolymer variants 210–18  
    definition 167  
    development 6–7, 15, 167–8  
    dry-spinning 182, 192–9  
    dyeing 172, 203, 213–14, 222–3  
    elastic properties 207  
    fibre structure 199–209  
    flame retardant finishes 212–13  
    glass transition temperature 206  
    insect-repellent finishes 222  
    low-pill fibres 223–5  
    market for 225–31  
    melt-spinning 182  
    melting points 205  
    microfibres 225  
    mite-repellent finishes 222  
    modacrylic fibres 167  
    moisture absorbent fibres 220  
    molecular weight 171–2

PAN (polyacrylonitrile) polymers 150, 167, 200–2  
physical properties 199–209  
pilling 223–5  
polymerisation techniques 171–82  
production 168–71, 182–222  
solvents for spinning 167–8, 169  
thermal transitions 205–6  
UV stability 208, 231  
wet-spinning 182, 184–92  
whiteness 172–3  
acrylonitrile 167, 168–71, 200  
addition polymerisation 1–2  
adipic acid synthesis 27–8  
*Adiprene* 13  
A.H.F. acrylic variant 220–1  
air-gap spinning 192  
air-jet bulking 138  
airbags 87  
aliphatic materials 96  
alkali effects on nylon 71–2  
alkyd resins 11  
Altam process 30  
*Amicor Pure* 219  
anionic dyes 148–50  
annealing process 57, 106, 263  
antibacterial fibres  
    acrylic 219  
    nylon 79  
    polyolefin 259–60  
antimony trioxide 103  
antioxidants 69–70, 255–6  
anti-soiling fibres 144–6, 148  
antistatic fibres

- acrylic 221
- nylon 60–2
- polyester 144–6
- polyolefin 258–9
- Antron®* 38–9
- apparel 278
- aqueous dispersion polymerisation 171,
  - 174–5, 180, 182, 183
- aramid fibres 9
- aromatic diacids 96
- asbestos replacement fibres 210–12
- automotive products 87, 275
  - see also* tyre production
- auxetic PP fibres 283–4
  
- Barus effect 197
- batch polymerisation 30
- Bayer, Otto 13
- BCF (bulked continuous filament) 44,
  - 248–9
- Berek Compensator 131
- Beslon* 6
- bicomponent fibres
  - acrylic 215–18
  - nylon 74–6
  - polyester 151–2
  - polyolefin 235
- biodegradable polyesters 95, 99–100,
  - 123–9
  - degradation 126–7
  - development 123–4
  - disposable fibres 127–9
  - irradiation 126
  - polycaprolactone (PCL) 125–6
  - polydioxanone (PDO) 126
  - polyglycolide (PGA) 124–5
  - polylactide (PLA) 125
  - polytrimethylene carbonate 126
  - sterilisation and packaging 126
- Biopol®* 99–100, 128
- birefringence 60
- bishydroxyethyl terephthalate 101–2
- Bolton, E.K. 10
- bottle resin polymer 106
- Bri-Nylon* 21
- bulk polymerisation 171, 173
- bulking methods *see* texturising
- butane-diol 115
  
- Cambrelle* 76
- Cantrece* 75
- caprolactam 22, 29–30
- carbon additives 62
- carbon fibre precursor 214–15
- Carothers, W.H. 1, 9, 10, 11, 96
- carpet production 86, 156–7
  - polyolefin fibres 273–4
  - stain resistant finishes 148
  - waste recycling 88
- catalysts in polymerisation 103–4
- cationic dyes 150
- cellulose fibres 1
- chain growth polymers 2–8
- CHDMT polyesters 111–15
  - dyeing 114–15
  - fibre properties 113–14
  - melting point 113
  - molecular weight 114
  - physical properties 112–13
  - as a textile fibre 114–15
- chemical recycling 88
- Chlorin* 3
- chlorofibres 2–4
- Citrobacter* 119
- cold drawing 131–2
- coloration *see* dyeing
- combustion products 66
- commercial polymerisation processes
  - 179–82
- condensation polymerisation 1–2
- conductive fibres 61–2
  - see also* antistatic fibres
- conjugate fibres 74
- continuous polymerisation 32–3, 108–10
- copolymer variants 210–18, 281–2
- copolymerisation kinetics 177–9
- core–sheath bicomponent fibres 152
- Corterra* 123, 148, 156, 157
- cotton/nylon blends 52
- Courlene* 7
- Courtelle* 6, 178
- CP (cyclopentadienyl) rings 243–4
- creep *see* elastic properties
- Creslan* 6
- crimp 75, 76
- cross-sectional nylon shapes 36–9, 75
- crystal morphology 247
- Cyasorb®* 69

- cyclic oligomers 108  
 cyclohexanedimethanol polyesters 111–15  
 cyclopentanone 64
- Dacron* 12, 96, 150  
 degradation  
   of biodegradable polyesters 126–7  
   heat degradation of nylon 63–4  
   photodegradation of nylon 67–8  
 Degussa process 118  
 delustrants 72–4  
 denier count 130–1  
 development of synthetic fibres 1–15  
   acrylic 6–7, 15, 167–8  
   biodegradable polyesters 123–4  
   chain growth polymers 2–8  
   chlorofibres 2–4  
   early commercial production 14–15  
   elastomeric fibres 12–14  
   modacrylic fibres 4  
   nylon 8–10, 20–1  
   polyamide fibres 8–10  
   polyesters 11–12, 15, 96–100  
   polyolefin fibres 7–8, 235–7  
   poly(vinyl alcohol) fibres 5–6  
   PVDC fibres 4–5  
   step growth polymers 8–12  
*Dexon* 11  
 Dickson, J.T. 11–12, 96  
 differential scanning calorimetry (DSC)  
   57, 106, 202  
 dimethyl terephthalate 101  
 disperse dyes 83, 146–8  
 disposable fibres 127–9  
 Dolanit 211–12  
 dope dyeing 151, 223  
*Dorlastan* 14  
 draw-bulking 133  
 draw-down factor 131  
 drawing  
   nylon 39–42, 50  
   polyester 131–3, 139  
   polyolefin 270–3  
 dry-jet wet-spinning 192  
 dry-spinning 182, 192–9  
 drying stage of spinning 187, 196–7, 217  
*Dunova* 220  
 DuPont fermentation process 119–20
- dyeing  
   acrylic 172, 203, 213–14, 222–3  
   CHDMT polyesters 114–15  
   gas-fume fading 147  
   nylon 80–3  
   polyesters 146–51  
   polyolefins 260–2
- edge crimping 44, 137–8  
 elastic properties  
   acrylic 207  
   nylon 53  
   polyolefin fibres 262–3  
   PTT 122  
 elastomeric fibres 12–14  
 electrical properties *see* antistatic fibres  
 emulsion polymerisation 171, 176–7  
 ethylene glycol 101  
 extrusion 33–9, 40–2, 78
- false twist process 43, 133–5  
 fashion industry 278  
 feel of fabrics 77  
 fermentation process 119–20  
 Fiber Innovation Technology 78–9  
 filters 276–7  
 flame retardant fibres  
   acrylic 212–13  
   nylon 66–7  
   polyolefin 258  
*Flamestab®* 258  
 flat spotting 58, 141  
 flexural rigidity 77  
 fluorescent dyes 223  
 food grade PET polyester 106–7  
 free radical polymerisation 167, 171, 173  
 friction twisters 136–7  
 fully oriented yarns (FOY) 42, 248–9
- gas-fume fading 147  
 geotextiles 274–5  
 germanium 103  
 glass transition temperature 57–8, 206  
*Glospan* 14  
 glyptals 11
- HALS (hindered amine light stabilisers)  
   70–1, 256–8
- handle of fabrics 77

- HCI scavengers 256  
 healthcare applications 275–6  
*see also* biodegradable polyesters  
 heat degradation of nylon 63–4  
 heat setting 57, 133  
 heat stabilisers 255–6  
 heterofil spinning 153  
 hexamethylene diamine 28–9  
 Hill, J.W. 11  
 Hindered Amine Light Stabilisers (HALS) 70–1, 256–8  
 hollow fibres  
   nylon 38  
   polyester 152–3  
 household furnishings 274  
 hydroformylation process 118–19
- industrial filament yarns 138  
 insect-repellent fibres 222  
*Ionamine®* 146  
*Irgaguard* 79  
 irradiation 126  
 irreversible shrinkage 56–7  
 islands in the sea fibre 78, 153, 154–5
- jet technology 215–16
- Kanebo® Belltron* 62  
*Kanebo® Glacem* 79  
*Kanebo® Lightron* 38  
 ketone alcohol 28  
*Kodel* 98, 111  
*Kuralon* 6
- late injection technique 218  
 light degradation of nylon 67–8  
*Lightron* 38  
 Limiting Oxygen Index (LOI) 66  
 linear density of fibres 77–8  
 low-oriented yarns (LOY) 42  
 low-pill fibres  
   acrylic 223–5  
   polyester 142–3  
 lubricants 252–3  
*Lumaxx* 71  
*Lycra* 14, 85
- mass dyeing 150–1  
 matrix-fibril bicomponent fibres 76
- medical applications 275–6  
*see also* biodegradable polyesters  
 medium-oriented yarns (MOY) 42  
 melt extrusion 33–6  
 melt flow index 241–2  
 melt polymerisation 103–4, 107–8, 109  
 melt-spinning  
   acrylic 182  
   denier count 130–1  
   draw-down factor 131  
   polyester 129–31  
     microfibres 154–5  
   polyolefin 263–73  
   PTT 122–3  
     spinning speeds 131  
 melting points 54–6, 113, 205  
*Meryl®* 80, 86  
 metallocene polyolefins 242–4  
 microencapsulation chemistry 218, 219–20
- microfibres  
   acrylic 225  
   melt-spinning 154–5  
   nylon 76–9  
   polyester 153–4  
   splittable pie technique 155  
   mite-repellent fibres 222  
   modacrylic fibres 4, 167  
   moisture absorbent fibres 220  
   moisture properties of nylon 58–9  
 molecular weight  
   acrylic 171–2  
   CHDMT 114  
   nylon 24, 25–6  
   PBT 116  
   PET 110–11  
   PTT 121  
*Monacryl®* 126  
 monofilament yarns 249  
 monomer synthesis 27–30  
*Monvelle* 75  
 multifilament yarns 248–9  
 multiple core bicomponent fibres 152
- Natta, Giulio 7–8, 238–41  
*Natureworks®* 127  
 NCCS (non-circular cross-section) fibres 143–4  
 netting 277

- Nexten* 38, 86  
 non-woven fibre 250–1  
 nylon fibres 20–88
  - antibacterial 79
  - applications 20–1, 84–7
  - bicomponent 74–6
  - chemical properties 63–72
  - chemical structures 21–3, 45–50
  - coloration 80–3
  - cotton/nylon blends 52
  - crimp 75, 76
  - cross-sectional shapes 36–9, 75
  - crystal structure 48–9
  - delustrants 72–4
  - development 8–10, 20–1
  - drawing 39–42, 50
  - elasticity 53
  - electrical properties 60–2
  - endgroup imbalance 27
  - extrusion 33–9, 40–2, 78
  - fibre properties 44–72
  - fibre structure 45–50
  - flame resistance 66
  - hollow fibres 38
  - market for 20, 84, 156–7
  - microfibres 76–9
  - modification 72–80
  - moisture properties 58–9
  - molecular mass distribution 24, 25–6
  - monomer synthesis 27–30
  - optical properties 59–60
  - polydispersity 26
  - polymerisation 23–33
    - batch polymerisation 30
    - continuous processes 32–3
    - equilibrium 26–7
    - extent 23–5
  - production 33–44
  - quenching 36
  - recycling 87–8
  - spin finish 36
  - staple fibres 42–3, 52, 85
  - tensile properties 50–4
  - texturing 43–4
  - thermal properties 54–8
  - titanium dioxide additives 59, 69, 72–4
  - transparency 72–4, 80
  - tyre production 58, 86–7
  - UV radiation protection 80- wool/nylon blends 53, 66
- Nylstar Meryl®* 38
- optical properties of nylon 59–60
- Orlon* 6–7, 14, 210, 217
- Outlast* 219
- oxidation of nylon 64–7
- packaging of biodegradable polyesters 126
- PAN (polyacrylonitrile) polymers 150, 167, 200–2
- paracrystallinity 201
- partially oriented yarns (POY) 42, 78, 248
- PBT poly(butylene terephthalate) 95, 97–8, 115–17
- PDO synthesis 118–21
- PEG poly(ethylene oxide) 145–6, 149
- PEN poly(ethylene glycol) 98–9
- Pentex®* 99
- Perlon* 15
- PET poly(ethylene terephthalate) 95, 96–7, 100–11
  - antistatic finishes 145–6
  - bishydroxyethyl terephthalate 101–2
  - continuous polymerisation 108–10
  - dimethyl terephthalate 101
  - dyeing 146–51
  - ethylene glycol 101
  - food grade PET polyester 106–7
  - melt polymerisation stage 103–4, 107–8, 109
  - molecular weight 110–11
  - physical properties 110–11
  - side reactions 107–8
  - solid phase polymerisation 104–7
  - stentering 147
  - terephthalic acid 100
  - viscosity 110–11
  - wool/PET blends 142
  - see also* polyester fibres
- photodegradation of nylon 67–8
- pigments 80–1, 218–19, 260–1
- pilling 142–3, 223–5
- pin twisters 135–6
- Piviacid* 3
- plasma treatments 284–6
- polyamide fibres 8–10

- polycaprolactone (PCL) 125–6  
 polydioxanone (PDO) 126  
 polydispersity 26  
 polyester fibres 95–157  
   advantages of 95  
   antisoiling 144–6  
   antistatic 144–6  
   bicomponent 151–2  
   biodegradable 95, 99–100, 123–9  
   cyclohexanedimethanol 111–15  
   development 11–12, 15, 96–100  
   drawing  
     filament yarn 131–3  
     staple fibres 139  
   dyeing 146–51  
   heterofil spinning 153  
   hollow fibres 152–3  
   industrial filament yarns 138  
   low-pill staple polyester 142–3  
   market for 95, 155–7  
   melt-spinning 129–31  
     microfibres 154–5  
   microfibres 153–5  
   modification of fibres 139–46  
   NCCS (non-circular cross-section)  
     fibres 143–4  
   PBT poly(butylene terephthalate) 95,  
     97–8, 115–17  
   PEN poly(ethylene glycol) 98–9  
   PET poly(ethylene terephthalate) 95,  
     96–7, 100–11  
   pilling 142–3  
   PTT poly(trimethylene terephthalate)  
     95, 98, 117–23  
   spin finishes 137, 139–41  
   staple fibres 139  
   texturising filament yarn 133–8  
   tyre cord 138, 141–2  
 polyethylene (PE) 7, 235–8, 261–2  
 polyglycol 61  
 polyglycolide (PGA) 124–5  
 polylactide (PLA) 125  
 polymerisation  
   of acrylic 171–82  
   addition polymerisation 1–2  
   aqueous dispersion 171, 174–5, 180,  
     182, 183  
   batch 30  
   bulk 171, 173  
   catalysts 103–4  
   commercial processes 179–82  
   continuous 32–3, 108–10  
   copolymerisation kinetics 177–9  
   emulsion 171, 176–7  
   free radical 167, 171, 173  
   melt polymerisation 103–4, 107–8, 109  
   of nylon 23–33  
   of PBT 116  
   of PTT 120–1  
   redox-initiated 180  
   side reactions 107–8, 121  
   slurry 171, 174–5, 180, 182, 183  
   solid phase 104–7  
   solution 171, 175–6, 182, 183  
   vacuum 104  
 polyolefin fibres 235–86  
   additives 253–60  
   antimicrobial agents 259–60  
   antioxidants 255–6  
   antistatic additives 258–9  
   applications 273–8  
   auxetic PP fibres 283–4  
   bicomponent 235  
   blending 282–3  
   coloration 260–2  
   commercial advantages and dis-  
     advantages 237–8  
   copolymers 281–2  
   crystal morphology 247  
   crystalline structures 245–6  
   development 7–8, 235–7  
   drawing 270–3  
   dyeing 260–2  
   elastic properties 262–3  
   fibre resilience 280–1  
   fibre tenacity 263–5  
   flame-retardant additives 258  
   future trends 279–86  
   HCl scavengers 256  
   heat stabilisers 255–6  
   melt flow index 241–2  
   melt-blown process 250–1  
   melt-spinning 263–73  
   metallocene polyolefins 242–4  
   molecular configuration 238  
   monofilament yarns 249  
   multifilament yarns 248–9  
   non-woven 250–1

- plasma treatments 284–6  
 polyethylene (PE) 235–8, 261–2  
 polymer chain arrangements 244–5  
 polypropylene (PP) 235–8, 261–2,  
   273–8  
 production 238–44, 247–53, 281  
 recycling 278–9, 286  
 spin finishes 251–3  
 spun-bond process 250–1  
 staple fibres 249–50  
 structures 244–7  
 surface energy 252  
 tape products 251, 277  
 thermal oxidation 254  
 UV stabilisers 255, 256–8  
 Ziegler–Natta catalysis 238–41
- polypropylene (PP) 7–8, 235–8, 261–2,  
   273–8  
 polytrimethylene carbonate 126  
 poly(vinyl alcohol) fibres 5–6  
 PPT poly(propylene terephthalate) 117–  
   18  
 pressure dyeing 148  
 PTT poly(trimethylene terephthalate) 95,  
   98, 117–23  
 crystal structure 121  
 Degussa process 118  
 DuPont fermentation process 119–20  
 elastic recovery 122  
 fibre processing 122–3  
 melt-spinning 122–3  
 molecular weight 121  
 PDO synthesis 118–21  
 physical properties 121  
 polymerisation process 120–1  
 rapid yarn crystallisation 137  
 Shell hydroformylation process 118–  
   19  
 PVC fibres 2–3  
 PVDC fibres 4–5
- Qiana®* 23  
 quenching 36, 69, 155
- radical scavengers 70  
 rapid yarn crystallisation 137  
 recycling  
   nylon 87–8  
   polyolefin 278–9, 286
- redox-initiated polymerisation 180  
 refractive index 59–60  
*Resistat* 62  
*Rhovyl* 3  
 ropes 277
- Saran* 4–5  
*Satine* 86  
 Schlack, Paul 10  
 Shell hydroformylation process 118–19  
 shrinkage 56–7  
 side reactions of polymerisation 107–8,  
   121  
 side/side bicomponent fibres 151–2  
*Sideria* 75  
 slurry polymerisation 171, 174–5, 180,  
   182, 183  
 Sohio process 168  
 solid phase polymerisation 104–7  
 solution polymerisation 171, 175–6, 182,  
   183
- solvents  
   effects on nylon 71–2  
   for spinning 167–8, 169
- Sorona* 122  
 Spanagel, E.W. 11  
 spandex 12  
 spin finishes  
   nylon 36  
   polyester 137, 139–41  
   polyolefin 251–3  
 spinnability window 198  
 spinnerets 35, 42, 194  
 spinning  
   air-gap 192  
   dry-jet wet-spinning 192  
   dry-spinning 182, 192–9  
   drying stage 187, 196–7, 217  
   heterofil spinning 153  
   solvents for 167–8, 169  
   speeds 131  
   spinnability window 198  
   washing stage 187, 196  
   wet-spinning 182, 184–92  
   *see also* melt-spinning
- sports surfaces 277–8  
 spun-bond process 250–1  
 stabilisation compounds 68–71  
 stain resistant finishes 148

- Stanyl* 23, 87  
 staple fibres  
   nylon 42–3, 52, 85  
   polyester 129, 139  
   polyolefin 249–50  
 static electricity *see* antistatic fibres  
 Staudinger, Hermann 1  
 steam-jet bulking 138  
 stentering 147  
 step growth polymers 8–12  
 sterilisation of biodegradable polyesters  
   126  
 supermillling dyes 82  
 surface energy 252  
 suture materials *see* biodegradable  
   polyesters  
 synthetic fibres, definition 1
- Tactel®* 44, 75, 86  
 tape products 251, 277  
*Teklan* 4  
 tensile properties of nylon 50–4  
 terephthalic acid 100  
*Tergal* 97  
*Terylene* 12, 96  
*Teviron* 3  
 texturising  
   air-jet bulking 138  
   draw-bulking 133  
   edge crimping 44, 137–8  
   false twist process 43, 133–5  
   friction twisters 136–7  
   machinery 137  
   nylon 43–4  
   pin twisters 135–6  
   polyester 133–8  
   spin finishes 137, 139–41  
   steam-jet bulking 138  
 thermal decomposition of nylon 66  
 thermal oxidation of polyolefins 254  
 thermal properties of nylon 54–8
- thermal recycling 87–8  
 thermal transitions of acrylic 205–6  
*Tinuvin®* 71  
 titanium catalysts 103–4  
 titanium dioxide additives 59, 69, 72–4  
*Toray Miracosmo®* 80  
 transparency of nylon 72–4, 80  
*Trevira®* 97  
 twisting nylon 43  
*Tynex* 23  
 tyre production  
   nylon fibres 58, 86–7  
   polyester fibres 138, 141–2
- Ultrasuede®* 154  
 UV stability 69, 71, 80, 208, 231, 255,  
   256–8
- vacuum, in polymerisation 104  
*Velon* 5  
*Verel* 4  
*Vicryl®* 125  
 vinyl acetate 2  
 vinyl chloride 2  
*Vinyon* 3–4  
*Vulcollan* 13  
*Vyrene* 14
- washing stage of spinning 187, 196  
 wet-spinning 182, 184–92  
 Whinfield, J.R. 11, 96  
 whiteness of acrylic fibres 172–3  
 wool/nylon blends 53, 66  
 wool/PET blends 142
- X-ray diffraction 45, 200–1, 244
- yellowing of nylon 65–6
- Zefran* 6  
 zeolite chemistry 79, 218, 219  
 Ziegler–Natta catalysis 7, 238–41