

-
- abaca 81–6
 anatomy of the plant 83
 applications 82
 cultivation 83
 economic importance 82–3
 fibre physical properties and chemical composition 84–6
 straw processing 84
- abiotic processes 1
- acetate 116, 117
- Acetobacter xylinum* 137, 138
- acetogenesis 7
- acetone 104, 327–8, 418
- acetylation 417–18
- acoustic diaphragms 139, 140
- additives 233, 234
- advanced fibres 314–15
- aerobic incubations 8–9
- after care *see* laundering
- air-gap spinning 162–3
- air jet processing 178–9
- air-laying 185, 315–16
- alanine 249, 252–3
 L-alanine 26–7
- aldehydes, fragrant 393
- alginates 89–110, 278
 alginate-based chitosan hybrid polymer fibre 392
 biodegradation 99
 in bioengineering 105–7
 chemical properties of alginic acid 93–5
 chemical structure and composition 92–3
 chitosan-coated alginate filament 382–3, 389
 as flexible substrates in medical textile-based products 101–5
 industrial applications 100–1
 manufacturing process 90–2
 moisture properties of alginic acid-based fibres 98–9
 physical properties of alginate fibres 97–8
 properties of alginate solutions 95–6
 structure property relationships 96
 thermal properties of alginic acid-based fibres 99
 types of 89–90
- alginic acid 91, 92–3
- α -chitin 380, 382
- α -helical silks 252
- American soya complex 399
- amide bonds 28–9
- amine oxide 157, 158, 168
 exothermic degradation 162
 recovery 164–5
 transport 161–2
 see also N-methylmorpholine-N-oxide
- amino acids 5–6, 249
 soya bean protein 281, 399, 401
- ammonia/ammonium thiocyanate solutions 368–79
- amorphous regions 2
- amylases 142
- analytical methods 17–24
- anaerobic incubations 8, 9–11
- angiogenesis 102
- animal fibres 276–7
 chicken feather fibres 277, 333, 403
 nonwovens from 332–3
 see also chitin; silk; spider silks; wool
- annealing 236
- antibacterial medicament agents 102

- antimicrobial activity of chitosan 389–91
 apparel *see* garments
 apparent opening size (AOS) 362, 363
 Aralac 403, 405
Araneus (garden spider) silk 245–6
 Ardil 403
 Argentina 421
 arthropod shells 380
 artificial organs 105–6
 artificial skin 139, 148–9, 333
 ascophyllum 89–90
Aspergillus niger 125–9
 automotive interiors 326
 azlon 401
- bacteria 4
 see also microbial processes
 bacterial cellulose (BC) 112, 137–40, 279
 chitosan-modified 140, 141, 149
 bacterial polyesters *see*
 polyhydroxyalkanoates
 BAK 1095 28–9
 baling 164
 bamboo 273, 343
 Bangladesh 62, 63
 bast fibres 36–88, 345, 346, 351–4
 abaca 81–6
 comparison of fibre properties 85, 86,
 346–7
 extraction and preparation 351–4
 flax *see* flax
 hemp *see* hemp
 jute 60–9, 85, 346, 353
 kenaf 78–81, 85, 346, 353
 ramie *see* ramie
 beryllium alginate 97
 best available technologies (BAT) 113
 β -chitin 380, 382
 β -conglycinin 282, 400
 β -glucosidases (β G) 24–5, 123, 124
 β -pleated sheets 252
 bicomponent fibres 208, 209
 binder fibres 208
 bio rolls/logs 355
 biodegradability xvi–xvii
 SPF 431, 434
 biodegradable resins 279–95
 biodegradation 3–4
 alginate fibres 99
 detection of intermediates of 23–4
 lyocell 169–71
 microbial processes *see* microbial
 processes
 SPF 431
 testing geotextiles 362, 365
 Biofill 149
 biofinishing 142–4
 biogas 22
 biological resistance 200
 biomass 218
 biomass and wind power PLA process
 212–13, 214–15
 formation 3–4
 Bionolle 1030 335
 Bionolle 3300 335
 biopolishing 142–4
 Biosteel 278
 biostoning 142, 144
 biotechnology
 alginates in bioengineering 105–7
 manufacture and modification of
 cellulosic fibres 133–40
 bioprocessing of cellulose 133–6
 microbial synthesis 137–40
 soya protein fibre 421, 422
 biotic processes 1
 see also microbial processes
 biotransformed cellulose pulp 120–31,
 134–6
 birefringence 259
 bleaching 30
 cotton 30, 142, 323–4
 lyocell production 168, 169
 ramie 75
 soya bean protein fibre 423
 blending/blends
 biodegradability of cellulose fibres in
 131–3
 PHAs 231–2
 PLA 206
 soya bean protein fibre 419, 424
Bombyx mori (silkworm) silk 245, 253,
 254, 276–7
 bonding techniques 315, 316, 319–21
 bonds
 crosslinking *see* crosslinking
 hydrogen *see* hydrogen bonds
 susceptible to enzymatic attack 24–9
 branding 187–8
 breakers 45–6

- breaking force 21, 59, 362, 363
 brown algae 89–90
 see also alginates
 budworm 56
 bullet-proof vests 262
 bursting discs 162
 Buss filmtruder 160–1
 Buswell's equation 22
- C-terminal sequences 251–2
 calcium alginate 91–2, 101, 102
 calcium chloride dihydrate saturated
 methanol 381–2
 caprolactone 197
 capture silk 246–7, 257
 carbon dioxide 214, 218
 mineralisation 3
 measuring 21–3
 carbon disulphide 133–4
 carding 75, 182–3, 316, 356–7
 carpets 208
 casein fibres 403, 426, 427
 cashmere 421
 catalytic polymerisation 196–7
 caustic soda treatment 175, 177, 180
 cellobiohydrolases (CBH) 123, 124, 129,
 130
 cellulases 24–5, 123, 124, 129, 130
 applications in fabric and dyestuff
 processing 140–4, 145–7, 148
 cellulose 92–3
 composition of plant-based fibres 60,
 85, 274–5, 347–8
 flushable nonwovens 337
 microbial processes 5, 24–5
 see also cellulosic fibres
 cellulose acetate (CA) 326
 cotton/cellulose acetate biodegradable
 nonwovens 327–8
 cellulose carbamate (CC) 118–19
 cellulose diacetate 116, 117
 cellulose III polymorph conformation 377
 cellulose triacetate 116, 117
 cellulosic fibres 111–56
 biodegradability in textile blends
 131–3
 biotechnology for manufacture and
 modification of 133–40
 bioprocessing of cellulose 133–6
 microbial synthesis 137–40
- enzyme applications in fabric and
 dyestuff processing 140–4,
 145–7, 148
 future trends 150–1
 hygienic and medical fibres 144–50
 medical and health-care products
 144–9
 tissue engineering 149–50
 life cycle assessment 115–17
 comparison of man-made fibres
 with cotton and cellulose
 119–20, 121, 122
 properties and environmental costs
 of regenerated cellulosic fibres
 118–19
 mechanisms of enzymatic reactions
 120–31
 nonwovens 322–5
 salt solution processes 367–8
 ethylene diamine/salt system 393–4
 fibre performance and
 characterisation 374–9
 liquid ammonia/ammonium
 thiocyanate solutions 368–79,
 393
 preparation of filament 369–74
 see also under individual fibres
- Celsol 118–19, 134, 135–6
 centrifugation spinning 230
 chemical bonding 319–20
 chemical cottonisation 46–7
 chemical degumming/retting 44, 74, 352
 chemical recycling 216–17
 chemical resistance 200
 chicken feather fibres 277, 333, 403
 China 62, 63, 406, 421
 China-grass 70
 see also ramie
- chitin 24, 25, 333, 367–8
 fibres from 380–93
 applications of chitin fibres 389–93
 fibre performance and
 characterisation 387–9, 390
 future trends 394
 preparation of filament 380–6
 chitin-acid glycosaminoglycan fibre 391
 chitin deacetylase 25
 chitinase 25
 chitobiase 25
 chitobiohydrolase 25

- Chitopoly 383, 392–3
- chitosan 24, 25, 278, 367–8
 fibres from 380–93
 applications of chitosan fibres 389–93
 fibre performance and characterisation 387–9, 390
 future trends 394
 preparation of filament 380–6
- chitosan-modified bacterial cellulose 140, 141, 149
- chloral hydrate 381
- chlorhexidine 102
- chromium alginate 91, 97
- climate change, global xvi, 213–15
- ‘closed-loop’ technology 168
- coagulation bath 90, 91, 413, 416
- coir 355
- collagens 150
- Colorado Trading and Clothing 425
- colour 67
- colour fastness 206
- commercial culture collections 13, 15
- composite materials 271–3
 natural fibre composites *see* natural fibre composites
- composition, detecting changes in 17–18
- composting xviii–xix
 lyocell 169–71
 PLA 216, 217
- Composting Association xix
- condensation 193
- conglycinin 282, 400
- contraction 174–5
- controlled drug release 106–7, 240, 392
- coordination-insertion mechanism 196, 197
- copolymers
 lactide and caprolactone 197
 PHB with higher PHAs 223, 230–1
 PET and PCL 235, 240
- corn 192–3
- Corona discharge treatment 48
- cost xvii, 322, 323
- cotton 11, 66, 77, 172
 chitosan-coated cotton fibre 392
 enzymatic treatments 30
 enzyme applications in processing 142–4, 145–7, 148
 life cycle assessment 113–15
 comparison of man-made fibres with cellulosics and 119–20, 122
 nonwovens 322–4
 cotton-based biodegradable nonwovens 325–31
 cotton/cellulose acetate 327–8
 cotton/Eastar 328–31
 processing 326–7
- Cotton Incorporated 322
- Cotton Seal 323
- cottonisation 46–7
- cover factor 361
- Crabylon 393
- creasing 175–6
- crimp 164, 174–5, 198, 360, 419
- crosslinking 3
 alginates 95, 97
 chitosan fibres 388–9
- cross polarisation/magic-angle spinning (CP/MAS) ¹³C-nuclear magnetic resonance (NMR) spectroscopy 18
- crude enzyme preparations 13–14, 16
- crystalline regions 2
 cellulose 125, 126
 crystalline arrays in silks 252–3, 254
 crystalline structure of PHB 235
- cupro (cuprammonium) process 115, 116, 134
- curd, soya bean 414–15
- cutting 164, 413, 419
- cysteine 25
- cytine 25
- cytosine 250, 251
- DDT 417
- decortication 46, 81
- defect zone 374–7
- degumming/retting 29–30, 351–2
 flax 43–5
 hemp 29–30, 43–5, 57–8
 jute 64, 68
 kenaf 81
 ramie 29–30, 73–5
- denaturation 415–16
- denim 141, 142, 143
- density
 alginate fibres 98
 bast fibres 85
 PLA 197

- Deposa 334
 dew retting 44, 351
 diffraction planes 377–9
 diseases, in bast fibre plants 42, 56
 displacement, fabric 175–6
 disposable nonwovens 311, 313–14
 flushable 337–8
 wet laid with flax fibre 331
 disposal *see* waste disposal
 disulphide bonds 25–6
 dragline silk 245–7, 277
 mechanical properties 256–7, 258, 259
 draw-down ratio 374, 377, 379, 387
 drawing 75, 357–9
 PHAs 226–7
 structure of drawn fibres 235–6
 drugs, controlled release of 106–7, 240, 392
 dry-jet wet spinning 373–4
 dry laid process 185, 315–16
 dry sieving method 363
 drying
 abaca 84
 chitosan fibres 387–8
 lyocell fibre 164
 soya bean protein fibre 413, 419, 423
 duvets 207
 dyeing
 enzyme applications in fabric and
 dyestuff processing 140–4,
 145–7, 148
 lyocell 169, 176–81
 PLA 205–7
 soya bean protein fibre 419, 423
 dynamic cellulose biosynthesis 137–8
 DyStar 205

 Eastar (PTAT) 326, 334
 cotton/Eastar biodegradable nonwovens
 328–31
 easy care lyocell 180
 Eco-label 168
 Ecuador 82
 electrolytic degumming 58
 electron beam irradiation 239–40
 electrospinning 150, 151, 241, 278
 PCL 233–4
 elementary fibres 59, 66, 85
 elongation 85, 362, 363
 emulsification 100–1

 encapsulation 101
 alginate 105–7
 endoglucanases 24–5, 123, 124, 129, 130
 ends per cm 360
 energy efficiency 171
 energy use xv–xvi, 212–13, 218
 enrichment/selective cultures 13, 15
 environmental impact of SPF 420–2
 Environmental Management and Audit
 Scheme (EMAS) 113
 environmental management strategies
 112–13
 environmental protection costs 118–19
 enzymatic degumming 57–8
 enzymatic reactions
 degradation of PCL 238
 degradation of PHB 237–8
 modification of cellulose 115–16, 117
 on wood and cellulose 120–31
 see also microbial processes
 enzymes, extracellular 5–6
 crude 13–14, 16
 purified 14, 16
 sources of for laboratory incubations
 12–16
 epichlorohydrin (ECH) 388–9
 erosion control 336, 355
 erosion control blanket performance 362,
 365
 ester bonds 27–8
 ethyl alcohol 414
 ethylene diamine/salt solvent system
 393–4
 eucalyptus 166
 European corn borer 56
 European Union Eco-label 168
 exoglucanases 24–5
 exotherms 162
 extension at break 66
 alginate fibres 97, 98
 extension curves 198–9
 extracellular enzymes 5–6
 crude 13–14, 16
 purified 14, 16
 extrudate instability 374–7
 extruders, ‘spinning’ 263

 fabric basis weight 361
 fabric-reinforced composites 271
 natural fibre 302–4

- fabrics *see* textiles
- facultative anaerobes 4
- feather fibres 277, 333, 403
- feedstock for synthetic silks 248–55
- fermentation 9
- fermentative acidogenesis 7
- fibre hanks 65
- fibres, definition of 2–3
- fibrillation 137, 157–8, 235–6, 299
 - cellulose 374–7
 - lyocell 171–2, 176, 177, 178, 185
- fibroins 26, 249, 254–5
- filament yarn fabrics 202
- filaments
 - preparation from cellulose 369–74
 - preparation from chitin and chitosan 380–6
- films 2–3
 - film PHB 229
- filmtruder 160–1
- filtration
 - applications of nonwovens 336
 - geotextiles 345
 - PLA applications 210–11
 - solution filtration (lyocell) 162
- fineness 67
- finishing
 - lyocell 163–4, 176–81
 - PLA 205–7
 - soya protein fibre 424
- flammability 199–200, 202, 207–8
- flax 37–51, 66, 77, 85, 346, 353
 - anatomy of the plant 39–42
 - applications 49–51
 - cultivation 42–3
 - degumming 43–5
 - economic importance 37–9, 40
 - fibre compared with hemp fibre 59
 - soy protein-based green composites 300–4
 - spinning 46, 47–9
 - straw processing 43, 45–7
 - wet laid disposable nonwovens with flax fibre 331
- flaxseed (linseed) 37, 38–9, 40, 49–50
- flea beetles 42, 56
- flexural properties 301–2
- fluid transmission 344–5
- flushable nonwovens 337–8
- flyer spinning 359
- foils 229, 232, 241
- forage choppers 81
- Ford, Henry 280–1, 404
- forestry management 166–8
- Forestry Stewardship Council (FSC) 167
- formaldehyde 413, 416–17
- fossil energy use xv–xvi, 212–13, 218
- Fourier transformed infrared spectroscopy (FTIR) 17–18
- fragrant fibre/yarn 393
- France 406
- fruit fibres 345, 346, 355
- Fujitsu 273
- functional textiles 392–3
- fungi 4
 - see also* microbial processes
- furnishings 207–8
- garments
 - PLA 201–7
 - garment making 204
 - processing lyocell in garment form 178
 - SPF 425
- gel spinning 227–9
- gelatin 101
- gelation
 - alginates 94, 95, 96, 101
 - cellulose 369
- Gengiflex 149
- geomembranes 344
- geotextiles 69, 336, 343–66
 - definition and terminology 344
 - fibre extraction and preparation 351–5
 - bast fibres 351–4
 - fruit fibres 355
 - hard fibres 354
 - fibres used for natural geotextile products 345–51
 - chemical and physical properties 347–51
 - morphology 346–7
 - functions of 344–5
 - measurement of properties of natural geotextiles 362–5
 - production of natural geotextile products 355–62
 - nonwoven mattings 355, 356–7
 - woven fabrics 355, 357–62
- Germany xix, 406
- glass fibre 68

- global climate change xvi, 213–15
 glucose 5, 192–3
 glucosidases 24–5, 123, 124
 glutaraldehyde (GA) 283–4, 388
 GA-SPC nanocomposite resin 294
 GA-SPC reinforced with flax fabric
 302–4
 modification of SPC (GA-SPC) 284–6
 glycerin 282–3, 284–5, 286
 glycine 26–7, 249, 253
 glycinin 282, 400
 glyoxal 388
 Godet wheels 418
 grading of bast fibres 65, 82–3, 354
 gravity spinning 233, 234
 Great Britain 406–10
 greenhouse gas emissions xv-xvi, 213–15
 growth requirements for heterotrophic
 microorganisms 4–6
 guanine 250, 251
 guluronic acid 92, 93, 95
- hackled bands 247
 haemostatic dressings 102–3
 hair fibres 276
 see also wool
 hard fibres 345, 346, 354
 hardening 413, 416
 harvesting bast fibres 42–3, 56–7, 64, 73,
 80–1, 83
 hemicellulose (xylane) 118–19, 125,
 274–5, 347–8
 Hemcon 394
 hemp 51–60, 77, 85, 343, 346, 353
 anatomy of the plant 53–5
 applications 53
 chemical composition of fibre 60
 cultivation 55–7
 degumming 29–30, 43–5, 57–8
 economic importance 52–3
 nonwovens 324–5
 straw processing 45–7, 58–9
 hemp borer 56
 hemp seed 37
 Hempline 324
 heterotrophs, growth requirements for 4–6
 hexane 414
 high density polyethylene (HDPE) 344
 high molecular weight PHB 223–4
 high performance liquid chromatography
 (HPLC) 23–4
 high speed melt spinning 226–7
 homeware 207–9
 hot calendering 320
 household textiles 207–9
 humidity 98–9
 hyaluronic acid (HA) 102
 hydrogel wound healing dressings 149
 hydrogen bonds 2–3
 cellulose 125, 126
 silks 258–9
 hydrolysis 7
 PHB degradation 237–8
 PLA 203, 216–17
 hydroxyhexanoate 230–1
 hygiene products 144–9, 210
 hygroscopicity 48, 49
- implants 105–6, 211
in vitro biodegradation tests 12–13, 14–15
 incineration 171
 incubations
 conditions 8–11
 sources of microorganisms and
 enzymes for laboratory
 incubations 12–16
 India 62–3
 infrared spectroscopy 17
 Ingeo 201–2
 insect cell lines 263
 insect silks 253–5
 insects (pests) 42, 56, 80
 insolubilising 413, 416–18
 intermediates, detection of 23–4
 interplanar spacings 377–9
 interspecies hydrogen transfer 8
 interstices 361
 ion binding 95
 ionic interaction 389
 iron 6, 7
 ‘islands-in-the-sea’ structure 431, 432
- ‘jamming’ 174–5
 jet processing 178–9
 jet stretch ratio 387
 jute 60–9, 85, 346, 353
 cultivation 63–4
 degumming 64

- economic importance 61–3
 - fibre characteristics 65–7
 - products and applications 61, 67–9
 - straw processing 64–5
- Kaltostat 103
- kenaf 78–81, 85, 346, 353
 - anatomy of the plant 79–80
 - cultivation 80–1
 - economic importance 78–9
 - straw processing 81
- keratin 25–6, 276
- Kevlar 372, 373
- knitting 176, 204
- lactic acid 192
 - chemical recycling of PLA 216–17
 - polycondensation of 193
 - stereoisomers 194
- lactide 193, 194–6
 - catalytic polymerisation 196–7
- Lactron 201, 334
- laminaria 89–90
- laminates, melt blown 335
- landfill xvi, 171, 272
- Lanital 403
- latex bonding 184
- laundrying
 - lyocell 169
 - PLA fabrics 202–3
 - soya protein fibres 419, 424
- Lenzing 158, 159, 160, 163, 164, 168, 172
 - see also* lyocell
- Lenzing lyocell LF 177, 188
- life cycle assessment (LCA) xxi, 111, 112–20
 - cellulosic fibres 115–17
 - comparison of man-made fibres with
 - cotton and cellulose 119–20, 121, 122
 - cotton 113–15
 - general procedure 112–13, 114
 - lyocell 165–71
 - properties and environmental costs of regenerated cellulosic fibres 118–19
 - life cycle for a green fibre xx–xxi
 - lignin 85, 274–5, 347–8
 - linen 37, 38, 47–9
 - see also* flax
 - linseed (flaxseed) 37, 38–9, 40, 49–50
 - linseed oil 38–9
 - liquid ammonia 47–8
 - cellulose in liquid ammonia/ammonium thiocyanate solutions 368–79
 - liquid crystalline solutions 368–73
 - low-density polyethylene (LDPE) 223
 - lumen 346
 - lustre 67
 - lyocell 115, 118–19, 157–90, 207, 277–8, 378, 379
 - fibre properties 171–2
 - future trends 188
 - high performance fibre for nonwovens 181–6
 - carded processing 182–3
 - fabric properties 183–5
 - finished product benefits 186
 - historical background 158–9
 - marketing 187–8
 - process 159–65
 - crimping, cutting and baling 164
 - fibre drying 164
 - fibre treatments 163–4
 - fibre washing 163
 - pulp and premix 160
 - solution filtration 162
 - solution making 160–1
 - solution transport 161–2
 - solvent recovery 164–5, 168
 - spinning 162–3
 - sustainability 165–71
 - fibre processing 169
 - future 171
 - lyocell fibre 168
 - product disposal 169–71
 - product use 169
 - raw material 166–8
 - in textiles 172–81
 - dyeing and finishing 176–81
 - fabric manufacture 173–6
 - yarn conversion 172–3
 - M/G ratio 93
 - macronutrients 5
 - MAGIC processing 179
 - magnetic silk-fibre composites 263
 - maleinised tung oil (MTO) 283
 - mammal cell lines 263
 - manganese nitrate 6, 7

- Manila hemp *see* abaca
mannuronic acid 92, 93
marketing 187–8
Marks and Spencer 169
mass per unit area 362–3
MaterBi 222, 241
mechanical bonding 319
mechanical cottonisation 46–7
mechanical properties
 cellulose fibres from solvent system
 377–9
 chitin and chitosan fibres 387–9, 390
 PCL 234
 PHAs 222–3, 225–7, 228–30, 231, 232
 effect of irradiation 239–40
 plant-based fibres 58–9, 65–7, 76–7,
 84–6, 275–6
 spider silk 256–62
 see also physical properties; tensile
 properties
mechanical retting 44–5, 352
medical applications
 alginate 100, 101–5
 cellulosic fibre products 144–9
 PLA 211
 polyester-based biodegradable fibres
 239–40
 ramie 78
 spider silks 262, 263
melt blowing 316, 318–19
 meltblown biodegradable nonwovens
 and laminates 335
melt spinning
 PCL 233, 234
 PHAs 224–6
 high speed melt spinning 226–7
melting point 198, 203
 drawn fibres 236
mercerisation 16
mesophase (liquid crystal) 368–73
mesta 66
metal alginates 94–5
metal alkoxides 196–7
methane 214
 mineralisation 3
 measuring 21–3
methanogenesis 6, 7–8
methylene chloride 381
microbial degumming 74–5
microbial processes 1–35
 analytical methods 17–24
 intermediates of biodegradation
 23–4
 mineralisation products 21–3
 subtle changes in fibre structure or
 composition 17–18
 tensile properties 21
 visual observation and microscopy
 18–19, 20
 weight loss 19–21
 biodegradation, mineralisation and
 biomass formation 3–4
 future trends 29–31
 growth requirements for heterotrophic
 microorganisms 4–6
 incubation conditions 8–11
 aerobic incubations 8–9
 anaerobic incubations 8, 9–11
 microorganisms 4
 sources of microorganisms and
 enzymes for laboratory
 incubations 12–16
 terminal electron acceptors 6–8, 9
 types of bonds susceptible to enzymatic
 attack 24–9
 microbial synthesis of cellulosic fibres
 137–40
 microcystis 89–90
 microfibrillar angle 274, 275
 microfibrillated cellulose (MFC) 278–9
 microfungal chitin fibres 391
 micronutrients 5
 microscopy 19, 20
 milk protein fibres 403, 426, 427
 milkweed 325
 mineralisation 3–4
 detecting the products of 21–3
 mixed gels 101
 modal 115
 modulus (stiffness) 85, 96, 377, 378
 moisture absorption
 alginate 104
 soy protein resins 285, 287–8, 290,
 293, 294
 speed of water absorption 48
 moisture content 98–9
 moisture management 200, 202, 207
 moisture regain
 PLA 199
 SPF 425, 426

- monomers 23–4
- moths, attack by 431
- mulch 357, 361

- N-acylchitosan 383
- N*-methylmorpholine 164
- N*-methylmorpholine-*N*-oxide (NMMO)
 - 134, 157, 168, 277–8
 - see also* amine oxide
- N-terminal sequences 251–2
- nanocomposites, soy protein 292–5
- nanofibres 150, 151, 315
- Natural Fibers Corporation 325
- natural fibre composites 271–309
 - biodegradable fibres 274–9
 - developments in fibres 278–9
 - plant-based fibres 274–6
 - protein fibres 276–7
 - regenerated and modified fibres 277–8
 - biodegradable resins 279–95
 - composite materials 271–3
 - fully green composites 273–4
 - future trends 304
 - soy protein-based green composites 295–304
 - fabric-reinforced composites 302–4
 - short fibre composites 295–7
 - unidirectional composites 297–300
 - yarn-reinforced composites 300–2
- natural fibres
 - bast fibres *see* bast fibres
 - classification 345–6
 - nonwovens 322–5
 - see also under individual fibres*
- natural geotextiles *see* geotextiles
- natural resins 279–80
 - see also* soy protein resins
- NatureWorks 191, 195, 211, 212, 213, 217
- NEC Corporation 273
- needle punching (needling) 184, 319, 320, 357
- Neocallimastix frontalis* 11
- Nephila* (golden silk spider) silk 245–6, 247, 259–61
- Nidom 178
- nitrous acid 418
- nitrous oxide 214
- Nodax 338
- nominal thickness 362–3

- non-Newtonian region 371
- nonwoven fabrics 2, 310–42
 - alginate fabrics 101–4
 - applications 312
 - biodegradable 322–36
 - animal fibre-based nonwovens 332–3
 - applications 336
 - cotton-based fully biodegradable nonwovens 325–31
 - cotton nonwovens 322–4
 - hemp 324–5
 - meltblown nonwovens 335
 - natural cellulosic fibre nonwovens 322
 - other natural fibres 325
 - spunbond nonwovens 334–5
 - wet laid disposable nonwovens with flax fibre 331
 - wet laid nonwovens with PLA fibre 335–6
 - demand 311, 312, 313
 - fibre consumption 314–15
 - flushable nonwovens 337–8
 - geotextile mattings 355, 356–7
 - leading producers of nonwovens 338, 339
 - lyocell 181–6
 - PLA 209–11
 - production trends 311, 312
 - technology and relative production rate 321
 - web bonding techniques 315, 316, 319–21
 - web formation methods 315–19
- nylon 427

- Oeko-Tex 100 ‘Confidence in Textiles’ label 168
- Of The Earth 425
- Ogallala Comfort Company 325
- oil consumption xv
- oligomers 23–4
- open width processing 179
- organic acids 417
- organic cotton 119–20, 122
- orientation through tensioning 418
- osmosis degumming 45
- ovalbumin 233, 234, 240
- oxygen 6, 7

- P25 254
- paper pulp 68
- particleboard 50, 51, 68–9
- passive soil burial tests 12, 14, 170, 171
- patents 405, 406–12
- pectin 44, 60, 274, 275
- Pectinex 100L* 58
- pepsin 415
- peptide motifs 250–1
- permeability 362, 364
- permittivity 364
- pests 42, 56, 80
- petroleum xv
- as feedstock for polymers 271–2
- phase diagram 370
- PHBH copolymer 230–1
- Philippines 81, 82
- photosynthesis 192
- physical degumming 44–5, 352
- physical properties
- alginates 97–8
- bast fibres 58–9, 65–7, 76–7, 84–6
- PHAs 222–3
- see also* mechanical properties; tensile properties; thermal properties
- Phytigel modified SPI (PH-SPI) 288–91
- fibre-reinforced composites 300–2
- picks per cm 360
- pilling value 144, 148
- pillows 207
- Piromonas communis* 11
- plant-based fibres 274–6
- bast fibres *see* bast fibres
- in composites 272–3
- used for natural geotextile products 345–51
- extraction and preparation 351–5
- see also* cotton; natural fibre composites
- plant breeding 39
- plasticisers 282–3
- point bonding 320–1
- polyalcohols 232
- polycaprolactone (PCL) xix, 222, 232–5, 236, 238, 240, 241–2
- polycondensation 193
- polyester (PET) 119–20, 122, 172, 191
- consumption in nonwovens 314, 315
- polyester-cellulose blends 131–3
- polyester-based biodegradable fibres 221–44
- applications 239–40
- enzymatic and hydrolytic degradation 237–8
- future trends 241–2
- PCL-based fibres 232–5
- PGA 238
- PHA-based oriented structures 222–32
- PTT 238–9
- Sorona 239
- structure of drawn fibres 235–6
- thermal properties 236
- polyethylene (PE) 272–3
- polyethyleneterephthalate (PET) 191, 201, 207
- copolymers with PCL 235, 240
- flammability 199–200
- polyglycolic acid (PGA) 211, 238
- polyhydroxyalkanoates (PHAs) 2, 10, 11, 27–8, 221, 222–32
- applications 239–40
- enzymatic and hydrolytic degradation 237–8
- future trends 241–2
- materials and techniques 222–4
- processing/preparation 224–32
- copolymers of PHB with higher PHAs 223, 230–1
- gel spinning 227–9
- high speed melt spinning and spin drawing 226–7
- melt spinning 224–6
- oriented blends of PHAs 231–2
- structure of drawn fibres 235–6
- thermal properties 236
- polyhydroxybutyrate (PHB) 10–11, 27–8, 221, 222–32
- copolymers of PHB with higher PHAs 223, 230–1
- processing/preparation 224–32
- polylactic acid (PLA) xix, xx, 191–220, 273
- applications 200–11
- apparel 201–7
- homeware 207–9
- medical applications 211
- nonwovens 209–11
- PLA as a plastic 211

- chemistry and manufacture of PLA
 - polymer resin 192–7
 - catalytic polymerisation of lactide 196–7
 - production of PLA 193–6
- future trends 218–19
- PLA fibre properties 197–200
- poly-L-lactic acid (PLLA) 231–2
- spunbond PLA nonwovens 334–5
- sustainability 211–17
 - disposal options 215–17
 - polymer processing and environmental measures 212–15
- wet laid nonwovens with PLA fibre 335–6
- polylactides 2
 - biodegradation 26–7
- polymerisation
 - catalytic 196–7
 - ring-opening 193, 194–6
- polymerisation degree 127–8
- polyolefins 314, 315
 - see also* polyester; polypropylene
- polypropylene (PP) 119, 120, 148, 222, 223, 272–3, 314
 - cotton/Eastar/PP nonwovens 329–30
 - Eastar/PP 326
- polytetramethylene adipate-co-terephthalate (PTAT) *see* Eastar
- polytrimethylene terephthalate (PTT) 238–9
- polyvalent metal alginates 94–5
- polyvinyl alcohol (PVA) 100
 - soya bean protein fibres 422
- polyvinyl chloride (PVC) 272–3
- primary fibres 354
- private culture collections 13, 15
- production rates 321
- progesterone 233, 234, 240
- propanediol (PDO) 239
- propyl gallate 164
- propylene glycol alginate 100
- protection, geotextiles and 345
- protein fibres 276–7
 - see also* animal fibres; soya protein fibres
- proteins 5–6, 25–6
 - extraction of protein from soya bean 414–15
- Pseudomonas stutzeri* 7
- pulling machines 43
- pulp mills 168
- pulp and paper industries 111
- pure cultures 13, 15
- purified enzymes 14, 16
- radial silk *see* dragline silk
- ramie 65, 66, 70–8, 85, 273
 - advantages and disadvantages 71
 - anatomy of the plant 71–2
 - applications 77–8
 - cultivation 72–3
 - degumming 29–30, 73–5
 - economic importance 70–1
 - properties of ramie fibre 76–7
 - soy protein-based green composites 295–300
 - spinning 75–6
 - straw processing 75
- rayon 314
- recombinant collagen technology 150
- recycling xviii
 - chemical recycling of PLA 216–17
- reducing sugars 128–9
- reeds 343
- refractive index 197
- regenerated fibres
 - cellulosic *see* cellulosic fibres
 - chitosan *see* chitosan
 - protein
 - contemporary research 420–2
 - naming 400–1
 - patents 405, 406–12
 - soya protein fibres *see* soya protein fibres
- reinforcement 345
- resination 180
- resins, biodegradable 279–95
- retting *see* degumming/retting
- rhea 70
 - see also* ramie
- ribbon retting 64
- ring-opening polymerisation 193, 194–6
- root content 66
- roselle 66
- Roundup Ready soya bean 399
- salt solution processes 369–77
 - conversion of cellulose to filaments 367–79, 393–4

- fibres from chitin and chitosan 380–93, 394
- future trends 393–4
- Sarelon 403
- scaffolds, textile 106–7, 211, 239–40, 392
- scanning electron microscopy 19, 20
- scouring 30, 142–3
- scutching 45, 46, 352–4
- seat belts 240
- seaweed *see* alginates
- secondary fibres 354
- secretion, fibres from 276–7
 - see also* spider silks; silk
- selective/enrichment cultures 13, 15
- separation 210–11
 - geotextiles 345
 - soya protein fibre 413, 414–15
- sericins 30, 254
- serine 254
- 'setting' fabric 175
- sewage system 171, 337–8
- shakers 46
- shear friction 362, 364
- shear rate 371, 372
- shive 38
- short fibre composites 271
 - natural fibre 295–7
- shrinkage 174–5
- Sichuan Silk Corporation 425
- silk 26, 276–7, 427
 - degumming 30
 - nonwovens from 332–3
 - spider silks *see* spider silks
 - structure of silks 245–8
 - synthetic silks *see* synthetic silks
- silkworm 245, 253, 254, 276–7
- sisal 354
- size exclusion (gel permeation) chromatography 23
- Society of the Plastics Industry (SPI) xviii
- sodium alginate 90–1, 100, 101, 104
- sodium sulphate 118
- softening agents 75, 417
- soil burial tests 12, 14, 170, 171
- soil contact test 362, 365
- solubilisation 413, 415–16
- solubility
 - chitin 382
 - PLA 200
 - soy proteins 281–2
 - solubility degree 127–8
 - soluble yarn 100
 - solution-cast drawn UHMW PHB 229–30
 - solution transport 161–2
 - solvent recovery 164–5, 168
 - solvent spinning
 - lyocell 159–65
 - salt solution processes *see* salt solution processes
 - SPF 413, 415–16
 - Sorbsan surgical dressing 102–3
 - Sorona 239
 - sound membranes 139, 140
 - soy flour (SF) 281
 - GA-modified soy flour reinforced with flax 302
 - soy protein-based green composites 295–304
 - soy protein concentrate (SPC) 281
 - fibre-reinforced composites 295–300
 - glutaraldehyde modification of (GA-SPC) 284–6
 - fabric-reinforced GA-SPC 302–4
 - GA-SPC nanocomposite resin 294
 - nanocomposites 292–4
 - processing 284
 - soy protein isolate (SPI) 281
 - fibre-reinforced composites 300–2
 - modified with MTO 283
 - Phytigel modification (PH-SPI) 288–91
 - stearic acid modification (SA-SPI) 286–8, 289
 - soy protein resins 280–95
 - modifications 283–95
 - processing 284
 - Soy Silk 424
 - soya protein fibres (SPF) 398–440
 - biodegradability 434
 - commercial availability 424–5
 - context for research into 403–12
 - degradation behaviour 431
 - late 20th and early 21st century fibres 431
 - mid-20th century fibres 431
 - fibre characteristics 425–8
 - contemporary fibres 426–8
 - mid-20th century fibres 425–6, 427
 - identifying 428–31
 - late 20th and early 21st century fibres 429–31, 432, 433

- mid-20th century fibres 428–9, 430
- patents for regenerated protein fibres 405, 406–12
- production methods 413–19
 - after care 419, 424
 - bleaching 423
 - contemporary methods 422–5
 - curd production 414–15
 - drying 413, 419, 423
 - dyeing 419, 423
 - extruding and insolubilising fibres 413, 416–18
 - finishes 424
 - orientation of fibres through tensioning 418
 - spinning, blending and weaving 419, 424
 - spinning solution production 415–16
 - washing and crimping 419
- research into alternative protein fibre sources 420–2
- soya bean plant 398–400
- SoyBu 425
- specific stress 85
- spectral analysis 431, 433
- spheroid nodules 374–7
- spider cell lines 263
- spider silks 245–70, 277
 - applications 262
 - biochemistry 248–50
 - future trends 262–3
 - molecular biology 250–2
 - molecular structure 252–3
 - performance characteristics 256–62
 - spinning 255–6
 - structures 245–8
- spidroins 249–53
- spinning
 - air-gap spinning 162–3
 - dry-jet wet spinning 373–4
 - electrospinning 150, 151, 233–4, 241, 278
 - flax 46, 47–9
 - gel spinning 227–9
 - gravity spinning 233, 234
 - melt spinning 224–7, 233, 234
 - PLA 204
 - ramie 75–6
 - silks 255–6
 - solvent spinning *see* solvent spinning
 - soya protein fibre 419, 424
 - wet spinning 90–2, 373, 416
- spinning aids 417
- ‘spinning’ extruders 263
- spinning speed 257, 258, 259
- spores 4
- spun yarn fabrics 202
- spunbonding process 316, 317–18
 - biodegradable nonwovens 334–5
 - spunbond PLA products 209
- spunlacing (hydroentanglement) 183–4, 319, 320
- stabilisation 101
- stabilising baths 417
- stain tests 428, 430
- stapling 76
- starch 192
- static cellulose biosynthesis 137–8
- steaming 173
- stearic acid modified soy protein isolate (SA-SPI) 286–8, 289
- steel 299
- stem retting 64
- stereoisomers 194
- stiffness (modulus) 85, 96, 377, 378
- stitch bonding (stitching) 319
- ‘stone-washed’ denim 140, 142
- straw 343
- straw processing
 - abaca 84
 - flax 43, 45–7
 - hemp 45–7, 58–9
 - jute 64–5
 - ramie 75
- strength *see* tenacity
- stress-strain characteristics 260, 349
- striations 429, 432
- strict aerobes 4
- strict anaerobes 4
- structure, detecting changes in 17–18
- sulphate 6, 7
- sulphitolysis 26
- sustainability xx–xxi, 113
 - lyocell 165–71
 - PLA 211–17
- sutures 391
- swelling 104, 174–5, 177
- synthetic biodegradable resins 279, 280
- synthetic silks 245–70

- applications 262
- feedstock 248–55
 - biochemistry 248–50
 - insect silks 253–5
 - molecular biology 250–2
 - molecular structure 252–3
- future trends 262–3
- performance characteristics 256–62
- silk structures 245–8
- spinning 255–6
- synthetic tanning agents (syntans) 417

- TAED (tetraacetylenediamine) 206
- TAHT (triacryloyl hexahydrotriazine) 180–1
- 'take-back' rules xvi, 272
- tanning (hardening) 413, 416
- temperature
 - spinning temperature and properties of silk 257, 258, 259
 - see also* thermal properties
- temporary artificial skin 139, 148–9, 333
- tenacity
 - alginate fibres 97–8
 - lyocell 171–2
 - PLA 198
 - plant-based fibres 66, 67, 76, 77
- Tencel 158–9, 160, 165, 172, 372–3
 - carding 182
 - crimping 164
 - energy efficiency 171
 - fibre properties 171–2
 - marketing 187–8
 - spinning 163
 - see also* lyocell
- Tencel A100 158, 159, 177, 180–1, 188
 - wet processing 181
- Tencel natural stretch 180
- tensile properties 21
 - biodegradable nonwovens 329–30
 - natural geotextiles 349–51, 360
 - PLA 198–9
 - soy protein-based green composites 296–7, 298–1, 302–4
 - soy protein resins 285, 287, 290, 292–4
 - SPF 425–8
 - see also* mechanical properties; physical properties
- tensioning 418
- tensions, processing 175
- terminal electron acceptors 6–8, 9

- test procedures for geotextiles 362–5
- textile blends *see* blending/blends
- textile scaffolds 106–7, 211, 239–40, 392
- textiles 2–3, 50
 - application of flax 49
 - applications of cellulases in textile industry 140–4, 145–7, 148
 - fabric formation from PLA 204
 - household textiles 207–9
 - jute 69
 - lyocell in 172–81
 - nonwoven *see* nonwoven fabrics
 - woven *see* woven fabrics
- Thailand 62, 63
- thermal blankets 332
- thermal bonding 320–1
- thermal degradation 224
- thermal point bonding 317–18, 320–1
- thermal properties
 - alginic acid-based fibres 99
 - PHB 236
 - PLA 198
 - soy protein resins 286, 291, 294, 295
- Thermoanaerobacter keratinophilus* 11
- thickening 100–1
- three-dimensional chitosan fibre meshes 392
- tin alkoxide 196–7
- tissue engineering 149–50, 151, 211, 239–40, 392
- TOP+C processing (Tencel Oxidative Preparation plus Caustic) 179
- tossa* jute 63, 67
- tow (very short fibres) 354
- tow line 45–6
- transesterification 235
- transgenic plants and mammals 263
- transglutaminases 30
- transmissivity 364
- transplants 105–6
- treatments *see* finishing
- trichloroacetic acid 381
- Trichoderma reesei* 125–9
- tussah silk 277
- twines 69

- ultimate fibre length 59, 65, 66–7, 76, 77
- ultimate stress 85
- ultra high molecular weight (UHMW)
 - PHB 229–30, 232

- ultraviolet radiation
 - exposure to 362, 365
 - protective effect of linen 48, 49
 - UV resistance of PLA 200
- Under the Canopy 425
- unidirectional composites 271
 - natural fibre 297–300
- United States (USA) 410–12, 422
- very short fibres (tow) 354
- Vicara 403
- viscose 119, 120, 172, 183, 277
 - applications 144–8
 - process 115, 116, 118–19, 134
- viscosity 95–6, 371, 372
- visual observation 18, 19
- war 402–3
- warp 358, 360
 - balance with weft 176
- washing of fibres
 - lyocell 163
 - SPF 413, 419
- waste disposal xvi, 271–2
 - lyocell 169–71
 - PLA 215–17
- water
 - spider silk and 257–9, 261
 - use in PLA production 215
- water absorption *see* moisture absorption
- water activity 5
- water dip-nip treatment 328
- water permeability 362, 364
- water retting 43–4, 351–2
- water soluble fibres 104–5, 338
- weaving
 - lyocell 173–6
 - PLA 204
 - soya bean protein fibre 419, 424
- web bonding techniques 315, 316, 319–21
- web formation 315–19
 - dry laid 185, 315–16
 - meltblown 316, 318–19, 335
 - spunbonded 209, 316, 317–18, 334–5
 - wet laid 185, 316–17, 331, 335–6
- webs 257
 - see also* spider silks
- weft 358, 360
 - balance with warp 176
- weight loss, measuring 19–21
- wet laid process 316–17
 - disposal nonwovens with flax fibre 331
 - lyocell in wet-laying 185
 - nonwovens with PLA fibre 335–6
- wet spinning 90–2, 373, 416
- wet tensile strength 426–8
- wet wipes 186, 209–10
- white jute 63, 67
- wicking 200, 202, 207
- wind power and biomass PLA process
 - 212–13, 214–15
- windlass mechanism 246, 248
- wipes 186, 209–10, 313–14
- wood 299–300
 - mechanisms of enzymatic reactions on 120–31
 - plant-based fibre composites 272–3
 - wood pulp and lyocell production 160, 165, 166–8
- wool 425–6, 427
 - biodegradation 11, 16, 25–6
 - nonwovens from 332
 - and research into alternative protein fibres 401–2
 - stockpile after the war 405
 - treatment with transglutaminases 30
- WoolFelt nonwovens 332
- World War Two 402–3
- wound dressings 101–5, 139, 149, 391
- woven fabrics 2
 - geotextile products 355, 357–62
 - lyocell 173–6
- X-ray diffraction 18, 377–9
- xylanases 123, 125
- xylane *see* hemicellulose
- yarn count 360–1
- yarn crimp 164, 174–5, 198, 360, 419
- yarn-reinforced composites 271
 - natural fibres 300–2
- yarns 2
 - conversion of lyocell to yarn 172–3
 - jute 69
 - soya bean protein fibre 424
 - spinning PLA 204
- Young's modulus 85, 96, 377, 378