

Subject Index

Index terms

A

abrasion	128	131
absolute colorimetric (match) rendering intent	174	184
absorbency, fabric	207	265
acetate	234	
acid dye inks	93	205 219 250 318
Artistri 2020	74	75
dye-fibre interaction	233	234
fastness and Tx series	109	112
substrate preparation	210	211
acids	210	211
acoustic inkjet	41	
acryl	234	
additional inks	191	
additives	237	239 258
adhesive print blanket ('sticky belt')	78	103
agile manufacturing	296	
air bubbles, trapped	44	
air content	227	229
alcohol	261	262 265 266
alginate	208	211 212 213 240 266
Algortex	11	
alignment of print head	76	
alkali	207	208
effect of cationisation on alkali concentration	283	
see also sodium carbonate		
all-in printing	201	202
Amber PIJ printer	7	
Amethyst inkjet printer	7	
ammonium tartrate	210	211
anionic dispersing agent	212	
antifoam agents	221	226
apparel manufacturers	305	
apparel market	71	
applications support	82	
Aprion print head technology	7	85 86 93 94
aqueous inkjet ink	233	
acid and direct dye ink formulation	250	
additives	237	239
disperse dye ink	245	
dye-fibre interaction	233	
organic solvents and surface energy	235	236
production process of inkjet-printed textiles	240	
reactive dye ink	240	

Index terms

aqueous inkjet ink (<i>continued</i>)	
reliability	237
time-dependent phenomena and surface-active components	235 238
area coverage	189
Artistri Technology Center (ATC)	81
Artistri 2020 system	4 7 8 9 69 322 341
applications support, technical service and training	82
colour management	77
competitive environment	73
cost of printing	79
fabric handling	78
ink, pre-treatment and post-treatment	74
print head	76
print speeds and resolution	72 73
artwork	18
assembly	321 322 327
ATME	337
ATP Color	11
automatic flushing cycle	160 176
automatic nozzle recovery (ANR) unit	117 119
automatic pattern generation	309
automation	294

B

back shooter TIJ	37 38
banding	259
prevention in Tx series	102
batched orders	326
bend mode PIJ	34
binary deflection	31
binary halftoning systems	153
binders	219 220 221 226 230
selection	223
biocides	221 226
black generation models	186
blanket	78 92 103
bleeding	230 257 258
prevention in Tx series	106
block printing	2 343
BMP format	151 152
body scanning	25 161 309
breakthrough technologies	306
Brother	48 49 50
bubble collapse	45

C

calibration	
display, input and output devices	168
DReAM system	90
of mixed colours	190
of single colours	188 191
calibration chart	190

Links

Index terms

	<u>Links</u>
cameras, digital	149 150 172
camouflage and simulation	346
Canon	48 51
Bubble Jet printers	4
laser technology	5
TPU	161
carpet printing, digital	3 202 337
cartridges, ink	75 119 160
cathode ray tube (CRT) monitors	169
cationic agents	209
cationic polymers	212
cationisation	209 276
effect on alkali concentration	283
effect of cationic reagent concentration	280
effect on outline sharpness	281 282
effect of thickener concentration and	285
effect on steaming time	281
effect on thickener concentration	284
pre-treatment for inkjet printing	279
printing processes	279
printing results with CMYK colours and reduced chemical levels	286
process	278
testing methods	279
washing	279
cavitation damage	45
cellulose/cellulosic fabrics	124 125 254
pre-treatments	207
see also cotton	
centres of textile production excellence	16
characterisation of display, input and output devices	168
chemical bonds	233
chemical cross-linking	230
China	342
3-chloro-2-hydroxypropyltrimethyl-ammonium chloride	277 278
Chromojet system	9 202 337
Chromotex system	9 161 202
Ciba Specialty Chemicals	85 93 95
CIE colour spaces	166 180
CIELAB	78 166 180 183 267
CIELCH	166 180
XYZ space	166 167 180 183
closed loop colour management	182
CMY (cyan, magenta, yellow)	163 166
colour gamut	173
CMYK (cyan, magenta, yellow, black)	78 147 163 180 195
cationised cotton and reduced chemical levels	286
colour gamut and textile printing	181 182
coating a screen	20
ColorBooster	12
ColorGPS	187 190 197
colorimeters	170
Colorprint Twister	11
ColorSync	168
colour accuracy	263
colour book	78 90

Index terms

	<u>Links</u>
colour communication software	169 175
colour data transpositions	164
colour density	227 230
colour depth	267
colour difference	176 195
Colour Engine	166 183
colour fastness	101
cationisation	280 281 282 283
integrated fabric formation and colouration	284 287 288
Tx series	127 130 140
colour gamuts	109 111
CMYK and	78 173
comparison of six and eleven colour setups	181 182
gamut mapping	195 197
largeness of	187 193 194
new design styles	196
number of inks and	345
pre-treatment and print quality	193
testing	263 267
that can be attained using CMY inks	227 230
Tx series	157
106 107	
colour management	163 342
Artistri 2020	77
characterising display, input and output devices	168
colour communication	175
colour gamuts see colour gamuts	
colour reproduction performance of equipment operated with a CMM	175
future trends	177
general numerical colour specifications	166
ICC see ICC colour management	
JIT	319
InkDrop Boutique	331
integrated systems	323
Stork U See	333
new design styles and millions of colours	345
rendering intents	173 183 185
textile colours and common colour spaces	181
colour management systems (CMSs)	148 164
colour reproduction performance of equipment operated with	175
Colour Matching Module (CMM or Colour Engine)	168 183
colour profiles	90 180 230
ICC see ICC colour management	
colour reduction	325
colour reproduction	101 273
Tx series	106 107
see also colour gamuts	
colour separation	18
colour spaces	149 325 339
textile colours and	166 180
see also CIE colour spaces	181
colour strength	279 280 281 283 284 286
colour targets	172
colour uniformity	230
colour variations	21 22

Index termsLinks

colourway	78
Como, Italy	16 22
computer aided design (CAD)	17 21 23 147 339
editing and data storage systems	148
computer aided manufacture (CAM)	147
connectivity	298
consumer expectations	293
contingency planning	313
continuous improvement	313
continuous inkjet technology (CIJ)	3 29 30 48 50
continuous jetting reliability test	227 229
conventional workflow	338
co-solvents	221 224 226
costs	
price and performance of textile inkjet printers	73
running costs	46 101 121
Artistri 2020	79 82
DReAM	88
Tx series	116 117
screen printing compared with digital printing	69 79 116 117
cotton	124 202 234
cationised see cationisation	
polyester cotton blends	202 212 255
pre-treatment	207
pre-treatments for inkjet printing	207
case study	260
covalent bonds	233
craft production	295
creativity	23
crocking, colour fastness to	227 231
cationisation	280 281 282 283 284 287
integrated fabric formation and colouration	288 127 130 140
cross-disciplinary approach	351
cut parts	295
printing on	307
cutting	321 322 327

D

d.gen International	13
data storage systems	148
data transmission system	175
Dawson International	201
defoamers	221 226
degassing	75
delivery, order	327
demand, printing on	313 350
Demand-Activated Manufacturing Architecture (DAMA)	252 305
design	16
capture of digital design data	150 163
comparison of traditional and digital methods	22
conventional textile printing workflow	338
cross-disciplinary approaches	351
digital process	21

Index termsLinks

design (<i>continued</i>)	
educational institutions	353
entrepreneurship	353
impact of digital on	23
JIT	315 317 325
new design styles	343
extreme tonal effects and fine lines	345
large engineered images	348
millions of colours	345
photographic manipulation	346
special digital effects	348
textile printing mechanics and	343
new market	26
traditional methods for producing a textile collection	18
see also image preparation	
design competition, era of	302 303
design libraries	325
design templates	328 330
device dependent colour spaces	180
device independent colour spaces	180 183
DewPrint machine	202
DGS	9
Diamond Sutra	2
diazo systems	20
dichromate systems	20
diffusion	256 258
rectified diffusion	44 75
digital grand format printing	5
digital islands	295 308 309
Digital Print Asia (DPA)	12
digital strike-off printing workflow	340
digital supply chain	307
future trends	309
Digital Technological Center (DTC)	95
activities	96
digital textile printing applications	70
costs compared with screen printing	69 79 116 117
evolution of	1 98 337
carpet printing	3
DPI 2001	8
Drupa 2000	7
Drupa 2004	9
FESPA 1996	6
FESPA 1999	6
FESPA 2005	10
grand format	5
Heimtextil 2001	7
ITMA 1999	6
ITMA 2003	8
Seiren	5
SGIA 2004	10
sublimation	4
thermal inkjet	4
future of	120
industry needs	69

Index termsLinks

digital textile printing applications (<i>continued</i>)	
market needs	101
markets	70
origins	2
potential worldwide opportunity	69
vs traditional textile printing	16
2,3-dihydroxypropyltrimethylammonium chloride	277
direct dyes	233 234 250
discharge approach	231
discontinuities, technological	302
disperse dye inks	93 205 219 245 318
Artistri 2020	74
direct printing	245 246
dye-fibre interaction	233 234
fastness and Tx series	109 113
flow rheological property	249
printing with	245 246
sublimation transfer printing	245
substrate preparation	211 212
types for inkjet	245 247
dispersing agents	212 215 246
displacement	43
display monitors	163 169
dithering	154
of whole pixels	175
DNG	152
Domino	48 50
dot gain	157 190 256
dots per inch (dpi)	46
double heater TIJ	37 39
DPI 2001	8
DPS	7
DReAM	9 73 74 84 161 322
DTC	341
goals of the project	95
innovations	87
machine	86
blanket	88
drying phase	92
entry to the machine	92
inks	92
print heads	93
printing phase	94
project in textile printing context	92
drop ejector failure	84
drop formation	45
drop impaction	53 54 65
future trends	53 57
rough surfaces	65
smooth surfaces	62 64
homogeneous liquids	65
particle-laden drops	65
drop-on-demand inkjet (DOD)	58
comparison of PIJ and TIJ	63
	29 32 318
	43

Index terms

- drop-on-demand inkjet (DOD) (*continued*)
 DReAM
 other technologies
 piezoelectric (PIJ)
 thermal (TIJ)
 drop volume
 drop volume control
 droplets
 placing within a superpixel
 Drupa 2000
 Drupa 2004
 dry cleaning fastness
 drying
 coated screen
 DReAM
 drying rate
 DuPont
 Artstri 2020 system, see Artstri 2020 system
 Artstri Technology Center
 durability of printed images
 dust
 dye-fibre interaction
 dye load
 dye penetration

Links

94						
30	40					
29	32	48	50	318		
4	29	36	48	51	202	
45						
36	44					
152						
154						
7						
9						
227	231					
18	20					
92						
227	229					
7	8	9				
81						
230						
117						
233						
243	248					
279	280	282	283	284	285	
286	287					

E

- edge raggedness
 editing
 educational institutions
 electro-hydrodynamic extraction inkjet
 electrophotography
 electrostatic inkjet
 electrostatic printing
 Elema Oscilomink
 Elmer's glue
 Embleme
 Encad
 encoding
 energy
 drop impaction
 surface energy
 engraving
 see also screen printing
 entrepreneurship
 2,3-epoxypropyltrimethylammonium chloride
 EPS
 Epson
 error diffusion dithering methods
 Eton Unit Production System (UPS)
 evaporation speed of solvents
 exposure
 extrapolation, trend

Index termsLinks**F**

fabric feed	78
accuracy	102
applicability of fabrics and fabric feed mechanism for Tx series	110
fabric structure	261 262 263 264 267 268 269
Fast T-Jet garment printer	10
fastness see colour fastness	
Fastran Process	202
ferment, era of	302 303
FESPA 1996	4 6
FESPA 1999	6
FESPA 2005	10
fibres	
dye-fibre interaction	233
matching ink chemistry and	254
see also under individual types of fibre	
file compression	151
file formats	151
fillers	209
film-forming agents	159
filterability, ink	227 229
fine lines	345
finishing, fabric	320 323 326
fixation	213 276 320
see also print fixatives	
flatbed screen printing	252 338 344
flatbed scanners	149 150
flexibility	298 313
Floyd Steinberg method	155
flushing cycle	160 176
foaming	227 229
forecasting, technology	300
freelance design	339
full digital textile printing production workflow	341

G

gamma response curves	170
gamma value	169
gamut mapping	187 193 194
Generation Y	351
Gerber Scientific	5 6
GIF	152
gradation	108
graininess	257 261
grand format printing	5
graphic printing industry	351
grey levels	154
grey scale	46
grey tracking	171

Index terms**H**

Haloid	2
heat-aging stability test	227 229
heat presses	231
Heimtextil 2001	7
Heracle dual gantry inkjet printing system	13
Hertz method	31
Hewlett-Packard	4 48 51
hiding approach	231
high-speed single-pass inkjet printer for corrugated cardboard	9
HimeTex 2000	98
historical analogies	303
Hollanders Printing Systems	12
home furnishings market	71
homogeneous liquid drop impaction	
rough surfaces	62
smooth surfaces	58 65
hot air ovens	231
humectants	221 224 226
hydrophilic non-ionic polymers	209
hydroscopic organic compounds	224
hydroxyl groups	124 125

I

IBM	4
ICC colour management	167 180
advantages	184
basics	182
current technologies	187
ICC profile generation	190
linearisation wizard	188 191
print environments	187
disadvantages	185
future trends	196
requirements and problems for ICC profiling	185
results	194 197
Ichinose	4 7 161
ICM	168
Idanit	6
ideal model of dot gain	257
image editing software	348
image preparation	147 344
control of printing machine	159
future trends	160
image design	148
capture of digital design data	150 163
encoding, compression and storage of pattern data	151
image formation	152
colour gamuts using CMY inks	157
drop placement within a superpixel	154
JIT	315 325
machine performance monitoring	159

Links

Index termsLinks

image quality	82	259
pigment inks	230	
pre-treatment and	256	
print head selection	45	
Tx series	101	121
Image	48	50
in-store customisation	161	
Inca Digital	9	
industrial revolution	295	
ink cartridges	75	119 160
ink coverage	79	
ink fill-up test	227	229
ink filterability	227	229
ink latitude	44	47
ink limit	192	
ink mists	117	118
ink royalty	47	
InkDrop Boutique	327	
inkjet technology	5	29 84 147 163 214
CAD, editing and data storage systems	148	
companies currently active in print head technology	48	50
compared with screen printing	22	
continuous (CIJ)	3	29 30 48 50
control of printing machine	159	
development of	2	
drop formation	53	54 65
drop impaction	53	57
drop-on-demand (DOD)	29	32 318
factors to consider	45	
future trends	49	160
limitations	85	214
machine performance monitoring	159	
pixel and image formation	152	
stability and reliability and Tx series	116	119
strengths and weaknesses	43	
inks	204	274 318
additional	191	
aqueous see aqueous inkjet ink		
Artistri 2020	74	80
DReAM	93	
`ideal solution' ink	319	
ink-textile substrate interaction	256	
matching fibre material and ink chemistry	254	
pigment see pigment inks		
`universal' ink type for all fabrics	83	310
universal set of for all substrates	351	
waste ink	80	
inoperative jets	160	176
input devices	171	
integrated fabric formation and colouration	123	
evaluation of print fixatives	128	134
experimental	126	
final evaluation	129	138
print fixative as sizing agent	124	128 131 142
results	129	

Index terms

integrated fabric formation and colouration (<i>continued</i>)	
size evaluation	126 129
integrated systems approaches	321
intentional unfitted style	344
interchangeable parts	295
inter-colour bleeding see bleeding	
International Contemporary Furniture Fair (ICFF)	353
International Textile Machinery Exhibition (ITMA)	
1999	6 98
2003	8 337 341
Internet	26
ionic bonds	233
ISO 13660 standard	135 259 260
IT8 colour targets	172
Italy	14 16 22 25

J

Jacquard loom	16
jaggies	295
jet faults	160 176
JetPrint material handling system	11
JPEG	151 152
Jumbo Fast T-Jet	10
just-in-time printing (JIT)	312 350
case studies	327
InkDrop Boutique	327
Stork U See	333
enabling the process	314
cutting and product assembly	321
fabric preparation and finishing	320
printing	316
product development	315
supporting technology, processes and materials	315
technology development and integration	321
just-in-time concept	312
order processing	323
principles of JIT strategy	313
printing on demand in digital environment	313

K

K/S values	
cationisation	279 280 286
disperse dye inks	243
reactive dye inks	243
Kimoto	14
knitted fabrics	254 261 262 263 264 265
knlured rollers	103
Kodak	49
kogation	45 177
Konica	7 73 74
Korea	24
Kornit Digital	10
931 dual platen printer	10

Links

126 129	
321	
344	
295	
353	
6 98	
8 337 341	
26	
233	
135 259 260	
172	
14 16 22 25	

Index terms

Kubelka-Munk theory

L

	<u>Links</u>
L*a*b* colour system	78 166 180 183 267
lamp technology	302
large engineered images	348
laser technology	5
latent acids	210 211
latex polymers	224 226
LCD monitors	171
LCH (lightness, colour, hue)	166
Lectra Systems	12 323
Leggett and Platt (L&P) Virtu series	8
Lexmark	4 48 51 160
life cycles	
product	299
technology	302
light, colour fastness to	127 130 287 288
limited editions	25
line density	129 136 139
line quality analysis integrated fabric formation and colouration	129 134 139
pre-treatment and print quality	261 262 267 268
line raggedness (rag)	129 135 139
line width	345
effect of cationisation	280 281 282
effect of thickener concentration and	285
integrated fabric formation and colouration	129 137 139
linearisation wizard	188 191
lint	117
liquid ink fault tolerant (LIFT) inkjet	43
lithographers	25
long-term strategy	313
lookup tables (LUTs)	78 167 168 173
low strike-through resistance fabrics	110
Lucas-Washburn equation	106

M

manipulation, photographic	346
manufacturing flexibility	298 313
markers	
JIT printing	321 322 332
supply chains and	304 306 307
markets	26 70 81 121
mass customisation	
development from craft production and mass production	295
digital printing supply chains	307
future trends	309
JIT printing	331
limitations	297
product life cycles	299
technology forecasting	300
time, technology and connectivity	298
traditional supply chains	304

Index terms

mass density, ink	227	228
mass production	295	
Match Print II software	9	
maximum spreading ratio	59	60
McCue patent	6	
mechanical binding	230	
meniscus	228	
Metro Media Technologies (MMT)	5	
Milliken Millitron system	3	202
Mimaki	7	9
Tx series see Tx series	12	73
minimum thread radius	55	
mixed colours, calibration of	190	
modulus	128	131
monitors	163	169
Monna Lisa system	9	73
monochlorotriazine (MCT) reactive dyes	242	244
Monti Antonio	14	
mottle	257	
moveable member TIJ	38	40
MS printing systems	11	
multifunctional dispersing agents (MFDA)	215	
multitheater TIJ	37	39
multilevel halftoning	153	
multiple deflection	31	
Murray Davies formula	189	
Mutoh	73	

N

Natura process	6
necking	54
novel products/markets	121
nozzle excitation PIJ	34
nozzle packing density	36
nozzles	43
automatic nozzle recovery	117
cost per nozzle	119
increasing by introducing a stagger head	46
nylon	211
	234

O

on-demand production	313	350
on-line sales	324	
one-at-a-time production	313	
optical density	189	227
optical dot gain	256	230
order processing, JIT	323	
capturing order information	323	
design and image management	324	
fabric preparation, printing and finishing	325	
order delivery	326	
order to delivery time	327	
	296	297

Links

227	228
295	
9	
59	60
61	63
6	
230	
228	
5	
3	202
337	
7	9
12	73
161	

Index terms

	<u>Links</u>
organic solvents	235 236 237
evaporation speed	237
Osiris	48
outline sharpness see line width	
outsourcing	326
P	
pad-batch method	278
page-wide array systems	49
paper, for transfer printing	213
paper printing, inks for	206
particle diameter/drop diameter ratio	64 65
particle-laden liquids	
drop formation	53 54 65
drop impaction	54 63 66
particle size	222 227 228
particle volume fraction	64 65
partitive colour mixing	158
PDF	152
pedagogy	353
penetrants	221 226
penetration, dye	279 280 282 283 284 285 286 287
penetration length	106
perceptual (picture) rendering intent	174 184 185
Perfecta	4 6 7
performance of printing machine monitoring	159
and price	73
permanence of printed images	230
pH	227 228
phase separation	227 229
Philyasystem	14
photo emulsion	18 21
mixing	19
photographic manipulation	346
physical dot gain	256
piezoelectric inkjet (PIJ)	29 32 48 50 318
compared with thermal inkjet	43
pigment dispersion	221 222
pigment inks	93 202 206 215 218 318
Artistri 2020	75
formulation for digital textile printing	221
overview	219
post-treatments	231
pre-treatments	212 231
tests and test methods	227
basic physical properties	228
durability and permanence of images	230
ink and media interaction properties	230
ink and print head interaction properties	229
overview	227
regulation and safety	231
shelf lifetime properties and jetting reliability tests	229
white ink	231

Index terms

	<u>Links</u>
pin-holes	21
pixels	152
drop placement within a superpixel	154
PNG	152
Polyamide fibres	255
Polyester	211 234 255
Polyester/cotton blends	202 212 255
Polyethylene glycols (PEG)	225 226
Polymeric pigment dispersion	223
Porous layer feed PIJ	34 36
porous substrates	58
positive	18
preparing	20
post-treatments	181 213 219 231 240 255
Artistri 2020	274
Predictive models of drop impaction	74
Preparation, fabric	60 61 66
Pre-pulses	320 323 326
Pre-treatments	36 45
Artistri 2020	159 201 219 240 252
DReAM	74
Effect on print quality	90
case study	258
pre-treatment effects on print quality	260
print quality measurement	259
Fabric pre-treatment sequence	259
Future trends	206
Ink systems	215 272
For inkjet printing	204
cotton and cellulosics	207
ink-textile substrate interaction	256
Matching fibre material and ink chemistry	254
nylon	211
paper for transfer printing	213
polyester	213
polyester/cellulose blends	211
Pre-treatments of substrates	212
wool and silk	258
Jet printing machines	210
JIT	214
Limitations	320 326
Pigment printing	214
Reasons for	212 231
Tx series	203
Price, and performance of printers	105
Print environments	73
Print fixatives evaluation of	187
as sizing agents	128 134
Print heads	124 128 131 142
Aprion print head technology	29
Artistri 2020	7
Companies currently active in print head technology	85 86 93 94
Drop formation	76
Drop impaction	48 50
	53 54 65
	53 57

Index termsprint heads (*continued*)

factors to consider in selection	45
cost	46
image quality	45
ink latitude	44
productivity	47
future trends	49
inkjet technologies	29
continuous	3
drop-on-demand	29
piezoelectric	29
strengths and weaknesses	43
thermal	4
lifetime	46
print head productivity cost	47
print quality	258
case study	260
colour gamut and colour depth	263
graininess analysis	261
line quality analysis	261
pre-treated fabrics	265
un-pretreated fabrics	260
effects of pre-treatment on	259
measurement	259
problems	258
printability	227
printer characterisation	172
printer driver	159
printing pastes	106
printing speed	70
Artistri 2020	72
factors influencing	154
price and performance of inkjet printers	73
process colours	79
DReAM	93
product assembly	321
product development	315
Product Development Management (PDM) packages	309
product life cycles	299
production	
conventional workflow	339
on-demand production	313
process for inkjet-printed textiles	350
scale of	240
productivity	318
Tx series	318
Profile Connection Space (PCS)	47
proofing	118
protein fibres	168
see also silk; wool	183
pure-liquid drops see homogeneous liquid drop impaction	184
push mode PIJ	255
2-pyrrolidone	34
	35
	224
	226

Links

Index terms

Q

quality	70
image see image quality	
print see print quality	

Quick Response	296
----------------	-----

R

raggedness	
edge	257
line	129 135 139
Rainbow (RB) printer series	11
Ratti group	23
RAW	150 152
rayon	62 234
reactive dye inks	93 124 202 204 219 240
	318
Artistri 2020	75
cationised cotton see cationisation	
dye-fibre interaction	233 234
dye load and colouration	243
fastness and Tx series	109 111
pre-treatments	207 210
printing with	240
and reaction mechanism	241
stability	242 243
reactive moieties	241
reactivity	204
rebounding	59
rectified diffusion	44 75
Reggiani	9 85 273
DReAM see DReAM	
DTC	95
register marks	20
regression analysis	301
regulation	227 231
relative colorimetric (proof) rendering intent	174 184
reliability of inks	237
rendering intents	173 183 185
resistance	23 24
resolution	46 101 230
respect for people	313
retailing	324
retraction	59
reverse osmosis	204
Reynolds number	58 237
RGB (red, green, blue) colour space	163 166 180 195
transformation into XYZ values for sRGB colour space	168
rheology modifiers	221 225 226
Rhome printers	6
RIP (raster image processor) software	89 159
Robustelli Monna Lisa system	9 73 74 341
Roland	73
roller screen printing	123 252

Links

Index termsLinks

roof shooter TIJ	37
rotary scanners	149
rotary screen printing	252 338
roughness, surface	58
drop impaction on a rough surface	62 64
RPL Supplies	4
run length encoding (RLE)	151
running costs see costs	
Russell Corporation	305 306
S	
S-curves	302 303
safety	227 231
Salsa	7
samples	21 22
short-run sample printing	340
satellites	57 257 259
saturation (graphic) rendering intent	174 184
Sawgrass	6
scale of production	318
scanners	148 171
Scitex Iris	3
Scitex Vision	85 93
DReAM print heads	94
Scotchprint 2000	3
screen printing	80 123 344 346
costs compared with digital inkjet printing	69 79 116 117
designer's perspective on digital vs traditional textile printing	16
spot colour process	79
traditional method	18
workflow	338
sedimentation	250
Seiko Printek (SPT)	76
Seiren	5 120 161 212
Viscotecs system	5 351
self-dispersed pigment dispersion	223
settling rate	227 229
sewing threads	310
SGIA 2004	10
shear mode (shared wall) PIJ	33 76
shear rate	249
short-run sample printing	340
side shooter TIJ	37 38
Siemens	3
silica	126 266
silicone	266
silk	210 234
silk accessories market	70 71
simulation and camouflage	346
single ink channels, calibration of	188 191
size distribution	222 227 228
sizing agents (sizes)	123
evaluation	126 129
print fixatives as	124 128 131 142

Index termsLinks

smooth surfaces, drop impaction on	65
homogeneous liquids	58
particle-laden drops	63
sodium alginate	208 211 212 213 240
sodium bicarbonate	208
sodium carbonate	124 126 207 208 240
sodium dithionite (sodium hydrosulphite)	214
sodium meta nitrobenzene sulphonate	209
soft proofing	184
soft signage market	72
software	319
printer driver	159
RIP	89 159
solid level (total solids)	223 227 228
Sony	49
special digital imaging effects	348
Spectra	48 51
spectrophotometers	170 172
speed, printing see printing speed	
speed to market	298 300
splashing	58
spot colours	79 80 93 319
spreading ratio	58 63
squeeze mode PIJ	34 35
sRGB colour space	167
stability	
reactive dye ink	242 243
stable and reliable performance of Tx series	116 119
stagger head	119
start-up failure	237
steaming	214
effect of cationisation on steaming time	281
Stork	3 6 7 12 323
Stork U See	12 333
stretch fabrics	110
strike-off	338
digital strike-off printing workflow	340
strike-through	101
Tx series	108
low strike-through resistance fabrics	110
sublimation transfer printing see transfer (sublimation) printing	
substantivity	204
substitution, era of	302 303
substrate preparation	201
fabric pre-treatment sequence	206
future trends	215
ink systems	204
jet printing machines	214
limitations	214
post-treatments	213
pre-treatments for inkjet printing	207
reasons for pretreatment	203
subtractive colour mixing	158
Sun Chemical	9

Index terms

	<u>Links</u>
superpixels	153
drop placement within	154
supply chains	293 294 304
complexity of	313
digital printing supply chains	307
future trends	309
traditional supply chains	304
trends in supply chain strategies	295
surface-active components	235 238
surface design	352
surface energy	235 236 237
surface tension	2 222 227 228 237 238
surface tension driven inkjet	43
surfactants	221 224 226
suspended heater TIJ	37 40
swimwear market	70 71

T

table screen printing	252 338 344
[TC]2	316 317
InkDrop Boutique	327
technical service	82
technological discontinuities	302
technology forecasting	300
tenacity	128 131
tensile properties	128 131
test patterns/images	160 172 177 195
TexPrint	187 188 191
TGA	152
thermal excitation	31 49
thermal inkjet (TIJ)	4 29 36 48 51 202
compared with piezoelectric inkjet	43
thermo-mechanical inkjet	42
thickeners	
effect of cationisation on thickener concentration	284
effect of thickener concentration and cationisation on outline sharpness	285
for inkjet printing pre-treatments	207 208 210 211 212 258
integrated fabric formation and colouration	126
thread radius, minimum	55
TIF(F)	151 152
time compression	296 297 298 300
time-dependent phenomena	235
time-series estimation	301
toggle-switch type cartridge	119
tonal effects, extreme	345
Tootals	201
total solids	223 227 228
training	82
transfer (sublimation) printing	4 201 252 344
disperse dye inks	205 245 247
paper for	213
transition rate and length	57
transparency	25

Index terms

trend analysis	301
trend extrapolation	301
triacetate	234
`trompe l'oeil style'	346
turnaround time	253
TWAIN protocol	150
Twister	11
two-phase method	201 202 207
Tx series	98
market needs for digital textile printing	101
marketing profile	99
technical issues and solutions	101
colour reproduction	106 107
fastness	109 111
feed mechanism and applicability of fibres	110
high resolution images	101
inkjet stability and reliability	116 119
prevention of bleeding	106
productivity	118
running cost	116 117
strike-through	108
Tx-1600S	99
Tx2-1600	99 114 115
Tx3-1600	9 99 100 114 117 341

U

unattended operation	120
upholstery	321 322
urea	124 126 207 209 240
US Screen Printing Institute (USSPI)	10

V

van der Waals bonds	233
variable dot size	102
vast customisation	352
VideoJet	48 50
9600 machine	3
vinylon	234
vinylsulphone (VS) reactive dyes	241 243
Virtu system	8
viscosity	54 203 222 254
disperse dye inks	249
and penetration length	106
testing	227 228
viscosity control agents (rheology modifiers)	221 225 226
Viscotecs digital system	5 351
vision	163
Vutek	5

W

warp sizes	123
------------	-----

Links

301	
301	
234	
346	
253	
150	
11	
201 202 207	
98	

101	
99	
101	
106 107	
109 111	

110	
101	
116 119	
106	
118	

116 117	
108	
99	
99 114 115	
9 99 100 114 117 341	

Index termsLinks

washing	276	279	320
colour fastness to	227	231	
cationisation	280	281	282
integrated fabric formation and colouration	283	287	288
post-treatment	127	130	
screen printing	214		
waste, elimination of	20		
waste ink	313		
water/alcohol wicking ratio	80		
weaving	261	262	265
see also integrated fabric formation and colouration	123	124	
`web-safe' colours	266		
Weber number	175		
wet expansion/shrinkage fabrics	58	237	
wettability	110		
white ground staining	203		
white ink	279	280	281
wicking	282	283	284
wide-format colour inkjet printers (WFP)	285	287	
wool	231		
workflow	256	258	261
evolution	262	265	266
conventional textile printing workflow	210	234	
digital textile strike-off printing workflow	337		
full digital textile printing production workflow	338		
future trends	338		
new definitions	340		
new design styles	341		
woven fabrics	343		
	354		
	350		
	254	261	262
	263	264	265
	266		
X			
Xaar	48	51	
Xerox	3	48	51
Y			
yard goods	327		
yarn size	263	264	
yield stress	225		
Z			
Zimmer	4		
Chromojet system	9	202	337
Chromotex system	9	161	202