

- AASHTO specifications 4–6
- abaca fibres 259
- abrasion 30–1
- accelerated testing 54–9
- access roads 148, 151
- active geosynthetics 97, 104–23
  - civil and environmental applications 120
  - and dewatering geotubes 122
  - and electro osmosis 104, 105–13
  - and electrokinetic geosynthesis (EKG) 104–5, 113–19
  - and enhanced lime migration 121
  - evolution of 113–14
  - and horticulture 122
  - and piling 121
  - and remediation of contaminated sites 122
  - and sewage treatments 122–3
  - and shrinkage/swelling prevention 122
  - and slope stability 121–2
  - and trenching and excavation 121
- adhesive bonding 184
- agricultural roads 151–2
- agro industrial fibres *see* vegetable fibres
- anchorage capacity 27
- antioxidants 48–9
- apparent opening size 28
- applied stresses 41, 53
- applied voltage 109–10
- Arrhenius modelling 56–9
- artificial ground cover 265
- asphalt interlayers 154–5, 157
- asphalt liners 169
- ASTM International 69, 70–1, 73
  - Standard Manual* 66–8
- Atterberg limits 114–15
- average lot values 7
- barrier applications 181–98
  - bituminous geosynthetics 181, 184
  - canal liners 181, 189–90
  - chemical durability 187
  - choosing a system 187–8
  - clay geosynthetics 169–70, 182, 184–6
  - connections to other structures 188
  - construction 196–8
  - dams 190
  - definitions 182–3
  - hydraulic applications 187, 188–90
  - installation 196
  - landfills 166–70, 191–6
  - liquid containment 181, 188–9
  - mechanical properties 187
  - overliner protection 188
  - placement 196–7
  - polymeric geosynthetics 181, 183–4, 197
  - preparations 196
  - quality assurance 197–8
  - railways 191
  - roads 191
  - seam performance 187–8
  - subgrade preparation 186
  - tunnelling 190–1
  - underliner drainage systems 186
  - welding polymeric GBRs 197
- basal lining systems 192–4
- basal reinforcements 98–9, 101, 247–8, 272–92
  - analytical approach 273–4
  - factor of safety 273
  - rotational stability analysis 274

- selection of reinforcement 278–81
  - time strength envelope 275–8
  - see also* slope stability
- bast fibres 251
- beam method 213, 222–4
- bearing capacity 150
- bentonite (bentomats) *see* clay
  - geosynthetic barriers
- biaxial tension tests 24
- biological degradation 41, 51, 160
  - of waste 165
- bioreactors 194
- bituminous geosynthetic barriers 181, 184
- blankets 269–71
- bonding concepts 184
- bridging zones 129–30
- British Standards Institution (BS8006) 212, 214–16
- burst strength 24–5
  
- canal liners 181, 189–90
- capillary barriers 170
- capping systems 166, 194–6, 264
- carbon black 43
- catenary method 213
- CE marking system 237
- cement based composites 250–1
- CEN (European Committee for Standardization) 69, 71–3
  - Technical Committee 189 74
- certificates of compliance 142, 238
- chemical degradation 32, 41, 44–5, 160, 187
- chemical and electrochemical tests 116
- chlorosulphonated polyethylene (SCPE) 181, 183
- classification of vegetable fibres 251
- clay geosynthetic barriers 85–6, 169–70, 182, 184–6
- clogging 31, 134, 173
- co disposal landfill 165–6
- coastal environments 145
- coir (coconut) fibres 251, 257, 271
- collapse of subsurface voids 100–4
- Collin method 212–13, 220–4
- column supported embankments 201–25
  - advantages 205–6
  - column construction 203, 205, 209–10
    - lateral extent 210–11
    - design steps 206–9
    - disadvantages 206
    - edge stability 210–11
    - feasibility evaluations 206
    - history of 202–5
    - lateral spreading 207–8, 211–12
    - load transfer platform 202, 205, 212–24
- composite liners 97, 98–100, 166–8, 192
- compressibility 24, 116–17
- concrete pavements 152–4
- conductive geosynthetics 120
- conformance tests 239
- construction
  - of barriers 196–8
  - of filters 142–3
  - quality assurance 238–40
  - of separators 161
- containment landfill 165
- core fibres 251
- cost based design 3–4
- costs of quality assurance 241
- cover systems for landfill 166, 194–6, 264
- cracking 41, 53, 171–2
- creep values 10–11, 30
- cross plane permeability 129–30, 133, 135
- cut off walls 174
- cut slope stabilization *see* slope stability
  
- dams 190
- degradation mechanisms 31–3
  - applied stresses 41, 53
  - biological 41, 51, 160
  - changes over time 41, 53–4
  - chemical 32, 41, 44–5, 160
  - delamination 41, 47–8
  - extraction 41
  - hydrolysis 32, 41, 45–6, 47
  - oxidation 32, 41, 48–51
  - radiation 41, 43–4
  - swelling 41, 45, 46–7
  - synergistic effects 41, 51–4
  - temperature 31–2, 52–3

- ultraviolet (UV) light 33, 41, 42–3, 52–3
- of waste 165, 194
- see also* durability; endurance properties
- delamination 41, 47–8
- delivery of materials 143, 238
- design 3–18
  - of column supported embankments 206–9
  - by cost 3–4
  - failure probabilities 12–14, 16
  - of filter applications 134–42
  - by function 8–11
  - future practices 11–16
  - of geomembranes 172
  - of landfill applications 170–2
  - load and reduction factor design 14–16
  - past practices 3–4
  - and quality assurance 235–6
  - by specification 3, 4–8
- desiccation cracks 171–2
- developing new standards 92
- dewatering geotubes 122
- displacement measurement techniques 23
- drainage systems 98–100, 173–4
  - underliner 186
  - vertical drains 98, 127
  - see also* filter applications
- duplication of standards 92
- durability
  - of barrier applications 187
  - of geomembranes 168
  - of polyamides 32, 39
  - of polyesters 39, 45–6
  - of polyethylene (PE) 32, 36–8
  - of polypropylene (PP) 32, 38
  - of polystyrene (PS) 39–40
  - of poly(vinyl chloride) (PVC) 38
  - of separator applications 160
  - and standardization 82–4
  - of vegetable fibres 261–3
  - see also* degradation mechanisms; endurance properties
- earthen sealing layers 168
- East Coast Main Railway 101
- edge stability 210–11
- EKG *see* electrokinetic geosynthesis (EKG)
- elastic deformation for subgrades 152
- electric warning systems 102
- electrical resistivity of soil 116
- electro osmosis 104, 105–13
  - applied voltage 109–10
  - electro osmotic efficiency 108
  - electro osmotic permeability 108
  - electrolysis effects 112–13
  - energy requirements 108–9
  - pore water pressures 110–12
- electro osmotic testing 119
- electrode drainage conditions 112
- electrokinetic geosynthesis (EKG) 104–5, 113–19
  - chemical and electrochemical tests 116
  - compressibility and permeability tests 116–17
  - electro osmotic testing 119
  - general classification tests 114–16
  - novel applications 121–2
  - one dimensional consolidation parameters 117
  - shear strength effective stress 117–19
  - shear strength total stress 117
  - soil acceptability criteria 114–19
  - soil electrical resistivity 116
- electrolysis effects 112–13
- electromigration 104
- electrophoresis 104
- elevated temperature accelerated testing 56–9
- embankments *see* basal reinforcement; column supported embankments
- endurance properties 29–31
  - abrasion 30–1
  - clogging 31
  - creep relaxation 30
  - installation damage 29–30
  - stress relaxation 30
- energy requirements for electro osmosis 108–9
- enhanced lime migration 121
- environmental stress cracking 41, 53
- erosion control 247, 263–72

- advantages of vegetable fibres 267–8
- artificial ground cover 265
- blankets 269–71
- by vegetation 264–5
- installation 271–2
- meshes 269
- nettings 268–9
- standardization 91
- water erosion 263–4
- esturian and coastal environments 145
- extraction degradation 41
- factor of safety (FS) 9, 273
- failure probabilities 12–14, 16
- fibre Bragg grating (FBG) technique 103
- field inspections 143
- fill material 160, 161
- filter applications 6, 29, 97, 127–45
  - bridging zones 129–30
  - clogging behaviour 134
  - compatibility requirements 129–30
  - construction considerations 142–3
  - cross plane permeability 129–30, 133, 135
  - delivery of geotextile rolls 143
  - design criteria 134–42
  - in esturian and coastal environments 145
  - field inspections 143
  - grain size distribution 127–8, 129, 144
  - limited life geotextiles 245
  - material properties testing 130–4
  - non woven geotextiles 128
  - pipng 134
  - placement of the geotextile 143
  - pore size opening 131–3
  - soil retention 127–8, 129, 134–5, 136–40
  - specifications 141–2
  - strength requirements 130, 133, 134, 135, 140
  - temperatures in the filter 144–5
  - ultra violet resistance 133–4
  - woven geotextiles 128–9, 133
- flax fibres 251, 256
- flexibility 21
- flow rate reduction factors 10–11
- forest roads 151–2
- foundations 201–29
  - column supported embankments 201–25
  - geosynthetic reinforced soil foundations (GRSF) 225–9
- France, separator standards 158
- friction tests 26
- fruit fibres 251
- functional design 8–11
- gas generation and management 174
- geocontainers 172
- Geodetect system 101, 102–4
- geogrids 20
- geojute *see* jute fibres
- geomembranes 25, 56, 168, 182
  - design considerations 172
  - durability 168
  - standardization 87–90
- geosynthetic reinforced soil foundations (GRSF) 225–9
- geotubes 122
- German method 212, 217–20
- German separator standards 158–9
- grab tensile test 22–3
- gradient ratio tests 31
- grain size distribution 127–8, 129, 144
- Great Wall of China 250
- GRI (Geosynthetic Research Institute) specifications 7
- ground penetrating radar 102
- guides 67
- hazardous waste 164
- Helmholtz Smoluchowski theory 105–7
- hemp fibres 251, 258
- high density polyethylene 37, 181
- hindered amine light stabilizers (HALS) 43
- horticultural applications 122
- hydraulic applications 187, 188–90
- hydraulic properties 27–9
  - apparent opening size 28
  - percentage open area 28
  - permittivity 28–9
  - porosity 27–8
  - soil retention 29

- standardization 79–82
- transmissivity 29
- hydrolysis 32, 41, 45–6, 47
- index properties 19, 21, 131–4
- inert material landfill 164
- installation
  - of barrier applications 196
  - damage caused by 29–30
  - of erosion control 271–2
  - and quality assurance 238–40
- ion migration 104
- ISO (International Organization for Standardization) 69, 72
  - Committee 221 on Geosynthetics 73–4
- jute fibres 251, 255, 268, 271
- landfill applications 163–75, 191–6
  - approval systems 193
  - basal lining systems 192–4
  - bioreactors and degradation 194
  - capping systems 166, 194–6, 264
  - classes of landfill 164
  - co disposal landfill 165–6
  - containment landfill 165
  - cut off walls 174
  - degradation of waste 165
  - design considerations 170–2
  - drainage systems 173–4
  - gas generation and management 174
  - inert material landfill 164
  - leak monitoring and detection 172, 239
  - liner types 166–70, 191–6
  - mechanical properties 171
  - moisture transport 171–2
  - multibarrier system 163
  - permeability 170–1
  - phases 166
  - pollutant transport 171–2
  - pretreatment of waste 163–4
  - quality assurance 240
  - reactor landfill 165
  - safety analysis of liners 175
  - slope stability 195–6
  - waste separation 163–4
- lateral spreading 207–8, 211–12
- leachate shafts 173–4
- leaf fibres 251
- leak monitoring and detection 172, 239
- limited life geotextiles 244–83
  - basal reinforcement 101, 247–8, 272–92
  - erosion control 247, 263–72
  - filter applications 245
  - in road bases 245–6
  - separation applications 245–7
    - see also* vegetable fibres
- linear low density polyethylene 37–8
- liners for landfill applications 166–70, 191–6
- liquid containment 181, 188–9
- load and reduction factor design 14–16
- load transfer platforms 202, 205, 212–24
  - beam method 213, 222–4
  - British Standards Institution (BS8006) 212, 214–16
  - catenary method 213
  - Collin method 212–13, 220–4
  - German method 212, 217–20
  - global stability 224
  - reinforcement total design load 224
  - research needs 225
  - settlement 224–5
  - soil arching 213, 225
  - standardization 212–24
  - Swedish method 212, 216–17
  - tension membrane theory 213–14, 225
- low density polyethylene 38
- manila hemp fibres 259
- manufacturing quality assurance 237
- manufacturing specifications *see* specifications
- MARV (minimum average roll value) 7–8, 237
- mass measurements 20
- material performance 19, 21, 68, 131, 134
- material property requirements 67
- material property testing 19–33
  - accelerated testing methods 54–9
  - Arrhenius modelling 56–9

- conformance tests 239
- degradation mechanisms 31–3
- endurance properties 29–31
- filter applications 130–4
- hydraulic properties 27–9
- index properties 19, 21, 131–4
- mechanical properties 21–7
- performance properties 19, 21, 131, 134
- physical properties 20–1
- rate process method 55–6
- seam/joint tests 238–9
- standardization 66, 67, 131
- stress limit testing 54–5
- water absorption tests 46
- mechanical properties 21–7
  - of barrier applications 187
  - burst strength 24–5
  - compressibility 24
  - friction tests 26
  - of landfill applications 171
  - pull out resistance 26–7
  - puncture strength 25–6
  - seam strength 24
  - standardization 75–9
  - tear strength 25
  - tensile properties 21–4
  - vegetable fibres 258–63
- medium density polyethylene 37
- meshes 269
- mineral liners 168–9
- minimum average roll value (MARV) 7–8, 237
- moisture transport 171–2
- monitoring systems 102
- multibarrier system 163
- multiple liners 169
  
- natural fibres *see* vegetable fibres
- nettings 268–9
- non woven geotextiles 128
  
- overliner protection 188
- oxidation degradation 32, 41, 48–51
  
- parking lots 155–6
- paved roads 152–6
- pavements 152–4
- percentage open area 28
  
- performance properties 19, 21, 68, 131, 134
- permeability 129–30, 133, 135, 170–1
  - electro osmotic 108
  - tests 116–17
- permittivity 28–9
- physical properties 20–1
- piling 121
- pipe ageing 55
- pipng 134
- pith fibres 251
- placement
  - in barrier applications 196–7
  - in filter applications 143
- plant fibres 251
- plastic pipes 54–5
- plasticizer mobility 47
- pollutant transport 171–2
- polyamides 32, 39
- polyesters 39, 45–6
- polyethylene (PE) 32, 36–8
- polymer solvent interactions 44
- polymeric barriers 181, 183–4, 197
- polypropylene (PP) 32, 38
- polystyrene (PS) 39–40
- poly(vinyl chloride) (PVC) 38
- pond liners 181, 188–9
- pore size opening 131–3
- pore water pressures 110–12
- porosity 27–8
- pretreatment of waste 163–4
- probability analysis 12–14, 16
- pull out resistance 26–7, 100
- puncture strength 25–6
  
- quality assurance 233–42
  - and barrier applications 197–8
  - benefits of 241
  - CE marking system 237
  - costs 241
  - definitions 234
  - in design 235–6
  - future trends 242
  - in installation and construction 238–40
  - in landfill applications 240
  - in manufacturing 237
  - reporting 239–40
  - responsibilities 234–5

- third party reviews 235
  - visual inspections 238
- quality control 234, 237
- radiation degradation 41, 43–4
- railways 156, 191
- rate process method 55–6
- reactor landfill 165
- reinforcements *see* basal reinforcements
- remediation of contaminated sites 122
- reports for quality assurance 239–40
- reservoirs 181, 188–9
- responsibilities for quality assurance 234–5
- risk assessment 9, 12–14, 16, 175, 273
- roads 191
  - access roads 148, 151
  - agricultural roads 151–2
  - elastic deformation for subgrades 152
  - embankments *see* column supported embankments
  - forest roads 151–2
  - limited life geotextiles 245–6
  - parking lots 155–6
- roll identification tags 142
- rotational stability analysis 274
- ruttled surfaces 150–1
- safety analysis *see* risk assessment
- sand drains 98
- Scandinavian countries, separator standards 159
- seam performance 24, 184, 187–8, 238–9
- seed hair fibres 251
- sensors 102
- separator applications 148–62
  - asphalt interlayers 154–5, 157
  - bearing capacity 150
  - between coarse and fine grained soil 148
  - concrete pavements 152–4
  - construction 161
  - durability 160
  - fill material 160, 161
  - limited life geotextiles 245–7
  - paved roads 152–6
  - placing of fill 161
  - placing of separation layer 161
  - railroads 156
  - ruttled surfaces 150–1
  - standards 156–60
  - stone set paving 156
  - stress relief 154
  - unpaved roads 151–2
  - work platforms 152
- settlement 224–5
- sewage treatments 122–3, 166
- shear strength effective stress 117–19
- shear strength total stress 117
- shrinkage/swelling prevention 122
- sisal fibres 251, 258
- slope stability 121–2, 127, 128
  - in landfill applications 195–6
  - soil consolidation 110
  - with vertical columns 205
  - see also* basal reinforcements
- smart geosynthetics 97, 100–4
- sodium bentonite 184–5
- soil
  - acceptability criteria 114–19
  - electrical resistivity 116
  - erosion *see* erosion control
  - reinforcement *see* basal reinforcements
  - retention and filter applications 29, 127–8, 129, 134–40
  - soil arching 213, 225
  - soil consolidation 110
- solvents 44
- sorption layers 169
- specific gravity 20
- specifications
  - average lot values 7
  - certificates of compliance 142, 238
  - and design 3, 4–8
  - factor of safety (FS) 9, 273
  - in filter applications 141–2
  - material performance 68
  - material property requirements 67
  - minimum average roll value (MARV) 7–8, 237
  - standardization 67–8
- standardization 66–93
  - of clay barriers 85–6
  - developing new standards 92
  - duplication of standards 92

- of durability properties 82–4
- of erosion control 91
- of geomembranes 87–90
- guides 67
- of hazardous waste 164
- history of 73–4
- of hydraulic properties 79–82
- of load transfer platforms 212–24
- of mechanical properties 75–9
- need for 66
- of practice 67
- reviewing and revising existing standards 74
- of separator applications 156–60
- for specifications 67–8
- for test methods 66, 67, 131
- standards development organisations 68–73
  - balanced membership structure 70–1
  - consensus process 69–70
  - international level 69
  - voting process 70–3
- Stansted Airport 101
- stem fibres 251
- stick fibres 251
- stiffness properties 21
- stone set paving 156
- storage of materials 238
- straw fibres 251
- strength reduction factors 10–11
- strength requirements 4–6, 130, 133–5, 140
- stress cracking 41, 53
- stress limit testing 54–5
- stress relaxation 30
- stress relief 154
- structure of geosynthetics 20
- subgrades
  - elastic deformation 152
  - preparation 186, 238
- subsurface voids 100–4
- Swedish method 212, 216–17
- swelling degradation 41, 45, 46–7
- Switzerland, separator standards 159
- synergistic effects 41, 51–4
- tear strength 25
- temperature
  - degradation 31–2, 52–3
  - elevated temperature accelerated testing 56–9
  - in filters 144–5
- tensile properties 21–4
- tension membrane theory 213–14, 225
- test methods *see* material property testing
- thickness measurements 20–1
- third party reviews 235
- time strength envelope 275–8
- transmissivity 29
- trapezoidal tear test 25
- trenching and excavation 121
- tunnelling 190–1
- ultraviolet (UV) light degradation 33, 41, 42–3, 52–3, 133–4
- underliner drainage systems 186
- United Kingdom, separator standards 159–60
- unpaved roads 151–2
- vegetable fibres 244, 248–63
  - abaca 259
  - advantages 252–3, 282–3
  - in cement based composites 250–1
  - classification 251
  - coir (coconut) 251, 257, 271
  - durability 261–3
  - flax 251, 255
  - hemp 251, 258
  - history as an industrial material 248–51
  - jute 251, 254, 268, 271
  - length of fibre bundles 252
  - manila hemp 259
  - production 252–8
  - sisal 251, 258
  - straw 251
  - technical characteristics 258–63
  - see also* limited life geotextiles
- vegetation and erosion control 264–5
- vertical drains 98, 127
- visual inspections 238
- void volumes 28
- voids, collapse of subsurface voids 100–4
- voting process for standards 70–3



waste separation 163–4  
water absorption tests 46  
water erosion 263–4  
weather monitoring 239  
weathering resistance 160  
weighted voting 71–3

welding polymeric GBRs 197  
wick drains 98  
work platforms 152  
woven geotextiles 128–9, 133  
  
xenon arc weatherometer 52–3