

- abrasion 11
- absorption, noise *see* noise absorption
- absorption of vapour capability (AVC)
  - 161, 240
- accent colours 130
- acoustic impedance 206
- acoustic insulation 91, 218, 220
  - nonwovens 68, 75–80
  - recyclable 78–9, 98–108
    - acoustic study of virgin fibre complexes 99–105
    - headliner 105–8
    - market analysis and state of the art 98–9
    - textiles for 207–9
- active climatisation 48, 167–9
- active noise control 80
- actuators 177, 179, 188–95
  - heating fabrics for car interior 188–93, 196
  - shape memory alloys for car seats 193–5, 196
- adhesion, fibre-rubber 285–8
- adhesion activation chemistry 285–8
- adhesive science 280
- Advanced Synchron Weave 303
- aeroplane seat 166, 167
- ageing 9
- air filters 81–2, 91
  - recyclable 91–8
    - checking the filters 94–6
    - design of filtering medium 93–4
    - environmental aspects 96–8
    - filter manufacturing process 94
    - market analysis 91–2
    - pollutants 92
    - working life 92–3, 96–7
- air permeability test 204
- air-textured yarns 46
- airbags 117, 177, 255–69
  - control system using smart textiles 177
  - deployment and performance criteria 261–3
  - future trends and possible challenges 267–8
  - historical background 255–7
  - market trends and developments 264–7
  - materials and processes 257–61
- airborne noise path 200–2
- Alcantara (Ultrasuede) 64, 66, 72–3, 132, 240
- alkylresorcinols 288
- Alpha Cabin method 214–15
- Amaretta 73
- aniline leather 231
- animal hides 231–2
- antimicrobial finish 50
- anti-static fibres 147
- appearance 15
- application testing 52, 133–4
- aramid fibres 278, 283, 287–8
- Arcus polyurethane tyres 291
- Association of the German Automotive Industry (VDA) 52, 247
- Assurance Triple Tred tyre 291
- atlas weave 303

- AundE 24
- Automotive Composite Consortium (ACC) 321
- automotive textiles 43–62, 89–90
- applications in cars 3, 4, 89, 90, 172–7
  - electrostatic charging 55–8
  - finishing 49–50
  - finite element analysis 59–61
  - global production 46–7, 90
  - main types 47–9
  - processing multilayer systems 50–1
  - requirements of *see* requirements of automotive textiles
  - test procedures 51–5
  - trends 58–9
- axial yarns, in braids 304
- azodicarbonamide 242
- B-pillar 333–5, 336
- back injection 51
- backing fabrics 75, 76, 77
- Banex seat fabric 175
- barriers, acoustic 207, 218–19, 220, 223–5
- battery box 329–31
- beamhouse 232–3
- bending stiffness 332–3
- bias belted tyres 274, 275
- biaxial braids 304
- biaxial knitted fabrics 304, 306
- bicomponent fibres 287
- biobased nonwovens 51, 219, 224–5
- sandwich composites 222–3, 224
- bio-fibres 294
- BWM M6 car roof 317
- bolsters 132
- bonding
- heat bonding compared with mechanical bonding 100, 101
  - tyre fibre/matrix bonding 285
- bonnet fabrics 52, 53
- bonnet liners 70–1
- boot liners 71
- braid angle 304, 305, 335
- braiding/braids 323, 324, 325
- braided B-pillar for Sunrise electric vehicle 333–5, 336
  - three-dimensional 308–13
  - two-dimensional 304, 305
- brake noise 199
- brand 116–17
- aesthetics 120–1
- breathability 151, 155–6, 161, 165–6, 169, 239–40
- build to order models 21
- building crashes 266
- bullwhip effect 19, 32–5, 36
- C3M tyre process 289–90
- CAD software tools 227
- cadmium 8
- Caliweb 144, 145
- capital intensity 24
- carbon fibres 59
- load-bearing applications 317
  - overbraiding using carbon fibre reinforced plastics (CFRP) 311
  - tyres 283–4, 288
- carcass, tyre 277, 279
- certificates of destruction 88
- charging, electrostatic 55–8
- China 25, 266
- agreement with US on vehicle efficiency technologies 342
- chippers 277, 279
- chromium 8
- chromium-free leather 230, 236
- chromium tannage 230, 233, 236
- circular knitted fabrics 47, 66
- Clarino 240
- cleanability 10, 54–5
- climatic chamber 156–7
- sensor 184–7
- climatisation, seat 48, 167–9
- coagulation processes 242–4
- coated airbags 259–60
- coated split leathers 231
- coated textiles 229–51
- technologies for producing 237–44
  - porous polymer layers 242–4
  - textile substrates 240–1
  - testing 245–7, 248
- coincidence 208
- Colback mouldable backing fabrics 77
- Collins and Aikman (C&A) 23, 26–8
- Color Marketing Group 128
- colour development 128–31

- colour standards 129
- comfort 150–71
  - future trends 170
  - improving seat comfort properties 163–9
    - active climatisation 48, 167–9
    - cushion 165–7
    - seat cover and lining 163–5
    - surface design 167
  - measurement of seat comfort 156–63
    - seat comfort tester 161–3
    - seat trials with test persons 156–60
    - skin model 160–1
  - thermophysiological 151–6
    - energy balance of the human body 152–3
    - moisture sensation 154–6
    - warmth sensation 153–4
- competitive advantage 28–9
- complexity 316–17
- composites 51, 173
  - load-bearing applications *see* load-bearing applications
  - structural *see* structural composites
  - textile structures for reinforcements 322–5
  - trends in 58–9
- conductive composite 180–2
- conductive textiles 168
- connectors 180
- consolidation
  - automotive manufacturers 114
  - retail level 19–20, 29
- consumers
  - lifestyles 115–16, 121
  - target consumer 121–2
- control interfaces 178
- Controlled Close Loop Recycling (CONCLORE) project 226
- cool pigments 237
- cord design 280
- cost 120, 146
  - pressures 114–15
  - Volvo and purchase demands 13–15
- cotton 46, 285
- cover, seat 163–5
- crankcase ventilation (CCV) 82
- crash sensors 261–2, 266
- critical frequency 208–9
- cross-section rockers 331
- crushing tests 97, 98
- curtain airbags 256, 258, 259, 264, 265–6
- cushion, seat
  - improving comfort 165–7
  - materials used 142–4
- customer surveys 13
- customers
  - approaches to different customers 119–20
  - customer priorities and design strategy 120–1
  - understanding 118
- customisation 25–6, 27, 116, 173, 174
- cut foams 165, 166
- cut and sew operations 26
- cutting 314
- dampers 218, 220
- data processing 179–80
- dealers *see* retailers
- decay rate 213
- Dell Computer 21
- deployment of airbags 261–3
- design 113–39
  - automotive textiles market 117–21
  - communicating value and design services 134–5
  - current automotive environment 114–17
  - establishing the target consumer 121–2
  - innovative materials 135–7
  - integrated design for manufacturing 331–3, 341–2
  - new product development process for trim 124–5
  - and noise control 226–7
  - recent advances in tyre designs 289–92
  - role of 117–18
  - sample development 125–34
  - seat 167
    - impact of seat design requirements 123–4
  - strategy 118
    - customer priorities and design strategy 120–1
  - Sunrise electric vehicle 331–4

trim selection process 122–3  
 Volvo and design demands 12  
 design brief 123  
 ‘design for disassembly’ concept 226  
 ‘design in’ concept 226  
 design pre-requisite (DPR) 7–8  
 development path 122–3  
 diesel particulate filters (DPF) 82  
 digital printing 131  
 dimensional stability 276, 278, 282  
 dimethylformamide (DMF) 244  
 door 72  
 double velour needlepunching 74  
 draping 315  
 driver airbags 259, 260, 261, 265–6  
 driving simulator 157–8  
 Dunlop, John Boyd 271  
 Dunlop 283  
 dusts 92  
   blocking of air filters 94–5  
 dyeing  
   leather 232, 233  
   sample development 128–31  
 dynamic skin model tests 161  
 dynamic trading networks 21  
  
 Eagle F1 All Season tyre 284  
 Eagle ResponsEdge tyre 283  
 ECSTA tyres 283  
 electric vehicles 342  
   Sunrise programme 321–2, 328–38,  
   339, 340, 341  
 electromagnetic compatibility (EMC) 147  
 electronic ordering 37  
 electrostatic charging 55–8  
 elongation 182–4  
 embossing 131  
 emissions *see* toxic emissions  
 End of Life Vehicle (ELV) Directive 69,  
   83–4, 86, 87–8, 226  
 energy  
   balance for human body 152–3  
   smart textiles 180  
 engine noise 198–9  
 engineered morphology 280  
 environmental priority strategy (EPS) 7  
 environmentally friendly products 117,  
   135–6  
 etching 131

Europe 264–5, 266  
 European Union (EU) 45  
   Directives on disposal and recycling  
     of used vehicles 83–4, 87–8,  
     145  
   ELV Directive 69, 83–4, 86, 87–8,  
   226  
 Evolon fabrics 69, 73  
 exhaust noise 199  
 experience, consumer’s 122  
 Eybl 24  
  
 Fabric Geometry Model (FGM) 331,  
   334–5, 341  
 fashion 121  
 FAST system 52  
 fat liquoring 232, 233  
 Faurecia 123  
   Happy attitude concept 173, 174  
 Fehrer Carpet Star system 74  
 fibre fineness 100  
 fibre orientation 322, 325  
 fibre shape 100–1  
 fibre volume fraction 322, 325, 335  
 fibres 90  
   role of fibre architecture in structural  
     composite performance 325–8  
   trends in 58–9  
   tyres  
     fibre-rubber adhesion 285–8  
     future trends 293–4  
     properties of reinforcement fibres  
       276–7, 278  
     recent developments 281–4  
     research and development 280–1  
 filters  
   air filters *see* air filters  
   nonwoven 80–2  
 finishing  
   leather 232, 233–4  
   sample development 131–2  
   textiles 49–50  
 finite element analysis (FEA) 59–61,  
   226–7  
   Sunrise electric vehicle programme  
     331–2, 333, 334, 335, 337  
 flammability 8–9  
   recyclable air filters 96  
 flat knits 47

- fleshing 234
- flexibility 280–1
- flippers 277, 279
- floorcoverings
  - carpet and acoustic insulation 103–5
  - noise barriers 224–5
  - nonwovens 73–5, 76, 77
- flow resistance 203–4
- fluorocarbons 49–50
- foams 219, 221
  - foam finish of leather 236–7
  - foaming procedures 242
  - noise control compared with biobased nonwovens 223, 224–5
- fogging 10
- forced ventilation 48, 168–9
- Ford 25, 130–1, 321
- forecast visibility 37
- formability 326
- Formula 1 cars 317
- Fortera Triple Tred tyres 283
- forward integration 26–8
- Freedom CAR programme 321, 322
- Freudenberg 24
- fully fashioned knitting 334, 335–8, 339, 340
- furfural 288
  
- General Motors 25, 255
- Germany 52, 247
- glass fibres 69–70
  - tyre reinforcement 287
- Glen Raven 24
- global automotive suppliers 23
- global production
  - automotive textiles 46–7, 90
  - vehicles 24, 25, 28, 45
- glyoxal 288
- Goodyear Tyre and Rubber Company 283–4, 289
- Guilford Automotive 23, 130–1
  
- Haco 144–5
- handling 315
- Happy attitude concept 173, 174
- haptic 52
- headliners 67–70
  - acoustic insulation 102–3
  - recycling and use of recycled and shredded fibres 105–8
- heat bonding 100, 101
- heating, seat 167–8
- heating fabrics 188–93, 196
  - characterisation of heating element 190–3
  - design of heating element 189–90
- Herzog
  - ITA-Herzog rotary braider 311, 312
  - radial overbraiding machine 309–11
- Hetrick, John 255
- hides, animal 231–2
- history, fabric 122–3
- Honda 266–7, 267
- hydroentangled fabrics 69
- hydrogels 244
- hydrophilic coatings 244
- hyperthermia 153
- hypothermia 153
  
- IAC Group 24
- ideal management practices 31–5, 36
- immersed coagulates 242
- impedance tubes
  - noise absorption tests 210–13
  - noise transmission loss 217–18, 219
- India 25, 266
- inflators 257, 260–1, 262
- information
  - flow
    - ideal information flow 31
    - improving 37, 38
  - importance in supply chains 18–19
  - interfaces for displaying 179
  - visibility 20–3
    - benefits of 21–3
- ingress/egress test 133–4
- initial sample approval (ISA) 15
- insourcing 37–8
- Institut für Textil- und Bekleidungstechnik der TU Dresden (ITB) 305
- Institut für Textiltechnik Aachen (ITA)–Herzog rotary braider 311, 312
- integrated design for manufacturing (IDM) 331–3, 341–2

- integrated tyre and rim non-pneumatic tyre 291–2
- interior trim *see* trim
- International Automotive Task Force 115
- International Organization for Standardization (ISO) 115
- Internet 18, 25, 37, 116
- inventory 29, 32–5
  - bullwhip effect 19, 32–5, 36
  - impact of mass customisation 26, 27
  - optimisation 35–7
  - reasons for 32, 35
- ITV 60–1
  
- Japan 264, 266
- Johnson Control 123
- joining technologies 315–16
- jounce and squirm testing 133
- just in time component suppliers 26–8
  
- Kawashima 24
- KENBOARD air 226
- Kevlar 283, 287–8
- knitted fabrics 43–62, 66, 126, 127, 173
  - electrostatic charging 55–8
  - finishing 49–50
  - finite element computations 59–61
  - fully fashioned knitting of front passenger wheel well 334, 335–8, 339, 340
  - future trends 58–9
  - load-bearing applications 304–6
  - preforms 323, 324, 325
  - processing multilayer systems 50–1
  - standards 51–4
  - testing soil release 54–5
- latex backing 75, 76
- leather 51, 66, 126, 163–4, 229–51
  - production technologies 230–7
    - beamhouse 232–3
    - finishing 232, 233–4
    - further treatment 235–6
    - mechanical operations 234–5
    - raw material 231–2
    - sorting 235
    - tanning 232, 233
    - technological trends 236–7
    - wet end 232, 233
  - seats and noise absorption 222, 223
  - steps in production 231, 232
  - structure 237, 238
  - testing 245–7, 248
- leather board 245
- leatherette 51
- leno fabric 175, 176
- leno weave 303
- life-style boards 12
- lifestyle
  - changes in 115–16
  - of target consumer 121
- lift test 103, 104
- light-fastness 9
- liming 232, 233
- linear density 280–1
- linear inviscid Euler equation 205–6
- linings/liners
  - bonnet 70–1
  - boot 71
  - seat 163–5
- load-bearing applications 301–19
  - applications 317
  - future trends 317–18
  - preforming and prepreg technology 313–17
  - technologies for producing 2D and 3D textile load-bearing structures 302–13
    - 2D textiles 302, 303–7
    - 3D textiles 302, 307–13
- logistics 30–1
  - ideal 31–2
- Lorica 240
- Lyocell 241, 283
  
- M-Flex fabric 136
- market analysis
  - acoustic insulation 98–9
  - air filters 91–2
  - airbags 264–7
  - and design 117–21
  - requirements of automotive textiles 23–9
- market research 122
- mass customisation 25–6, 27, 116, 173, 174
- mass law region 209
- master sample 6

- Material ConneXion 122
- Materials Technologies 321
- material drawing 6
- Mécaplast 93, 94, 95, 96
- mechanical bonding 100, 101
- mechanical properties
  - prepreg and preforming technologies 316
  - sensors 182–4
  - structural composites 327–8
  - tyres 283, 284
    - fibres in 276, 278, 280–1
- melamine resins 288
- Mercedes Benz 144, 255, 317
- merge/hybrid cord structure 283, 284
- metamerism 11
- Michelin, Andre 271
- Michelin Tweel tyre 291–2
- micro-modelling 60–1
- micronAir 80
- microspheres 236, 237, 242
- Milliken 23, 130–1, 132, 136
- Miratec fabrics 69
- modules 29
  - modular tyre manufacturing 289–90
- moisture sensation 154–6
  - sweat buffering 152, 156, 164–5
  - water vapour transport 152, 154–6
- motorcycle airbags 266–7
- moulded floor modules 75, 77
- moulded foam pads 165
- multiaxial knitted fabrics 304, 306
- Multiknit/Caliweb 144, 145
- multilayer systems
  - processing 50–1
  - woven fabrics 307–8
- multiple tread-zone tyres 291
  
- nanocomposite fibres 293–4
- nanotechnology 226, 292, 341
- needlepunched fabrics 66, 67–9, 142, 143
  - floorcoverings 73–5, 76
- neoprene 260
- New Technical Specification 115
- nitrocellulose (NC) artificial leathers 239
- noise 198–228
  - engineering of acoustic textiles for
    - noise control 218–25
    - interior noise control 221–5
      - type and function of interior materials 218–21
  - future trends 225–7
  - insulation *see* acoustic insulation
  - propagation and noise control
    - approaches 200–1
  - reflection 201–2
  - sources 198–200
  - testing methods for acoustical
    - properties 210–18, 219
  - theory of noise-minimising properties
    - of textiles 201
- noise absorption 75, 77–80
  - absorbers 218, 219, 220
  - approaches to controlling 222–3, 224
  - design of recyclable acoustic
    - insulation 100–2, 103, 107
  - factors affecting 203–7
  - measurement 210–15
    - textiles for 201–7
- noise transmission 75–6, 201–2
  - through thin panels 208–9
  - transmission loss 75–7, 207–8, 209
    - material approaches for controlling 223–5
    - measurement 215–18, 219
- non-crimp fabrics (NCF) 303, 306–7
- non-ionic antimicrobial agents 50
- nonwovens 63–85, 126, 127, 172–3
  - acoustic insulation 68, 75–80
  - automotive applications 64, 65
  - bonnet liners 70–1
  - boot liners 71
  - door and parcel shelf 72
  - filters 80–2
  - floorcoverings 73–5, 76, 77
  - future trends 83–4
  - headliners 67–70
  - polyurethane foam substitution in car
    - seats 140–9
  - preforms 323, 324, 325
  - seals 83
  - seat 72–3
  - thermal shielding 82–3
- normal incidence noise absorption 210–13
- North America 264–5
- nubuck 231
- nylon *see* polyamide (nylon)

- odour 104–5
- oil filters 82
- one-sided sewing technologies 315, 316
- one-step preforming 313
- operations 29
  - ideal 31
- orders 29–30
  - ideal information flow 31
  - improving information flow 37
- original equipment manufacturer (OEM) 17–18
- outsourcing 37–8
- overbraiding 309–11
- overlay 277, 279
  
- parcel shelf 72
- Partnership for the New Generation Vehicles Program (PNGV) 321
- passenger airbags 259, 260, 261, 265–6
- passive noise control 75–80
- PAX tyre design 290
- perforation 165, 166
- performance
  - airbags 263
  - performance metrics for supply chain 38
  - and quality 120
  - requirements for car seats 141–2
  - tyre performance requirements 271–4
- peripherals 178–80
- permeability 327
- personalisation 116
- perspiration 151–2, 154, 155–6, 161
  - sweat buffering 152, 156, 164–5
- physiologically optimised seats *see* comfort
- piece dyed fabrics 128
- pigmented leathers 231
- pigments, cool 237
- pillars 333–5, 336
- Pirelli 282
- plain weave 303
- pollutants 92
- polyacrylic 46
- polyacrylonitrile (PAN) 58
- polyamide (nylon) 46, 58, 278
  - in tyres 285
  - used in airbags 256, 257–8
- polyester 46, 58, 125–6, 141, 278
  - in airbags 256
  - headliners 69
  - reclaimed fibre waste 146
  - in tyres 288
    - development history 281–3
    - fibre-rubber adhesion 285–7
- polyethylene naphthalate (PEN) polyester 282–3, 288
- polypropylene 46, 58
  - nonwovens 84
    - natural fibre/polypropylene blend nonwovens 219, 222–3, 224–5
- polyurethane (PUR) 8, 46
  - coated textiles 243–4
  - tyres 291
- polyurethane foam 69, 105
  - replacing 59
    - in car seats 140–9, 175
    - in headliners 69–70
- polyvinyl chloride (PVC) 8
  - coated textiles 230, 239
- poro-elastic modelling 226
- porosity 204–5, 206, 207
- porous polymer layers 242–4
- power 19–20
- pre-crash sensors 266
- Preferred Suede 132
- preforms
  - load-bearing applications 313–17
  - structural composites 322–5
- premium freight 30–1
- prepreg technology 117, 313–17
- presentation 134–5
- printing
  - leather 237
  - sample development 130–1
- processing science 280
- production process complexity 316–17
- productivity 316–17
- PSBR 285, 286
- pulling-through method 52–4
- punching 235–6
- purchase demands 12–15
- purchase engineering demands 15
  
- QualiFlo 82



- quality 115, 120
- quality assurance document file (QADF) 15
- quality control 341
- Quantum Group 136, 175, 176
  
- radial overbraiding machine 309–11
- radial tyres 275, 276–7
- random incidence noise absorption 211, 213–15
- rare metals 8
- Raschel knitted fabrics 66
- rattles 200
- raw materials 89
- rayon fibres 278, 285
- reactive sizings 286
- recycling 86–109, 226
  - EU Directives *see* European Union (EU)
  - future trends 108–9
  - non-recyclability of PUR foam 141
  - reclaimed polyester fibre 146
  - recyclable acoustic insulation 78–9, 98–108
  - recyclable air filters 91–8
  - shortcomings in textiles in current use 88–91
- reinforcement textiles
  - structural composites 322–5
  - tyres 277–9
    - recent developments 280–4
- relative humidity 184–7
- renewable energy sources 180
- requirements of automotive textiles 3–16, 44–5
  - car seat composites and cushioning layers 141–2, 143
  - design demands 12
  - purchase demands 12–15
  - purchase engineering demands 15–16
  - technical demands 5–8
  - technical regulation 8–11
- residual compression deformation test 103–4, 105, 106
- resistance
  - heating element in smart textiles 188–9, 190, 192
  - sensor 184–7
- resistivity 182–3
- resorcinol formaldehyde latex (RFL) 285–8
- retailers (dealers) 19–20, 24
  - consolidation 19–20, 29
  - role in supply chain 19–20
- retanning 232, 233
- reverberant rooms
  - method for transmission loss 215–17
  - noise absorption 213–15
- rib stiffened panels 313–14
- ring-supported run flat tyre 274–5, 290
- risk 19
- road noise 199
- room constant 222
- rotary-braiding, 3D 311–13
- rubber-fibre adhesion 285–8
- rubberised hair pad 165, 166
- run flat tyres 274–5, 276, 289–91
- RunOnFlat tyre 289
- Russia 25
  
- Sabine formula 213
- salicylamides 50
- sammying 232, 233
- sample development 125–34
  - application testing 133–4
  - colour development 128–31
  - dyeing 128
  - fabric testing 132–3
  - finish 131–2
  - knit 127
  - textile technology 126–7
  - woven 127–8
  - yarn type 125–6
- samples 134–5
- sandwich composites 219, 222–3, 224
- Scion 116
- ‘seal and sew’ process 261
- seals, nonwoven 83
- seam types 315, 316
- seat comfort tester 161–3
- seat cover 163–5
- seat heating 167–8
- seat trials with test persons 156–60
- seats 51, 173–6
  - application testing 133–4
  - climatisation 48, 167–9

- design requirements 123–4
- electrostatic charging of upholstery 55–8
- nonwovens 72–3
- physiologically optimised *see* comfort
- polyurethane foam substitution 140–9, 175
  - environmental advantages 145–6
  - future trends 146–9
  - key technologies 144–5
  - materials used as cushions 142–4
- properties and performance requirements 141–2
- shape memory alloys for 193–5, 196
- surface and noise absorption 222, 223
- Seiren 24, 131
- self-lightening textiles 59
- 'self-sealing' run flat tyres 290
- self-supporting run flat tyres 274–5, 289
- SEMA (Special Equipment Marketing Association) Show 122
- semi-aniline leather 231
- sensors 177, 178–9, 180–8, 196, 292
  - airbags
    - crash sensors 261–2, 266
    - pre-crash sensors 266
  - conductive composite 180–2
  - influence of climatic conditions 184–7
  - tensile characterisation 182–4
- sewing technologies 315, 316
- shape memory alloys (SMA) 193–5, 196
- Shape Weaving process 308
- shredded fibres 105–8
- shredding tests 97
- side curtains 256, 258, 259, 264, 265–6
- Silent Armor tyres 283
- silicone 259–60
- single-thread modelling technique 60–1
- skin model 160–1
- sliding entry test 133–4
- smart shirt 177
- smart textiles 59, 135, 172–97, 293
  - actuators 177, 179, 188–95
  - sensors 177, 178–9, 180–8
  - technical elements enabling production 178–80
- sodium azide 262, 267
- Sofrina 240
- soiling
  - reducing 49–50
  - testing soil release and cleanability 10, 54–5
- Sommold 226
- sorting 235
- sound *see* noise; noise absorption; noise transmission
- space dyed yarn 130
- spacer fabrics
  - knits 47–9, 136, 145, 147–9, 176
  - seats and comfort 164–5, 166, 167, 169
  - woven 308
- specific tensile stress 281
- speed, tyre load carrying capacity and 272, 273
- speed to market 115
- spider silk 293–4
- sports cars 317
- spring coil constructions 166
- squeaks 200
- standards
  - leather and coated textiles 245–7, 248
  - testing textiles 51–4, 132–3
- standing wave impedance tube 210
- statistical energy analysis (SEA) 226–7
- steady state heat flux 154
- steel 89
  - steel-textile sandwich 51
- stiffness
  - and resonance controlled region 209
  - torsional and bending stiffness in electric vehicle 332–3
  - tyres 283, 284
- stitch-bonded nonwovens 144, 145
- stitching 261
  - preforms and prepregs 315, 316
- Strauss, Philip 271
- structural composites 320–43
  - future trends 338–42
  - role of fibre architecture in performance 325–8
- Sunrise electrical vehicle programme 321–2, 328–38, 339, 340, 341
- textile structures for composites 322–5
- structure-borne noise path 200–1

- structure factor 205–6
- substrates for coated textiles 240–1
- Suminoe 24
- Sumitomo Rubber 282
- Sunrise electric vehicle (EV) programme
  - 321–2, 328–38, 341
  - braided B-pillar 333–5, 336
  - design and manufacturing of vehicle components 333–4
  - fully fashioned knitting of front passenger wheel well 334, 335–8, 339, 340
  - integrated design for manufacturing 331–3
- super-absorbent-polymers (SAP) 164, 165, 169
- supplier evaluation model (SEM) 13, 14
- supply chain 17–42
  - airbags 261
  - creating information visibility 20–3
  - current practices and linkages 29–35
  - ideal management practices 31–5, 36
  - logistics 30–1
  - operations 29
  - orders 29–30
  - importance of information 18–19
  - maps 32–5
  - market analysis 23–9
  - organisational dynamics 19–20
  - performance metrics 38
  - recommendations for supply chain mapping 35–8
- surface grafting 288
- surface materials 222, 223
- sustainable products 117, 135–6
- sweat buffering 152, 156, 164–5
  - see also* perspiration
- synthetic leather/suede 72–3, 132, 229–51
  - porous polymer layers 242–4
  - testing 245–7, 248
  - textile substrates 240–1
- synthetic polymers 46, 293
- systems 29
- tailored fibre replacement (TFP) 315–16
- tanning 232, 233
- target consumer 121–2
- target vehicles 122
- Tech-Style fabric 136
- technical delivery conditions (TC) 51–2
- technical regulation document 8–11
- technical requirements 5–8
- technology platforms 115
- Technostat 80–1
- temperature
  - and behaviour of shape memory alloys 194, 195
  - heating fabric 192–3
- tenacity 276, 278
- tensile modulus
  - fibres used in tyres 276, 278, 280–1
  - knitted passenger wheel well 340
  - pillars in electric vehicle 335, 336
- tensile properties of sensor 182–4
- test specifications (TS) 52
- testing
  - acoustical properties 210–18
    - noise absorption 210–15
    - noise transmission loss 215–18, 219
  - leather and coated textiles 245–7, 248
  - sample development 132–4
  - soil release and cleanability 10, 54–5
  - standards 51–4, 132–3
  - Volvo and requirements of automotive textiles 8–11
- textured yarns 46
- thermal shielding 82–3
- thermophysiological comfort 151–6
  - see also* comfort
- thermoregulation 151, 152–3, 155
- thermoset felt 105
- thin panels, noise transmission through 208–9
- Thinsulate 79
- thorax bags 265–6
- three-dimensional textiles
  - composite preforms 323, 324, 325
  - load-bearing applications 302, 307–13
  - polyurethane foam substitution in car seats 140–9
- 3mesh 145
- 3TEX rotary braider 311, 312
- tizz noises 200
- torsional stiffness 332–3
- tortuosity 206

- torus 271
- toughness 276, 278
- toxic emissions
  - deployment of airbags 262
  - PUR foam manufacturing 141, 146
- Toyota 116
- transfer functions 211–12, 217–18
- transit time 30
- transmission, noise *see* noise
  - transmission
- trial production run 15
- triaxial braids 304
- Tricot knitted fabrics 66
- trim 117, 119–20
  - new product development process for 124–5
  - selection process 122–3
- trucks 28
- tufted fabrics 73–4, 75, 77
- Tundra 116
- Twaron 287–8
- Tweel integrated tyre and rim non-pneumatic tyre 291–2
- twill weave 303
- twisted cord 277, 279
- two-dimensional fabrics
  - load-bearing applications 302, 303–7
  - preforms 323, 324, 325
- two-microphone method for noise absorption 210–13
- tyres 117, 270–97
  - designs in current use 274–9
  - fibre-rubber adhesion 285–8
  - future trends 292–4
  - load carrying capacities and speed 272, 273
  - performance requirements 271–4
  - recent advances in tyre design 289–92
  - recent fibre and cord developments 281–4
  - research and development steps for fibre commercialisation 280–1
- UK Colour Group 128
- Ultrasuede (Alcantara) 64, 66, 72–3, 132, 240
- uncoated airbags 260
- United States (US)
  - agreement with China on vehicle efficiency technologies 342
  - airbags 256, 264
  - automotive industry 24, 25
  - composites programmes 321–2
- upholstery *see* seats
- upholstery tester 161–3
- value system, suppliers' 23–6
- vaporisation coagulation 243–4
- VDA 52, 247
- vehicle efficiency technologies 342
- velour 68, 74, 75, 76
- ventilation 152, 154
  - climate seats 48, 168–9
- vibration isolators 218, 220
- Viscotec 131
- Volvo 3–16
  - design demands 12
  - design pre-requisite (DPR) 7–8
  - development process 5
  - purchase demands 12–15
  - purchase engineering demands 15–16
  - quality assurance document file 15
  - supplier evaluation model (SEM) 13, 14
  - technical demands 5–8
  - technical regulation document 8–11
- warmth sensation 153–4
  - initial perception 153–4
  - steady state heat flux 154
- warp knitted fabrics 47, 304, 306
  - spacer fabrics 145, 147–9
- warranty cost 13–15
- water-jet looms 258–9
- water resistance 95–6
- water vapour absorbency 161, 240
- water vapour permeability (WVP) 161, 240
- water vapour resistance (breathability) 151, 155–6, 161, 165–6, 169, 239–40
- water vapour transport 152, 154–6
- wearable motherboard 177
- weft knitted fabrics 304, 306
- wet end 232, 233

- wheel well 334, 335–8, 339, 340
- wind noise 199–200
- wireless technology 292
- wool 46
- working life of air filters 92–3, 96–7
- woven fabrics 43–62, 66, 126, 127–8, 173
  - electrostatic charging 55–8
  - finishing 49–50
  - finite element computations 59–61
  - future trends 58–9
  - preforms 323, 324, 325
  - processing multilayer systems 50–1
  - standards 51–4
  - testing soil release 54–5
  - three-dimensional 307–8
  - two-dimensional 303–4
- yarns 125–6
  - dyed 129–30