

Glossary

Acidosis/alkalosis The condition when the pH of the blood falls/rises outside the normal acceptable limits.

Acid rain The deposition of acids (sulphuric and nitric) in rain and also the dry deposition of sulphur dioxide and nitrogen oxides.

Acute Short-term exposure or response.

Additive When the toxic effect of a mixture is equal to the sum of the toxicities of the components.

ADI The Acceptable Daily Intake. 'The daily intake of a chemical which during an entire lifetime appears to be without appreciable risk on the basis of all the known facts at the time.'

Aerobic/ anaerobic A process carried out in the presence/absence of air.

Aerosol A colloidal system with a gas as the dispersion medium (such as a fog or mist of droplets or particles).

Ah receptor A protein which binds polycyclic hydrocarbons such as dioxin (TCDD). Binding to this receptor is part of the process of induction of xenobiotic metabolizing enzymes.

Allergic reaction A reaction to a foreign agent giving rise to a hypersensitive state, mediated via an immunological mechanism and resulting in a particular series of responses.

Anaphylactic reaction A type I immunological response.

Aneuploidy Increase or decrease in the number of chromosomes of an organism.

Anoxia Absence of oxygen in the tissues.

Antagonism When the toxic effect of a mixture is less than the sum of the toxicities of the components.

Antibody A protein produced by lymphoid tissue in response to, and specific for, a foreign substance or antigen.

Anticoagulant A substance which inhibits the normal process of blood clotting.

Antidote A substance which specifically blocks or reduces the action of a poison.

Antigen A protein or other macromolecule which is recognized as foreign by the immune system in an animal.

Antiport Membrane carrier system in which two substances are transported in opposite directions.

Apoptosis Programmed cell death.

Asbestosis Damage to the lungs caused specifically by exposure to, and inhalation of, asbestos fibres.

Ataxia Failure of muscular coordination.

AUC Area under the curve when the plasma (blood) concentration of a substance is plotted against time.

β -adrenoceptors An autonomic receptor of which there are two types, β_1 and β_2 .

Bioaccumulation The accumulation of a substance in a biological organism, usually due to its lipophilicity (q.v.).

Biomagnification The process whereby the concentration of a pollutant in organisms in a food chain increases towards the top of that chain. Thus the predator at the top of the food chain will have the highest concentration of pollutant.

Biomarker A biochemical or biological marker of exposure, response or susceptibility to chemicals.

Blebbing The appearance of blebs (protrusions) on the surface of cells in response to stress (e.g. chemicals).

Blood-brain barrier A description of the inability of many substances to pass from the blood to the tissues of the brain.

BOD Biochemical Oxygen Demand. This measurement indicates the ability of micro-organisms to metabolize an organic substance in the presence of oxygen and therefore the potential for depletion of oxygen by the substance.

Bronchocarcinoma Cancer of the lung.

Bronchoconstriction Constriction of the airways in the lungs due to exposure to irritant chemicals or to an immunological reaction involving release of inflammatory mediators.

Carcinogen/carcinogenic A substance/property of a substance which causes cancer when administered to an organism.

Cardiac arrhythmias Abnormal beating rhythms in the heart.

Cardiac output The volume of blood pumped by the heart in one cycle.

Cerebral palsy A motor disorder due to damage to the brain.

Cholinergic stimulation Stimulation of the nerve fibres utilizing acetylcholine as a neurotransmitter.

Chronic (lifetime) Long-term exposure or response.

Cirrhosis Liver disease characterized by loss of the normal microscopic lobular structure with fibrosis and nodular regeneration. Usually the result of chronic injury to tissue.

Clastogenesis Occurrence of chromosomal breaks which result in a gain, loss or rearrangement of pieces of chromosomes.

Clearance The volume of plasma cleared of a substance in unit time.

Clinical trials The initial studies carried out with a drug in human subjects.

COD Chemical Oxygen Demand. The amount of oxygen required to oxidize the substance chemically.

COD/BOD The ratio of COD to BOD gives an indication of the biodegradability of the substance.

Collagen A fibrous protein.

Complement A series of proteins found in extracellular fluids and involved in certain immunological reactions.

Cyanosis The pathological condition where there is an excessive concentration of reduced haemoglobin in the blood.

Cytochrome a_3 A haem-containing enzyme which is part of the cytochrome c oxidase complex, the terminal cytochrome in the mitochondrial electron transport chain.

Cytological examination Examination of cells or examination for the presence of cells in urine.

Cytosol The internal part of the cell excluding the organelles.

Delaney Amendment Amendment to the Food, Drug and Cosmetic Act of the Food and Drug Administration of the United States. The amendment states that food additives which cause cancer in humans or animals at any level shall not be considered safe and are, therefore, prohibited.

Dermatitis Inflammation of the skin.

Detritivore food chain An animal which uses decaying organic matter as a food source, after the initial breakdown of the material by decomposers such as bacteria and fungi is known as a 'detritivore.' The type of food chain which relies on decaying organic matter for its primary energy source is known as a 'detritivore food chain.'

Dinoflagellates Single-celled marine algae possessing two flagella.

Disulphide bridge A sulphur-sulphur bond (S-S) such as occurs commonly in proteins.

Dominant lethal assay A test designed to detect the effects of substances on the germ cells of male animals which are exposed and then mated with untreated females. The number of dead implantations or preimplantation losses in the pregnant females are then determined. The effects are usually due to chromosome damage.

ED₅₀ The dose which is pharmacologically effective for 50 per cent of the population exposed to the substance *or* a 50 per cent response in a biological system which is exposed to the substance.

Electrophilic A chemical description of a substance which seeks out a group or molecular position which has a preponderance of electrons and so is negatively charged.

Encephalopathy A degenerative disease of the brain.

Endocrine disruptor An exogenous substance which causes changes in endocrine function leading to adverse effects in an animal or its offspring.

Endogenous Part of the internal environment of a living organism.

Enterohepatic recirculation The cycling of a substance from the blood into the liver, then into the bile and gastrointestinal tract. This is followed by re-uptake into the bloodstream from the gastrointestinal tract possibly after chemical or enzymatic breakdown.

Epidemiology The study of diseases in populations.

Epigenetic When used as a description of a carcinogen or of mechanisms of carcinogenesis this means that interaction with genetic material, such as to yield a mutation, is not involved.

ER Endoplasmic reticulum. This may be divided into rough ER with attendant ribosomes involved with protein synthesis and smooth ER where cytochrome P450 and many other drug metabolizing enzymes are located.

Eutrophication Increased nutrient concentration in water resulting in the overgrowth of plants such as algae giving rise to a depletion of oxygen. This is followed by death and decay of all the aerobic organisms in the aqueous environment with the subsequent growth of anaerobic bacteria leading to the accumulation of toxins.

Exanthema An eruptive disease or fever.

Fatty acid An organic acid with a long aliphatic chain which may be saturated or unsaturated.

Fibrosis The formation of fibrous tissue which may be a response of tissue to injury resulting in increased amounts of collagen fibres.

Ficks Law At constant temperature the rate of diffusion of a substance across a cell membrane is proportional to the concentration gradient and the surface area.

First order process The rate of the process is proportional to the concentration of the substance.

First-pass metabolism Metabolism of a drug or other chemical during the absorption process. Typically occurs in the liver or gastrointestinal tract after oral dosing.

Food chain An imaginary chain of organisms existing in the environment in which each link of the chain feeds upon the one below and is eaten by the one above. At the bottom of the food chain are plants and bacteria, at the top are carnivores.

Free radical An atom or molecule which has an unpaired electron. They may be uncharged or charged depending on the numbers of electrons. Free radicals are usually chemically very reactive.

Genotoxic Toxic to the genetic material of an organism.

Glomerulus A functional unit of the vertebrate kidney consisting of a small bunch of capillaries projecting into a capsule (Bowmans capsule) which serves to collect the filtrate from the blood of those capillaries and direct it into the kidney tubule.

Glutathione (GSH) The tripeptide glutamyl-cysteinyl-glycine. Found in most tissues, especially the liver. Plays a major role in detoxication and cellular protection.

Glycoprotein A protein containing a carbohydrate moiety.

Good Laboratory Practice (GLP) A system of protocols (standard operating procedures) recommended to be followed so as to avoid the production of unreliable and erroneous data. Accurate record keeping and careful forethought in the design of the study are important aspects of GLP.

GSH/GSSG Reduced/oxidized glutathione.

Haemodialysis The process by which a foreign substance is removed from the blood of a poisoned patient by allowing it to diffuse across a semi-permeable membrane while the blood is pumped through a special machine.

Haemoglobinuria The presence of haemoglobin in the urine.

Haemolytic anaemia The pathological condition where red blood cells undergo uncontrolled destruction.

Haemoperfusion The process by which a foreign substance is removed from the blood of a poisoned patient by allowing it to be absorbed by activated charcoal or a resin while the blood is pumped through a special machine.

Haemorrhage The escape of blood from blood vessels.

Haemorrhagic necrosis Necrosis accompanied by bleeding.

Half-life The time taken for the concentration of a compound in a body fluid to decrease by half.

Hapten A molecule which becomes attached to a protein or other macromolecule and so renders it antigenic.

Henderson-Hasselbach equation $\text{pH} = \text{pK}_a + \log \frac{A^-}{\text{HA}}$.

Histamine A mediator of inflammatory reactions in the body which may be part of an allergic reaction.

HLA type Histocompatibility antigens on the surface of nucleated cells.

Hydrophobic/ hydrophilic A substance which repels/attracts water.

Hyperkinesis Hyperactivity.

Hypoglycaemia The physiological state where there is a low blood glucose concentration.

Hypoxia The physiological state where there is a low oxygen concentration in the tissues.

Idiosyncratic In toxicology this is an adverse reaction to a chemical which occurs in a single or small number of individuals as a result of an abnormality in that individual.

Immune complex A complex of antibody(ies) and antigen(s) which may lead to pathological consequences such as inflammation or blockage of a vessel.

Initiation The first stage in the multi-stage process of carcinogenesis in which there is thought to be a chemical reaction between the carcinogen and DNA.

Interferon A macromolecule produced by the body in response to a stimulus such as an infection.

Intraperitoneal/i.p. A route of administration of a compound to an animal by direct injection into the peritoneal cavity.

Irritation/ irritancy Direct injury to tissue such as the skin.

Ischaemia The condition where there is a reduced or blocked blood flow to a tissue which will lead to ischaemic tissue damage.

Isozyme/isoenzyme One of several forms of an enzyme where the different forms usually catalyze similar but distinct reactions.

Keratin A tough, fibrous protein found in the skin.

Killer lymphocyte A particular type of white blood cell involved in Type IV immunological reactions.

LD₅₀ The lethal dose of a compound for 50 per cent of the population of organisms exposed.

Lipid peroxidation Oxidative breakdown of lipids usually involving a free radical mechanism or active oxygen species and giving rise to reactive products which may be responsible for cellular damage.

Lipid solubility see lipophilicity.

Lipophilicity A term used to describe the ability of a substance to dissolve in, or associate with, fat and therefore living tissue. This usually applies to compounds which are non-ionized or non-polar or have a non-polar portion. Therefore high lipid solubility usually implies low water solubility.

Local toxicity Toxicity which affects only the site of application or exposure.

Macromolecule A very large molecule having a polymeric structure such as a protein or nucleic acid.

Macrophage Large phagocytic cells which are components of the reticuloendothelial system.

Maximally Tolerated Dose (MTD) The dose of a substance which causes no more than a 10 per cent weight decrease and does not cause death or any clinical signs of toxicity which would shorten the life span of an animal exposed for 90 days.

MEL Maximum Exposure Level; maximum level of occupational exposure of workers to a chemical; term used in UK.

Mesothelioma A rare form of cancer mainly affecting the pleura and caused exclusively by exposure to certain forms of asbestos.

Methaemoglobin/methaemoglobinaemia Oxidized haemoglobin/the syndrome in which a significant amount of the haemoglobin in the blood is oxidized.

Microflora/microfauna The bacteria and other organisms inhabiting the gastrointestinal tract.

Micronucleus test A test for mutagenicity (q.v.) using red blood cell stem cells from mice. The mice are exposed to the chemical and after a suitable time period the bone marrow examined for an increase in the number of micronuclei. These are chromosome fragments resulting from spindle or centromere dysfunction.

Microsomes/microsomal The subcellular fraction containing the fragments of the smooth endoplasmic reticulum (ER) after ultracentrifugation of a homogenate of the cell.

Mitochondria The intracellular organelle in which respiration and other important metabolic reactions take place.

Monoxygenase Enzyme system (such as cytochrome P450) involved in the oxidation of compounds.

Mutagen/mutagenic A substance/a property of a substance which causes some type of mutation in the genetic material of an organism exposed to it.

Mutagenesis Process in which a heritable change in DNA is produced.

Myocardium The middle and thickest layer of cardiac muscle in the heart wall.

NADH The coenzyme reduced nicotinamide adenine dinucleotide.

NADPH The coenzyme reduced nicotinamide adenine dinucleotide phosphate.

Narcosis Unconsciousness induced by exposure to a solvent or volatile liquid.

Necrosis Death of areas of tissue, usually surrounded by healthy tissue and sometimes caused by chemical exposure. As distinct from apoptosis, which is a limited event, necrosis also involves an inflammatory response and wider areas of tissue.

Nephritis Inflammation of the kidney.

Nephron The functional unit of the kidney which produces urine. It consists of a long tubule divided into sections in which reabsorption into the bloodstream of certain solutes filtered by the glomerulus from the blood takes place.

NOAEL No Observed Adverse Effect Level. The dose or exposure level at which no adverse effect is detected in the organism.

Occlusion Constriction or blockage as of a blood vessel.

Organelle A subcellular structure such as the mitochondrion or nucleus of a cell.

Osteomalacia Softening of the bones due to impaired mineralization.

Paresthesias Abnormal sensations such as tingling.

Partition coefficient Ratio of the solubility of a chemical in an aqueous solvent to that in a hydrophobic solvent. A high value indicates that a chemical is lipid-soluble (lipophilic).

Peripheral neuropathy Damage to nerves of the peripheral, rather than central, nervous system.

Peroxidases Enzymes which catalyze oxidation utilizing hydrogen peroxide. Found in many tissues including certain types of white blood cells (neutrophils).

Peroxisomal proliferators Chemicals which change the number and characteristics of peroxisomes (intracellular organelles which carry out oxidation of fatty acids).

Persistence When applied to a chemical substance meaning its ability to remain unchanged in the environment.

Pesticide An agent used to exterminate pests of various types. Includes insecticides, herbicides and fungicides.

Phago/pinocytosis The uptake of a solid substance (phago) or solution (pino) into a cell by invagination of the cell membrane eventually forming a vesicle inside the cell.

Pharmacodynamic Relating to the effects of drugs on living systems.

Phase 1 The term applied to the first stage of drug metabolism, commonly involving either oxidation, reduction or hydrolysis of the molecule.

Phase 2 The term applied to the second stage of drug metabolism usually involving conjugation of a functional group with a moiety available endogenously and conferring water solubility on the molecule.

Phase 3 Further metabolism of a metabolic product of a phase 2 reaction such as a glutathione conjugate.

Phenotype The expression of the genotype or genetic make-up of an organism.

Phocomelia The syndrome of having foreshortened arms and legs due to an adverse effect on the embryo such as caused by thalidomide.

Phospholipid A lipid in which one of the hydroxyl groups of glycerol or sphingosine is esterified with a phosphorylated alcohol.

pH Partition Theory This states that a foreign compound in the non-ionized state will pass across a cell membrane by passive diffusion down a concentration gradient.

Plasma Blood from which the cells have been removed by centrifugation but distinct from serum in which the blood is first allowed to clot.

Pneumonitis Inflammation of the lungs.

Polar A term used to describe a molecule which is charged or has a tendency to become polarized.

Polychlorinated biphenyls A group of compounds used industrially in which a biphenyl nucleus is substituted with various numbers of chlorine atoms.

Polypeptide A chain of amino acids joined by peptide bonds.

Portal The term applied to the venous circulation draining the tissues of the gastrointestinal tract into the liver.

Potentiation When the toxic effect of a compound is increased by a non-toxic compound.

PPAR Peroxisome proliferator activated receptor. Receptor involved in the induction of peroxisomal enzymes.

ppb Parts per billion.

ppm Parts per million. A measure of concentration of a substance in which the units of the substance are one millionth of the units of the solvent, e.g. $\mu\text{g per g}$.

Prescribed disease An industrial disease which is recognized as such for the purposes of compensation.

Promotion The second stage in the multi-stage process of carcinogenesis which must normally follow initiation in order for a tumour to develop.

Psychoactive drugs Drugs which produce behavioural changes.

Ptaquiloside Glucoside of a three-ring compound found naturally in bracken which yields a carcinogenic product.

Pulmonary oedema The accumulation of tissue fluid in the air spaces in the lungs.

Quantal response A response which is all-or-none rather than graded.

- Rainout** Removal of acids from the atmosphere by rain.
- Raynauds phenomenon** Changes in the blood supply to the fingers and toes which when caused by vinyl chloride results from degeneration of small blood vessels leading to occlusion of capillaries and arterioles.
- Reaginic** Relating to reagin, an antibody of the IgE type.
- Renal elimination** Excretion of a substance through the kidneys.
- Rhinitis** Inflammation of the mucous membranes of the nose.
- Ribosomes** The intracellular organelles attached to the endoplasmic reticulum which are involved with protein synthesis.
- Risk** 'Risk is a measure of the probability that an adverse effect will occur'. This may be absolute risk which is the excess risk due to exposure, or relative risk which is the ratio of risk in the exposed to the unexposed population.
- Saturated** A term applied to a molecule where all the bonds of the carbon atoms are utilized and there are no double or triple bonds.
- Silicosis** Damage to the lungs caused by exposure to substances such as silica or coal dust.
- Singlet oxygen** Oxygen in the singlet, excited state and therefore highly reactive.
- Sinusoids** Spaces filled with blood which in the liver are a continuation of the capillaries.
- Skink** Australian reptile.
- Smog** The term originally used to describe the combination of *smoke* and *fog* which is now termed reducing smog. Photochemical (oxidant) smog is the result of interaction between the pollution caused mainly by car exhausts and sunlight.
- Steatosis** Fatty infiltration in an organ or tissue.
- Sub-chronic (28 or 90-day)** An exposure of duration intermediate between acute and chronic.
- Superoxide (O_2^-)** The oxygen molecule with an extra and unpaired electron. It is thus a charged free radical.
- Symport** Membrane carrier system in which two substances are transported in the same direction.
- Synergism/synergistic** When toxic effect of a mixture is greater than the sum of the toxicities of the components.
- Systemic toxicity** Toxicity which affects a system in the organism other than and probably distant from the site of application or exposure.
- TD₅₀** The dose which is toxic to 50 per cent of the population of organisms exposed to the substance *or* a 50 per cent toxic response in a biological system exposed to the substance.
- Teratogen/teratogenicity** A substance/property of a substance causing abnormalities in the embryo or foetus when administered to the maternal organism.
- Therapeutic index** The ratio of ED₅₀ to TD₅₀.
- Thiol** SH or sulphhydryl group.

TLV Threshold Limit Value. Upper permissive limits of airborne concentrations of substances.

Tolerance When repeated administration of or dosing with a compound leads to a decrease in the potency in the biological activity of that compound.

Toxicodynamics Study of the effects of toxic substances on biological systems (e.g. interaction with receptors).

Toxicokinetics Study of the kinetics of toxic substances in biological systems (e.g. disposition).

Uniport Membrane carrier system in which one substance is transported in the one direction.

Unsaturated A term applied to molecules which contain double or triple carbon-carbon bonds.

Urticaria A vascular reaction of the skin marked by the appearance of weak and which may be caused by direct or indirect exposure to a toxic substance. Also known as hives.

Vascularized When relating to tissue meaning that it is supplied with vessels such as arteries or veins.

Vasculitis Inflammation of the vessels of the vascular system.

Vasodilation/vascular dilatation Dilation of blood vessels.

Veno-occlusive disease A particular type of liver damage where the blood vessels and sinusoids of the liver are damaged so that new vessels grow.

Volume of distribution (V_D) The volume of body fluid in which a compound is apparently distributed when administered to an animal.

Washout Removal of acids from clouds by rain.

Zero order process The rate of the process is independent of the concentration of the substance.

Index

- Abortion 64
- Absorbants 158
- Acceptable Daily Intake (ADI) 15, 177–8
- Accumulation
 - of acetaldehyde 14,
 - of cadmium 92
 - and chronic dosing 30
 - of fluid 61
 - of lactic acid 153
 - reduction by metabolism 40
- Acetaldehyde, metabolite of ethanol 14, 156
- Acetic acid 156
- Acetylation 40, 46–7, 50, 79, 94
- Acetylator phenotype 50
 - and aromatic amines 93
 - and hydralazine 78
- Acetylcholinesterase, and organophosphorus compounds 115, 116
- N-Acetylcysteine 75, 158
- Acetylsalicylic acid 75–8
- Acetyltransferase 47, 50, 68
- Acid rain 125–7
- Acidosis 51, 77, 148, 153–5
- Aconite 3
- Active transport 21–2, 32–3
 - and paraquat 117
- Acute toxicity 57, 74, 167–8
- Acute toxicity tests 167–8
- β -Adrenoceptors 62
- Adverse drug reactions (ADRs) 74, 165
- Aflatoxins 66, 103–4
- African puff adder, LD₅₀ 147
- Ah receptor 10, 137
- Air pollution 122–8
- Alcohol abuse 14, 75, 156–7
- Alcohol dehydrogenase 43, 51
 - and ethylene glycol/methanol 159
- Alcohol metabolism 43, 156
- Aldehyde dehydrogenase 14, 43
- Alkaloids 66, 144–5
- Alkalosis 77
- Alkylating agents, 66
- Alkylmercury fungicides 110
- Alkylphenols 134
- Allergy/allergic reactions 62–4, 80, 90, 101–2, 147, 171, 172
- Aluminium 127
- Alveolus/alveolar sac 24, 25, 34, 116
 - structure 25
- Amanita phalloides* 148
- Amanitins 148
- Ames test 172
- Amidases 44
- Amides 44, 110
- Amino acid conjugation 47–8
- 4-Aminobiphenyl 93
- Aminolaevulinic acid 129–30
- Aminolaevulinic acid dehydrase 129–30
- Aminopyrine 64
- Ammonium chloride 158
- Amphetamine 158
- Amygdalin 155
- Anaphylaxis 63
- Androgen receptor 136
- Aneuploidy 65
- Aniline 43, 84, 91, 94, 105
 - ionisation in GI tract 23, 26
- Animal model 49
- Animal toxins 146–8
- Antagonism 14
- Anti-androgens 134
- Antibody 63, 80, 159
- Antidote 3, 75, 154, 171
- Antifreeze 154
- Antigen 62–3, 81, 91
- Antihypertensive drugs 78, 81
- Anti-oestrogens 134
- Antiport 22

- Antivenoms 159
Aplastic anaemia 43
Apoptosis 61
Aqua Toffana 3
Aromatase 135
Aromatic amines 43, 46–7, 93–4
Arsenic 3, 131–4
Asbestos 24, 27, 58, 60, 89, 94–5
Asbestosis 94–5
Aspergillus flavus 103, 148
Aspirin 62, 75–8,
Asthma 101–2
ATP 76, 77, 155
ATPases 147
Atropine 144, 159
AUC 28–9
- Barbiturates 30, 32, 52, 75, 83, 158
Base pair,
 addition 65
 deletion 65
 transformation 65
Belladonna 144
Benzene 33, 40, 41, 43
Benzidine 93
Benzo(a)pyrene 66
Benzoic acid 26
Bernard 5, 153
Bhopal 6, 171
Bile duct/canaliculi 32–3, 94
Biliary 32–3, 50
Binding
 of botulinum toxin 149
 of carbon monoxide to haemoglobin 62, 124, 153
 of mercury to sulphhydryl groups 138
 of phalloidin to plasma proteins 148
 to plasma proteins 29–30, 32, 84
 of ricin 145
Bioaccumulation 132–3, 134, 169
Biological factors 49
Biological Oxygen Demand (BOD) 170
Biomagnification 132–3, 134
Biomarkers 67–8, 177, 179
Biotransformation 39
Biphenyls 30, 33
Blackfoot disease 132
Bladder cancer 93–4, 102, 179
Bleach 8, 151
Blebbing 61
Blood–brain barrier 30, 60, 138
Blood flow/blood supply 21–2, 24–6, 34, 59, 61–2
BOD 170
Body burden 28
Bone marrow 43
Botulinum toxin 12, 62, 103, 149
Botulism 103, 149
Bracken 104, 145–6
Breast cancer 136
Breast milk 34
Breathing rate 24
British Anti-Lewisite 5
Bromouracil 66
Bufuralol 50
Butter yellow 100
Butylated hydroxytoluene 100
- Cadmium 60, 64, 92–3, 127
Calcium oxalate 154
Cancer 66–7, 90, 91, 92, 93, 94, 95, 100, 102, 103, 146
 and air pollution 124
 alcohol and 157
 safety evaluation and 171, 175–6
 skin 128, 131
 throat 146
Cantharidin 146
Car exhausts 123, 124, 125, 128, 152
Carbon monoxide 152–4
 binding to haemoglobin 11, 62, 153
 poisoning 152–4
 as a pollutant 123, 124, 125, 128
Carbon tetrachloride 11, 60
Carboxyhaemoglobin 153
Carcinogenicity 66–7
Carcinogenicity tests 167, 171, 175–6
Carcinogens, IARC classification of 175
Carson 2, 109, 173
Case control studies 165
Cassava, 155
Castor oil plant 145
Cats 49
Cell membrane 20, 63, 95, 145, 147
Chelating agents 158
Chemical factors 49

- Chemical Oxygen Demand (COD) 140, 170
Chirality 49, 83
Chlordane 176
Chloroacetaldehyde 92
Chloroethylene oxide 92
Chlorofluorocarbons 128
Chlorphentermine 62
Cholesterol 20
Cholinesterase 49, 82, 115, 116, 164
Chronic exposure 8, 29, 57, 90, 168
 to aflatoxin 148
 to alcohol 157
 to cadmium 127
 to carbon monoxide 124
 to insecticides 109, 113
 to lead 130
 to pyrrolizidine alkaloids 144
 to sulphur dioxide 124
Chronic toxicity 57, 90, 109, 169
Chronic toxicity tests 169
Cigarettes 52, 92, 125, 128
Cirrhosis 144, 157
Classification of toxic chemicals, 12–13, 168
Clastogenicity 65–6
Clean Air Act 122
Clearance 29, 40, 102
Clinical chemical measurements 168–9
Clofibrate 67
Clostridium botulinum 103, 149
COD 170
Cohort studies 165
Coniine 3, 144
Conjugation reactions 45–8
Consequences of metabolism 48–9
Contraceptive pill 134
Control limit 95
Copperhead snake 147
Coprotophyrin 129
Cosmetics 172
Coumestans 137
Covalent binding 60
Cross-sectional studies 165
Cryptorchidism 136
Curare 5
Cyanide 5, 12, 62, 155–6
Cycasin 33
Cyclamate 102
CYP2C 51
CYP2D6 50, 68
CYP3A4 52
Cytisine 144
Cytochrome P450 41–3, 49–52, 75, 81, 82, 92
Cytolytic reactions 63

Daphnia 112, 133, 140, 167, 169
DDD 111
DDE 111, 112, 133, 136
DDT 9, 34, 39, 49, 111–14, 131, 133–4, 135–6
Dealkylation 43
Death Cap mushroom 148
Debrisoquine 50, 62, 81–2
Delaney Clause 102, 179
Dermatitis 8, 64, 90–1
Dermis 24
4,4'-Diamino-diphenylmethane 93–4
Diamondback rattlesnake 147
Dicobalt edetate 156
Dieldrin 114, 133
Diethylstilboestrol 34, 65, 134, 136
Digoxin 34, 159
Di-isopropylfluorophosphate 13
Dimercaprol 158
Dimethylformamide 52
Dinitrotoluene 50
Dinoflagellates 146
Dioscorides 3
Dioxin 10, 12, 64, 137
Distribution of toxic compounds 27–30
Disulphiram 14
DNA 65, 66, 92, 93, 146
DNA methylation 176
Dominant lethal assay 171
Dosage 10, 13–15, 74, 166, 167, 168
Dose–response 4, 9–15, 64, 174–5
 relationship, and Paracelsus 4
Drug abuse 84
Drug interactions 83–4
Drug overdoses 30, 74–5
Drug toxicity 6, 73–85
Drug(s) 6, 73–85, 164, 166
 abuse of 84
 interactions and 83–4
 safety evaluation of 164, 165, 166, 167

- E Number 100
- Earthworms 167
- Ebers Papyrus 3
- Ecological studies 165
- Ecotoxicity tests 164, 167, 168, 170
- ED₅₀ 11, 13, 14
- Efron, Edith 2
- Eggs 112, 132, 133
 - fish 131
- Eggshells 112, 132, 133, 164
- Embryo, 64
- Embryogenesis 64
- Emetics 158
- Endocrine disruptors 134–7
- Enterohepatic recirculation 33
- Environmental factors 51–2, 125
- Environmental pollutants 7, 8, 121–40
- Enzyme induction 52, 75
- Epidemiology 124, 163, 164, 174
- Epidermis 24, 61, 91
- Epigenetic mechanisms 66
- Epoxide hydrolase 45
- Epping Jaundice 93, 105
- Esterase 75
- Esters 44
- Ethanal 14
- Ethanol 14, 21, 32, 43–4, 156–7, 159
 - metabolism 44, 156
- Ethionine 60, 66
- Ethylene glycol 40, 154–5
- Ethinylloestradiol 135
- Eutrophication 131
- Excretion 30–4, 40, 50, 77, 129, 148, 158
- Exposure 8–9, 58
 - biomarkers of 67, 164, 177, 179
 - chronic 8, 57, 90, 168
 - dietary 99–105
 - lifetime 100, 169
 - limits 96, 178
 - to mixtures 14
 - repeated 30
- Extrapolation
 - from dose response 15, 103
 - between species 178
- Facilitated diffusion 21, 22
- Fatty acids 42
- Fatty liver 60, 62, 156
- Favism 84
- Fibrosis 94, 117
- Ficks Law 21
- Filtration 21, 31
- First-pass metabolism 29
- Fish 167
- Flavonoid 51
- Fluoroacetate 62, 118
- Fluorocitrate 5, 118
- Foetus, 64
- Fog 123
- Food
 - and absorption from GI tract 26, 27
 - contaminants 103–106
- Food additives 6–7, 8, 15, 43–4, 58, 99–103, 166, 169, 177
- Food chain 7, 112–13, 131–4, 138–9
- Food contaminants 103–06, 176
- Forced diuresis 158
- Formaldehyde 155
- Formic acid 144, 146, 152, 155
- Fos* gene 61
- Frame shift mutations 65
- Free radicals 98
- Fullers Earth 158
- Fungal toxins 148
- Furosemide 32, 60

- Galactosamine 60
- Galen 4
- Gastrointestinal tract
 - absorption from 25–7
 - absorption of lead and 128
 - biliary excretion and 32–3
 - liver metabolism and 41
 - route of exposure 58
- Genes 61
- Genetic factors 50–1
- Genetic modification 166
- Genetic toxicity 65
- Genistein 134
- Genomics 67
- Gentamycin 60
- Ginger Jake 104
- GLP 170
- Gluconeogenesis 157

- Glucose-6-phosphate dehydrogenase deficiency 84
 Glucuronic acid 45–6, 74, 75, 93
 Glucuronide 45–6, 75, 76
 Glue sniffing 157
 Glutathione 32, 46–7, 74–5, 84
 Glutathione transferases 46
 Glycine 47, 75–6
 Goitre 156
 Good Laboratory Practice (GLP) 171
 Gut microflora 32–3, 43
- Haem synthesis 129, 130
 Haemangiosarcoma 91
 Haemodialysis 117, 158
 Haemoglobin 11, 62, 124, 129–30, 153–4
 Haemolytic anaemia 84, 147
 Haemoperfusion 100, 117, 158
 Haldane 153–4
 Half-life 28–30, 31, 33, 75–6, 93, 111
 Halogenated solvents 157
 Halothane 44, 63, 80–1
 Hapten 62
 Hazard 173
 Heavy metals 48, 131
Heliotropium 144
 Hemlock 3, 143
 Henderson Hasselbach equation 21–2, 26, 78
 Hepatocytes 60
 Hermaphroditism 135
 Hexachlorobutadiene 60
 Hippocrates 3, 128
 HLA Type, DR4 79–80
 Honey bee venom 146
 Household poisons 7–8, 151–8
 Hydralazine 43, 47, 50, 63, 64, 78–80
 Hydration 45
 Hydrazines 46, 175
 Hydrocarbons 91, 110, 123, 125
 Hydrogen peroxide 67, 117
 Hydrolysis 40, 41, 44–5, 75–6, 110, 115–16
 Hydroxylation 42, 81, 93
 16 α -Hydroxyoestrone, 137
 Hyperkinetic behaviour 101
 Hypersensitivity reactions 62
 Hypospadias 136
- Idiocracy 74, 80
- Immune response 62–4, 80
 to chemicals 78–81, 92
 Immunological 62–4, 79–81, 91, 92, 95
In vitro tests 167, 171–3
 Indocyanine Green 34
 Industrial chemicals 7, 8, 89–96, 163, 164, 171
 Industrial diseases 8, 89–96
 Inflammation 61, 90
 Initiation 66
 Internal dose 179
 Intestine 23, 26, 27, 32, 50
 Ipomeanol 13
 Irritancy tests 167, 171
 Irritants 90, 124
 Irritation 61, 90,
 Isoenzymes 42, 47
 Isoflavone 137
 Isoniazid 13, 45, 47, 50
 Itai-Itai disease 93, 127
- Jake Leg 104
Jun gene 61
- Kettle descaler 152
 Kidney
 damage to 25, 40, 48, 60, 90, 92, 116, 127, 130,
 138, 148, 154
 structure and function 31–2, 77
 Killer lymphocytes 63, 80
 King Mithridates 3
- Laburnum 144
 Lake Apopka 135
 LD₅₀ 11–14, 102, 142, 147, 149, 167–8
 Lead 3, 22, 25, 127, 128–30
 Linamarin 155
 Lipid peroxidation 60, 109
 Lipid solubility 21, 24, 25, 26, 27, 31, 34, 39, 133,
 138–9
 Lipophilicity 30, 39, 41, 42, 49, 133–5
 Liver
 bile secretion and 32–3
 blood to 27, 29, 32–3, 41, 59
 cirrhosis 144, 157
 damage to 13–14, 32, 49, 50, 52, 59–60, 74–5,
 80–1, 91–2, 94, 100, 103–4, 111, 144–5, 148, 157
 disease and metabolism 52

- Liver (*cont.*)
 first-pass metabolism and 29
 necrosis 11, 60
- London
 fog122–4
- Lungs
 absorption via 24–5, 90, 128
 damage to 60, 94–5, 116–17, 124–5, 144, 152
 excretion via 33–4
 structure of 25
- Lymphocytes 63–4, 80–1
- Maimmonides 3
- Malaoxon 44, 49, 110, 116
- Malathion 41, 49, 110, 114, 116
- Margin of safety 14, 96, 179
- Max* gene 61
- Maximum Exposure Limit (MEL) 15, 92, 96, 178
- Maximum Tolerated Dose (MTD) 176
- MEL 15, 92, 96, 178
- Mercapturic acid 46, 75
- Mercury 30, 48, 109, 110, 137–40
- Mescaline 148
- Mesothelioma 94–5
- Metabolism 39–48
 of drugs 73–83
 factors affecting 48–52
 first-pass 29
 induction 52
 by DDT 113
 saturation of 74, 75, 92
- Metabolism of foreign compounds 39–48
- Metabonomics 67
- Metallothionein 92
- Methaemoglobinaemia 94
- Methanol 155, 159
- Methylation 48, 176
- Methylazoxymethanol 33
- 4,4'-Methylene-bis-2-chloroaniline (MBOCA) 93
- Methylisocyanate 5, 6, 171
- Methylmercury 137–40
- Microbial toxins 148–9
- Micronucleus test 171
- Milk 31, 34, 113, 145
- Minamata disease 139
- Mithridatic 3
- Mixtures 14, 102, 124, 147
- Mojave rattler 147
- Molecular weight 32–3
- Monocrotaline 145
- Monofluoroacetate 118
- Monooxygenase system 41–2
- MTD 175
- Mutagenicity 65–6, 102, 167, 170, 172
- Mutagenicity tests 166
- Myc* gene 61
- Mycotoxins 103
- NADPH cytochrome P450 reductase 42
- Naloxone 159
- Naphthalene 47
- Natural toxins 7, 143–9
- Necrosis 10, 11, 40, 61, 75, 93, 144–5, 147, 148
- New Substances Regulations 169–70
- Nicander of Colophon 3
- Nickel 64, 91
- Nicotine 146
- Nitrogen oxides 8, 24, 123–4, 126
- Nonylphenol 135
- No Observed Adverse Effect Level (NOAEL) 14–15, 96, 165, 177–8
- NOAEL 14–15, 96, 165, 169, 177–8
- Norbormide 9
- Occupational exposure limits 96
- Octylphenol 135
- Odds ratio 165
- Oestrogen mimics 134
- Oestrogenic compounds 134–7
- Opium 3
- Orfila 3
- Organochlorines 134
- Organomercury 48, 138–40
- Organophosphates/organophosphorus compounds 44, 49, 110, 114–16, 159, 164
- Oxalic acid 40, 154
- Oxidation reactions 41–3
- Ozone 123–4, 126–8
- Paracelsus 3–4, 9
- Paracetamol 8, 11, 74–5
 clearance 40
 factors affecting toxicity 49, 52, 74–5
 metabolism 48, 49, 75
 toxicity 48, 49, 74–5, 159, 171

- Paraquat 8, 60, 116–18, 151
 Parathion 24, 90, 114–15, 159
 Particulates 24–5, 123–5
 Partition coefficient 21
 Passive diffusion 21–2, 26, 27, 31–2, 33
 Pathological state 49, 51
 Penicillamine 51
 Penicillin 9, 63
 Pennyroyal oil 145
 Pentobarbital 13, 34
 Peptide drugs 64
 Peroxidases 43, 79
 Peroxisome proliferator activated receptor, 12
 Peroxisome proliferators 67
 Persistence 7, 111–14, 132, 140, 166
 Pesticides 2, 7, 8, 9, 49, 109–18, 121, 130, 132–6,
 140, 164, 167
 Peters 5
 Phagocytosis 22, 25, 27, 61, 95
 Phalloidin 148
 Phalloin 148
 Phallolysin 148
 Phase 1 metabolism 41–5
 Phase 2 metabolism 40–1, 45–8
 Phase 1, 2, 3 trials 164
 Phenobarbital 32, 83
 Phenyl sulphate 41, 45
 Phenylbutazone 84
 Phocomelia 82
 Phorbol esters 66
 Phosphodiesterases 147
 Phospholipase A 147
 Phospholipases 147
 Phospholipid 20
 Phospholipidosis 62
 Phosphomonoesterases 147
 Phthalate esters 67
 Physico-chemical properties 20, 26, 27, 49, 134,
 166–7
 Pinocytosis 21, 22
 pK_a 22, 78
 Placebo 165
 Plankton 112, 133
 Plasma
 clearance 102
 enzymes 44, 67, 115
 half-life 28–9, 31, 33, 40, 75, 76, 154
 level 27–30, 31, 32, 75, 76, 82, 83, 84, 116, 118,
 154, 156, 168
 pH 23, 26
 proteins 29–30, 32, 84, 148
 Plasma level profile 28–9
 Plasma protein binding 29–30, 32, 84, 148
 PM10 125
 Pollution 7, 121–40
 Polyamines 117
 Polybrominated biphenyls 30
 Polychlorinated biphenyls 33, 134, 137
 Post mortem 167
 Potentiation 14
 Pralidoxime 159
 Precipitation 125
 Precipitin reactions 63
 Predisposing factors 78, 80
 Primaquine 84
 Procainamide 45, 47, 50
 Procaine 13, 45
 Progression 66
 Promotion 66
 Propylbenzene 43
 Proteases 92
 Protein(s)
 denaturation 90
 excretion and 32
 membrane 20,
 plasma 29–30, 32, 84, 148
 reactions of compounds with 29–30, 32, 63, 75,
 80, 84, 103
 sulphydryl groups in 138
 as toxins 146–7, 149
 Proteomics 67
 Protoporphyrin 129
 Pseudocholinesterase 51
 Psilocin 148
 Ptaquiloside 104, 145–6
 Puffer Fish 146, 147–8
 Pulmonary sensitization 171
 Putrescine 117
 Pyrrolizidine alkaloids 144–5

 Quantal 13–14

 3 Rs 171
 Rain out 126

- Rapid acetylators 50, 79
Reaginic antibody 63
Receptors 10–12, 62, 67, 95, 136–7
Reduction 43–4, 117
Reduction, refinement, replacement 171
Reference dose 177
Reproductive toxicity tests 167, 169
Respiratory system 24–5, 90, 124, 125, 153
Responses 9–15, 58–67
 detection of 67
 factors affecting 48–52
Rhodanese 156
Ribonucleases 147
Ricin 145
Rifampicin 83
Risk 173
 absolute excess 165
 relative 165
Risk Assessment 173–9
Risk/benefit 101, 173, 179
Rodenticide 9
Route of administration 12–13, 167–8
Russells viper 147
- Saccharin 102–3, 117
Safety (uncertainty) factors 178
Salmonella 100
Saturation 20, 29, 32, 33, 75–6, 102, 153
Saxitoxin 146
Selective toxicity 9
Sensitization tests 167, 171–2
Seveso 137
Sex 50, 80, 84, 167
Silent Spring 2, 109, 173
Silicosis 89
Skin 23–4
 absorption 23–4, 58, 90, 111, 130
 corrosives and 8, 90
 diseases 61, 89, 90–1
 exposure 8, 58, 90–1
 irritation 61, 90–1
 rashes 63
 reactions 61, 90–1, 101
 sensitization 91, 171
 tests 167, 171
 tumours 66, 128, 131–2
Slow acetylators 47, 50, 78–9, 93
Smog 122–3
Smooth endoplasmic reticulum 41–2
Snake venoms 27, 147
Solvents 7, 8, 23–5, 84, 90, 96, 152, 157
Spanish Oil Syndrome 105–6
Sparteine 51
Species differences
 as a factor in toxic responses 49
 in pH of GI tract 26
 in toxicity 9, 13, 49, 109, 114
 toxicity testing and 166–7, 174, 178
Sperm count/quality 136
Spermine 117
Steatosis 60–1
Steroids 51
Strain 50, 167
Structure–activity relationships 166
Sub-chronic toxicity tests 167, 168–9
Succinylcholine 40, 51, 62, 82
Sulphanilamide 47
Sulphate 41, 45, 49, 74, 75, 126–7
Sulphation 45
Sulphonamides 40, 46–7
Sulphotransferase 45
Sulphur dioxide 8, 24, 123–8
Sulphydryl group 46–7, 138, 140
Superoxide 117
Superoxide dismutase 117
Symport 22
Synergistic 14, 95, 124
Syrup of Ipecachuana 158
- Target organ toxicity 59–61, 168
Tartrazine 43–4, 101–2
TD₅₀ 11, 13, 14
Teratogenicity 64–5, 82–3, 139, 167, 169
Teratogenicity tests 167, 169–70
Testicular toxicity 92–3
Tetraethyl lead 128, 130
Tetrodotoxin 62, 146, 147–8
Thalidomide 73, 82–3
Therapeutic index 14
Thiopental 30
Thiosulphate 156, 159
Threshold dose 14–15, 67, 175, 176, 178
Threshold limit value (TLV) 15, 92, 96, 178
Tolerable Daily Intake (TDI) 178

- Tolerance 14, 118
o-Tolidine 93
Toluene 157
Toluene di-isocyanate 63, 91
Total body clearance 29
Toxic responses 9–15, 58–67
Toxicity tests 92, 96, 140, 163–78
Toxicodynamics 9
Toxicokinetics 9
Toxicon 3
Tributyl tin oxide (TBTO) 135
Trichloroethane 157
Trifluoroacetylchloride 80–1
Triglycerides 156
Tri-orthocresylphosphate 104
Trp 1 103
Trp 2 103
Type III immune reaction 63–4, 80
- Uncertainty (safety) factors 178
Uniport 22
Uranium dioxide 25, 90
- Urinary excretion 31–2, 50
Urticaria 101–2
- V_D 27–8, 76
Vedas 3
Veno-occlusive disease 144–5
Villi 26
Vinca alkaloids 66
Vinyl chloride 42–3, 66, 91–2, 138
Virtually safe dose (VSD) 178
Vitellogenin 135
Volume of distribution (V_D) 27–8, 76
- Warfarin 84, 110
Washout 126
Water pollution 130–1
Wet deposition 127
Whole body burden 28
- Yellow card system 164
Zearalenone 134