

APPENDICES

APPENDIX 1


Infrared Absorption Frequencies of Functional Groups


www.chem4all.vn


A-2 Appendix 1



Colthup spectra-structure correlation charts for infrared frequencies in the 4000-600 cm⁻¹ region from Lin-Vien, D., N. B. Colthup, W. G. Fateley, and J. G. Grasselli, *The Handbook of Infrared and Raman Characteristic Frequencies of Organic Molecules*, Academic Press, New York, 1991.











A-8 Appendix 2

APPENDIX 2

Approximate ^1H Chemical Shift Ranges (ppm)
for Selected Types of Protons^a


$\text{R}-\text{CH}_3$		0.7 – 1.3	$\text{R}-\text{N}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}$	2.2 – 2.9
$\text{R}-\text{CH}_2-\text{R}$		1.2 – 1.4	$\text{R}-\text{S}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}$	2.0 – 3.0
R_3CH		1.4 – 1.7	$\text{I}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}$	2.0 – 4.0
$\text{R}-\overset{\text{H}}{\underset{ }{\text{C}}}=\overset{\text{H}}{\underset{ }{\text{C}}}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}$		1.6 – 2.6	$\text{Br}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}$	2.7 – 4.1
$\text{R}-\overset{\text{O}}{\parallel}{\text{C}}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}, \text{H}-\overset{\text{O}}{\parallel}{\text{C}}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}$		2.1 – 2.4	$\text{Cl}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}$	3.1 – 4.1
$\text{RO}-\overset{\text{O}}{\parallel}{\text{C}}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}, \text{HO}-\overset{\text{O}}{\parallel}{\text{C}}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}$		2.1 – 2.5	$\text{R}-\overset{\text{O}}{\parallel}{\text{S}}-\text{O}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}$	ca. 3.0
$\text{N}\equiv\text{C}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}$		2.1 – 3.0	$\text{RO}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}, \text{HO}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}$	3.2 – 3.8
		2.3 – 2.7	$\text{R}-\overset{\text{O}}{\parallel}{\text{C}}-\text{O}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}$	3.5 – 4.8
$\text{R}-\text{C}\equiv\text{C}-\text{H}$		1.7 – 2.7	$\text{O}_2\text{N}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}$	4.1 – 4.3
$\text{R}-\text{S}-\text{H}$	var	1.0 – 4.0 ^b	$\text{F}-\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}$	4.2 – 4.8
$\text{R}-\overset{\text{H}}{\underset{ }{\text{N}}}-\text{H}$	var	0.5 – 4.0 ^b	$\text{R}-\overset{\text{H}}{\underset{ }{\text{C}}}=\overset{\text{H}}{\underset{ }{\text{C}}}-\text{H}$	4.5 – 6.5
$\text{R}-\text{O}-\text{H}$	var	0.5 – 5.0 ^b		6.5 – 8.0
	var	4.0 – 7.0 ^b	$\text{R}-\overset{\text{O}}{\parallel}{\text{C}}-\text{H}$	9.0 – 10.0
	var	3.0 – 5.0 ^b	$\text{R}-\overset{\text{O}}{\parallel}{\text{C}}-\text{OH}$	11.0 – 12.0
$\text{R}-\overset{\text{O}}{\parallel}{\text{C}}-\overset{\text{H}}{\underset{ }{\text{N}}}-\text{H}$	var	5.0 – 9.0 ^b		

^a For those hydrogens shown as $-\overset{\text{H}}{\underset{|}{\text{C}}}-\text{H}$, if that hydrogen is part of a methyl group (CH_3) the shift is generally at the low end of the range given, if the hydrogen is in a methylene group ($-\text{CH}_2-$) the shift is intermediate, and if the hydrogen is in a methine group ($-\overset{\text{H}}{\underset{|}{\text{C}}}-$) the shift is typically at the high end of the range given.

^b The chemical shift of these groups is variable, depending not only on the chemical environment in the molecule, but also on concentration, temperature, and solvent.







A-12 Appendix 4

APPENDIX 4










 ^1H Chemical Shifts of Selected Heterocyclic and Polycyclic Aromatic Compounds

APPENDIX 5

Typical Proton Coupling Constants






ALKANES AND SUBSTITUTED ALKANES					
Type		Typical Value (Hz)	Range (Hz)		
	2J geminal	12	12–15	(For a 109° H–C–H angle)	
	3J vicinal	7	6–8	(Depends on HCCH dihedral angle)	
	3J a,a	10	8–14	In conformationally rigid systems (in systems undergoing inversion, all $J \approx 7$ –8 Hz)	
	3J a,e	5	0–7		
	3J e,e	3	0–5		
	3J cis (H_bH_c)	9	6–12		
	3J trans (H_aH_c)	6	4–8		
	2J gem (H_aH_b)	6	3–9		
	3J cis (H_bH_c)	4	2–5		
	3J trans (H_aH_c)	2.5	1–3		
	2J gem (H_aH_b)	6	4–6		
	4J	0	0–7	(W-configuration obligatory—strained systems have the larger values)	

A-14 Appendix 5


ALKENES AND CYCLOALKENES (2J AND 3J)							
Type		Typical Value (Hz)	Range (Hz)	Type		Typical Value (Hz)	Range (Hz)
	2J gem	<1	0-5		3J	2	0-2
	3J cis	10	6-15		3J	4	2-4
	3J trans	16	11-18		3J	6	5-7
	3J	5	4-10		3J	10	8-11
	3J	10	9-13				

ALKENES AND ALKYNES (4J AND 5J)							
Type		Typical Value (Hz)	Range (Hz)	Type		Typical Value (Hz)	Range (Hz)
H-C=C-C-H Allylic	4J (cis or trans)	1	0-3	H-C≡C-C-H Allylic	4J	2	2-3
H-C-C=C-C-H Homoallylic	5J	0	0-1.5	H-C-C≡C-C-H Homoallylic	5J	2	2-3



AROMATICS AND HETEROCYCLES

Type	Typical Value (Hz)	Range (Hz)	Type	Range (Hz)	
	3J <i>ortho</i> 4J <i>meta</i> 5J <i>para</i>	8 3 <1		3J $\alpha\beta$ 4J $\alpha\beta'$ 4J $\alpha\alpha'$ 3J $\beta\beta'$	4.6–5.8 1.0–1.5 2.1–3.3 3.0–4.2
	3J $\alpha\beta$ 4J $\alpha\beta'$ 4J $\alpha\alpha'$ 3J $\beta\beta'$	1.6–2.0 0.3–0.8 1.3–1.8 3.2–3.8		3J $\alpha\beta$ 4J $\alpha\gamma$ 5J $\alpha\beta'$ 4J $\alpha\alpha'$ 3J $\beta\gamma$ 4J $\beta\beta'$	4.9–5.7 1.6–2.0 0.7–1.1 0.2–0.5 7.2–8.5 1.4–1.9
	3J $\alpha\beta$ 4J $\alpha\beta'$ 4J $\alpha\alpha'$ 3J $\beta\beta'$	2.0–2.6 1.0–1.5 1.8–2.3 2.8–4.0			

ALCOHOLS












Type	Typical Value (Hz)	Range (Hz)
	3J 5	4–10
(No exchange occurring)		

ALDEHYDES


Type	Typical Value (Hz)	Range (Hz)
	3J 2	1–3
	3J 6	5–8

A-16 Appendix 5

PROTON-OTHER NUCLEUS COUPLING CONSTANTS

Type	Typical Value (Hz)	Type	Typical Value (Hz)	Type	Typical Value (Hz)
	2J 44-81		1J ~190	N-H	~52
	3J 3-25		1J ~650		0
	4J ~0		2J ~13		
	2J ~2		3J ~17		
	3J <1 (Leads only to peak broadening)		3J ~8		

Example:



7.03 ppm, doublet of doublets 2H ($H_aH_b = 8.8$ Hz, $^3J H_aF = 8.9$ Hz). Looks like a triplet with fine structure


7.30 ppm, triplet of doublets, 2H (H_bH_a and $H_bH_c = 7.8$, $^4J H_bF = 5.8$). Looks like a quartet, with fine structure

7.10 ppm, triplet of doublets 1H ($H_cH_b = 7.4$, $^5JH_cF = 0.8$). Looks like a triplet

APPENDIX 6

Calculation of Proton (^1H) Chemical Shifts

TABLE A 6.1
 ^1H CHEMICAL-SHIFT CALCULATIONS FOR DISUBSTITUTED METHYLENE COMPOUNDS

X-CH ₂ -X		or	X-CH ₂ -Y		δ_{H} ppm = 0.23 + Σ constants
Substituents	Constants		Substituents	Constants	
Alkanes, alkenes, alkynes, aromatics			Bonded to oxygen		
-R	0.47		-OH	2.56	
	1.32		-OR	2.36	
-C \equiv C-	1.44		-OCOR	3.13	
-C ₆ H ₅	1.85		-OC ₆ H ₅	3.23	
Bonded to nitrogen and sulfur			Bonded to halogen		
-NR ₂	1.57		-F	4.00	
-NHCOR	2.27		-Cl	2.53	
-NO ₂	3.80		-Br	2.33	
-SR	1.64		-I	1.82	
Ketones			Derivatives of carboxylic acids		
-COR	1.70		-COOR	1.55	
-COC ₆ H ₅	1.84		-CONR ₂	1.59	
			-C \equiv N	1.70	

Example Calculations

The formula allows you to calculate the *approximate* chemical-shift values for protons (^1H) based on methane (0.23 ppm). Although it is possible to calculate chemical shifts for any proton (methyl, methylene, or methine), agreement with actual experimental values is best with *disubstituted* compounds of the type X-CH₂-Y or X-CH₂-X.

$$\text{Cl}-\text{CH}_2-\text{Cl} \quad \delta_{\text{H}} = 0.23 + 2.53 + 2.53 = 5.29 \text{ ppm}; \text{ actual} = 5.30 \text{ ppm}$$


$$\text{C}_6\text{H}_5-\text{CH}_2-\text{O}-\overset{\text{O}}{\parallel}{\text{C}}-\text{CH}_3 \quad \delta_{\text{H}} = 0.23 + 1.85 + 3.13 = 5.21 \text{ ppm}; \text{ actual} = 5.10 \text{ ppm}$$

$$\text{C}_6\text{H}_5-\text{CH}_2-\overset{\text{O}}{\parallel}{\text{C}}-\text{O}-\text{CH}_3 \quad \delta_{\text{H}} = 0.23 + 1.85 + 1.55 = 3.63 \text{ ppm}; \text{ actual} = 3.60 \text{ ppm}$$

$$\text{CH}_3-\text{CH}_2-\text{CH}_2-\text{NO}_2 \quad \delta_{\text{H}} = 0.23 + 3.80 + 0.47 = 4.50 \text{ ppm}; \text{ actual} = 4.38 \text{ ppm}$$

A-18 Appendix 6


TABLE A 6.2
¹H CHEMICAL-SHIFT CALCULATIONS FOR SUBSTITUTED ALKENES



$$\delta_H \text{ ppm} = 5.25 + \delta_{gem} + \delta_{cis} + \delta_{trans}$$

Substituents (-R)	δ_{gem}	δ_{cis}	δ_{trans}
Saturated carbon groups			
Alkyl	0.44	-0.26	-0.29
-CH ₂ -O-	0.67	-0.02	-0.07
Aromatic groups			
-C ₆ H ₅	1.35	0.37	-0.10
Carbonyl, acid derivatives, and nitrile			
COR	1.10	1.13	0.81
-COOH	1.00	1.35	0.74
-COOR	0.84	1.15	0.56
-C≡N	0.23	0.78	0.58
Oxygen groups			
-OR	1.18	-1.06	-1.28
-OCOR	2.09	-0.40	-0.67
Nitrogen groups			
-NR ₂	0.80	-1.26	-1.21
-NO ₂	1.87	1.30	0.62
Halogen groups			
-F	1.54	-0.40	-1.02
-Cl	1.08	0.19	0.13
-Br	1.04	0.40	0.55
-I	1.14	0.81	0.88


Example Calculations



$$H_{gem} = 5.25 + 2.09 = 7.34 \text{ ppm; actual} = 7.25 \text{ ppm}$$

$$H_{cis} = 5.25 - 0.40 = 4.85 \text{ ppm; actual} = 4.85 \text{ ppm}$$


$$H_{trans} = 5.25 - 0.67 = 4.58 \text{ ppm; actual} = 4.55 \text{ ppm}$$



$$H_{gem} = 5.25 + 0.84 = 6.09 \text{ ppm; actual} = 6.14 \text{ ppm}$$

$$H_{cis} = 5.25 + 1.15 = 6.40 \text{ ppm; actual} = 6.42 \text{ ppm}$$


$$H_{trans} = 5.25 + 0.56 = 5.81 \text{ ppm; actual} = 5.82 \text{ ppm}$$



$$H_a \begin{cases} \delta_{gem} \text{ for } -COOR = 0.84 \\ \delta_{cis} \text{ for } -C_6H_5 = 0.37 \\ H_a = 5.25 + 0.84 + 0.37 = 6.46 \text{ ppm;} \\ \text{actual} = 6.43 \text{ ppm} \end{cases}$$

$$H_b \begin{cases} \delta_{gem} \text{ for } -C_6H_5 = 1.35 \\ \delta_{cis} \text{ for } -COOR = 1.15 \\ H_b = 5.25 + 1.35 + 1.15 = 7.75 \text{ ppm;} \\ \text{actual} = 7.69 \text{ ppm} \end{cases}$$

TABLE A 6.3
¹H CHEMICAL-SHIFT CALCULATIONS FOR SUBSTITUTED BENZENE RINGS




$$\delta_H \text{ ppm} = 7.27 + \Sigma \delta$$

Substituents (-R)	δ_{ortho}	δ_{meta}	δ_{para}
Saturated carbon groups			
Alkyl	-0.14	-0.06	-0.17
-CH ₂ OH	-0.07	-0.07	-0.07
Aldehydes and ketones			
-CHO	0.61	0.25	0.35
-COR	0.62	0.14	0.21
Carboxylic acids and derivatives			
-COOH	0.85	0.18	0.34
-COOR	0.71	0.10	0.21
-C≡N	0.25	0.18	0.30
Oxygen groups			
-OH	-0.53	-0.17	-0.45
-OCH ₃	-0.48	-0.09	-0.44
-OCOCH ₃	-0.19	-0.03	-0.19
Nitrogen groups			
-NH ₂	-0.80	-0.25	-0.65
-NO ₂	0.95	0.26	0.38
Halogen groups			
-F	-0.29	-0.02	-0.23
-Cl	0.03	-0.02	-0.09
-Br	0.18	-0.08	-0.04
-I	0.38	-0.23	-0.01

A-20 Appendix 6

Example Calculations


The formula allows you to calculate the *approximate* chemical-shift values for protons (^1H) on a benzene ring. Although the values given in the table are for *monosubstituted benzenes*, it is possible to estimate chemical shifts for disubstituted and trisubstituted compounds by adding values from the table. The calculations for *meta*- and *para*-disubstituted benzenes often agree closely with actual values. More significant deviations from the experimental values are expected with *ortho*-disubstituted and trisubstituted benzenes. With these types of compounds, steric interactions cause groups such as carbonyl and nitro to turn out of the plane of the ring and thereby lose conjugation. Calculated values are often lower than the actual chemical shifts for *ortho*-disubstituted and trisubstituted benzenes.



$$H_{ortho} = 7.27 + 0.71 = 7.98 \text{ ppm; actual} = 8.03 \text{ ppm}$$


$$H_{meta} = 7.27 + 0.10 = 7.37 \text{ ppm; actual} = 7.42 \text{ ppm}$$

$$H_{para} = 7.27 + 0.21 = 7.48 \text{ ppm; actual} = 7.53 \text{ ppm}$$



$$H_a \begin{cases} \delta_{ortho} \text{ for } -\text{Cl} = 0.03 \\ \delta_{meta} \text{ for } -\text{NO}_2 = 0.26 \\ H_a = 7.27 + 0.03 + 0.26 = 7.56 \text{ ppm; actual} = 7.50 \text{ ppm} \end{cases}$$

$$H_b \begin{cases} \delta_{meta} \text{ for } -\text{Cl} = -0.02 \\ \delta_{ortho} \text{ for } -\text{NO}_2 = 0.95 \\ H_b = 7.27 - 0.02 + 0.95 = 8.20 \text{ ppm; actual} = 8.20 \text{ ppm} \end{cases}$$



$$H_a \begin{cases} \delta_{meta} \text{ for } -\text{Cl} = -0.02 \\ \delta_{meta} \text{ for } -\text{NO}_2 = 0.26 \\ H_a = 7.27 - 0.02 + 0.26 = 7.51 \text{ ppm; actual} = 7.51 \text{ ppm} \end{cases}$$


$$H_b \begin{cases} \delta_{ortho} \text{ for } -\text{Cl} = 0.03 \\ \delta_{para} \text{ for } -\text{NO}_2 = 0.38 \\ H_b = 7.27 + 0.03 + 0.38 = 7.68 \text{ ppm; actual} = 7.69 \text{ ppm} \end{cases}$$

$$H_c \begin{cases} \delta_{para} \text{ for } -\text{Cl} = -0.09 \\ \delta_{ortho} \text{ for } -\text{NO}_2 = 0.95 \\ H_c = 7.27 - 0.09 + 0.95 = 8.13 \text{ ppm; actual} = 8.12 \text{ ppm} \end{cases}$$

$$H_d \begin{cases} \delta_{ortho} \text{ for } -\text{Cl} = 0.03 \\ \delta_{ortho} \text{ for } -\text{NO}_2 = 0.95 \\ H_d = 7.27 + 0.03 + 0.95 = 8.25 \text{ ppm; actual} = 8.21 \text{ ppm} \end{cases}$$

A P P E N D I X 7

Approximate ^{13}C Chemical-Shift Values (ppm) for Selected Types of Carbon

Types of Carbon	Range (ppm)	Types of Carbon	Range (ppm)
$\text{R}-\text{CH}_3$	8–30	$\text{C}\equiv\text{C}$	65–90
R_2CH_2	15–55	$\text{C}=\text{C}$	100–150
R_3CH	20–60	$\text{C}\equiv\text{N}$	110–140
$\text{C}-\text{I}$	0–40		110–175
$\text{C}-\text{Br}$	25–65	$\text{R}-\overset{\text{O}}{\parallel}{\text{C}}-\text{OR}, \text{R}-\overset{\text{O}}{\parallel}{\text{C}}-\text{OH}$	155–185
$\text{C}-\text{N}$	30–65	$\text{R}-\overset{\text{O}}{\parallel}{\text{C}}-\text{NH}_2$	155–185
$\text{C}-\text{Cl}$	35–80	$\text{R}-\overset{\text{O}}{\parallel}{\text{C}}-\text{Cl}$	160–170
$\text{C}-\text{O}$	40–80	$\text{R}-\overset{\text{O}}{\parallel}{\text{C}}-\text{R}, \text{R}-\overset{\text{O}}{\parallel}{\text{C}}-\text{H}$	185–220

APPENDIX 8

Calculation of ^{13}C Chemical Shifts


TABLE A 8.1
 ^{13}C CHEMICAL SHIFTS OF SELECTED HYDROCARBONS (PPM)

Compound	Formula	C1	C2	C3	C4	C5
Methane	CH_4	-2.3				
Ethane	CH_3CH_3	5.7				
Propane	$\text{CH}_3\text{CH}_2\text{CH}_3$	15.8	16.3			
Butane	$\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_3$	13.4	25.2			
Pentane	$\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_3$	13.9	22.8	34.7		
Hexane	$\text{CH}_3(\text{CH}_2)_4\text{CH}_3$	14.1	23.1	32.2		
Heptane	$\text{CH}_3(\text{CH}_2)_5\text{CH}_3$	14.1	23.2	32.6	29.7	
Octane	$\text{CH}_3(\text{CH}_2)_6\text{CH}_3$	14.2	23.2	32.6	29.9	
Nonane	$\text{CH}_3(\text{CH}_2)_7\text{CH}_3$	14.2	23.3	32.6	30.0	30.3
Decane	$\text{CH}_3(\text{CH}_2)_8\text{CH}_3$	14.2	23.2	32.6	31.1	30.5
2-Methylpropane		24.5	25.4			
2-Methylbutane		22.2	31.1	32.0	11.7	
2-Methylpentane		22.7	28.0	42.0	20.9	14.3
2,2-Dimethylpropane		31.7	28.1			
2,2-Dimethylbutane		29.1	30.6	36.9	8.9	
2,3-Dimethylbutane		19.5	34.4			
Ethylene	$\text{CH}_2=\text{CH}_2$	123.3				
Cyclopropane		-3.0				
Cyclobutane		22.4				
Cyclopentane		25.6				
Cyclohexane		26.9				
Cycloheptane		28.4				
Cyclooctane		26.9				
Cyclononane		26.1				
Cyclodecane		25.3				
Benzene		128.5				

TABLE A 8.2
 ^{13}C CHEMICAL-SHIFT CALCULATIONS FOR LINEAR AND BRANCHED ALKANES

$$\delta_{\text{C}} = -2.3 + 9.1\alpha + 9.4\beta - 2.5\gamma + 0.3\delta + 0.1\varepsilon + \Sigma (\text{steric corrections}) \text{ ppm}$$


α , β , γ , δ , and ε are the numbers of carbon atoms in the α , β , γ , δ , and ε positions relative to the carbon atom being observed.



Steric corrections are derived from the following table (use all that apply, even if they apply more than once).

Steric Corrections (ppm)				
Carbon Atom Observed	Type of Carbons Attached			
	Primary	Secondary	Tertiary	Quaternary
Primary	0	0	-1.1	-3.4
Secondary	0	0	-2.5	-7.5
Tertiary	0	-3.7	-8.5	-10.0
Quaternary	-1.5	-8.4	-10.0	-12.5

Example



2,2-Dimethylbutane

Actual values:	C1	29.1 ppm
	C2	30.6 ppm
	C3	36.9 ppm
	C4	8.9 ppm

$$\text{C1} = -2.3 + 9.1(1) + 9.4(3) - 2.5(1) + 0.3(0) + 0.1(0) + \mathbf{[1(-3.4)]} = 29.1 \text{ ppm}$$

Steric correction (boldface) = primary with 1 adjacent quaternary

$$\text{C2} = -2.3 + 9.1(4) + 9.4(1) - 2.5(0) + 0.3(0) + 0.1(0) + \mathbf{[3(-1.5)]} + \mathbf{[1(-8.4)]} = 30.6 \text{ ppm}$$

Steric corrections = quaternary/3 adj. primary, and quaternary/1 adj. secondary

$$\text{C3} = -2.3 + 9.1(2) + 9.4(3) - 2.5(0) + 0.3(0) + 0.1(0) + \mathbf{[1(0)]} + \mathbf{[1(-7.5)]} = 36.6 \text{ ppm}$$

Steric corrections = secondary/1 adj. primary, and secondary/1 adj. quaternary

$$\text{C4} = -2.3 + 9.1(1) + 9.4(1) - 2.5(3) + 0.3(0) + 0.1(0) + \mathbf{[1(0)]} = 8.7 \text{ ppm}$$


Steric correction = primary/1 adj. secondary

A-24 Appendix 8

TABLE A 8.3
 ^{13}C SUBSTITUENT INCREMENTS FOR ALKANES AND CYCLOALKANES (PPM)^a


Substituent Y	Terminal: $\text{Y}-\text{C}_\alpha-\text{C}_\beta-\text{C}_\gamma$			Internal: $\text{C}_\gamma-\text{C}_\beta-\overset{\text{Y}}{\text{C}}_\alpha-\text{C}_\beta-\text{C}_\gamma$		
	α	β	γ	α	β	γ
-D	-0.4	-0.1	0			
-CH ₃	9	10	-2	6	8	-2
-CH=CH ₂	19.5	6.9	-2.1			-0.5
-C≡CH	4.5	5.4	-3.5			-3.5
-C ₆ H ₅	22.1	9.3	-2.6	17	7	-2
-CHO	29.9	-0.6	-2.7			
-COCH ₃	30	1	-2	24	1	-2
-COOH	20.1	2	-2.8	16	2	-2
-COOR	22.6	2	-2.8	17	2	-2
-CONH ₂	22	2.5	-3.2			-0.5
-CN	3.1	2.4	-3.3	1	3	-3
-NH ₂	29	11	-5	24	10	-5
-NHR	37	8	-4	31	6	-4
-NR ₂	42	6	-3			-3
-NO ₂	61.6	3.1	-4.6	57	4	
-OH	48	10	-6.2	41	8	-5
-OR	58	8	-4	51	5	-4
-OCOCH ₃	56.5	6.5	-6.0	45	5	-3
-F	70.1	7.8	-6.8	63	6	-4
-Cl	31	10	-5.1	32	10	-4
-Br	20	11	-3	25	10	-3
-I	-7.2	10.9	-1.5	4	12	-1

^aAdd these increments to the values given in Table A8.1.

Example 1


Using the values for butane listed in Table A8.1 and the internal substituent corrections from Table A8.3, we calculate:

		<i>Actual value</i>
C1 = 13.4 +	8 = 21.4 ppm	22.6 ppm
C2 = 25.2 +	41 = 66.2 ppm	68.7 ppm
C3 = 25.2 +	8 = 33.2 ppm	32.0 ppm
C4 = 13.4 + (-5) =	8.4 ppm	9.9 ppm

Example 2

Using the values for butane listed in Table A8.1 and the terminal substituent corrections from Table A8.3, we calculate:

		<i>Actual value</i>
C1 = 13.4 +	48 = 61.4 ppm	61.4 ppm
C2 = 25.2 +	10 = 35.2 ppm	35.0 ppm
C3 = 25.2 + (-6.2) =	19.0 ppm	19.1 ppm
C4 = 13.4	= 13.4 ppm	13.6 ppm

Example 3

Using the values for propane listed in Table A8.1 and the terminal substituent corrections from Table A8.3, we calculate:

		<i>Actual value</i>
C1 = 15.8 +	20 = 35.8 ppm	35.7 ppm
C2 = 16.3 +	11 = 27.3 ppm	26.8 ppm
C3 = 15.8 + (-3) =	12.8 ppm	13.2 ppm

A-26 Appendix 8

TABLE A 8.4
 ^{13}C SUBSTITUENT INCREMENTS FOR
 ALKENES (PPM)^{a,b}

Substituent	$\begin{array}{c} \text{Y}-\overset{1}{\text{C}}=\overset{2}{\text{C}}-\text{X} \\ \uparrow \end{array}$	
	Y	X
-H	0	0
-CH ₃	12.9	-7.4
-CH ₂ CH ₃	19.2	-9.7
-CH ₂ CH ₂ CH ₃	15.7	-8.8
-CH(CH ₃) ₂	22.7	-12.0
-C(CH ₃) ₃	26.0	-14.8
-CH=CH ₂	13.6	-7
-C ₆ H ₅	12.5	-11
-CH ₂ Cl	10.2	-6.0
-CH ₂ Br	10.9	-4.5
-CH ₂ I	14.2	-4.0
-CH ₂ OH	14.2	-8.4
-COOH	5.0	9.8
-NO ₂	22.3	-0.9
-OCH ₃	29.4	-38.9
-OCOCH ₃	18.4	-26.7
-CN	-15.1	14.2
-CHO	15.3	14.5
-COCH ₃	13.8	4.7
-COCl	8.1	14.0
-Si(CH ₂) ₃	16.9	6.7
-F	24.9	-34.3
-Cl	2.6	-6.1
-Br	-8.6	-0.9
-I	-38.1	7.0

^aCorrections for C1; add these increments to the base value of ethylene (123.3 ppm).


^bCalculate C1 as shown in the diagram. Redefine C2 as C1 when estimating values for C2.

Example 1



	Actual values	
	<i>cis</i>	<i>trans</i>
C1 = 123.3 + (-8.6) + (-7.4) = 107.3 ppm	108.9	104.7 ppm
C2 = 123.3 + 12.9 + (-0.9) = 135.3 ppm	129.4	132.7 ppm

Example 2




	Actual value (<i>trans</i>)
C2 = 123.3 + 5 + (-7.4) = 120.9 ppm	122.0 ppm
C3 = 123.3 + 12.9 + 9.8 = 146.0 ppm	147.0 ppm

TABLE A 8.5
¹³C CHEMICAL-SHIFT CALCULATIONS FOR LINEAR AND BRANCHED ALKENES^a

$$\delta_{\text{C1}} = 123.3 + [10.6\alpha + 7.2\beta - 1.5\gamma] - [7.9\alpha' + 1.8\beta' - 1.5\gamma'] + \Sigma (\text{steric corrections})$$

α , β , γ and α' , β' , γ' are the numbers of carbon atoms in those same positions relative to C1:




Steric corrections are applied as follows (use all that apply):

C α and C α' are <i>trans</i> (<i>E</i> -configuration)	0
C α and C α' are <i>cis</i> (<i>Z</i> -configuration)	-1.1
Two alkyl substituents at C1 (two C α)	-4.8
Two alkyl substituents at C2 (two C α')	+2.5
Two or three alkyl substituents at C β	+2.3

^aCalculate C1 as shown in the diagram. Redefine C2 as C1 when calculating values for C2.

A-28 Appendix 8

Example 1



$$\text{C2} = 123.3 + [10.6(2)] - [7.9(1)] + [(-4.8) + (-1.1)] = 130.7 \text{ ppm}$$


$$\text{C3} = 123.3 + [10.6(1)] - [7.9(2)] + [(+2.5) + (-1.1)] = 119.5 \text{ ppm}$$

Actual value

131.4 ppm

118.7 ppm

Example 2



$$\text{C1} = 123.3 + [0] - [7.9(1) + 1.8(2) - 1.5(1)] = 113.3 \text{ ppm}$$

$$\text{C2} = 123.3 + [10.6(1) + 7.2(2) - 1.5(1)] - [0] + [(+2.3)] = 149.1 \text{ ppm}$$

Actual value

112.9 ppm

144.9 ppm

Example 3



$$\text{C2 (cis isomer)} = \text{C3} = 123.3 + [10.6(1)] - [7.9(1)] + [(-1.1)] = 124.9 \text{ ppm}$$

$$\text{C2 (trans isomer)} = \text{C3} = 123.3 + [10.6(1)] - [7.9(1)] + [0] = 126.0 \text{ ppm}$$

Actual value

124.6 ppm

126.0 ppm

TABLE A 8.6
 ^{13}C SUBSTITUENT INCREMENTS FOR ALKENE (VINYL) CARBONS^{a,b}

Substituent	$\begin{array}{c} \gamma-\beta-\alpha \\ \diagdown \quad \diagup \\ \text{C}=\text{C} \\ \diagup \quad \diagdown \\ \alpha' \quad \alpha' \end{array} \quad \begin{array}{c} \alpha'-\beta'-\gamma' \\ \diagup \quad \diagdown \\ \alpha' \quad \alpha' \end{array}$					
	α	β	γ	α'	β'	γ'
Carbon	10.6	7.2	-1.5	-7.9	-1.8	-1.5
-C ₆ H ₅	12			-11		
-OR	29	2		-39	-1	
-OCOR	18			-27		
-COR	15			6		
-COOH	4			9		
-CN	-16			15		
-Cl	3	-1		-6	2	
-Br	-8	0		-1	2	
-I	-38			7		

^aIn the upper chains, if a group is in the β or γ position, the preceding atoms (α and/or β) are assumed to be carbon atoms. Add these increments to the base value of ethylene (123.3 ppm).


^bCalculate C1 as shown in the diagram. Redefine C2 as C1 when estimating values for C2.

Example 1



	Actual values	
	<i>cis</i>	<i>trans</i>
C1 = 123.3 - 8 - 7.9 = 107.4 ppm	108.9	104.7 ppm
C2 = 123.3 + 10.6 - 1 = 132.9 ppm	129.4	132.7 ppm

Example 2




	Actual value
C3 = 123.3 + 15 - 7.9 - 7.9 = 122.5 ppm	124.3 ppm
C4 = 123.3 + 10.6 + 10.6 + 6 = 150.5 ppm	154.6 ppm

A-30 Appendix 8

TABLE A 8.7
¹³C SUBSTITUENT INCREMENTS FOR BENZENE RINGS (PPM)^a

Substituent Y	α (<i>ipso</i>)	o (<i>ortho</i>)	m (<i>meta</i>)	p (<i>para</i>)
-CH ₃	9.3	0.7	-0.1	-2.9
-CH ₂ CH ₃	11.7	-0.5	0	-2.6
-CH(CH ₂) ₂	20.1	-2.0	-0.3	-2.5
-C(CH ₃) ₃	18.6	-3.4	-0.4	-3.1
-CH=CH ₂	9.1	-2.4	0.2	-0.5
-C≡CH	-6.2	3.6	-0.4	-0.3
-C ₆ H ₅	8.1	-1.1	-0.5	-1.1
-CHO	8.2	1.2	0.6	5.8
-COCH ₃	8.9	-0.1	-0.1	4.4
-COC ₆ H ₅	9.1	1.5	-0.2	3.8
-COOH	2.1	1.6	-0.1	5.2
-COOCH ₃	2.0	1.2	-0.1	4.3
-CN	-16.0	3.6	0.6	4.3
-NH ₂	18.2	-13.4	0.8	-10.0
-N(CH ₃) ₂	16.0	-15.7	0.8	-10.5
-NHCOCH ₃	9.7	-8.1	0.2	-4.4
-NO ₂	19.6	-4.9	0.9	6.0
-OH	28.8	-12.7	1.6	-7.3
-OCH ₃	33.5	-14.4	1.0	-7.7
-OCOCH ₃	22.4	-7.1	-0.4	-3.2
-F	33.6	-13.0	1.6	-4.5
-Cl	5.3	0.4	1.4	-1.9
-Br	-5.4	3.4	2.2	-1.0
-I	-31.2	8.9	1.6	-1.1

^aAdd these increments to the base value for benzene-ring carbons (128.5 ppm).

Example 1**Mesitylene**


$$C1, C3, C5 = 128.5 + 9.3 - 0.1 - 0.1 = 137.6 \text{ ppm}$$

$$C2, C4, C6 = 128.5 + 0.7 + 0.7 - 2.9 = 127.0 \text{ ppm}$$

Observed

137.4 ppm

127.1 ppm

Example 2**Salicylaldehyde**

$$C1 = 128.5 + 8.2 - 12.7 = 124.0 \text{ ppm}$$

$$C2 = 128.5 + 28.8 + 1.2 = 158.5 \text{ ppm}$$

$$C3 = 128.5 - 12.7 + 0.6 = 116.4 \text{ ppm}$$

$$C4 = 128.5 + 1.6 + 5.8 = 135.9 \text{ ppm}$$

$$C5 = 128.5 - 7.3 + 0.6 = 121.8 \text{ ppm}$$

$$C6 = 128.5 + 1.2 + 1.6 = 131.3 \text{ ppm}$$

Observed

121.0 ppm


161.4 ppm

117.4 ppm

136.6 ppm

119.6 ppm

133.6 ppm

Example 3**4-Nitrophenol**

$$C1 = 128.5 + 28.8 + 6.0 = 163.3 \text{ ppm}$$

$$C2 = 128.5 - 12.7 + 0.9 = 116.7 \text{ ppm}$$

$$C3 = 128.5 + 1.6 - 4.9 = 125.2 \text{ ppm}$$

$$C4 = 128.5 + 19.6 + 7.3 = 140.8 \text{ ppm}$$

Observed

161.5 ppm

115.9 ppm

126.4 ppm

141.7 ppm

A-32 Appendix 9

APPENDIX 9

 ^{13}C Coupling Constants
 ^{13}C -proton coupling constants (1J)

sp^3 $^{13}\text{C}-\text{H}$	115–125 Hz
sp^2 $^{13}\text{C}-\text{H}$	150–170 Hz
sp $^{13}\text{C}-\text{H}$	250–270 Hz

 ^{13}C -proton coupling constants (2J)

$^{13}\text{C}-\text{C}-\text{H}$	0–60 Hz
-----------------------------------	---------

 ^{13}C -deuterium coupling constants (1J)

$^{13}\text{C}-\text{D}$	20–30 Hz
--------------------------	----------


 ^{13}C -fluorine coupling constants (1J)

$^{13}\text{C}-\text{F}$	165–370 Hz
--------------------------	------------


 ^{13}C -fluorine coupling constants (2J)

$^{13}\text{C}-\text{C}-\text{F}$	18–45 Hz
-----------------------------------	----------

Example



C1	162.9 ppm, doublet, $^1J = 245$ Hz
C2	115.3 ppm, doublet, $^2J = 20.7$ Hz
C3	129.9 ppm, doublet, $^3J = 8.5$ Hz
C4	124.0 ppm, doublet, $^4J = 2.5$ Hz



C1	84.2 ppm, doublet, $^1J = 165$ Hz
C2	30.2 ppm, doublet, $^2J = 19.5$ Hz
C3	27.4 ppm, doublet, $^3J = 6.1$ Hz
C4	22.4 ppm, singlet, $^4J = 0$ Hz
C5	13.9 ppm, singlet, $^5J = 0$ Hz

 ^{13}C -phosphorus coupling constants (1J)

$^{13}\text{C}-\text{P}$	48–56 Hz
--------------------------	----------

 ^{13}C -phosphorus coupling constants (2J)

$^{13}\text{C}-\text{C}-\text{P}$	4–6 Hz
-----------------------------------	--------


Example


 ^{13}C -phosphorus coupling constants (1J)

$^{13}\text{C}-\text{P}$	143 Hz
--------------------------	--------

 ^{13}C -phosphorus coupling constants (2J and 3J)

$^{13}\text{C}-\text{O}-\text{P}$	6–7 Hz
$^{13}\text{C}-\text{C}-\text{O}-\text{P}$	6–7 Hz



APPENDIX 10

 ^1H and ^{13}C Chemical Shifts for Common NMR Solvents**TABLE A10.1**
 ^1H CHEMICAL-SHIFT VALUES (PPM) FOR SOME COMMON NMR SOLVENTS

Solvent	Deuterated Form	Chemical Shift (Multiplicity) ^a
Acetone	Acetone-d ₆	2.05 (5)
Acetonitrile	Acetonitrile-d ₃	1.93 (5)
Benzene	Benzene-d ₆	7.15 (broad)
Carbon tetrachloride	—	—
Chloroform	Chloroform-d	7.25 (1)
Dimethylsulfoxide	Dimethylsulfoxide-d ₆	2.49 (5)
Water	Deuterium oxide	4.82 (1)
Methanol	Methanol-d ₄	4.84 (1) hydroxyl 3.30 (5) methyl
Methylene chloride	Methylene chloride-d ₂	5.32 (3)

^aWhere multiplets apply, the center peak is given and the number of lines is indicated in parentheses. No proton peak should be observed in the completely deuterated solvents listed. However, multiplets will arise from coupling of a proton with deuterium because the solvents are not 100% isotopically pure. For example, acetone-d₆ has a trace of acetone-d₅ in it, while CDCl₃ has some CHCl₃ present.

TABLE A10.2
 ^{13}C CHEMICAL-SHIFT VALUES FOR SOME COMMON NMR SOLVENTS (PPM)

Solvent	Deuterated Form	Chemical Shift (Multiplicity) ^a
Acetone	Acetone-d ₆	206.0 (1) carbonyl 29.8 (7) methyl
Acetonitrile	Acetonitrile-d ₃	118.3(1) CN 1.3(7) methyl
Benzene	Benzene-d ₆	128.0 (3)
Chloroform	Chloroform-d	77.0 (3)
Dimethylsulfoxide	Dimethylsulfoxide-d ₆	39.5 (7)
Dioxane	Dioxane-d ₈	66.5 (5)
Methanol	Methanol-d ₄	49.0 (7)
Methylene chloride	Methylene chloride-d ₂	54.0 (5)

^aWhere multiplets apply, the center peak is given and the number of lines is indicated in parentheses. These multiplets arise from the coupling of carbon with the deuterium.

A-34 Appendix 11

APPENDIX 11

Tables of Precise Masses and Isotopic Abundance Ratios for Molecular Ions under Mass 100 Containing Carbon, Hydrogen, Nitrogen, and Oxygen^a

	Precise Mass	<i>M</i> + 1	<i>M</i> + 2
16 CH ₄	16.0313	1.15	
17 NH ₃	17.0266	0.43	
18 H ₂ O	18.0106	0.07	0.20
26 C ₂ H ₂	26.0157	2.19	0.01
27 CHN	27.0109	1.48	
28 N ₂	28.0062	0.76	
CO	27.9949	1.12	
C ₂ H ₄	28.0313	2.23	0.01
29 CH ₃ N	29.0266	1.51	
30 CH ₂ O	30.0106	1.15	0.20
C ₂ H ₆	30.0470	2.26	0.01
31 CH ₅ N	31.0422	1.54	
32 O ₂	31.9898	0.08	0.40
N ₂ H ₄	32.0375	0.83	
CH ₄ O	32.0262	1.18	0.20
40 C ₃ H ₄	40.0313	3.31	0.04
41 C ₂ H ₃ N	41.0266	2.59	0.02
42 CH ₂ N ₂	42.0218	1.88	0.01
C ₂ H ₂ O	42.0106	2.23	0.21
C ₃ H ₆	42.0470	3.34	0.04

^aAdapted with permission from Beynon, J. H., *Mass Spectrometry and Its Application to Organic Chemistry*, Elsevier, Amsterdam, 1960. The precise masses are calculated on the basis of the most abundant isotope of carbon having a mass of 12.0000.

	Precise Mass	M + 1	M + 2
43			
CH ₃ N ₂	43.0297	1.89	0.01
C ₂ H ₅ N	43.0422	2.62	0.02
44			
N ₂ O	44.0011	0.80	0.20
CO ₂	43.9898	1.16	0.40
CH ₄ N ₂	44.0375	1.91	0.01
C ₂ H ₄ O	44.0262	2.26	0.21
C ₃ H ₈	44.0626	3.37	0.04
45			
CH ₃ NO	45.0215	1.55	0.21
C ₂ H ₇ N	45.0579	2.66	0.02
46			
NO ₂	45.9929	0.46	0.40
CH ₂ O ₂	46.0054	1.19	0.40
CH ₄ NO	46.0293	1.57	0.21
CH ₆ N ₂	46.0532	1.94	0.01
C ₂ H ₆ O	46.0419	2.30	0.22
47			
CH ₅ NO	47.0371	1.58	0.21
48			
O ₃	47.9847	0.12	0.60
CH ₄ O ₂	48.0211	1.22	0.40
52			
C ₄ H ₄	52.0313	4.39	0.07
53			
C ₃ H ₃ N	53.0266	3.67	0.05
54			
C ₂ H ₂ N ₂	54.0218	2.96	0.03
C ₃ H ₂ O	54.0106	3.31	0.24
C ₄ H ₆	54.0470	4.42	0.07
55			
C ₂ HNO	55.0058	2.60	0.22
C ₃ H ₅ N	55.0422	3.70	0.05
56			
C ₂ H ₄ N ₂	56.0375	2.99	0.03
C ₃ H ₄ O	56.0262	3.35	0.24
C ₄ H ₈	56.0626	4.45	0.08
57			
CH ₃ N ₃	57.0328	2.27	0.02
C ₂ H ₃ NO	57.0215	2.63	0.22
C ₃ H ₇ N	57.0579	3.74	0.05

A-36 Appendix 11

	Precise Mass	M + 1	M + 2
58			
CH ₂ N ₂ O	58.0167	1.92	0.21
C ₂ H ₂ O ₂	58.0054	2.27	0.42
C ₂ H ₆ N ₂	58.0532	3.02	0.03
C ₃ H ₆ O	58.0419	3.38	0.24
C ₄ H ₁₀	58.0783	4.48	0.08
59			
CHNO ₂	59.0007	1.56	0.41
CH ₅ N ₃	59.0484	2.31	0.02
C ₂ H ₅ NO	59.0371	2.66	0.22
C ₃ H ₉ N	59.0736	3.77	0.05
60			
CH ₄ N ₂ O	60.0324	1.95	0.21
C ₂ H ₄ O ₂	60.0211	2.30	0.04
C ₂ H ₈ N ₂	60.0688	3.05	0.03
C ₃ H ₈ O	60.0575	3.41	0.24
61			
CH ₃ NO ₂	61.0164	1.59	0.41
CH ₇ N ₃	61.0641		
C ₂ H ₇ NO	61.0528	2.69	0.22
62			
CH ₂ O ₃	62.0003	1.23	0.60
CH ₆ N ₂ O	62.0480	1.98	0.21
C ₂ H ₆ O ₂	62.0368	2.34	0.42
63			
CH ₅ NO ₂	63.0320	1.62	0.41
64			
CH ₄ O ₃	64.0160	1.26	0.60
66			
C ₅ H ₆	66.0470	5.50	0.12
67			
C ₄ H ₅ N	67.0422	4.78	0.09
68			
C ₃ H ₄ N ₂	68.0375	4.07	0.06
C ₄ H ₄ O	68.0262	4.43	0.28
C ₅ H ₈	68.0626	5.53	0.12
69			
C ₂ H ₃ N ₃	69.0328	3.35	0.04
C ₃ H ₃ NO	69.0215	3.71	0.25
C ₄ H ₇ N	69.0579	4.82	0.09
70			
C ₂ H ₂ N ₂ O	70.0167	3.00	0.23
C ₃ H ₂ O ₂	70.0054	3.35	0.44
C ₃ H ₆ N ₂	70.0532	4.10	0.07
C ₄ H ₆ O	70.0419	4.46	0.28
C ₅ H ₁₀	70.0783	5.56	0.13

	Precise Mass	M + 1	M + 2
71			
C ₂ HNO ₂	71.0007	2.64	0.42
C ₂ H ₅ N ₃	71.0484	3.39	0.04
C ₃ H ₅ NO	71.0371	3.74	0.25
C ₄ H ₉ N	71.0736	4.85	0.09
72			
C ₂ H ₄ N ₂ O	72.0324	3.03	0.23
C ₃ H ₄ O ₂	72.0211	3.38	0.44
C ₃ H ₈ N ₂	72.0688	4.13	0.07
C ₄ H ₈ O	72.0575	4.49	0.28
C ₅ H ₁₂	72.0939	5.60	0.13
73			
C ₂ H ₃ NO ₂	73.0164	2.67	0.42
C ₂ H ₇ N ₃	73.0641	3.42	0.04
C ₃ H ₇ NO	73.0528	3.77	0.25
C ₄ H ₁₁ N	73.0892	4.88	0.10
74			
C ₂ H ₂ O ₃	74.0003	2.31	0.62
C ₂ H ₆ N ₂ O	74.0480	3.06	0.23
C ₃ H ₆ O ₂	74.0368	3.42	0.44
C ₃ H ₁₀ N ₂	74.0845	4.17	0.07
C ₄ H ₁₀ O	74.0732	4.52	0.28
75			
CHNO ₃	74.9956	1.60	0.61
C ₂ H ₅ NO ₂	75.0320	2.70	0.43
C ₂ H ₉ N ₃	75.0798	3.45	0.05
C ₃ H ₉ NO	75.0684	3.81	0.25
76			
C ₂ H ₄ O ₃	76.0160	2.34	0.62
C ₂ H ₈ N ₂ O	76.0637	3.09	0.24
C ₃ H ₈ O ₂	76.0524	3.45	0.44
77			
CH ₃ NO ₃	77.0113	1.63	0.61
C ₂ H ₇ NO ₂	77.0477	2.73	0.43
78			
C ₂ H ₆ O ₃	78.0317	2.38	0.62
C ₆ H ₆	78.0470	6.58	0.18
79			
CH ₅ NO ₃	79.0269	1.66	0.61
C ₅ H ₅ N	79.0422	5.87	0.14
80			
C ₆ H ₈	80.0626	6.61	0.18
81			
C ₅ H ₇ N	81.0579	5.90	0.14

A-38 Appendix 11

	Precise Mass	M + 1	M + 2
82			
C ₄ H ₆ N ₂	82.0532	4.18	0.11
C ₅ H ₆ O	82.0419	5.54	0.32
C ₆ H ₁₀	82.0783	6.64	0.19
83			
C ₃ H ₅ N ₃	83.0484	4.47	0.08
C ₄ H ₅ NO	83.0371	4.82	0.29
C ₅ H ₉ N	83.0736	5.93	0.15
84			
C ₃ H ₄ N ₂ O	84.0324	4.11	0.27
C ₄ H ₄ O ₂	84.0211	4.47	0.48
C ₄ H ₈ N ₂	84.0688	5.21	0.11
C ₅ H ₈ O	84.0575	5.57	0.33
C ₆ H ₁₂	84.0939	6.68	0.19
85			
C ₃ H ₃ NO ₂	85.0164	3.75	0.45
C ₃ H ₇ N ₃	85.0641	4.50	0.08
C ₄ H ₇ NO	85.0528	4.86	0.29
C ₅ H ₁₁ N	85.0892	5.96	0.15
86			
C ₃ H ₂ O ₃	86.0003	3.39	0.64
C ₃ H ₆ N ₂ O	86.0480	4.14	0.27
C ₄ H ₆ O ₂	86.0368	4.50	0.48
C ₄ H ₁₀ N ₂	86.0845	5.25	0.11
C ₅ H ₁₀ O	86.0732	5.60	0.33
C ₆ H ₁₄	86.1096	6.71	0.19
87			
C ₂ HNO ₃	86.9956	2.68	0.62
C ₃ H ₅ NO ₂	87.0320	3.78	0.45
C ₃ H ₉ N ₃	87.0798	4.53	0.08
C ₄ H ₉ NO	87.0684	4.89	0.30
C ₅ H ₁₃ N	87.1049	5.99	0.15
88			
C ₃ H ₄ O ₃	88.0160	3.42	0.64
C ₃ H ₈ N ₂ O	88.0637	4.17	0.27
C ₄ H ₈ O ₂	88.0524	4.53	0.48
C ₄ H ₁₂ N ₂	88.1001	5.28	0.11
C ₅ H ₁₂ O	88.0888	5.63	0.33
89			
C ₂ H ₃ NO ₃	89.0113	2.71	0.63
C ₃ H ₇ NO ₂	89.0477	3.81	0.46
C ₃ H ₁₁ N ₃	89.0954	4.56	0.84
C ₄ H ₁₁ NO	89.0841	4.92	0.30
90			
C ₃ H ₆ O ₃	90.0317	3.46	0.64
C ₃ H ₁₀ N ₂ O	90.0794	4.20	0.27
C ₄ H ₁₀ O ₂	90.0681	4.56	0.48

	Precise Mass	M + 1	M + 2
91			
C ₂ H ₅ NO ₃	91.0269	2.74	0.63
C ₂ H ₉ N ₃ O	91.0746	3.49	0.25
C ₃ H ₉ NO ₂	91.0634	3.85	0.46
92			
C ₃ H ₈ O ₃	92.0473	3.49	0.64
C ₇ H ₈	92.0626	7.69	0.26
93			
C ₂ H ₇ NO ₃	93.0426	2.77	0.63
C ₆ H ₇ N	93.0579	6.98	0.21
94			
C ₅ H ₆ N ₂	94.0532	6.26	0.17
C ₆ H ₆ O	94.0419	6.62	0.38
C ₇ H ₁₀	94.0783	7.72	0.26
95			
C ₄ H ₅ N ₃	95.0484	5.55	0.13
C ₅ H ₅ NO	95.0371	5.90	0.34
C ₆ H ₉ N	95.0736	7.01	0.21
96			
C ₄ H ₄ N ₂ O	96.0324	5.19	0.31
C ₅ H ₄ O ₂	96.0211	5.55	0.53
C ₅ H ₈ N ₂	96.0688	6.29	0.17
C ₆ H ₈ O	96.0575	6.65	0.39
C ₇ H ₁₂	96.0939	7.76	0.26
97			
C ₄ H ₃ NO ₂	97.0164	4.83	0.49
C ₄ H ₇ N ₃	97.0641	5.58	0.13
C ₅ H ₇ NO	97.0528	5.94	0.35
C ₆ H ₁₁ N	97.0892	7.04	0.21
98			
C ₄ H ₆ N ₂ O	98.0480	5.22	0.31
C ₅ H ₆ O ₂	98.0368	5.58	0.53
C ₅ H ₁₀ N ₂	98.0845	6.33	0.17
C ₆ H ₁₀ O	98.0732	6.68	0.39
C ₇ H ₁₄	98.1096	7.79	0.26
99			
C ₄ H ₃ NO ₂	99.0320	4.86	0.50
C ₄ H ₉ N ₃	99.0798	5.61	0.13
C ₅ H ₉ NO	99.0684	5.97	0.35
C ₆ H ₁₃ N	99.1049	7.07	0.21
100			
C ₄ H ₈ N ₂ O	100.0637	5.25	0.31
C ₅ H ₈ O ₂	100.0524	5.61	0.53
C ₅ H ₁₂ N ₂	100.1001	6.36	0.17
C ₆ H ₁₂ O	100.0888	6.72	0.39
C ₇ H ₁₆	100.1253	7.82	0.26













A-40 Appendix 12

APPENDIX 12
















Common Fragment Ions under Mass 105^a

<i>m/z</i>	Ions	<i>m/z</i>	Ions
14	CH ₂	44	CH ₂ CH=O + H
15	CH ₃		CH ₃ CHNH ₂
16	O		CO ₂
17	OH		NH ₂ C=O
18	H ₂ O		(CH ₃) ₂ N
	NH ₄	45	CH ₃ CHOH
19	F		CH ₂ CH ₂ OH
	H ₃ O		CH ₂ OCH ₃
26	C≡N		O
27	C ₂ H ₃		
28	C ₂ H ₄		C—OH
	CO		CH ₃ CH—O + H
	N ₂ (air)	46	NO ₂
	CH=NH	47	CH ₂ SH
29	C ₂ H ₅		CH ₃ S
	CHO	48	CH ₃ S + H
30	CH ₂ NH ₂	49	CH ₂ Cl
	NO	51	CHF ₂
31	CH ₂ OH		C ₄ H ₃
	OCH ₃	53	C ₄ H ₅
32	O ₂ (air)	54	CH ₂ CH ₂ C≡N
33	SH	55	C ₄ H ₇
	CH ₂ F		CH ₂ =CHC=O
34	H ₂ S	56	C ₄ H ₈
35	Cl	57	C ₄ H ₉
36	HCl		C ₂ H ₅ C=O
39	C ₃ H ₃	58	CH ₃ —C=O
40	C≡N		
41	C ₃ H ₅		CH ₂ + H
	CH ₂ C=H + H		C ₂ H ₅ CHNH ₂
	C ₂ H ₂ NH		(CH ₃) ₂ NHCH ₂
42	C ₃ H ₆		C ₂ H ₅ NHCH ₂
43	C ₃ H ₇		C ₂ H ₂ S
	CH ₃ C=O		
	C ₂ H ₅ N		

^aAdapted with permission from Silverstein, R. M. and F. X. Webster, Spectrometric Identification of Organic Compounds, 6th ed., John Wiley & Sons, New York, 1998.

<i>m/z</i>	Ions	<i>m/z</i>	Ions
59	(CH ₃) ₂ COH CH ₂ OC ₂ H ₅  NH ₂ C=O CH ₂ + H CH ₃ OCHCH ₃ CH ₃ CHCH ₂ OH	74	 + H
60	CH ₂ C=O OH + H CH ₂ ONO	75	 + 2H CH ₂ SC ₂ H ₅ (CH ₃) ₂ CSH (CH ₃ O) ₂ CH
61	 + 2H CH ₂ CH ₂ SH CH ₂ SCH ₃	77	C ₆ H ₅
65	 (or C ₅ H ₅)	78	C ₆ H ₅ + H
66	 (or C ₅ H ₆)	79	C ₆ H ₅ + 2H Br
67	C ₅ H ₇	80	CH ₃ SS + H
68	CH ₂ CH ₂ CH ₂ C≡N	81	C ₆ H ₉ 
69	C ₅ H ₉ CF ₃ CH ₃ CH=CHC=O CH ₂ =C(CH ₃)C=O	82	CH ₂ CH ₂ CH ₂ CH ₂ C≡N CCl ₂ C ₆ H ₁₀
70	C ₅ H ₁₀	83	C ₆ H ₁₁ CHCl ₂
71	C ₅ H ₁₁ C ₃ H ₇ C=O	85	C ₆ H ₁₃ C ₄ H ₉ C=O CClF ₂
72	 C ₃ H ₇ CHNH ₂ (CH ₃)N=C=O C ₂ H ₅ NHCHCH ₃ and isomers	86	 + H C ₄ H ₉ CHNH ₂ and isomers
73	Homologs of 59	87	 Homologs of 73 CH ₂ CH ₂ COCH ₃ 
		88	 + H

A-42 Appendix 12

<i>m/z</i>	Ions	<i>m/z</i>	Ions
89	$\text{C}-\text{OC}_3\text{H}_7 + 2\text{H}$ 	94	 + H
90	$\text{CH}_3\text{CHONO}_2$ 	96	$\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{C}\equiv\text{N}$
91	 or   + H  + 2H $(\text{CH}_2)_4\text{Cl}$ 	97	C_7H_{13}
92	  + H	99	C_7H_{15} $\text{C}_6\text{H}_{11}\text{O}$
93	CH_2Br  C_7H_9 	100	$\text{C}_4\text{H}_9\text{C}-\text{CH}_2 + \text{H}$ $\text{C}_5\text{H}_{11}\text{CHNH}_2$
		101	$\text{C}-\text{OC}_4\text{H}_9$
		102	$\text{CH}_2\text{C}-\text{OC}_3\text{H}_7 + \text{H}$
		103	$\text{C}-\text{OC}_4\text{H}_9 + 2\text{H}$ $\text{C}_5\text{H}_{11}\text{S}$ $\text{CH}(\text{OCH}_2\text{CH}_3)_2$
		104	$\text{C}_2\text{H}_5\text{CHONO}_2$
		105	  

APPENDIX 13

A Handy-Dandy Guide to Mass Spectral Fragmentation Patterns

Alkanes

Good M^+
14-amu fragments

Alkenes


Distinct M^+
Loss of 15, 29, 43, and so on

Cycloalkanes

Strong M^+
Loss of $\text{CH}_2=\text{CH}_2$ $M - 28$
Loss of alkyl

Aromatics

Strong M^+
 C_7H_7^+ $m/z = 91$, weak $m/z = 65$ (C_5H_5^+)



$m/z = 92$ Transfer of *gamma* hydrogens

Halides

Cl and Br doublets (M^+ and $M + 2$)
 $m/z = 49$ or 51 $\text{CH}_2=\text{Cl}^+$
 $m/z = 93$ or 95 $\text{CH}_2=\text{Br}^+$
 $M - 36$ Loss of HCl

$m/z = 91$ or 93



$m/z = 135$ or 137



$M - 79$ ($M - 81$) Loss of $\text{Br}\cdot$
 $M - 127$ Loss of $\text{I}\cdot$

Alcohols

M^+ weak or absent
Loss of alkyl
 $\text{CH}_2=\text{OH}^+$ $m/z = 31$
 $\text{RCH}=\text{OH}^+$ $m/z = 45, 59, 73, \dots$
 $\text{R}_2\text{C}=\text{OH}^+$ $m/z = 59, 73, 87, \dots$
 $M - 18$ Loss of H_2O
 $M - 46$ Loss of $\text{H}_2\text{O} + \text{CH}_2=\text{CH}_2$

A-44 Appendix 13

Phenols

Strong M^+
 Strong $M - 1$ Loss of $H\cdot$
 $M - 28$ Loss of CO

Ethers


M^+ stronger than alcohols
 Loss of alkyl
 Loss of OR' $M - 31, M - 45, M - 59$, and so on
 $CH_2=OR'^+$ $m/z = 45, 59, 73, \dots$

Amines

M^+ weak or absent
 Nitrogen Rule
 $m/z = 30$ $CH_2=NH_2^+$ (base peak)
 Loss of alkyl

Aldehydes

Weak M^+
 $M - 29$ Loss of HCO
 $M - 43$ Loss of $CH_2=CHO$
 $m/z = 44$



or 58, 72, 86, ...

Aromatic Aldehydes

Strong M^+
 $M - 1$ Loss of $H\cdot$
 $M - 29$ Loss of $H\cdot$ and CO

Ketones

M^+ intense
 $M - 15, M - 29, M - 43, \dots$ Loss of alkyl group
 $m/z = 43$ CH_3CO^+
 $m/z = 58, 72, 86, \dots$ Transfer of γ hydrogens
 $m/z = 55$ $^+\text{CH}_2-\text{CH}=\text{C}=\text{O}$ Base peak for cyclic ketones


$m/z = 83$ $\text{C}\equiv\text{O}^+$ in cyclohexanone




$m/z = 42$ $[\text{Cyclohexanone}]^+$ in cyclohexanone



$m/z = 105$ $\text{C}\equiv\text{O}^+$ in aryl ketones



$m/z = 120$ $\text{C}\equiv\text{O}^+$ in aryl ketones



Transfer of γ hydrogens

Carboxylic Acids M^+ weak but observable $M - 17$ Loss of OH $M - 45$ Loss of COOH $m/z = 45$ ^+COOH

$m/z = 60$ $\begin{array}{c} ^+OH \\ || \\ HO-C-CH_2 \cdot \end{array}$ Transfer of *gamma* hydrogens

Aromatic Acids M^+ large $M - 17$ Loss of OH $M - 45$ Loss of COOH $M - 18$ *Ortho* effect*Methyl Esters* M^+ weak but observable $M - 31$ Loss of OCH_3 $m/z = 59$ $^+COOCH_3$

$m/z = 74$ $\begin{array}{c} ^+OH \\ || \\ CH_3O-C-CH_2 \end{array}$ Transfer of *gamma* hydrogens

Higher Esters M^+ weaker than for $RCOOCH_3$

Same pattern as in methyl esters


 $M - 45, M - 59, M - 73$ Loss of OR $m/z = 73, 87, 101$ ^+COOR


$m/z = 88, 102, 116$ $\begin{array}{c} ^+OH \\ || \\ RO-C-CH_2 \cdot \end{array}$ Transfer of *gamma* hydrogens

 $m/z = 28, 42, 56, 70$ *Beta* hydrogens on alkyl group

$m/z = 61, 75, 89$ $\begin{array}{c} ^+OH \\ || \\ R-C-OH \end{array}$ Long alkyl chain

 $m/z = 108$ Loss of $CH_2=C=O$ Benzyl or acetate ester

$m/z = 105$ 

$m/z = 77$  weak

 $M - 32, M - 46, M - 60$ *ortho* effect—loss of ROH

A P P E N D I X 14

Index of Spectra

Infrared Spectra

Acetophenone, 59
Acetyl chloride, 72
Anisole, 51
Benzaldehyde, 57
Benzenesulfonamide, 83
Benzenesulfonyl chloride, 83
Benzenethiol, 81
Benzoic acid, 63
Benzonitrile, 78
Benzoyl chloride, 72
Benzyl isocyanate, 78
2-Butanol, 48
Butylamine, 75
Butyronitrile, 77
Carbon dioxide (background spectrum), 87
Carbon tetrachloride, 85
Chloroform, 86
para-Cresol, 48
Crotonaldehyde, 57
Cyclohexane, 33
Cyclohexene, 34
Cyclopentanone, 60
Decane, 32
Dibutyl ether, 51
Dibutylamine, 75
meta-Diethylbenzene, 44
ortho-Diethylbenzene, 44
para-Diethylbenzene, 44
Ethyl 3-aminobenzoate, 526
Ethyl butyrate, 65
Ethyl crotonate, 617
Ethyl cyanoacetate, 529
Ethyl propionate, 522
1-Hexanol, 47
1-Hexene, 34
Isobutyric acid, 63
Leucine, 81
Mesityl oxide, 59
4-Methoxyphenylacetone, 524
Methyl benzoate, 66
Methyl methacrylate, 65
Methyl *p*-toluenesulfonate, 83
Methyl salicylate, 66
3-Methyl-2-butanone, 27

N-methylacetamide, 71
N-Methylaniline, 76
Mineral oil, 32
Nitrobenzene, 79
1-Nitrohexane, 79
Nonanal, 57
Nujol, 32
1-Octyne, 35
4-Octyne, 36
2,4-Pentanedione, 60
cis-2-Pentene, 34
trans-2-Pentene, 35
Propionamide, 70
Propionic anhydride, 74
Styrene, 45
Toluene, 43
Tributylamine, 75
Vinyl acetate, 66

Mass Spectra

Acetophenone, 477
p-Anisic acid, 483
Benzaldehyde, 474
Benzene, 460
Benzonitrile, 490
Benzyl alcohol, 468
Benzyl laurate, 480
Bicyclo[2.2.1]heptane, 455
1-Bromo-2-chloroethane, 496
1-Bromohexane, 492
Butane, 451
2-Butanone, 475
Butyl butyrate, 479
Butyl methacrylate, 424
Butylbenzene, 463
Butyric acid, 483
Butyrophenone, 478
1-Chloro-2-methylbenzene, 497
2-Chloroheptane, 493
Cyclohexanol, 468
Cyclohexanone, 476
Cyclopentane, 454
Dibromomethane, 495
Dichloromethane, 495

- Diethylamine, 485
Diisopropyl ether, 470
Di-*sec*-butyl ether, 471
Dopamine, 436
Ethyl bromide, 494
Ethyl chloride, 494
Ethyl propionate, 522
2-Ethyl-2-methyl-1,3-dioxolane, 471
Ethylamine, 485
Hexanenitrile, 489
 α -Ionone, 458
 β -Ionone, 458
Isobutane, 452
Isobutyl salicylate, 482
Isopropylbenzene, 462
Lavandulyl acetate, 423
Limonene, 457
Lysozyme, 428
Methyl benzoate, 481
Methyl butyrate, 478
Methyl dodecanoate, 433
2-Methyl-2-butanol, 466
Methylcyclopentane, 455
4-Methylphenetole, 472
2-Methylphenol, 469
3-Methylpyridine, 487
Nitrobenzene, 491
1-Nitropropane, 490
Octane, 452
2-Octanone, 475
3-Pentanol, 465
1-Pentanol, 464
2-Pentanol, 465
1-Pentene, 456
(*E*)-2-Pentene, 457
(*Z*)-2-Pentene, 456
1-Pentyne, 459
2-Pentyne, 460
Phenol, 469
Toluene, 461
Triethylamine, 486
2,2,4-Trimethylpentane, 453
Valeraldehyde, 473
m-Xylene, 462
o-Xylene, 461
- ¹H NMR Spectra**
- Acetone-d₅, 202
Acetylacetone, 339
- 4-Allyloxyanisole, 281, 290
Anethole, 290
Anisole, 287
Benzaldehyde, 289
Benzyl acetate, 122, 123
Butyl methyl ether, 151
Butylamine, 340
Butyramide, 160
Chloroacetamide, 348
1-Chlorobutane, 149
2-Chloroethanol, 276, 334
 β -Chlorophenetole, 275
 α -Chloro-*p*-xylene, 146
trans-Cinnamic acid, 278
Citric acid, 257
Crotonic acid, 280
Diethyl succinate, 274
N,N-Dimethylformamide, 347
2,4-Dinitroanisole, 291
Ethanol, 331, 332
Ethyl 2-methyl-4-pentenoate
(in various solvents), 350
Ethyl 3-aminobenzoate, 526
Ethyl crotonate, 620
Ethyl cyanoacetate, 529
Ethyl iodide, 132
Ethyl methacrylate, 361
Ethyl propionate, 523
Ethylbenzene, 287
Ethylmalonic acid, 159
N-Ethylnicotinamide, 345
Furfuryl alcohol, 295
1-Hexanol, 353
Isobutyl acetate, 157
4-Methoxyphenylacetone, 524
2-Methyl-1-pentene, 145
2-Methyl-1-propanol, 150
5-Methyl-2-hexanone, 156
4-Methyl-2-pentanol, 254, 255
2-Methylpropanal, 155
2-Methylpyridine, 296
2-Nitroaniline, 292
3-Nitroaniline, 292
4-Nitroaniline, 292
3-Nitrobenzoic acid, 294
1-Nitrobutane, 161
2-Nitrophenol, 293
1-Nitropropane, 142
2-Nitropropane, 133
Octane, 143

A-48 Appendix 14

1-Pentyne, 148
2-Phenyl-4-penten-2-ol
(in various solvents), 349
Phenylacetone, 115
Phenylethyl acetate, 274
1-Phenylethylamine, 341, 355
2-Picoline, 296
Propylamine, 153
Pyrrole, 344
Styrene oxide, 258
1,1,2-Trichloroethane, 131
Valeronitrile, 154
Vinyl acetate, 279

¹³C NMR Spectra

Chloroform-*d*, 200
Citronellol, 596
Cyclohexanol, 196
Cyclohexanone, 197
Cyclohexene, 196
1,2-Dichlorobenzene, 199
1,3-Dichlorobenzene, 199
1,4-Dichlorobenzene, 199
Dimethyl methylphosphonate, 205
2,2-Dimethylbutane, 195
Dimethylsulfoxide-*d*₆, 200
Ethyl crotonate, 618
Ethyl cyanoacetate, 529
Ethyl phenylacetate, 182
Ethyl propionate, 523
4-Methyl-2-pentanol, 253
1-Propanol, 184, 193
Toluene, 198
Tribromofluoromethane, 203
2,2,2-Trifluoroethanol, 204

COSY Spectra

Citronellol, 607
Ethyl crotonate, 621
Isopentyl acetate, 606
2-Nitropropane, 605

DEPT Spectra

Citronellol, 597
Ethyl crotonate, 618
Isopentyl acetate, 194, 595

HETCOR Spectra

Ethyl crotonate, 622
Isopentyl acetate, 610
4-Methyl-2-pentanol, 611
2-Nitropropane, 609

NOE Difference Spectra

Ethyl methacrylate, 361

Ultraviolet-Visible Spectra

Anthracene, 409
Benzene, 404
Benzoic acid, 385
Dimethylpolyenes, 390
Isoquinoline, 410
9-Methylanthracene, 411
Naphthalene, 409
Phenol, 386
Pyridine, 410
Quinoline, 410