

INDEX

- Abdominal reflex, 5-82
Abdominal sensation, 5-112
Abortion, 4-308
Absorption spectra of cones, 6-80
Acceleration exposure, 8-2
Accessory cortical tissue, 4-136
Accessory medullary tissue, 4-136
Accommodation, 6-34
Accommodation reflex, 4-35
Acetylcholine, 5-44, 5-167, 5-298
Accoucheur's hand, 4-99
Achilles tendon reflex, 5-83
Achromatic vision, 6-82
Acid-base regulation, 3-1
Acidification of urine, 1-36
Acidophil cell, 4-18
Acidosis, 3-5, 4-133
Acoustic striae, 6-95, 6-98
Acromegaly, 4-21, 4-39
Acromicria, 4-40
Action potential in nerve fibres, 5-22
Adaptation, light and dark, 6-57
Adaptation syndrome, 4-162
Addison's disease, 4-153
Adenoglomerulotrophin, 4-194
Adenohypophysis, 4-15
Adiadochocinesis, 5-189
Adrenal cortex, 4-136, 4-138
Adrenal gland, 4-135, 4-163
Adrenal medulla, 4-136, et seq.
 Thermotaxis and, 2-7
Adrenaline, 1-22, 4-168 vide Epinephrine
Adrenergic nerve fibres, 5-289
 in New-born infant, 4-295
 Vasopressin and, 4-53
Adrenocorticotrophic hormone (ACTH), 4-27 vide Corticotrophin
Adrenogenital syndrome, 4-155
Aesthesiometer, 5-96
Afferent impulses, path of non-sensory, 5-120
After-depolarisation, 5-23
After-discharge, reflex action, 5-79
After-image, 6-84
Agranular cortex, 5-229
Agraphia, 5-257
Alcohol dehydrogenase, 6-12
Aldosterone, 1-35, 1-76, 4-143
Alexia, 5-256
Albuminuria, 1-27
Alimentary glycosuria, 1-56
Alkali reserve, 3-2
Alkalosis, 3-5
All-or-none law in nerve fibre, 5-29
Allantosis, 7-14
Allen-Doisey test, 4-266
Allocortex, 5-225
Alloxan, 4-109
Alloxan glycosuria, 1-57
Alpha cells, 4-107
Alpha-receptors, 4-166
Alpha waves of EEG, 5-247
Amacrine cell, 6-449
Amenorrhoea, 4-196, 4-264
Ametropia, 6-39
Ammon's horn, 5-241
Ammonia formation, 1-39
Amniotic cavity, 9-2
Amphetamine, 5-264
Amplitude of sound, 6-93
Ampulla of semicircular canal, 5-212
Ampulla of uterine tube, 4-229
Amygdaloid nuclear complex, 5-176
Anal pit, 6-20
Anal reflex, 5-82
Anarthria, 5-226
Androgen, 4-143, 4-208, 4-258
Androsterone, 4-143, 4-208
Anelectrotonic current in nerve fibres, 5
Angiotensin, 1-23, 4-160
Ankle clonus, 5-86
Ankle jerk, 5-83, 5-85
Annulospinal region, 5-69
Annulus, 4-216
Anode, 5-36, 5-58
Anorexia, 4-42
Anoestrous cycle, 4-267
Anomaloscope, 6-83
Anosmia, 6-13
Anovulatory cycle, 4-264
Ansa lenticularis, 5-176
Anterior pituitary, 4-15
Anterior pituitary-like hormone, 4-279
Anterior spinal root, 5-104
Anticholine esterase, 5-66
Antidiuretic hormone (ADH), 1-22, 1-31
 4-50 vide Vasopressin
Antidromic inhibitory impulses, 5-103
Antidrop centre, 2-6
Antimeningitis serum, 5-275
Antirise centre, 2-6
Anuria, 1-60
Anuresis, 5-309
Anvil, 6-87
Aphasia, 5-255
Apneustic centre, 5-149
Apocrine glands, sweat, 1-74
Appetite sensation, 5-101
Apraxia, 5-256
Aqueduct of Sylvius, 5-8
Aqueous humour, 6-15
Arachnoid space, 5-8
Arachnoid villi, 5-275
Archicerebellum, 5-157, 5-168
Arcuate artery, 1-15
Arcuate vein, 1-16

- Arithmetic mean**, 11-5
Argyll-Robertson pupil, 6-34
Aristotle's experiment, 5-96
Arrectore pil, 1-79
Artificial climate, 8-1
Aschheim-Zondek test, 4-273
Asphyxia, 6-102
Association fibres of cerebrum, 5-225
Astereognosis, 5-172
Asthenia, 4-42
Astigmatism, 6-40
Astrocytes, 5-3, 5-17
Astrup blood-gass micro-equipments, 3-11
Asynaptic reflex arc, 5-75
Asynchronous discharge of motor units, 5-92, 5-193
Asynergia, 5-169
Ataxia, 5-165, 5-172
Athetosis, 5-182
Atom bomb, 7-1
Atretic follicles, 4-243
Atropine, 1-75
Attenuated cells, 6-33
Auditopsychic centre, 6-104
Auditory acuity, 6-94
Auditory aphasia, 5-256
Auditory area, 5-228
Auditory centre, 5-237, 6-104
Auditory fatigue, 6-94
Auditory meatus, 6-85
Auditosensory area, 5-237
Auerbach's plexus, 5-288
Autogenic inhibition, 5-71, 5-199
Autonomic reflexes, 5-279
Autosomes, 7-9
Auxogluc, 6-3
Averages, 10-5
Avoidance conditioning, 5-262
Axillary temperature, 2-1
Axo-axonic synapse, 5-40
Axon hillock, 5-13
Axon reflex, 5-98, 5-290
Axoneme, 4-221
Axoplasmic flow, 5-313
Axosomatic synapses, 5-40
- Babinski's sign**, 5-83, 5-128, 5-266
Baillarger's cerebral layers, 5-227
Balsam of Peru, 6-10
Barany's chair, 5-217
Barany's pointing test, 5-168
Barr body, 5-4
Barrington's micturion reflexes, 1-64, 1-65
Basal ganglia, 5-175
Base excess, 3-5
Basedow's disease, 4-82
Basilar membrane of cochlea, 6-88, 6-90
Basket cell, 4-297
Basophil cell, 4-18
 Dysfunction of, 4-41
Bechterew's nucleus, 5-221
- Bel**, 6-93
Bell-Magendie law, 5-11
Bellini's duct, 1-10
Bence-Jones protein, 1-48
Benedict's reagent, 4-296
Berger rhythm, 5-246
Bertin's column, 1-2
Best fitting line, 7-33
Beta cells, 4-107
Beta rays, 7-1
Beta receptors, 4-166
Beta waves of EEG, 5-208, 5-229, 5-247
Bicarbonatereasorption, 1-36
Betz cells, 5-123, 5-229
Bicarbonate buffer, 3-2
Biceps jerk, 5-83
Biconvex lens, 6-17
Bilaminar germ disc, 9-2
Bilirubin in the eye, 7-83
Binocular vision, 6-65
Binomial distribution, 9-21
Bioassays, 4-13
Bitter taste, 6-4
Blastocele, 9-2
Blind spot, 6-36
Blood-aqueous barrier, 6-20
Blood-brain barrier, 4-187, 4-192
Blood buffers, 3-2
Blood-cerebrospinal fluid barrier, 5-276
Blood sugar level regulation, 4-127
Blood-thymus barrier, 4-187
Blue blindness, 6-33
Body-on-body righting reflex, 5-199
Body-on-head righting reflex, 5-199
Body of Luys, 5-175
Body temperature, 2-1
Booster, 8-1
Botulinus toxin, 5-56
Bowman's capsule, 1-4
Bowman's gland, 6-8
Bowman's membrane, 6-18
Brachia conjunctiva, 5-148, 5-162
Bradykinin, 1-75
Brain, 4-201
Brain functions, Localisation of, 5-229
Brain sand, 4-192
Brain stem reticular system, 5-185
Breast, 4-257
Brissaud dwarfism, 4-40
Bremer's cerveau isole, 5-268
Broca's area, 5-244, 5-255
Bromhormone, 5-267
Brown fat, 2-8, 4-295
Brown-Séquard syndrome, 5-140
Bruch's membrane, 6-42
Bruxism, 5-267
Buccopharyngeal membrane, 9-8
Buccopharyngeal mesoderm, 9-6
Buffer base, 3-1, 3-12
Buffer lungs, 3-1
Bullbocavernous reflex, 5-82

- Bulbus cordis**, 9-12
Bursa of Fabricius, 4-186
- C**-cells, 4-108
Ca⁺ concentration in nerve fibre, 5-24
Cachexia, 4-42
Caerulein, 4-180
Caffeine, 5-261, 5-264
Calamus scriptorius, 5-251
Calcareous granules, 5-217
Calcarine fissure, 6-71
Calcium, 4-100, et seq.
Calcium balance, 4-103
Calcium metabolism, 4-102
Calculus, 1-49
Callosom marginal fissure, 5-222
Calorie tests, 5-212
Canalis reunions, 6-90
Cancer and hormone, 4-303
Cannon's sympathetic, 5-295
Capacitation, 4-223
Capp's study of pleural sensations, 5-199
Calcium/phosphate ratio, 4-104
Carcinogenesis, 4-252
Carbonic anhydrase, 3-2
Cardiac pain, 5-100
Cardiogenetic areas, 9-6
Carminophils, 4-18
Carpopedal spasm, 4-98
Cast, 1-49
Castration cells, 4-18
Cataract, 6-24
Catecholamines, 4-164
Catechol-o-methyl transferase (CONT), 4-166
Catelectrotonous, 5-36
Cathode-closing contraction (CCC), 5-58
Cathode-opening contraction (COC), 5-58
Causalgia, 5-12
Centrencephalic integration mechanism, 5-207
Centriole, 6-49
Cerebellar error-controlling activity, 5-167
Cerebellar peduncle, 5-160
Cerebello-cerebellar tract, 5-162
Cerebello-olivary tract, 5-162
Cerebellum, 5-6, 5-155, et seq.
Cerebral aqueduct, 5-145, 5-274
Cerebral cortex, 5-6, 5-231, 5-272, et seq.
Cerebral ischaemia during sleep, 5-267
Cerebro-cerebello-cerebral connections, 5-163
Cerebrospinal fasciculus, 5-122
Cerebrospinal fluid, 5-8, 5-272
Cerebrospinal fluid-brain barrier, 5-277
Cerebrum, 5-222, et seq.
Ceruloplasmin, 5-177
Cerumen, 1-77
Chadwick's sign, 4-273
Charcot's artery, 5-175
Chemoreceptors, 5-72
Chi test, 10-15
- Child-birth**, 4-285
Chlorpromazine, 5-293
Cholecystokinin, 4-178
Chorea, 5-182
Choriocapillary, 6-37
Chorionepithelioma, 4-274
Chorionic gonadotrophin, 4-279,
 vide **Gonadotrophin**
Chorionic growth hormone prolactin, 4-280
Chorionic villi, 4-275
Choroid, 6-13
Choroid circulation, 6-46
Chromaffin cells, 4-163
Chromaffin granules, 4-165
Chromatic aberration, 6-41
Chromatolysis, 5-58, 5-267
Chloride reabsorption, 1-34
Chromophil cells, 4-18
Chromophobe cells, 4-15
 Dysfunction of, 4-41
Chromosome, 4-196, 9-1
Chroniaxie, 5-26
Chvostek's sign, 4-99
Ciliary body, 6-19
Ciliary ganglion, 6-30
Ciliospinal reflex, 6-33
Cingulate cortex, 5-241
Circadian rhythm, 4-157
Circulatory reflex, 5-81
Cisterna pontis, 5-274
Clarke's column, 5-115, 5-161
Clasp-knife reflex, 5-71, 5-199
Claudius' cell, 6-92
Clastrum, 5-175
Climbing fibres, 5-159
CLO, 2-5
Cloaca, 9-8, 9-14
Cloacal membrane, 9-6
Cocaine, 5-281
Cochlea, 5-209, 6-88
Cochlear electric potentials, 6-96
Cochlear partition, 6-89
Coeliac ganglia, 5-284
Coitus, 4-227
Cold-blood animal, 2-1
Colliculonuclear tract, 5-148
Colloid, 4-65, 4-67
Colostrum, 4-303
Colour blindness, 5-193, 6-82
Colour fusion, 6-78
Colour specific centre, 6-73
Colour vision, 6-78
Combination, 10-19
Comma tract cf Schultze, 5-111, 5-138
Conarium, 4-190
Condition avoidance, 5-262
Conditioned reflex, 5-74, 5-231, 5-245
Conditioned reflex in salivary secretion, 5-258
Conduction, 2-3
Conduction velocity of nerve fibres, 5-28
Cone-adaptation, 6-58

- C**onjunctiva, 6-13
Conjunctival capsule, 6-21
Conjunctival reflex, 5-82
Conn's syndrome, 4-155
Consensual light reflex, 6-33
Constriction of pupils, 6-30, 6-38
Contact lens, 6-40
Contraceptive measure, 3-306
Contract phenomenon, 10-14
Convection, 2-3
Convergence of optical axis, 6-38
Convergence of referred pains, 5-99
Cooling, surface, 2-10
Copula of His, 9-9
Core temperature, 2-1
Coriolis effects, 5-217
Cornea, 6-17
Corneal grafting, 6-19
Corneal reflex, 5-82
Corona radiata, 4-234
Corpora arenacea, 4-192
Corpora quadrigemina, 5-145
Corpus albicans, 4-243
Corpus cerebelli, 5-155
Corpus fibrosum, 4-243
Corpus luteum, 4-232, 4-243
Corpus Luysi, 5-180
Corpus striatum, 5-135, 5-177
Corpus trapezoideum, 6-103
Correlation, 10-21
Corticocuclear tract, 5-244
Corticospinal tract, 5-124
Corticosteroid-binding globulin (CBG), 4-144
Corticosterone, 4-142
Corticotrophin, 4-27
Corticotrophic cells, 4-19
Cortilymphatic potential, 6-102
Cortisol, 4-150, 4-157, 4-158
Corti's tunnel, 6-90
Cortin, 4-142
Cortisone, 4-142
Cowper's gland, 4-224
Creatinine coefficient, 1-45
Creatinism, 4-80
Cremasteric reflex, 5-82
Cresenteric septum, 9-12
Cribiform plate, 6-6, 6-11
Crista ampularis, 5-208
Cryptorchidism, 4-203, 4-207
Cumulus oophorus, 4-234
Cumulus ovaricus, 4-234
Cupula, 5-209
Current of action and diphasic variation, 5-34, 5-36
Current of injury and monophasic variation, 5-34
Cushing's disease, 4-270, 9-31
Cushing's syndrome, 1-32, 4-31, 4-154
Cyanopsia, 6-13
Cyclic AMP, 4-4
Cystometrogram, 1-63
Dark adaptation, 6-37
Deafness, 6-95
Deacceleration, 5-219
De cerebrate rigidity, 5-195
De cerebrate rigidity in man, 5-198
Decibel, 6-93
Decidua basalis, 4-275
Decidua reflexa, 4-274
Decorticate preparation, 5-166, 5-195
Decorticcate rage, 9-10
Deep pain, 5-98
Deep reflexes, 5-81, 5-169
Degeneration of muscle fibres, 5-37
Degenerative changes of spinal root, 5-195
Dehydrocorticosterone, 4-142
Dehydroepiandrosterone (DHEA), 4-142
Deiter's nucleus, 5-220
Delta cells, 4-108
Dentate nucleus, 5-148
Dentatorubral tract, 5-179
Dentatorubrothalamic tract, 5-162
Dentatothalamic tract, 5-147
Dentatothalamocortical tract, 5-162
Dermatome, 5-93
Dermis, 1-70
Desemet's membrane, 6-20
Desynchronisation of EEG, 5-253, 5-260
Deuteranomaly, 6-83
Deviation, 10-6
Diabetes insipidus, 1-33, 4-50
Diabetes mellitus, 4-131
Diabetic acidosis, 4-133
Diabetic curve, 4-123
Diaphragmatic pleura, 5-99
Diazoxide, 4-109
Dicker's fat body, 4-40
Diencephalon, 5-6, 5-302
Digestive reflex, 5-81
Dikshit, 5-267
Dilatation of pupils, 6-30
Dilutional acidosis, 3-7
Diodone, Diodrast, 1-25
Dioestrous cycle, 4-267
Diopters, 6-16, 6-51
Diplopia, 6-29
Diuresis, 1-43, 1-50
Dizygotic twins, 4-287
Down's syndrome, 4-200
Drinking centre, 5-208
Ductus arteriosus, 4-292
Ductus endolymphaticus, 5-208
Ductus venosus, 4-292
Dura mater, 5-8
Duration of sensation, 5-94
Dwarfism, 4-21, 4-39
 Mixed type, 4-40
Dysarthria, 5-256
Dysautonomia, 6-4
Dysmetria, 5-169

INDEX

- E-cells, 4-108
Ear, 6-85
Eardrum, 6-87
Eccrine sweat glands, 1-74
Ectoderm, 9-5
Edinger-Westphal nucleus, 5-248, 6-29, 6-39
Electrocorticin, 4-143
Electroencephalograph, 5-221, 5-246
Electromyogram (EMG), 5-192
Electron gun, 5-23
Electronous, 5-36
Electronystagmography, 5-212
Electroretinogram, 6-55
Electronic current in nerve fibre, 5-36
Eleidin, 1-69
Embryoblast, 9-2
Embryology, 9-1, 9-17
Embryonic coelomic cavity, 9-7
Embryonic disc, 9-4
Emiocytosis, 4-13
Emmetropia, 5-384
Emmetropic eye, 6-35
Emotion, 5-270
 Ejection of milk and, 4-303
Emotional behaviour, 5-242
Emotional sweating, 1-15
End bulb of Krause, 5-68
End-plate, 5-61
Endocrine glycosuria, 1-57
Endocrine pancreas, 4-106, *vide Pancreas*
Endocrines, 4-1
 Bone formation and, 4-306
 Foetal, 4-287
 Growth and, 4-304
 Kidney function and, 4-306
 Metabolism and, 4-305
Endolymph, 5-211
Endolymphatic duct, 5-212
Endolymphatic potential, 6-102
End organs, 5-68, 5-120
Enophthalmos, 6-32
Enteroceptive impulses, 5-11
Enterocrinin, 4-180
Enterogastrone, 4-179
Entoderm, 9-5
Entorhinal cortex, 6-12
Ependyma, 5-102
Ephaptic transmission, 5-100
Ephedrine, 5-281
Epicritic pain, 5-198
Epicritic thermal sensation, 5-96
Epicritic touch, 5-95
Epidermis, 1-68
Epigastric reflex, 5-82
Epilepsy, 5-240
Epinephrine, 1-22, 4-168
Epiphysis cerebri, 4-190
Episcleral plexus, 6-21
Epithalamus, 5-6, 5-173
Epoophoron, 9-17
Erb's sign, 4-98
Ergotropic effects on hypothalamus, 5-205
Ergotoxin, 5-231
Error, 10-1
Error control, 10-23
Erythropoitin, 1-12, 4-180
Eserine, 5-301
Ethinyl oestradiol, 5-43
Eunuchoidism, 4-196
Eustachian tube, 6-77
Eustachian valve, 9-12
Excitability curve from nerve fibres, 5-23
Excitement, 5-270
Excitomotor area, 5-228
Exocytosis, 5-397
Exophthalmos-producing factor (EPF), 4-20, 4-25, 4-84
Experimental design, 10-21
Experimental error, 10-23
Extensor reflex, Crossed, 5-200
External ear, 6-75
Exteroceptive impulses, 5-11
Extraembryonic mesoderm, 9-2
Ellipsoid, 6-48
Eyeball, 6-15
Eyefield, 5-245
Eyelid, 6-14
Eye movement, 5-169, 5-248, 6-25-29

F-cells, 4-108
Facilitation of reflex action, 5-78
Facilitation of referred pain, 5-199
Fallopian tube, 4-229, 4-250
Far point, 6-88
Faradic current, 5-198
Fasciculus cuneatus, 5-108
Fasciculus gracilis, 5-110
Fasciculus posterolateralis, 5-113
Fasciculus septomarginalis, 5-138
Fasciculus tenticularis, 5-182
Fast muscles, 5-205
Fastigiobulbar tract, 5-161
Fat deposition, Oestrogens, 5-49
Fat-mobilising agent, 4-35
Fatigue in reflex action, 5-79
Feeding centre, 5-307
Ferguson reflex, 4-286
Fertilisation of ovum, 4-224, 4-235
Fever, 2-9
Fibrin formation, 4-260
Fick principle of REF, 1-24
Fiducial limit, 10-2
Field H, 5-182
Fila olfactoria, 6-11
Fillet, 5-8, 5-144
Filtration angle, 6-21
Fixation reflex, 6-38
Flagellum, 4-216
Flare, 5-198
Flechsig's tract, 5-115
Flexion reflex, 5-200
Flexor response, 5-90
Flicker, 6-84
Flower-spray endings, 5-60

- Fluorescein**, 6-22
Focal distance, 6-26
Foetal arterial blood, 5-70, 5-81
Foetal circulation, 4-289
Foetal endocrine system, 4-288
Foetal haemoglobin, 4-291
Foetal heart capillary-fibre ratio, 4-291
Foetal-placental steroid relationship, 4-287
Foetal venous blood, 4-278
Follicle-stimulating hormone (FSH), 4-31
Follicular epithelium, 4-231
Follicular phase, 4-261
Foramen caecum, 9-10
Foramen magnum, 5-5
Foramen ovale, 4-291
Foramen of Magendie, 5-10, 5-274
Foramen of Monro, 5-8, 5-273
Foramina of Luschka, 5-10, 5-274
Forebrain, 5-6
Foregut, 9-7
Forel's decussation, 5-130
Formix, 5-240
Fovea, 6-45
Foveal reflex, 6-62
Fractionation in reflex action, 5-79
Frequency analyser of sound, 6-89
Frequency distribution, 10-2
Frey's hair, 5-95
Friedman test, 4-273
Frohlich's syndrome, 4-41
Frontal lobe of cerebral cortex, 5-231
Frontal neocortex, 5-230
Frontopontine tract, 5-146
Fronto-onto-cerebellar tract, 5-162
Frontothalamic fibres, 5-174
Frost bite, 2-9
Fructolysis, 4-223
Fructosuria, 1-48
Fundus reflex, 4-60
- GABA**, as synaptic transmitter, 5-46
G effect, 8-1
G vector notations, 8-2
Gait, 5-169
Galactopoiesis, 4-301
Galactosaemia, 4-295
Galactosuria, 1-49
Galea capititis, 4-215
Galli-Mainini test, 4-273
Gamma-loop mechanism, 5-308
Gamma radiation, 7-2
Ganglion cells of retina, 6-42, 6-62
Gastrin, 4-108, 4-177
Gaussian distribution curve, 10-4
Gene, 4-201
Generator potential, 5-63
Geniculate bdy, medial, 5-171, 6-74
Geniculate ganglion, 6-5
Gennari's line, 5-228
Genu, 5-174
Germ layers and their derivatives, 9-6
- Gestation**, 5-74
Gigantism, 4-21, 4-39
Glass lens, 6-41
Glass-rod phenomena, 6-22
Glaucoma, 6-23
Globin zinc insulin, 4-115
Glomerular filtration rate, 1-19
Glomerulotrophin, 4-158
Glomerulus, 1-4
Glomerulus, formed by sympathetic cells, 5-282
Glucagon, 4-123
Glucagon-like immunoreactive factor, 4-179
Glucocorticoids, 4-142, 4-147
Gluconeogenesis, 4-116
Glucose reabsorption, 1-28
Glucose tolerance test, 4-123
Glutamic acid, as synaptic transmitters, 5-46
Glycosuria, 1-48, 1-56, 4-130
Goitre, adenomatous, 4-81
Goitre, colloid, 4-81
Goitre, diffuse parenchymatous, 4-81
Goitre, exophthalmos, 4-82
Goitre nodular, 4-81
Golgi-Mazzoni's end organs, 5-68, 5-73
Golgi tendon organ, 5-70, 5-73, 5-199
Gonadal dysgenesis (44XO), 4-199
Gonadal steroid-binding globulin (GBG), 4-144
Gonadotrophic cells, 4-18
Gonadotrophin (GTH), 4-30
Gonads, 4-195
Gowers' tract, 5-117
Graafian follicles, 4-232, 4-233
Gram-negative organism, 4-295
Gram-positive organism, 4-295
Grand mal attack in cerebral cortex, 5-250
Granit analysis of colour vision, 6-80
Granular layer of cerebellum, 5-159, 5-217
Grasp reflex, 5-200
Graves' disease, 4-82
Gravid cycle, 4-264
Gray matter, 5-19
Gray matter of cerebrum, 5-223
Gray ramus communicans, 5-283
Growth-inhibiting factor (GIF), 5-310
Growth regulation, 4-304
Guanethidine, 5-297
Gudden's commissure, 6-71
Gull's disease, 4-80
Gustation, 6-1
Gustatory sweating, 1-75
Gut glucagon, 4-123, 4-179
- Habenular striae**, 5-6
Haemodialysis, 5-268
Haemoglobin buffer, 3-3
Haemophilia, 4-202
Hair-bulb, 1-79
Hair cells of Wersäll, 5-214

- Hair follicles, 1-79
 Hairpin countercurrent arrangement, 1-33
 Hairs, 1-78
 Harmonic mean, 10-7
 Hassall's corpuscles, 4-186
 Haynes-Berhet hypothesis, 4-144
 Head righting reflex, 5-207
 Hearing, 6-85
 Heat exhaustion, 2-8
 Heat loss, 2-3
 Heat pain, 5-100
 Heat production, 2-3, 2-8
 Heat stroke, 2-8
 Hegar's sign, 4-273
 Helicotrema, 6-92, 6-100
 Helmholz theory of hearing, 6-98
 Helweg's tract, 5-136
 Hemianopia, 5-143
 Hemiballismus, 5-182, 5-183
 Hemichorea, 5-182
 Hemihypoesthesia, 5-143
 Hemiplegia, 5-128, 5-143
 Henderson-Hasselbalch equation, 3-9
 Henle's loop, 1-9
 Hensen's cell, 6-92
 Hensen's disc, 9-4
 Hensen's duct, 6-90
 Henle's loop, 1-9
 Heparin, 4-181
 Heredity, 4-201
 Hering's theory of colour vision, 6-82
 Hermaphroditism, 4-200, 4-201
 Herniated intestinal loop, 9-8
 Herring bodies, 4-45
 Heschl's gyrus, 6-104
 Hess theory of sleep, 5-269
 Heuser's membrane, 9-2
 Hibernants, 2-1
 Hindbrain, 5-6
 Hippocampus, 5-240
 Histogram, 10-5
 Hokkaido goitre, 4-81
 Holmgren's wool test for colour blindness, 6-83
 Homeostasis of Cannon, 5-308
 Hirsutism, 4-31
 Histamine, 4-181
 Homoisotherms, 2-1
 Hopping reactions, 5-195
 Hormones, 4-2
 Horner's syndrome, 6-32
 Howell's theory of sleep, 5-267
 Hunger sensation, 5-101
 Huntington's chorea, 5-282
 Hyaline (Herring) body, 4-45
 Hyaloid canal, 6-24
 Hyaluronic acid, 4-224
 Hydraulic press, 6-82
 Hydrocephalus, 5-275
 Hydrostatic factors, 8-2
 11-Hydroxycorticosterone, 4-143
 Urinary, 4-155
 17-Hydroxy-11-Deoxycorticosterone, 4-143
 Hydroxyindole-O-methyl transferase (HIOMT), 4-193
 Hymen, 9-8
 Hyperaldosteronism, 4-155
 Hyperalgesia, 5-98
 Hypercapnia, 1-21
 Hyperchloraemic acidosis, 3-7
 Hyperglycaemia, 1-56, 4-130
 Hypermetamorphosis, 5-239
 Hypermetropia, 6-39
 Hyperosmia, 6-13
 Hyperplasia, 4-157
 Hyperpnoea, 3-8
 Hyperpyrexia, 2-9
 Hypersexuality, 5-239
 Hyperthyroidism, 1-57
 Hypnogenic factor of sleep, 5-268
 Hypnotoxin, 5-267
 Hydrogen electrode, 1-51
 Hypodermic needle, 5-92
 Hypoglycaemia, 4-130
 Hypophyseal arteries, 4-19
 Hypophysis, 4-13, et seq.
 Hypothalamo-somatic disorder, 5-311
 Hypothermia, 1-22,
 Hypothesis, 10-1
 Hypotonia, 5-165
 Hypoxia, 1-21
 Immersion foot, 2-9
 Immunological pregnancy test, 4-273
 Implantation, 4-237
 Impotence, 4-227
 Inborn reflex, 5-74, vide Condition reflex
 Incident light, 6-57
 Incus, 6-87, 6-97
 Indefatigability in nerve muscle preparation, 5-10
 Indian ink, 5-211
 Indigo Carmine test, 1-40
 Infant Hercules, 4-155
 Infantile tetany, 4-99
 Inferior colliculus, 5-6
 Infundibulum of hypophysis, 4-44, 4-45
 Infundibulum of utrine tube, 4-229
 Inhibin, 4-206
 Inhibition, 5-49
 Inhibitory conditioned reflex, 5-261
 Inhibitory postsynaptic potential (IPSP), 5-48, 5-53
 Insomnia, 5-266
 Insulin, 4-107, 4-108 et seq.
 Big, 4-113
 Little, 4-113
 Integument, 1-68
 Intelligence, 5-236, 5-247
 Internal capsule, 5-124, 5-18
 Internal ear, 6-88
 Interstitial cell, 4-206

- Interstitial cells**, 4-191
interstitial cel-stimulating hormone (ICSH), 4-31
Intraembryonic mesoderm, 9-44
Intrafusal muscle fibres, 5-68
Intrascleral venous plexus, 6-41
IPSP (inhibitory postsynaptic potential), 5-44, 5-48
Intravenous pyelography, 1-40
Inulin clearance test, 1-41
Involution, 4-286
Iodide-trapping mechanism, 4-71
Iodine, 4-75
Iodopsin, 6-43, 6-50
Iodoxyt test, 1-40
Iridocorneal angle, 6-21
Iris, 6-29, 6-32
Ischaemic decortication, 5-106
Ishihara's test for colour blindness, 6-83
Islets of Langerhans, 4-104
Isocortex, 5-225
IUCD (intra-uterine contraceptive device), 4-307
- J-shaped distribution curve**, 10-4
Jargon speech, 5-256
Jaw jerk, 5-83
Juxtaglomerular apparatus, 1-10
Juxtaglomerular cell, 1-4, 1-13
Juxtaocortex, 5-255
- K⁺ concentration in nerve fibre**, 5-24
Kaes's line, 5-228
Kendall's compound, 4-142
Keratin, 1-69
Ketone bodies, 1-49
17-Ketosteroids, 4-156
 Androgens and, 4-208
 Urinary, 4-156
Kidney, 1-1
 Acid-base equilibrium, 1-55, 3-1
 Artificial, 1-67
 Cortex, 1-2
 Functions of, 1-25
 Hilus in, 1-1
 Medulla, 1-2
 in Newborn infants, 1-10
Kinaesthetic impulses, path of, 5-120
Kinaesthetic impulses for posture and muscle tone, 5-194
Kinaesthetic sensory area, 5-245
Kinaesthetic thermal sensation, 5-197
Kininogen, 1-24
17-Kitosteroids, 1-49
Kinocilium, 5-214
Kleitman's theory of sleep, 5-268
Klinefelter's syndrome, 4-199
Knee clonus, 5-85
Knee jerk, 5-83
Krause's end bulb, 5-68, 5-119
Kupperman test, 4-273
- Labour**, 4-285, 4-287
Labyrinth, 5-193
Labyrinth, Bony and membranous, 5-1
Lactogenesis, 4-301
Labyrinthine pupillary reflex, 6-34
Labyrinthine righting reflex, 5-207
Lacis cell, 1-10, 1-14
Lacrimal apparatus, 6-14
Lactation, 4-298, 4-301
Lactogenic hormones, 4-33, vide *Prolactin*
Lactosuria, 1-49
Lactotropic cell, 4-18
Lag curve, 4-123
Lamellar micelles, 6-59
Landolt-C, 6-78
Langerhans cells, 1-69
Langhans cells, 4-275
Laplace's law, 1-62
LATS, 4-75, 4-84
Laryngismus stridulus, 4-99
Lateral fillet, 6-104
Lateral geniculate body, 6-70
Laurence-Moon-Biedl syndrome, 4-41
Law of forward conduction, 5-48
Learning, 5-257, vide *Conditioned reflex*
Lengthening reaction, 5-199
Lens, 6-15
Lenticular nucleus, 5-177
Levarterenol, 4-173, vide *Norepinephrine*
Levophed, 4-173, vide *Norepinephrine*
Levdig cell, 4-206
Libido, 4-265
Lid-closure reflex, 6-34
Life in deserts, 2-8
Light adaptation, 6-57
Light reflex, 5-143
Limb righting reflex, 5-207
Limbic lobe, 5-240
Limbic midbrain circuit, 5-263
Limbic system, 5-176, 5-240, et seq.
Limbus, 6-18, 6-82
Linear acceleration, 5-209
Lipolysis, 4-184
Liposomes, 4-139
Lipotropin, 4-35
Liquid lens, 6-49
Lissauer's tract, 5-113
Lobus nervosus, 4-45
Localisation of sensations, 5-194
Locke's solution, 1-50
Lorain-Levy dwarfism, 4-40
Ludwig shunt, 1-15
Lumbar puncture, 5-280
Luminosity curve, 6-56
Lumirhodopsin, 6-41
Lutein, 4-243
Luteinising hormone (LH), 4-31
Latcolysin, 4-259
Luteolysis, 4-245
Luteotrophic hormone (LTH), 4-33, vide *Prolactin*
Luteotrophin, 4-33

- Luys's body, 5-175
 Lymphocytes, 4-187
 Lysis, 4-244
 Macroscopic animals, 6-6
 Macula densa cell, 1-6, 1-10, 1-14
 Macula lutea, 6-45
 Macula of saccule, 5-111
 Macular fibres, 6-72
 Magnesium-deficiency tetany, 4-99
 Magnet reaction, 5-201
 Malleus, 6-86
 Malpighian corpuscle, 1-4
 Malthusian theory of population, 4-306
 Mammary gland, 4-299
 Mammillary body, 5-241
 Mammillothalamic tract, 5-304
 Mammatrophic hormone, 4-33, vide
 Prolactin
 Masking, 6-95
 Mass reflex, 5-208
 Mathematical perspective, 6-66
 Maxwell's coloured disc, 6-78, 6-84
 Meckel's ganglion, 5-288
 Medial geniculate body, 5-6, 9-12
 Median, 10-5
 Mediastinum, testis, 4-204
 Medulla oblongata, 5-125, 5-150
 Medullary reticular formation, 5-149
 Medullary striae, 6-103
 Meiosis, 4-196, 4-218
 Meissner's corpuscles, 5-76, 5-95
 Meissner's plexus, 5-288
 Melanin, 1-71, 4-153
 Melanocyte-stimulating hormone (MSH),
 4-44
 Melanocytes, 1-70
 Melatonin, 4-44, 4-193
 Membrana granulosa, 4-234
 Membrane-barrier system, 5-277
 Memory, 5-264
 Menarche, 4-195
 Mendelian recessive tract, 6-4
 Meniere's syndrome, 6-95
 Menopause, 4-195, 4-265
 Menstruation, 4-260
 Mental sweating, 1-75
 Merkel's disc, 5-67, 5-95
 Mesangial cell, 1-7
 Mesaxon, 5-21
 Mesencephalic root, 6-73
 Mesencephalon, 5-145
 Mesoblastic genital ridge, 4-196
 Mesocortex, 5-240
 Mesodermal germ layer, 9-6
 Mesovarium, 4-231
 Metabolic acidosis, 3-6, 3-9, 4-133
 Metabolic alkalosis, 3-6, 3-9
 Metanephros, 9-15
 Metaraminol, 5-297
 Metarhodopsin, 6-51
 Metathalamus, 5-171
 Metencephalon, 5-6
 Metoestrous cycle, 4-267
 Metyrapone, 4-156
 Meynert's decussation, 5-132
 Microglia, 5-17
 Microscopic subject, 6-8
 Micturition, 1-60
 Centre of, 1-64
 Mechanism of, 1-63
 Micturition reflex, 1-64
 Midbrain, 5-124, 5-145
 Midbrain reticular activating system, 5-187
 Middle ear, 6-85
 Midget bipolar cells, 6-45
 Midgut, 9-7
 Milieu interne, 4-2
 Milk ejection, 4-35
 Mineralocorticoids, 1-31, 4-193, 4-148
 Miosis, 5-293, 6-30
 Miotics, 6-31
 Mitosis, 9-1
 Mitral cell, 6-7, 6-9
 Mixed nerves, 5-4
 Modality of sensation, 5-93
 Mode, 10-7
 Modiolus, 6-88
 Modulator receptors, 6-80
 Monakow's bundle, 5-130
 Monnier and Möll's theory of sleep, 5-268
 Mono-amino-oxidase (MAO), 4-166
 Mono-chromatic light, 6-82
 Monoestrous animals, 4-267
 Monoplegia, 5-45
 Monosynaptic reflex, 5-75, 5-89
 Monozygotic twins, 4-287
 Morton's ophthalmoscope, 6-62
 Mosaicism, 4-200
 Mongolism, 4-200
 Motion sickness, 5-216
 Motivation, 5-263
 Mouse test, 4-273
 Mucoïd cells, 4-18
 Mueller's law, 5-93
 Müller's fibres of retina, 6-33
 Multiple births, 4-286
 Muscle spindle, 5-68, 6-120
 Muscle tone, 5-192, et seq.
 Myasthenia gravis, 4-189
 Mydriatric, 6-31
 Myelin sheath, 5-19
 Myelencephalon, 5-6
 Myelinogenesis, 5-20
 Myoepicardial mantle, 9-11
 Myoepithelial (basket) cells, 4-296
 Myoneural junction, 5-53
 Myopia, 6-39
 Myopic eye, 6-71
 Myotatic reflex, 5-71, 5-87
 Myxoedema, 4-80
 n° (degree of freedom), 10-12
 Nail, 1-78

- Narcotics.** 5-249
Nausea sensation. 5-102
Near point of vision. 6-36
Neck righting reflex. 5-199, 5-207
Neocortex. 5-225, 5-240
Nephritis. 1-48
Nephrons. 1-2
Nephrosclerosis. 1-48
Nephrostome. 9-14
Nerve deafness. 6-95
Nerve endings. 5-61, 5-67
Nerve membrane activation. 5-30
Nerve section, Effects of. 5-58
Nervous glycosuria. 1-56
Neural crest. 9-6
Neural mechanism regulating sleep. 5-268
Neural tube. 9-6
Neureneric canal. 9-5
Neurocyton. 5-13
Neuroendocrine system. 4-57
Neurofibrils. 5-13
Neurohormonal mechanism during sleep. 5-267
Neurohypophysis. 4-45
Neurokeratin. 5-21
Neurolemma. 5-19
Neuromuscular transmission. 5-53
Neurophysin, I & II. 4-47
Neurophysiological mechanism of nerve impulses. 5-56
Neuroplasm. 5-17
Neuropore. 9-6
New-born physiology. 4-293
Nicotine. 5-264, 5-281
Nidation. 4-264, 4-274
Nissl granules (bodies). 5-17
Nissl substances. 4-46
Nocifensor system. 5-98
Nocturia. 1-60
Nodes of Ranvier. 5-38, 5-59
Noise. 6-94
Nomogram. 10-18
Norepinephrine. 1-22, 4-173
NREM sleep. 5-249, 5-267
NSILA. 4-113
Nuclear bag region. 5-69
Nucleus centrodorsalis. 5-117
Nucleus cuneatus. 5-112
Nucleus dentatus. 5-159
Nucleus emboliformis. 5-161
Nucleus fastigii. 5-161
Nucleus globosus. 5-159
Nucleus gracilis. 5-111
Nucleus intercalatus. 5-288
Nucleus magnocellularis. 5-147
Nucleus parvocellularis. 5-147
Nucleus of Cajal. 5-186
Nucleus of Darkschewitsch. 5-186
Nucleus reticularis gigantocellularis. 5-133, 5-134
Nucleus reticularis pontis caudalis. 5-133, 5-148
Nucleus reticularis pontis oralis. 5-134, 5-186
Nucleus ruber. 5-147, vide Red nucleus
Nuel's space. 6-89
Null hypothesis. 10-23
Nystagmus. 5-199, 5-215
Obesity. 5-207
Obligatory volume. 1-32
Obligatory water reabsorption. 1-31
Nyctohemeral rhythm. 4-157
Ocular movements. 6-26
Oculogravie illusion. 5-219
Oculopupillary reflex. 6-34
Odours, Classification of. 6-9
Oesophageal temperature. 2-1
Oestradiol. 4-247
Oestriol. 4-247, 4-249
Oestrogens. 4-246
17-OHCS. 4-155
Oestrone. 4-249
Oestrous cycle. 4-266
Old-sightedness. 6-36
Olfaction, Physiology of. 6-9
Olfactohypothalamic fibres. 5-303
Olfactometer. 6-9
Olfactory adaptation. 6-10
Olfactory area. 5-245, 6-7
Olfactory bulb. 6-8, 6-11
Olfactory centres. 6-20
Olfactory coefficient. 6-9
Olfactory cortex. 2-230
Olfactory receptors. 6-6, 6-8
Olfactory tract. 6-11
Oligodendrocyte. 5-17
Oligodendroglia. 5-3
Oliguria. 1-60
Olive. 5-151, 5-176
Olivary nucleus. 6-103
Olivocerebellar fibres. 5-161
Olivospinal tract. 6-11
Oligomenorrhoea. 4-264
Operent conditioning. 5-262
Ophthalmoscope. 6-60
Opsin. 6-51
Optic chiasma. 6-71
Optic disc. 6-13, 6-46
Optic radiation. 5-174, 5-74
Optical righting reflex. 5-207
Orangeophils. 4-18
Organ of Corti. 6-90
Organ of mind. 5-234
Organ of Ruffini. 5-68, 5-119
Osmoreceptors. 1-33
Ossicular conduction. 6-97
Osteitis fibrosa cystica. 4-100
Osteomalasia. 4-104
Ostium primum. 9-12
Ostium secundum. 9-12
Otic ganglion. 5-288
Otic fluid. 5-215
Otoconia. 5-217

- Otolith organ, 5-198, 6-97
 Oval window, 6-86
 Ovarian agenesis, 4-199
 Ovarian hyperaemic test, 4-273
 Ovary, 4-230
 Ovulation, 4-236
 Control of, 4-239
 Oxyphil cell, 4-92
 Oxytocin, 4-47, 4-58
 Ovarian cycle, 4-233, 4-238
- P** factor, 5-100
 Pacinian corpuscle, 5-56, 5-63, 6-120
 Pain sensation, 5-197
 Pain area, 5-199
 Palaeocerebellum, 5-157, 5-168
 Palaeocortex, 5-239
 Palaeostriatum, 5-77
 Pale muscle, 5-205
 Pallidohypothalamic tract, 5-303
 Pallidorubral tract, 5-179
 Pancreozymin, 4-178
 Pancreas Endocrine, 4-106
 Paradoxical sleep, 5-249
 Paraflocculus of cerebellum, 5-157
 Paralysis agitans, 5-181
 Paraplegia, 5-244
 Parathormone, 4-94
 Parathyroid, 4-92, et seq.
 Parietal lobe of cerebral cortex, 5-236
 Parkinsonism, 5-146, 5-176
 Paroöphoron, 9-17
 Paroxysmal hypertension, 4-175
 Pars distalis, 4-15, et seq.
 Disorders of, 4-38
 Pars intermedia, 4-15, 4-42
 Pars nervosa, 4-45
 Pars tuberalis, 4-44
 Partition calorimetry, 2-5
 Parturition, 4-284
 Patellar clonus, 5-85
 Pavlov's conditioning, 5-259
 Pavlov's theory regarding sleep, 5-267
 PBI (protein-bound globulin), 4-76
 Pedicel, 1-5
 Penile erection, 4-227
 Pentagastrin, 4-178
 Pentosuria, 1-49
 Perceptive deafness, 6-95
 Pericardial cavity, 9-11
 Pericardial sensation, 5-100
 Perilymph, 5-209, 6190
 Perimeter, 6-65
 Peripheral retina, 1473, 6-45
 Peritoneal sensation, 5-100
 Permutation, 10-2
 Perspiration Insensible, 1-75, 2-5
 Petit mal attack in cerebral cortex, 5-250
 Petrous ganglion, 6-5
 Pflüger's egg tubes, 4-233
 Pflüger's law of contraction, 5-37
 Phakoscope, 6-37
- Phenylalanine hydroxilase, 4-164
 Phenylketonuria, 4-296
 Pheochromacytoma, 4-178
 Phillippe-Gombault's triangular area, 5-137
 Phillipson's reflex, 5-142
 Phloridzin, glycosuria, 1-58
 Phosphate buffers, 3-2
 Pili, 1-75
 Phosphorus, 4-104
 Photochemical substances, 6-82
 Photopic curve, 6-80
 Photopic eye, 6-57
 Photopic vision, 6-56
 Photopsin, 6-53
 Physostigmine, 5-264
 Pia mater, 5-8
 Picrotoxin, 5-269
 Pigmentation of skin, 1-71
 Pigmentosa, 5-6
 Pilocarpine, 1-75
 Pineal body, 4-158, 4-190
 Pinealocytes, 4-190
 Pinna, 6-85
 Pip, 6-103
 Pique glycosuria, 1-56
 Pitch of sound, 6-93
 Pitocin, 4-58, vide Oxytocin
 Pituitary, 4-45
 Pituitary gland, 4-13, et seq.
 Placenta, 4-274
 Placental gonadotrophin, 4-279
 Planarians, 5-265
 Planned family, 4-305
 Plantar reflex, 5-82
 Plantum semilunatum, 5-213
 Plasmin, 4-260
 Pleural sensation, 5-99
 Phosphate reabsorption, 1-36
 Pneumotaxic centre, 5-149
 Podocyte, 1-4
 Poikilotherms, 2-1
 Poissonian distribution curve, 10-5
 Poliomyelitis, 6-10
 Polkissen's cell, 1-10
 Polydipsia, 5-308
 Polysynaptic reflex arc, 5-75
 Pons varolii, 5-125, 5-128
 Pontocerebellar tract, 5-162
 Porphyropsin, 6-53
 Postural reflex, 5-205, 5-166
 Posture, 5-192, et seq.
 Potassium reabsorption, 1-36
 Prefrontal lobe tumour, 5-236
 Pregnancy, 4-271
 Pregnancy test, 4-273
 Pregnant mare's serum (PMS), 4-280
 Prerubral area, 5-182
 Presbyopia, 6-36, 6-39
 Prickle cell, 1-69
 Primitive pit, 9-15
 Primordia, 9-10
 Primordium, 9-15

- Priori probability**, 9-16
Prismatic cell, 4-42
Probability, 10-1, 6-13
Prochordial plate, 9-15
Proestrous cycle, 4-266
Progeria, 4-42
Progesterone, 4-254
Progesterone block, 4-285
Progestin implant, 4-307
Proinsulin, 4-110, 4-113
Prolactin, 4-33
Pronephros, 9-14
Proprioceptive impulses, 5-11
Proprioceptive nerve endings, 5-68
Prostaglandin, 1-24, 4-181
Prostate, 4-228
Protanomaly, 6-83
Protein reabsorption, 1-28
Proteinuria, 1-48
Proton, 7-1
Propathic sensation, 5-95, 5-98
Protopathic touch, 5-95, 5-96
Pseudopregnancy, 4-267
Psychomotor, 5-252
Psychosensory reflex, 6-34
Psychosomatic disorder, 5-311
Ptosis, 6-32
Puberty, 4-195
Pupil, 6-32
Pupil-constrictor centre, 5-148
Pupil-dilator centre, 5-148
Pupillary neck reflex, 6-33
Pupillary reflex, 6-53
Purkinje cell, 5-14, 5-40
Purkinje phenomenon, 6-57
Purkinje-Sanson images, 6-37
Puromycin, 5-265
Pyelography, 1-40
Pyramidal tract of Barnes, 5-126
Pyramidal tracts, 5-122, 5-148
Pyrexia, 2-9
Queckenstedt's sign, 5-272
Rabbit test during pregnancy, 4-273
Radiation, 2-4, 7-1
Radiation Hazards, 7-3
Rage phenomenon, 5-305
Radioimmunoassay, 4-13
Rana pipiens, 4-273
Random distribution, 10-26
Rarefaction of sound waves, 6-93
Rarest form of trichromatism, 6-83
Rat test during pregnancy, 4-273
Rate testis, 4-203
Rathke's pouch, 4-14
Reading centre, 5-254
Rebound phenomenon in the reflex action, 5-81
Receptive field, 6-68
Receptors, 5-61, 5-64
Reciprocal innervation, 5-79
Rectal temperature, 2-1
Red blindness, 6-83
Red muscle, 5-205
Red nucleus, 5-147, 5-178, 5-281
Referred pain, 5-199
Reflex action, 5-74, 5-41
Reflex arc, 5-75, 5-288
Reflex centre, 5-172
Reflex facilitation, 5-78
Reflex failure, 5-141, 5-142
Reflex fatigue, 5-79
Reflex inhibitory state, 5-72
Reflex occlusion, 5-76
Reflex rebound phenomenon, 5-81
Reflex subliminal fringe, 5-77
Refraction error of eye, 6-64
Refractive index, 6-16
Refractory period in nerve fibre, 5-29
Regeneration of soma, 5-59
Regression, 10-17
Regression coefficient, 10-18
Regression equation, 10-19
Regression line, 10-18, 10-20
Reichstein's compound S, 4-143
Reil's island, 5-243
Reinforcement, Negative, 5-85
Reissner's membrane, 6-88
Relaxin, 4-257, 4-281, 2-286
REM sleep, 5-249, 5-270
Renal autoregulation, 1-19
Renal blood flow, 1-18
Renal circulation, 1-15
Renal compensaton, 3-10
Renal erythropoietin, 1-12, 1-24
Renal effective filtration pressure, 1-25
Renal filtration fraction, 1-27
Renal function test, 1-40
Renal glycosuria, 1-58
Renal plasma flow, 1-19
Renal ricket, 1-46, 4-104
Renal tubular reabsorption, 1-28
Renal tubular dysfunction, 4-106
Renal tubular secretion, 1-37
Renal tubules, 1-8
Renin, 1-12, 1-22, 4-160
Renin-angiotensin mechanism, 1-23, 4-160
Renshaw cell, 3-49, 5-83
REM sleep (rapid eye movement sleep), 5-249, 5-270
Replication, 10-24
Reserpine, 5-268, 5-306
Residual sensation, 5-93
Resolution, Threshold, 6-58
Resonance theory of Helmholtz, 6-97
Resonance-volley theory, 6-98
Respiratory acidosis, 3-6
Respiratory alkalosis, 3-9
Respiratory reflexes, 5-81
Restiform body, 5-153, 5-160
Reticular formation, 5-133, 5-185
Reticular lamina, 6-91
Reticulospinal tract, 5-132, 5-148

INDEX

- Retina, 6-13, 5-41, 6-51, 5-64
Retinal impulses for posture and muscle tone, 5-195
Retinene isomerase, 6-52
Retinol, 6-52
Retinoscopy, 8-63
Retrograde degeneration, 5-58
Retrograde grid, 6-59
Retrolental space, 6-25
Reward phenomena, 5-242
Retzius's supporting cells, 5-215
Rheobase voltage, 5-26
Rhinencephalon, 5-240
Rhodopsin, 6-51, 6-54
Rhombencephalic sleep, 5-267
Richard's method, 1-26, 1-28
Righting reflexes, 5-81, 5-203
Rinne's test, 6-95
Rod-adaptation, 6-58
Rods, 5-44, 5-48
Rolandic tissue, 5-223
Romberg's sign, 5-195
Rotation reflex, 6-68
Round window, 6-86
Rubro-olivary fibres, 5-179
Rubroreticular tract, 5-147
Rubrospinal tract, 5-150, 5-179
Ruffini's end organ, 5-68, 5-73, 5-119

Saccule, 5-205, 5-211, 5-218
Salt intake, Effects of, 1-22, 1-50
Saltless, 2-8
Saltatory conduction, 5-38, 5-39
Salty taste, 6-3, 6-4
Sampling, 10-9
Santorini's duct, 9-11
Satiation centre, 5-308
Scala media, 6-89, 6-102
Scala tympani, 6-89
Scanning, 5-169
Scatter, 10-7
Schlemm canal, 6-20
Schwalbe's ring, 6-21
Schwann cell, 5-18, 5-21, 5-60
Sclera, 6-13
Scotopic curve, 6-80
Scotopic vision, 6-47, 6-56
Scratch reflex, 5-76
Sea-sickness, 5-216
Sebaceous gland, 1-71, 1-76
Sebum, 1-73
Composition of, 1-77
Seminiferous tubule, 4-203, 4-205
Secretin, 4-2, 4-179
Seizure waves in grand mal, 5-252
Semantic aphasia, 5-256
Semen, 4-224
Semicircular canal, 5-212
Seminal vesicles, 4-204
Seminiferous tubule dysgenesis, 4-199
Sensory irradiation, 5-95
Septomarginal fasciculus, 5-137
Septum spuriun, 9-12
Sera, 5-275
Serotonin, 1-22
Sertoli's cells, 4-206
Sex chromatin, 4-198
Sex chromosome, 4-196
Sex-hormone-binding globulin, 4-444
Sexual behaviour, 4-269
Sexual growth, 4-305
Sexual reflex, 5-81, 5-201
Sham rage phenomenon, 5-236, 5-306
Shell temperature, 2-1
Shivering centre, 2-6
Shock stage, 5-128
Signet-ring cell, 4-18
Silent area, 5-234
Simmonds' disease, 4-42
Sine wave, 6-93
Sinus venarum, 9-12
Sinus venosus, 9-12
Skewed distribution, 10-4
Skin, 1-68, 2-4
Skin grafting, 1-78
Skinner box, 5-262
Sleep, 5-265, 6-19
Siggard Anderson nomogram, 3-10
Slow muscle, 5-205
Slow-wave sleep, 5-249, 5-267
Smell, 6-6, vide Olfaction
Snellen's test, 6-59
Sodium-pump mechanism, 5-25
Sodium reabsorption, 1-34
Soma, 5-13, 5-15
Somaesthetic area, 5-228
Somatic area, 5-236
Somatic nervous system, 5-1, 5-5
 vide Central nervous system
Somatopleuric mesoderm, 9-4
Somatotrophic cell, 4-18
Somatotrophic hormone (STH), 4-20
 vide GH
Sound, 6-93, et seq.
Sound waves, 6-92
Space flight, Effects of, 8-1
Spatial recognition, 5-237, 5-245
Sperm-shedding test, 4-273
Spectroscopic test for colour blindness, 6-83
Speech, 5-244, 5-254
Speech centre, 5-233, 5-254
Spermatid, 4-205, 4-217
Spermatocytes, 4-205, 4-222
Spermatogenesis, 4-206, 4-216
Spermatogonia, 4-205
Spermatozoa, 4-205, 4-206, 4-214
Spermiation, 4-206
Spermiogenesis, 4-219
Spherical aberration, 6-41
Sphingomyelin, 5-21
Spinal animal, 5-143
Spinal cord, 5-5, 5-112
 Heat regulation, 2-6

- Spinal preparation, 5-200**
Spinal reflex, 5-87
Spinal root, Termination of, 5-121
Spinal shock, 5-138, 5-141
Spinocerebellar tract, 5-115, 5-121, 5-148.
Spinocortical tract, 5-117
Spinopontine tract, 5-117
Spinoreticular tract, 5-116
Spinotectal tract, 5-121
Spinothalamic tract, 5-112, 5-175, 5-151
Spinovestibular tract, 5-117
Staderini's nucleus, 5-288
Stalk cell, 1-7
Stammering, 5-256
Standard error, 10-2
Splay, 1-30
Stapedius muscle, 6-85, 6-87
Stapes, 5-87, 5-97
Star pyramidal cells, 5-224
Static reflexes, 5-205
Static tremor, 5-169
Statokinetic reflex, 5-205
Stellate cells, 5-224
Stereocilium, 5-211, 5-214
Stereognosis, 5-95, 5-236
Stereoscopic vision, 6-66
Stigmatic electrode, 5-58
Stilboestrol, 4-246
Stimulus artifact, 5-23
Stirrup, 6-87
Stomodeum, 9-8
Stratum corneum, 1-68
Stratum germinativum, 1-70
Stratum lucidum, 1-69
Stratum Malpighii, 1-70
Stratum spinosum, 1-69
Streak primitive, 9-14
Streptozotocin, 4-109
Stretch reflexes, 5-69, 5-87, 5-193, 5-202
Stria vascularis, 6-89
Striate cortex, 6-75
Stroma, 4-232
Subarachnoid space, 5-8, 5-274, 6-10
Subliminal nerve fibres, 5-26
Sublingual gland, 5-288, 5-292
Substance P, 5-47
Substantia nigra, 5-8, 5-146, 5-180
Subsynaptic web (SSW), 5-42
Subthalamic nucleus, 5-180, 5-183
Subthalamic reticulum nucleus, 5-182
Suckling reflex, 4-302
Succus endolympaticus, 5-212
Summating potentials, 6-102
Super-female (44XXX), 4-199
Superficial pain, 5-98
Superficial reflexes, 5-81, 5-139, 5-128
Superior colliculus, 5-8, 5-148, 6-70
Supinator jerk, 5-83
Supportive cells, 4-191
Supra-optico-hypophyseal tract, 4-46
Suprarenal gland, 4-135
Sustentacular cells of testis, 4-206
- Sweat, 1-73, 1-74, 2-5**
Composition of, 1-76
Sweat gland, 1-74
Sweet taste, 6-3
Sylvian aqueduct, 5-130, 5-274
Sylvian fissure, 5-222
Sympathin, 5-298
Sympathetico-adrenal system, 4-174
Sympathogonia, 4-163
Synapse, 5-39
Synaptic block, 5-53
Synaptic cleft, 5-42, 5-54
Synaptic delay, 5-48
Synaptic gutter, 5-54
Synaptic krebs, 5-41
Synaptic latency, 5-48
Synaptic transmission, 5-43
Synchronisation of EEG, 5-253
Synchronised slow wave, 5-267
Synctial trophoblast, 4-275, 9-2
Synephrine, 5-297
Syntactical aphasia, 5-256
t-table, 10-111
- Take-off acceleration, 8-1**
Tameness, 5-239
Taste, 5-1, 6-4
Taste centre, 5-237, 5-245
Taste receptor stimulation, 6-3
Tear, 6-14
Tectobulbar tract, 5-131
Tectospinal tract, 5-131, 5-148, 6-71
Tectum, 5-6
Segmental area of Foral, 5-182
Telephone theory of Rutherford, 6-97, 6-100
Telencephalon, 5-6
Telereceptor, 5-72
Temperature in space, 8-2
Temperature, Path of, 2-5
Temporal gyrus, 6-104
Temporopontine fibres, 5-174
Tendon reflex, 5-81, 5-83
Tendril fibres, 5-159
Tenon's capsule, 6-21
Tensor tympani muscle, 6-97, 6-85
Terminal button, 5-13
Testis, 4-203
Testosterone, 4-207, 4-210
Testosterone-oestrogen-binding globulin (TEBG), 4-210
Tetany, 4-98
Tetanus toxin, 5-52
Tetraethylpyrophosphate, 5-301
Thalamic animal, 5-172, 5-205
Thalamic radiation, 5-174
Thalamic syndrome, 5-172
Thalamus, 5-6, 5-169
Thebesian valve, 9-12
Theca externa, 4-235
Theka interna, 4-235
Thermal sweating, 1-75

INDEX

- Thermodilution technique for measurement of cardiac output, 11-10
Thermocouple, 2-1
Thermodetector, 2-7
Thermogenesis, 2-3
Thermolysis, 2-4
Thermometer, Clinical, 2-1
Thermotaxis, 2-3
Theta waves of EEG, 5-288
Thirst sensation, 5-108, 5-307
Thoracolumbar (autonomic) nerves, 5-228
Thorotrast, 5-275
Threshold stimulus, 5-26
Thymocytes, 4-187
Thymosin, 4-188, 4-189
Thymus, 4-185
Thyrocacitonin (TCT), 4-66, 4-90
Thyroglobulin, 4-67, 4-74
Thyroid gland, 4-64
Thyroid hormone, 4-67, et seq.
Thyrotoxicosis, 4-82
Thyrotrophic cells, 4-18
Thyrotrophin (TSH), 4-24
Chorionic, 4-281
Thyroxine, 4-26, 4-67 et seq.
Thyroxine-binding alpha-globulin (TBG), 4-74
Tickle, 5-101
Tone deafness, 5-93
Tongue, 6-1, 6-5
Tonic labyrinthine reflexes, 5-198
Tonic neck reflex, 5-199
Touch, 5-195
Trabecular meshwork, 5-340
Tracts, 5-107, et seq.
Ascending, 5-112, 5-120 et seq.
Descending, 5-101, 5-137
Extrapyramidal, 5-128, 5-202
Transducer, 11-1
Transducer systems, 11-7
Trench foot, 2-9
Triceps jerk, 5-83
Trichromatic retina, 6-81
Trichromatic theory, 6-81
Trigeminal reflex, 6-34
Tritanomaly, 5-83
Tritation, 1-51
Trophoblast, 4-275
Trophotropic, Effects of, 5-306
Trousseau's sign, 4-98
Trueta shunt, 1-16
Truncal septum, 9-13
Truncus, 9-13
Tubectomy, 4-308
Tuber cinereum, 6-70
Tuberculum impar, 9-9
Tuberohypophyseal tract, 4-46
Tubular maximum (Tm), 1-37
Turner's syndrome, 4-199
Tunica albuginea, 4-203, 4-204, 4-232
Twins, 4-286
Tympanic membrane, 6-85
U-shaped distribution curve, 10-5
Ultralente insulin, 4-114
Ultrasonic blood flow metres, 11-9
Ultraviolet rays, 6-56
Umbilical artery, 4-291
Umbilical vein, 4-291
Umbo, 6-86
Unconditioned reflex, 5-74, 5-81
Urea, 1-45
Urea clearance test, 1-40, 1-41
Urea concentration test, 1-40
Uric acid, 1-45
Urine, 1-1, et seq.
 Acidification of, 1-34
 Composition of, 1-45
 Osmotic pressure of, 1-44
 pH of, 1-51
 Sp. gr. of, 1-44
 Volume of, 1-43
Urinary bladder, 1-60, 1-61
Urinod, 1-44
Urochrome, 1-43
Urogastrone, 4-180
Urogenital sinus, 9-15
Urophysis, 5-315
Urorectal septum, 9-8
Uterine-relaxing factor, 4-281
Utilisation time, 5-26
Utricle, 5-204
Uvea, 6-13
Uveal meshwork, 6-20
Uveal tract, 6-13

Vaginal cycle, 4-264
Van Allen Radiation belt, 8-1
Vanil (vanillyl) mandelic acid (VMA), 4-167
Variability of reading, 10-10
Variance, 10-8
Vas deferens, 4-203
Vasa afferentia, 1-18
Vaginal smear, 4-267
Vasa efferentia, 1-18, 4-203
Vasa recta, 1-17
Vasectomy, 4-306, 4-307
Vasomotor tone, Temporary loss of, 5-140
Vasopressin, vide ADH 1-22, 4-47, 4-49
Vena comites, 2-4
Venae stellatae, 1-16
Venous-shunt technique of RBF, 1-24
Ventriculography, 5-175
Venuiae rectae, 1-16
Verbal aphasia, 5-256
Vermis, 5-155
Vertigo, 5-168, 5-169
Vesicular follicle, 4-232, 4-234
Vestibular apparatus, 5-209
Vestibular function tests, 5-212
Vestibular impulses for posture and muscle tone, 5-202
Vestibular-nerve, 5-153
Vestibular reflex, 5-81
Vestibulocerebellar tract, 5-161, 5-221

- Vestibulo-ocular tract.** 5-221
Vestibulospinal tract. 5-134, 5-135, 5-198
Villiokinin. 4-180
Visceral nerve endings. 5-72
Visceral pain. 5-98
Visceral pleura. 5-97
Vision. 5-13, 6-54
Visual acuity. 6-58
Visual agnosia. 5-238
Visual angle. 6-278
Visual area. 5-227
Visual threshold. 6-58
Vitamin D and Calcium. 4-104
Vitelline artery. 9-7, 9-13
Vitelline vein. 5-12
Vitello-intestinal duct. 9-7
Vitreous body. 6-15, 6-24
Vitreous humour. 6-335
- Wakefulness.** 5-187, 5-189, 5-268
Wallerian degeneration. 5-58
Water deprivation. 1-51
Water elimination test. 1-40
Water intake. 1-50
Water reabsorption. 1-30
Facultative. 1-32
Obligatory. 1-31
Wave length discrimination of colour vision. 6-81
Weber-Fechner law. 5-65
Weber's compass. 5-96
Weber's law. 5-94
Weber's test. 6-95
Weigert-Pal's stain. 5-109
- Weightlessness in space.** 2-1
Wolff-chaikoff effect. 4-82
Wernicke's hemianopsic pupillary reaction. 6-35
Wersall's hair cell. 5-114
White muscle. 5-205
White ramus communicans. 5-283
Wilson's disease. 5-177, 5-182
Wirsung's duct. 9-11
Withdrawal reflex. 5-75, 5-89, 5-201, 6-34
Word-blindness. 5-256
Word-deafness. 5-256
Writing centre. 5-242
- Xanthine.** 1-22
X-cells. 4-108
X-plates of CRO. 5-22
X-ray radiation. 7-1, 7-2
- Y-plates of CRO.** 5-28
Volk sac primitive. 9-4
Young-Helmholtz theory of colour vision. 6-79, 6-83
- Zink insulin.** 4-114
Zollinger-Ellison syndrome. 4-108
Zona fasciculata. 4-139
Zona glomerulosa. 4-139
Zona pellucida. 4-235
Zona reticularis. 4-140
Zondek & Bier's theory of sleep. 5-287
Zonule of Zinn. 6-37
Zwaardemaker's olfactometer. 8-1
Zygote. 9-1