

# Index

Page numbers in *italics* indicate figures; numbers followed by *t* indicate tables.

- Abies alba*, 481  
Abrin, 280, 439, 440  
*Abrus precatorius*, 439  
Acacia, 47-49, 48  
*Acacia senegal*, 4, 47, 48  
*Acanthea virilis*, 482  
*Acanthopanax senticosus*, 471  
*Acer saccharum*, 30  
*Acer* sp., 429  
Acetate metabolism, antibiotics derived from, 357-370, 358, 364, 368. *See also* names of specific drugs  
Acetylandromedol, 443  
Acetylsalicylic acid, allergic reaction to, 436  
*Achillea millefolium*, 492  
Acid(s), proprietary products of, 37  
  uses of, 35-37  
  *See also* names of specific acids  
Acid number, 82  
Acid value, 82  
*Acokanthera schimperi*, 172  
Aconite, 440  
*Aconitum napellus*, 5  
*Aconitum* sp., 440  
*Acorus calamus*, 464, 465  
Actinomycin D, 353  
Activator, defined, 273  
Adonis, 172  
*Adonis vernalis*, 172  
Adrenal cortex, 177-180  
  drug interactions of, 179  
Adrenal gland(s), 253-255  
Adrenal medulla, function of, 253  
Adrenocorticotropin (ACTH), 261-262  
*Aedes* mosquito, 391  
Aeroallergen(s), 423  
Aescin, 478  
Aesculin, 75  
*Aesculus glabra*, 478  
*Aesculus hippocastanum*, 478  
Agar, Danish, 52  
  source and use of, 50  
Agaropectin, 50  
Agarose, 50  
Agave, 62  
*Agave americana*, 62  
*Agave* sp., 67  
Aglycone, defined, 57  
  steroid, 162-163, 163  
*Agrobacterium tumefaciens*, bioassay with, 20  
*Agrostis alba*, 430  
Ajoene, 473  
Akee, 440  
Albumin(s), normal serum (human), 414  
  radio-iodinated serum, 415  
Albumin human, 414  
Alcohol(s), benzyl, 241  
  cetostearyl, 98  
  cetyl, 98  
  diluted, 38  
  (-)-erythro- $\alpha$ -[1-(methylamino)ethyl]benzyl, 240  
  glucovanillic, 74  
  lanolin, 96  
  resin, 140  
  stearyl, 98  
  uses of, 37-38  
Alcohol volatile oil(s), 113-119, 114, 115*t*, 116, 117  
  drugs from, 115*t*. *See also* names of specific drugs  
Aldehyde(s), aromatic, 119  
Aldehyde volatile oil(s), 119-124, 120*t*, 121  
*Aleurites fordii*, 440  
Alexandria senna, 64  
Alfalfa, 459-460  
Algae, red, 50  
Algin, 49  
Alginic acid, 50  
Alizarin, 67  
Alkaloid(s), 186-248, 188-190, 193, 194, 198, 199, 202, 204-206, 210, 213, 216, 220, 221, 223, 226, 228, 230, 232, 235, 238, 240, 242, 244, 246  
  biosynthesis of, 189, 189  
  catharanthus, 227-229. *See also* names of specific types  
  cinchona, 204-208  
  classification of, 187, 189  
  clavine, 233  
  composition of, 187, 188  
  defined, 186  
  distribution of, in plant kingdom, 186  
  ergot, 219-222, 230-231, 234-236, 235  
  functions of, 187-188  
  imidazole, 237  
  in coca leaves, 201  
  in withania, 199  
  indole. *See* Indole alkaloid(s)  
  isoquinoline. *See* Isoquinoline alkaloid(s)

- Alkaloids (Continued)  
 mydriatic, 12  
 naming of, 186-187  
 opium, 217-219  
 pharmacologic action of, 188-189  
 pyridine-piperidine, 189-191, 190  
 quinoline. *See* Quinoline alkaloid(s)  
 solanaceous, 195-197  
 steroidal, 237-239, 238  
 tropane. *See* Tropane alkaloid(s)  
*See also* names of specific types
- Allergen(s), 417-437, 418, 421, 426t, 428, 429, 431-435  
 contactant, 419, 423-424  
 defined, 417  
 infectant, 419, 424  
 infestant, 419, 424  
 ingestant, 419, 422  
 inhalant, 419-422, 421  
 injectant, 419, 422-423
- Allergy(ies), atmospheric, 436  
 bacterial, 436  
 case history for, 424-425  
 drug, 436  
 food, 422  
 hereditary nature of, 417, 418  
 incidence of, 417, 418  
 milk, 422  
 mold, 432, 435  
 occupational, 436  
 physical, 436  
 predisposing factors to, 419  
 psychosomatic, 436  
 skin tests for, 425  
 treatment for, 425-427
- Allicin, 473  
*Allium cepa*, 473  
*Allium sativum*, 473  
 4-Allyl-2-methoxyphenol, 130  
 Almond, 91  
 Almond oil, 91-92, 92  
 Almond tear(s), 154  
*Alnus sp.*, 429  
*Alocasia macrorrhiza*, 440  
 Aloe, 8, 62-64, 63, 59  
   Barbados, 62  
   Cape, 63  
   Curacao, 62, 63  
*Aloe africana*, 62  
*Aloe barbadensis*, 62, 63, 63  
*Aloe chinensis*, 62  
*Aloe ferox*, 62  
*Aloe spicata*, 62  
*Aloe vera*, 62, 63, 63  
 Aloe vera gel, 63-64  
 Alprostadiol, 101  
 Alseroxylon fraction, 224  
*Alternaria*, 421  
 Alum-precipitated allergenic extract(s), 427  
 Aluminum monostearate, 96  
*Amanita citrina*, 186  
 Amanita, deadly, 448  
*Amanita muscaria*, 450, 451, 452  
*Amanita pantherina*, 450, 451, 452  
*Amanita phalloides*, 448  
*Amanita sp.*, 448, 448  
*Amanita verna*, 448, 448  
*Amaranthus sp.*, 430  
 Amatoxin(s), 448-449, 448  
 Ambergris, in perfumes, 106-107  
*Ambrosia sp.*, 430-432, 434  
 Amdinocillin, 341  
 Amidase(s), defined, 273  
 Amidinopenicillin, 341  
 Amikacin, structure of, 375  
   uses and dose of, 377  
 Amine(s), alkaloidal, 239-244, 240, 242, 244. *See also*  
   names of specific types  
 D-4-Amino-3-isoxazolidinone, 352  
 6-Aminopenicillanic acid, 332-333  
 Aminophylline, 248  
*Ammi majus*, 76  
*Amorphophallus rivieri*, 475  
 Amoxicillin, 340  
 Amphotericin B, 366-367  
 Ampicillin, 339-340  
 Amygdalin, hydrolysis of, 70, 71  
   in almonds, 91, 92  
   in apricot pits, 460-461  
   in wild cherry, 72  
 Amylase, 273  
 $\alpha$ -Amylase, defined, 40  
 $\beta$ -Amylase, defined, 40  
 Amylopectin, defined, 39-40, 41  
 Amylopsin, 273  
 Amylose, defined, 39  
 Anamnestic phenomenon, 383, 384  
*Ananas comosus*, 277  
 Anarcotine, 219  
*Andira araroba*, 66  
 Androgen(s), 173, 181  
 Anethole, biosynthesis of, 130, 132  
 Angelica, 460  
*Angelica archangelica*, 460  
 Anise, 11, 106, 131t  
   Chinese, 131t  
   classification of, 11  
   Italian, 132  
   Japanese star, 75  
 Anise oil, 106, 131t  
*Anogeissus latifolia*, 49  
*Anthemis nobilis*, 466  
*Anthoxanthum odoratum*, 75, 430  
 Anthracene compound(s), types of, 60-61  
 Anthracycline derivative(s), antineoplastic, 361-362  
 Anthralin, 66-67  
 Anthraquinone(s), biosynthesis of, 59-60  
 Antibiotic(s), 312-379, 314-320, 324t, 326t, 327, 329,  
   330, 333-336, 344-346, 348t, 350, 358, 364, 368,  
   373, 374  
   adsorption of, 321  
   allergic reactions to, 422-423  
   aminoglycoside, 370-371  
   antibacterial, classification of, 323  
   bases of toxicity of, 329-331  
   commercial production of, 316-318, 319, 320  
   defined, 312  
   development of, 312-313  
   evaluation of, microbiologic assay for, 335-336  
   first generation, 343, 347, 347t

- from acetate metabolism, 357-370, 358, 364, 368.  
   See also names of specific drugs  
 from amino acid metabolism, 332-357, 333-336,  
   344-346, 347t, 350. See also names of specific  
   drugs  
 from carbohydrate metabolism, 370-379, 373, 374.  
   See also names of specific drugs  
 guaranteeing sterility of, 322  
 increasing commercial yield of, 318-320  
 $\beta$ -lactam, 342-347, 344-346  
 macrolide, 363-365, 364  
 manipulative formulations of, 322-323  
 modes and mechanisms of action of, 325-329,  
   326t, 327, 329, 330  
 modes of resistance to, 331-332  
 organisms producing, 314  
 peptide, 328, 329  
 polyene, 328-329, 330  
 polypeptide, 354-357. See also names of specific  
   drugs  
 purification of, 321-322  
 recovery and isolation of, 320-322  
 screening for, 313-316, 314-318  
 second generation, 343, 347-349, 347t  
 therapy with, 323-325, 324t  
 third generation, 343, 347t, 349  
 underlying biologic factors of, 323-325, 324t  
   See also names of specific drugs  
 Antibiotic fermentation area, 332, 333  
 Antibiotic-producing organism(s), methods for  
   detecting, 315, 315  
 Antibody(ies), allergies and, 417-419  
   formation of, 380-382  
   recall phenomenon in, 383  
 Antigen(s), biologic, 380  
   chemical, 380  
   diagnostic, 401-404. See also names of specific  
   types  
   physical, 380  
   triple, 405  
 Antigen-antibody reaction, 419  
 Antihemophilic derivative(s), 414  
 Antihemophilic factor, 414  
 Antihemophilic factor IX complex, 414  
 Antilipemic(s), safflower oil as, 94  
 Antirabies serum, 410  
 Antiserum(s), 410  
 Antisnakebite serum, North and South American,  
   408-409  
 Antitoxin(s), 405-408  
   botulism, 408  
   diphtheria, 407  
   tetanus, 407-408  
 Antitoxin unit(s), 405-407  
 Antivenin, 408-410  
   black widow spider, 410  
   North American coral snake, 409-410  
   spider-bite, 410  
 Antivenin (Crotalidae) polyvalent, 408-409  
 Antivenin *Latrodectus mactans*, 410  
 Antivenin *Micrurus fulvius*, 409-410  
*Aphis*, 80  
*Apis mellifera*, 99, 477, 486  
*Apocynum*, 171-172  
*Apocynum androsaemifolium*, 172  
*Apocynum cannabinum*, 172  
 Apomorphine hydrochloride, 218  
 Apricot kernel oil, 92  
 Apricot pits, 460-461  
 Arabin, 48  
 Arabinosylhypoxanthine, 354  
*Arachis hypogaea*, 89  
 Arachis oil, 90  
 Arbutin, 77  
*Arctium lappa*, 464  
*Arctostaphylos uva-ursi*, 77  
 Areca, 190-191  
*Areca catechu*, 78, 190  
 Areca nut, 190  
*Argemone mexicana*, 444  
*Argyrea* sp., 236  
 Arnica, 461  
*Arnica montana*, 461  
 Arrow poison, South American, 213  
 Arrowroot, Florida, 446  
*Artemia salina*, bioassay with, 19  
*Artemisia absinthium*, 125t, 492  
*Artemisia cina*, 75  
*Artemisia dracunculoides*, 490  
*Artemisia maritima*, 75  
*Artemisia* sp., 430  
 Asafetida, 461-462  
 $\beta$ -Asarone, 465  
*Ascopyllum*, 49  
 L-Ascorbic acid, 307-308  
 Ash bark, 75  
*Aspalathus linearis*, 485  
 L-Asparaginase, 280  
*Aspergillus fumigatus*, 236  
*Aspergillus* sp., 367, 421  
*Aspidosperma*, 219  
*Astragalus gummifer*, 47  
 "Astringent" action, 78  
*Atropa acuminata*, 192  
*Atropa belladonna*, 192, 194, 196, 440  
 Atropine, 195, 196  
 Atropine sulfate, 196  
 Aveloz, 462  
 Azlocillin sodium, 341  
  
 B cell(s), 384-385  
 Bacampicillin hydrochloride, 340  
*Bacillus anthracis*, 324t, 336  
*Bacillus brevis*, 355  
 Bacillus Calmette-Guérin (BCG) vaccine, 400  
*Bacillus polymyxa*, 354, 355  
*Bacillus subtilis*, 279, 315, 316, 318, 332, 355, 356  
 Bacitracin, 355  
 Bacterial antagonism, 313  
*Bacteroides fragilis*, 324t, 343  
*Bacteroides* sp., 337  
 Balsam(s), 139, 151-155  
   Peru, 4  
   Peru and Peruvian, 152-153  
   Tolu, 153-154  
 Balsam copaiba, 151  
 Balsam of Peru, 8, 152  
 Balsam of Tolu, 153  
 Baptisia, 77

- Baptisin, 77  
 Barbaloin, 61, 63  
 Barley, 239  
   malted, 274  
*Barosma betulina*, 464  
*Barosma crenulata*, 464  
*Barosma serratifolia*, 464  
*Barosma* sp., 125t  
 Bassorin, 47  
 BCG vaccine, 400  
 Bean(s), cacao, 94  
   Calabar, 229  
   castor. *See* Castor bean(s)  
   coffee, 245, 246  
   horse, velvet, or broad, 284  
   ordeal, 229  
   St. Ignatius, 229  
   tonka, 75, 490  
 Bearberry, 77  
 Bedstraw, sweet-scented, 75  
 Bee glue, 485  
 Beer, 38  
 Beeswax, 98-99  
   bleached, 99  
 Belladonna, 75, 192-195, 194  
   classification of, 11  
   nonprescription products from, 194-195  
   prescription products from, 194  
   sources of, 192  
   uses and dose of, 192-194  
 Belladonna herb, 192  
 Belladonna leaf, 192  
 Benne oil, 91  
 Benzaldehyde, 70  
 Benzoic acid, 155  
 Benzoin, 154-155  
 Benzoin tincture, 63  
 Benzylpenicillin, 332  
 Berberine, 212  
*Beta vulgaris*, 30  
 Betel nut, 78, 190  
*Betula lenta*, 135, 429  
 Betula oil, 135  
*Betula papyrifera*, 429  
 Bile acid(s), 161-162, 162  
 Bioassays, new, 19-20  
 Bioautography, 315, 316  
 Bioflavonoid(s), citrus, 73  
 Biologic(s), 380-415, 382-384, 386t, 388t, 390t, 392-395, 398, 401, 402, 406t, 409  
   defined, 380  
   expiration dates for, 386  
   related to human blood, 413-415  
   storage and labeling of, 386-387  
 D-Biotin, 309  
 Biotin, 309-310  
 Birch oil, sweet, 135  
 Bird of paradise, 445  
 Bishydroxycoumarin, 75  
 Bittersweet, European, 445  
 "Black box" analyzer, 20  
*Blastomyces dermatitidis*, 324t  
 Bleomycin, 356-357  
*Blighia sapida*, 440  
 Blistering fly(ies), 76  
 Blood, whole, 413  
 Bloodroot, 212, 445  
*Boletus satanas*, 453  
*Boletus* sp., 450  
 Boneset, 462-463  
 Borage, common, 463  
*Borago officinalis*, 463  
*Borbonia pinifolia*, 485  
*Bordetella bronchiseptica*, 354  
*Bordetella pertussis*, 324t, 399  
 Borneol, 113  
*Bos taurus*, 33, 275, 278, 489  
*Bothrops atrox*, 409  
 Botogenin, 67  
 Bradykinin, 419  
 Bran, 463  
 Brandy, 38  
*Brassica alba*, 73  
*Brassica juncea*, 72, 136t  
*Brassica nigra*, 72, 73, 136t  
 Bromelain(s), 277-278  
 Bromelin, 277  
 Brompton's cocktail, 202  
 Bronchiectasis, 424  
 Broom, Scotch, 463-464  
*Broussonetia papyrifera*, 429  
*Brucella* sp., 324t  
 Brucine, 228, 229  
 Buchu, 125t, 464  
 Buckeye, Ohio, 478  
 Buckthorn bark, 62. *See also* Frangula  
 Bufadienolide(s), 162-163  
 Burdock, 464  
 Burdock root, 464, 464  
 Butcher's broom, 464  
 Butter, 34. *See also* names of specific types  
 Buttercup, 445  
 Buttermilk, 34  
  
 Cabeza de negro, 175  
 Cacao, prepared, 95  
 Cacao bean(s), 94  
 Cacao butter, 95  
 Cacao seed(s), 94, 95  
 Cacao shell(s), 94  
 Cactus, peyote, 239  
*Cactus grandiflorus*, 172  
 Cadinene, 111  
 Caffeine, 244-247  
   amounts of, in beverages, 246  
   sources of, 245  
   use and dose of, 247  
 Caffeol, 246  
 Cajuputol, 133  
 Calamus, 464-465  
 Calberla's solution, 428  
 Calcifediol, 292  
 Calcitonin, function of, 270  
   parathyroid hormone and, 269-271  
   salmon, 270  
 Calcitriol, 292  
 Calcium gluceptate, 33  
 Calcium gluconate, 33  
 Calcium levulinate, 33

- Calcium pangamate, 482-483  
 Calcium stearate, 96  
 Calcium undecylenate, 97  
*Calendula officinalis*, 480  
 Calisaya bark, 204  
*Camellia sinensis*, 78, 247  
 Camphor, natural and synthetic, 2-3, 124-126  
 Canaigre, 465  
 Candicidin, 367  
*Candida albicans*, 324t, 331, 360, 366  
*Candida sp.*, 367  
*Candida utilis*, 307  
 Canescine, 225  
 Cannabis, 144-147, 145, 146  
     American, 144, 145  
     powdered, 144, 146  
*Cannabis sativa*, 14, 144, 145  
 Cantharides, 8, 76  
 Cantharidin, 75, 76  
*Cantharis vesicatoria*, 76  
 Capreomycin, 356  
 Caprylate, 97  
 Capsicum, 148-150  
     *Capsicum annuum*, 148, 149  
     *Capsicum frutescens*, 148, 149  
     *Capsicum oleoresin*, 149  
 Caraway, 124, 125t  
     classification of, 11  
 Caraway oil, 125t  
 Carbenicillin disodium, 340-341  
 Carbohydrate(s), 273  
     and related compounds, 26-56, 29-32, 36, 37, 41, 48, 51, 53, 55  
     biosynthesis of, 28-30, 29, 30  
     defined, 26  
 Carbohydrate metabolism, antibiotics derived from, 370-379, 373, 374  
 Carbon dioxide fixation, in photosynthesis, 28, 29  
 Carboprost, 100-101  
 Carboxymethylcellulose, 45  
 Carboxypeptidation, 326  
 Cardamom(s), 114  
 Cardamom oil, 113, 115t  
 Cardenolide(s), 162  
 Cardiac glycoside(s), 162-173, 163, 165-167, 168t, 169t, 171t  
     dose of, 169t  
     drug interactions of, 164  
     uses of, 163-164  
*Carica papaya*, 276, 277  
 Carob, 54, 55  
     beta-Carotene, 290  
 Carrageenan, 50-52, 51  
     types of, 51-52  
 Carrot, wild, 440  
*Carthamus tinctorius*, 93  
*Carum carvi*, 125t  
*Carum copticum*, 127  
 Carvacrol, 482  
 β-Caryophyllene, 111  
 Casanthranol, 62  
 Cascara sagrada, 59-62, 61  
     classification of, 11  
     specialty products from, 62  
     use and dose of, 61-62  
 Cascaroside(s), 61  
*Cassia acutifolia*, 64, 66  
*Cassia angustifolia*, 64, 66  
 Cassia cinnamon, 119, 121, 122  
 Cassia oil, 122  
*Cassia sp.*, 488  
 Castor bean(s), 87-88, 87, 88, 280, 445  
     allergen in, 421  
 Castor oil, 87-89  
     classification of, 11  
     cultivation of, 6  
     undecylenic acid from, 97  
 Castor seed(s), 84  
*Casuarina sp.*, 429  
 Catgut, surgical, 283  
*Catha edulis*, 239, 243  
 Catharanthus, 225-227, 226  
*Catharanthus roseus*, 21, 219, 225, 226  
 Cathartic(s), 59. *See also* names of specific drugs  
 Cathinone, 239  
 (-)-Cathinone, 243  
 Catnip, 465-466  
 Cayenne pepper, 148  
 Cedar leaf oil, 125t  
 Cefaclor, 343, 347t  
 Cefadroxil, 343, 347t  
 Cefamandole, 348  
 Cefamandole nafate, 347t, 348  
 Cefazolin, 343  
 Cefazolin sodium, 347t  
 Cefonicid, 347t, 348  
 Cefoperazone sodium, 347t, 348  
 Ceforanide, 347t, 348  
 Cefotaxime sodium, 347t, 348  
 Cefoxitin, 347t, 348  
 Ceftazidime, 347t, 348  
 Ceftizoxime sodium, 347t, 348  
 Ceftriaxone sodium, 347t, 348  
 Cefuroxime, 347t, 348  
 Cell(s), red blood, 413-414  
 Cellulose, 26, 43-45  
     microcrystalline, 44  
     oxidized, 45  
     powdered, 44  
 Cellulose acetate phthalate, 45  
 Cellulose derivative(s), 44-46  
*Centella asiatica*, 472, 476  
 Century plant, 62  
*Cephaelis acuminata*, 209, 211  
*Cephaelis ipecacuanha*, 209, 211  
 Cephalixin, 347, 348t  
 Cephalosporin(s), 342-349, 344-346  
 Cephalosporin C, 342  
*Cephalosporium acremonium*, 342  
*Cephalosporium sp.*, 367  
*Cephalotaxus harringtonia*, 21  
 Cephalothin, 343  
 Cephalothin sodium, 347t  
 Cephamycin C, 343  
 Cephapirin, 343  
 Cephapirin sodium, 347t  
 Cephradine, 343, 347t  
*Ceratonia siliqua*, 54, 55. *See also* Carob  
 Cereus, night-blooming, 172  
 Chalice-vine, 445

- Chamomile, 466-467, 466  
     German, 466, 466  
     Roman, 466  
 Chandrika, 222  
 Chaparral, 467  
 Charcoal, activated, 439  
 Checkerberry, 135  
 Cheese, formation of, 34  
 Chemotaxonomy, 12  
 Chenodesoxycholic acid, 161-162  
 Chenodiol, 161-162  
*Chenopodium* sp., 430  
 Cherry, wild, 70-72, 71, 445  
 Cherry juice, 35  
 Cherry syrup, 35  
 Chestnut, horse, 478  
 Chick antidermatitis factor, 300-301  
 Chicory, 467  
     inulin in, 42  
 Chili(es), 149  
 Chimaphila, 77  
*Chlamydia*, 359  
*Chlamydia* sp., 324t  
*Chlamydia trachomatis*, 340  
 Chloramphenicol, 349-351, 350  
 7-Chloro-6-demethyl-tetracycline, 360  
*Chlorogalum pomeridianum*, 67  
 Chlorogenic acid, 422  
 7-Chlorotetracycline, 360  
 Chlortetracycline, 358, 359, 360  
 Chocolate, bitter and sweet, 95  
 Cholecalciferol, 290, 291  
 Cholecystokinin (CCK), 271, 467-468  
 Cholesterol, biosynthesis of, 158, 159  
     sources of, 160  
 Choline, 310  
*Chondodendron tomentosum*, 213, 214  
 Chondrus, 51  
*Chondrus crispus*  
     source of, 51, 51. See also Carrageenan  
 Choriogonadotropin, 262  
 Chorismic acid, 111  
 Chota-chand, 222  
*Chrysanthemum parthenium*, 472  
 Chrysarobin, 59, 66-67  
 Chryszin, 67  
 Chymopapain, 276-277  
 Chymotrypsin, 278  
 Chymotrypsin for ophthalmic solution, 278  
*Cichorium intybus*, 467  
*Cicuta maculata*, 440  
*Cicuta* sp., 440  
 Cicutoxin, 440  
 Cigarette(s), marihuana, 144  
*Cimicifuga racemosa*, 462  
 Cinchona, 204-207, 206  
     areas of production of, 5-6  
     red, 204  
     sources of, 204  
     uses and dose of, 207  
     yellow, 204  
 Cinchona bark, 13, 204  
*Cinchona calisaya*, 204  
*Cinchona ledgeriana*, 204  
*Cinchona* sp., 12, 204, 206  
*Cinchona succirubra*, 204, 206  
 Cinchonism, 207  
 Cineole, 133-135  
 Cinnamaldehyde, 122  
 Cinnamic acid, 111  
 Cinnamic aldehyde, 122  
*Cinnamomum camphora*, 124  
*Cinnamomum cassia*, 119, 122  
*Cinnamomum loureirii*, 119  
*Cinnamomum zeylanicum*, 119  
 Cinnamon, 119-122, 121  
     Ceylon, 119, 121, 122  
     distillation of, 104  
     packaging of, 8  
     Saigon, 119, 121, 122  
     sources of, 122  
     volatile oils in, 103  
 Cinnamon oil, 122  
 Cinnamyl aldehyde, 122  
 Citric acid, 35-37  
 Citronella oil, 119, 120t  
 Citronellol, 113  
*Citrus aurantium*, 115t  
*Citrus limon*, 122  
 Citrus oil(s), 105  
*Citrus sinensis*, 120t  
 Civet, 106  
*Claviceps paspali*, 231, 233  
*Claviceps purpurea*, 14, 230-231, 186  
*Claviceps* sp., 220, 236  
 Clavulanic acid, penicillins combined with, 342  
 Clindamycin, 351-352  
*Clitocybe* sp., 450  
 Clonal selection process, 384  
*Clostridium botulinum*, 404, 408  
*Clostridium difficile*, 331, 356  
*Clostridium histolyticum*, 279  
*Clostridium* sp., 324t, 336  
 Clove(s), 104, 106, 129-130  
 Clove oil, 130  
 Clover, red, 75  
     sweet, 75  
 Cloxacillin, 339  
*Cnicus benedictus*, 462  
 Coactylis, 77  
 Cobalamin(s), 304-305  
 Coca, 6, 200-201  
     Huanuco, 200, 201  
     Truxillo, 200, 201  
 Coca chewing, nonaddictive nature of, 201  
 Coca leave(s), 200-201, 202  
 Cocaine, 200-203, 202  
     abuse of, 202-203  
     biochemistry of, 201-202  
     production of, 200-201  
 Cocaine hydrochloride, 202-203  
*Coccidioides immitis*, 324t, 403  
 Coccidioidin, 403-404  
*Cochlospermum gossypium*, 49  
 Cocillana, 468  
 Cocoa, areas of production of, 5  
     breakfast, 95  
 Cocoa butter, 95  
 Cocoa syrup, 95  
 Coconut oil, 92-93

- Coconut palm, 92  
*Cocos nucifera*, 92, 93  
 Codecarboxylase, 302  
 Codeine, 216  
   production of, 21  
   sources of, 217  
   uses of, 218  
 Cod liver oil, 292-293  
   sodium morrhuate from, 97  
 Coenzyme(s), 273  
 Coenzyme A, 301  
 Coenzyme I, 299  
 Coenzyme II, 299  
*Coffea arabica*, 244, 245  
 Coffee, decaffeinated, 246  
   roasted, 245, 246  
 Coffee bean(s), 245, 246  
 Coffee seed(s), 245, 246  
 Cohosh, black, 462  
 Cola, 245  
*Cola nitida*, 245, 472, 476  
 Cola nut, 472  
 Colchicine, 239, 240; 242-243  
*Colchicum autumnale*, 239, 242, 440  
 Colchicum seed, 242  
*Colchicum* sp., 239, 241  
*Coleoptera*, 8  
 Colistimethate, 355  
 Colistin, 355  
 Collagen, microfibrillar, 282  
 Collagenase, 279-280  
 Collinsonia, 468  
*Collinsonia canadensis*, 468  
*Colocasia antiquorum*, 440  
*Colocasia esculenta*, 440  
 Colophony, 140  
 Coltsfoot, 468  
 Comfrey, 18, 468-469, 468  
*Commiphora abyssinica*, 151  
*Commiphora molmol*, 151  
 Complement, defined, 381-382  
 Cone flower, 470  
   purple, 470  
 Coniferin, 74-75, 150  
*Conium maculatum*, 440  
 Conjugation process, 331  
*Conocybe cyanopus*, 453  
 Constituents, active and inert, 13  
 Contractile protein actomyosin, 164, 165  
 Convallaria, 171  
*Convallaria majalis*, 171, 441  
 Convallatoxin, 171  
 Copaiba, 151  
*Copaifera* sp., 151  
*Copernicia cerifera*, 99  
*Copernicia prunifera*, 99  
 Coprine, poisoning from, 453-455  
*Coprinus atramentarius*, 453  
 Coriander fruit, 114  
 Coriander oil, 113, 115t  
*Coriandrum sativum*, 115t  
 Corilagin, 77  
 Corm, colchicum, 242  
 Corn oil, 93  
 Cornstarch, 93  
   composition of, 41  
 Corpus luteum, 184  
 Corticotropin, 261-262  
 Cortinarin A and B, 450  
*Cortinarius orellanoides*, 450  
*Cortinarius orellanus*, 450  
*Cortinarius speciosissimus*, 450  
 Cortisol, production of, 177  
   uses and dose of, 180  
 Cortisone, production of, 176, 177  
   source of, 67  
   uses and dose of, 180  
*Corynanthe*, 219  
*Corynebacterium acnes*, 360  
*Corynebacterium diphtheriae*, 324t, 404  
*Corynebacterium simplex*, 177  
 Cosmetics, hypoallergenic, 423  
 Cosyntropin, 262  
 Cotton, absorbent, 43  
   purified, 43-44  
 Cottonseed cake, 91  
 Cottonseed oil, 90-91  
 Cotyledon(s), of cacao seeds and beans, 95  
*p*-Coumaric acid, 111  
 Coumarin, 75-76, 490  
 Covamilpori, 222  
 Cowpox, 389  
*Crataegus monogyna*, 476  
 Creeper, Virginia, 447  
 Cremocarp fruits, classification of, 11  
 Creosote, 127, 128t  
 Creosote bush, 467  
 Crocus, autumn, 239, 242, 440  
*Crotalus adamanteus*, 409  
*Crotalus atrox*, 408-409  
*Crotalus durissus terrificus*, 409  
 Crowfoot, 445  
*Cryptococcus neoformans*, 324t  
 Cucurbita seed, 469  
*Cucurbita* sp., 469  
 Cucurbitin, 469  
 Culture techniques, new, 20-21  
   plant-cell, 21  
*Cunninghamella blakesleeana*, 177  
 Cuprea bark, 207  
 Curare, 213-214  
   Calabash, 213  
 Curcuma, 490  
*Curcuma longa*, 22, 490  
*Cyamopsis tetragonolobus*, 53-54  
 Cyanocobalamin, 305-307  
 Cyanocobalamin Co 57, 307  
 Cyanocobalamin Co 60, 307  
*Cycas* sp., 446  
 Cyclacillin, 340  
*cis*-1,2,3,5-*trans*-4,6-Cyclohexanehexol, 310  
 Cycloserine, 352-353  
 Cydonium, 53  
*Cymbopogon citratus*, 123-124  
*Cymbopogon* sp., 120t  
*p*-Cymene, 111  
 Cymose flower(s), classification of, 11  
*Cynips tinctoria*, 80  
*Cymodon dactylon*, 429

- Cytisine, 443  
*Cytisus scoparius*, 463
- Dactinomycin, 353  
*Dactylis glomerata*, 430  
 Daffodil, 444  
 Damiana, 469  
 Dander, animal, allergenic nature of, 421  
 Danthron, 67  
*Daphne mezereum*, 441  
 Daphnetoxin, 441  
 Daphnin, 75  
*Datura fastuosa*, 196  
*Datura metel*, 196  
*Datura sp.*, 192, 196, 441  
*Datura stramonium*, 5, 197-198, 199  
*Daucus carota*, 440  
 Daunorubicin, 362  
 Dauricine, 444  
 Deaminase(s), nuclein, 273  
 1-Deamino-8-D-arginine-vasopressin, 260  
 Death camas, 446  
 Decavitamin capsules and tablets, 311  
*Delphinium sp.*, 441  
 Demeclocycline, 360  
 Deoxybarbaloin, 61  
 6-Deoxy-5-hydroxytetracycline, 360-361  
 Deoxyribonuclease, 279  
 Deoxyribonucleic acid metabolism, disruption of, 326t, 327-328  
 Derivatives, defined, 4  
 Dermatitis, atopic, 422  
   plants causing, 432-436, 435  
   poison ivy, 436  
 Deserpidine, 225  
 Deslanoside, composition and use of, 171  
   dose of, 169t  
 Desmopressin, 260  
 Desoxycorticosterone, 179  
 Desoxycortone, 179  
 Deoxyribonuclease, 279  
 Devil's claw, 469-470, 470  
 Devil's dung, 461  
 Dexpantenol, 301  
 Dextran, 42-43  
 Dextrate(s), 32  
 Dextrose, 31-32  
 Dextrose excipient, 32-33  
 Dextrothyroxine, 258  
 Dhanburua, 222  
 Diabetes insipidus, 259  
 Diabetes mellitus, 264  
 Diacetylmorphine, 218  
 Diastase, 273, 274-275  
   "animal," 273  
   malt, 273  
*N,N'*Dibenzylethylenediamine dipenicillin G, 339  
 Dibromofluorescein, 423  
 Dicloxacin, 339  
 Dicumarol, 75  
*Dieffenbachia picta*, 441  
*Dieffenbachia sequine*, 441  
 Diethylstilbestrol, 184  
 Diginatigenin, derivatives of, 171t  
 Digitalis, 164-169, 166, 167, 168t  
   assay of, 167-168  
   classification of, 11  
   constituents of, 166-167  
   cultivation of, 7, 165-166, 167  
   dose of, 169t  
   leaves of, 167  
   packaging of, 8  
   powdered, 165  
   prescription products from, 169  
   uses and dose of, 168-169, 169t  
*Digitalis lanata*, 169, 170  
   glycosides of, 170, 171t  
*Digitalis purpurea*, 164-165, 166, 170, 441  
   principal glycosides of, 168t  
*Digitalis sp.*, 165, 169  
 Digitoxigenin, derivatives of, 168t, 171t  
 Digitoxin, 169-170, 169t  
 Digoxigenin, derivatives of, 171t  
 Digoxin, dose of, 169t, 170  
 Dihydrocodeinone bitartrate, 218-219  
 Dihydroergotamine mesylate, 235-236  
 Dihydromorphinone hydrochloride, 218  
 Dihydrotachysterol, 290-291, 292  
   as parathyroid hormone substitute, 270  
 1,25-Dihydroxycholecalciferol, 292  
 3,4-Dihydroxyphenylethylamine, 254-255  
 Dimethylallyl pyrophosphate, 109  
 $\beta$ , $\beta$ -Dimethylcystine, 283  
 1,3-Dimethylxanthine, 248  
 3,7-Dimethylxanthine, 248  
 Dinoprost, 100  
 Dinoprostone, 101  
 Dioscorea, 69-70  
*Dioscorea*, 175  
*Dioscorea deltoidea*, 21  
*Dioscorea floribunda*, 70  
*Dioscorea macrostachya*, 175  
*Dioscorea spiculiflora*, 69  
 Diosgenin, 67, 70  
   isolation of, 175  
   production of, 21  
 Diosmin, 73  
 Diphtheria toxin, 404  
 Diphtheria toxin for the Schick test, 404  
 Diphtheria toxoid, 406t  
*Diptera*, 8  
*Dipteryx odorata*, 75, 490  
*Dipteryx oppositifolia*, 75  
 Disaccharide(s), examples of, 28  
 Distillation, destructive, 106  
   direct steam, 104, 105  
   water, 104  
   water and steam, 104  
 Distillation process, 38  
 Dog bane, 171-172  
 Dogwood, poison, 433  
 Dopamine, parkinsonism and, 284  
   use and dose of, 254-255  
 Doxorubicin, 362  
 Doxycycline, 359, 360-361  
 Drug(s), adaptogenic, 22-23  
   animal, 8-10  
   caffeine-containing, 245-247  
   cardiac, glycosides in, 57



- cardioactive, 171-173. *See also* Digitalis and other names
- cathartic, 11
- chemistry of, 13-16, 15
- classification of, 10-13
- collection of, 6-7
- crude, defined, 4
- evaluation of, 10, 11
- geographic source of, 4-6
- hallucinogenic, 236, 244
- hepatoprotective, 22
- "natural," renewed interest in, 1
- packaging of, 7-8
- plant, new types of, 22-23
- powdered, 10
- solanaceous, 199-200. *See also* Alkaloid(s), solanaceous
- See also* names of specific drugs
- Drug biosynthesis, 14
- Drug extraction, industrial, 4, 5
- Drug preparation, for commercial market, 6-10, 9
- Duboisia, 199-200
- Duboisia hopwoodii*, 200
- Duboisia leichardtii*, 195, 200
- Duboisia myoporoides*, 195, 199-200, 481
- Duboisia* sp., 196
- Dumbcane, 441
- Dust, allergy to, 422
- Echinacea, 470-471
- inulin in, 42
- Echinacea angustifolia*, 470
- Echinacea purpurea*, 470
- Ecklonia* sp., 49
- Ecuelle method, 105
- Elder, poison, 433
- Eleoptene, 107
- Elephant's-ear, 438, 440
- Elettaria cardamomum*, 115†
- Eleuthero, 471
- Eleutherococcus senticosus*, 471
- Elimination diet, 426
- Emetine, 211
- Emetine hydrochloride, 211-212
- Emulsin, 58, 273
- Enantiomer(s), of terpenes, 108
- Endocrine gland(s), commercial production from, 252-253
- function of, disturbances in, 251
- Endocrine products, source of, 10
- Endocrine system, hypofunctioning, 251-252
- peptide hormones and, 250-271, 254, 256, 259, 266
- Endotoxin(s), 404
- Enflourage, 105
- Enterobacter aerogenes*, 111, 203
- Enterobacter* sp., 323, 324†, 337, 341, 349
- Enzyme(s), 272-280, 277
- amylolytic, 273
- classification of, 272
- nomenclature of, 272-273
- of papain, 276
- oxidizing, 274
- properties of, 272
- proteolytic, 273, 274
- riboflavin-containing, 298
- source of, 10
- See also* names of specific types
- Ephedra, 241
- Ephedra distachya*, 239, 242
- Ephedra nevadensis*, 481
- Ephedra sinica*, 240
- Ephedrine, 239-242, 242
- Ephedrine hydrochloride, 242
- Ephedrine sulfate, 242
- Epidermophyton* sp., 324†
- Epinephrine, 253-254, 254
- Equisetium arvense*, 478
- Erepsin, 274
- Ergobasine, 234
- Ergocalciferol, 290-292
- Ergometrine maleate, 234
- Ergometrinine, 234
- Ergonovine, 233
- Ergonovine maleate, 234
- Ergosterol, 160-161
- Ergot, 8, 230-234, 232
- drugs related to, 236-237
- standards and assay of, 234
- Ergot alkaloid(s), 219-222, 230-231, 234-236, 235
- source of, 230-231
- structural relationships of, 234, 235
- Ergotamine tartrate, 234-235
- Ergotism, types of, 231-232
- Ergotoxine, 236
- Eriodictyon, 142
- Eriodictyon californicum*, 142
- Erythromycin, 322, 363, 364-365, 364
- Erythroxylum coca*, 201, 202
- varieties of, 200
- Erythroxylum truxillense*, 200
- Escherichia coli*, 111, 203, 267, 280, 315, 323, 324†, 326-327, 332, 337, 340, 341, 342, 343, 347, 349, 354, 359, 375
- Eserine, 229
- Eserine salicylate, 229
- Eserine sulfate, 230
- Ester(s), biosynthesis of, 135
- Ester volatile oil(s), 135-137, 136†, 137
- Esterase(s), 272, 273
- Estradiol, 183
- Estrogen(s), 173, 182-184
- conjugated, 183
- esterified, 183-184
- Estrone, 183
- Ethanol, production of, 35
- See also* Alcohol
- Ether(s), phenolic, 130
- Ethiodized oil injection, 94
- Ethylcellulose, 44
- Eucalyptol, 134
- Eucalyptus, 133-134, 134
- Eucalyptus globulus*, 133
- Eucalyptus oil, 106, 133-135
- Eucalyptus* sp., 14, 429
- Eugenia caryophyllus*, 129, 129, 130
- Eugenol, 75, 130
- Eupatorium perfoliatum*, 462
- Eupatorium rugosum*, 441, 442

- Euphasia officinalis*, 472  
*Euphorbia heterodoxa*, 462  
*Euphorbia pulcherrima*, 441  
*Euphorbia* sp., 441  
*Exogonium purga*, 143  
 Exotoxin(s), 404  
 Expression, of volatile oils, 105  
 Extraction, of volatile oils, 106  
 Extractive, defined, 4  
 Eyebright, 472
- Fagus grandiflora*, 128t  
 Farfara, 468  
 Fat(s), and related compounds, 94-96, 95  
   characteristics of, 82  
   uses of, 86  
 Fatty acid(s), 96-97  
   biosynthesis of, 83-84, 84  
   in cod liver oil, 293  
 Fennel, classification of, 11  
 Fennel oil, 131t  
 Fenugreek, 472  
 Fermentation, natural, 38  
 Ferrous fumarate, 37  
 Ferrous gluconate, 33  
*Ferula assafoetida*, 461  
*Ferula foetida*, 461  
*Ferula rubricaulis*, 461  
 Feverfew, 472  
 Fibrinolysin, 279  
 Fixed oil(s), 87-94, 87, 88, 92, 93  
   characteristics of, 82  
   hydrogenation of, 85  
   uses of, 86  
   vs. volatile oils, 104  
   See also names of specific oils  
 Flavin adenine dinucleotide (FAD), 298  
 Flavin mononucleotide (FMN), 298  
 Flavonoid(s), 73  
 Flour, konjaku, 475  
 Fly(ies), Russian, 76  
   Spanish, 76  
 Fly agaric, 451, 452  
*Foeniculum vulgare*, 130, 131t  
 Folacin, 303  
 Folic acid, 303-304, 304  
 Follitropin, 261  
*N*<sup>5</sup>-Formyltetrahydrofolic acid, 303  
 Foti, 472  
 Fo-ti-tieng®, 472-473  
 Foxglove, 164, 441  
   Grecian, 170  
   See also Digitalis  
*Francisella tularensis*, 372  
 Frangula, 59, 62  
*Franseria tomentosa*, 430  
 Fraxin, 75  
*Fraxinus ornus*, 38  
 "Freebasing," defined, 203  
 $\beta$ -D(-)Fructofuranose, 33  
 $\beta$ -D(-)Fructopyranose, 33  
 Fructose, 33  
 D-Fructose, 33  
 Fruit(s), umbelliferous, volatile oils in, 103  
 Fruit sugar, 33  
 Furcellaran, 52  
*Furcellaria fastigiata*, 62  
*Fusarium solani*, 367  
*Fusarium* sp., 177, 367
- Gadus morrhua*, 292  
 "Galenic" pharmacy, 2  
*Galerina autumnalis*, 448  
*Galerina marginata*, 448  
*Galerina venenata*, 448  
*Galicum triflorum*, 75  
 Gall(s), types of, 80  
 Gallic acid, 81  
 Gallotannic acid, 80  
 Gallotannin, 80  
*Gallus domesticus*, 391  
 Garbling, defined, 7  
 Garlic, 473  
 Gaultheria, 135  
 Gaultheria oil, 135-137  
*Gaultheria procumbens*, 135  
 Gaultherin, 57  
 Gelatin, 280-281  
 Gelatin film, 281-282  
 Gelatin sponge, 281, 282  
 Gelfoam, manufacture of, 282  
*Gelidium cartilagineum*, 50  
*Gelsemium sempervirens*, 442, 443  
 Gene(s), lac operon, 267  
 Genetics, plant, colchicine and, 243  
 Gentamicin, 376  
 Gentian, 473  
 Gentian root, 473  
*Gentiana lutea*, 473  
 Geographic source, defined, 4  
 Geraniol, 113  
 Geranyl pyrophosphate, 109  
 Germ oil cake, 93  
 Ghatti gum, 49  
*Gigartina mamillosa*, 51  
*Gillenia trifoliata*, 472  
 Ginger, 150, 150  
   Jamaica, 150  
 Ginger oleoresin, 150  
 Ginseng, 473-475, 474  
   collection of, 7  
   potential uses of, 22-23  
   Siberian, 471  
   types of, 474  
   wild red American, 465  
   wild red desert, 465  
 Gitaloxigenin, derivatives of, 168t, 171t  
 Gitogenin, 67  
 Gitoxigenin, derivatives of, 168t, 171t  
 Gitoxin, in digitalis, 168, 168t  
 Gland(s), endocrine. See Endocrine gland(s)  
   parathyroid, 269-270  
   pituitary. See Pituitary gland  
   thyroid. See Thyroid gland  
 Globulin(s), antithymocyte (equine), 413  
   gamma, 411  
   immune. See Immune globulin(s)  
 Glucagon, 264-265

- Glucagon for injection, 268  
 D-Glucitol, 39  
 Glucocorticoid(s), defined, 178  
   production of, microbiologic transformation in, 178  
   uses of, 179  
 Glucomannan, 475  
 Gluconapin, 72  
 $\alpha$ -D(+)-Glucopyranose, 31  
 Glucosamin(s), 139  
 D-Glucose, 31  
 Glucose, diagram of, 27  
   liquid, 32-33  
 Glucovanillin, 74  
 Glycerol monostearate, 96  
*Glycine soja*, 90  
 Glycitol(s), 38  
 Glycolytic metabolism, products of, 35, 36  
 Glycone, 57  
 Glucosamin(s), 139, 140  
 Glycoside(s), 57-77, 59-61, 63, 65, 66, 68, 69, 71  
   alcohol, 73  
   aldehyde, 73-75  
   anthraquinone, 59-60, 60  
   biosynthesis of, 58-59, 59  
   cardiac. *See* Cardiac glycoside(s)  
   classification of, 57-58  
   cyanogenic, 58, 59, 70  
   cyanophore, 70-72, 71  
   defined, 57  
   flavonol, 73  
   in *digitalis*, 166-167, 168t  
   isothiocyanate, 72-73  
   lactone, 75-76  
   measurement of, radioimmune techniques for, 168  
   of *Digitalis lanata*, composition of, 170, 171t  
   phenol, 77  
   saponin, 67-70, 68  
 Glycosyl transferases, 58  
 Glycyrrhiza, 67-69, 475  
 Glycyrrhiza extract, pure, 69  
 Glycyrrhiza fluidextract, 69  
*Glycyrrhiza glabra*, 6, 68  
*Glycyrrhiza typica*, 68  
 Goa powder, 66  
 Goiter, exophthalmic, 256  
 Golden-chain, 443  
 Goldenseal, 212, 475-476  
 Gonad(s), 180-181  
 Gonadorelin, 263  
 Gonadotropin, chorionic (HCG), 262  
*Gossypium arboreum*, 21  
*Gossypium barbadense*, 43  
*Gossypium hirsutum*, 43, 91  
 Gossypol, 21  
 Gotu kola, 472, 473, 476  
*Gracilaria confervoides*, 50  
 Gramicidin(s), 355-356  
 Grape root, Oregon, 6  
 Grass(es), pollinating, 429-430, 431  
   sweet vernal, 75  
*Gratiola officinalis*, 476  
 "Green wave," influence of, 17, 19  
 Griseofulvin, 368, 368  
 Guaran, 53  
 Guarana, 246-247  
*Guarea rusbyi*, 468  
 Gum(s), 45-54, 48, 51, 53  
   composition of, 45-46  
   Egyptian, 48  
   flake, 47  
   guar, 46-47, 53-54  
   Indian, 49  
   karaya, 49, 62  
   locust bean, 54  
   marine, 46  
   ribbon, 47  
   sources of, 46  
   sterculia, 49  
   xanthan, 54  
   vs. mucilages, 46  
 Gum arabic, 47  
 Gum asafetida, 461-462  
 Gum myrrh, 151  
 Gum opium, 214  
 Gum thus, 147  
 Gum tragacanth, 47  
 Gum turpentine, 147  
 Guncotton, soluble, 45  
 Gut, surgical, 283  
*Gyromitra esculenta*, 449  
*Gyromitra gigas*, 449  
 Gyromitri(n)s, 449-450  
 Habitat, defined, 4  
 Haemophilus b polysaccharide vaccine, 401  
*Haemophilus influenzae*, 323, 324t, 337, 340, 341, 342, 343, 347, 349, 351, 365  
*Haemophilus influenzae* type b (Hib), 401  
 Hallucinogenic agent(s), 244  
   in mushrooms, 451, 452, 453, 454  
   *See also* names of specific drugs  
 Hamamelis, 78  
 Hamamelis leaf, 78-79  
*Hamamelis virginiana*, 78, 120t  
 Hamamelis water, 79-80, 119, 120t  
   proprietary products from, 80  
 Hamamelitannin, 79  
 Hapten(s), 381  
*Harpagophytum procumbens*, 469  
 Hashish, 144  
 Hawthorn, 476  
 Hayfever, grasses causing, 429-430, 431  
   nonseasonal, 419-422  
   plants causing, 427-432, 428, 429, 431-434. *See also* names of specific plants  
   seasonal, 419-420  
   trees causing, 428-429  
   weeds causing, 430-432, 432  
 "Head-drop" crossover test, 214  
 "Health food(s)," 456-493, 458, 464, 466, 468, 470, 474, 478, 484, 487, 488, 491  
   legality of sale of, 456-458, 458  
   "natural" and "organic," 458  
   placebo effect of, 459  
   safety and efficacy considerations of, 459  
   *See also* names of specific foods  
*Hebeloma* sp., 450

- Hecogenin, 67  
*Hedeoma pulegioides*, 483, 484  
*Hedera helix*, 442  
Helenalin, 461  
*Helianthus annuus*, 94  
Hellebore, American, 238  
  black, 172  
  European, 239  
  green, 238, 239, 446  
  white, 239  
*Helleborus niger*, 172  
*Helminthosporium*, 421  
Hemicellulose(s), 26  
Hemlock, poison, 440-441  
  water, 440  
Hemolysin(s), 280  
Hemp, 144, 146, 433  
  black Indian, 171-172  
  Canadian, 171-172  
  Indian, 144  
Hempseed, 146  
Henbane, 197, 442  
  Egyptian, 197  
Heparin calcium, 283  
Heparin sodium, 283  
Hepatitis B vaccine, 388f, 397, 398  
Herb(s), 456-493, 458, 464, 466, 468, 470, 474, 478, 484, 487, 488, 491  
  legality of sale of, 456-458, 458  
  placebo effect of, 459  
  safety and efficacy considerations of, 459  
  See also names of specific herbs  
Heroin, 218  
*Herpes simplex*, 353  
Hesperidin, 73, 77  
Hetastarch, 42  
Hexavitamin capsules and tablets, 311  
Hibiscus, 477  
*Hibiscus sabbdariffa*, 477  
Hingu, 461  
*Hippomane mancinella*, 442  
Histamine, 419  
*Histoplasma capsulatum*, 324f, 403  
Histoplasmin, 403  
Holly, box, 464  
  English, 442-443  
Homoharringtonine, 21  
Honey, 477  
Hops, 477  
Hordenine, 239  
*Hordeum vulgare*, 239, 241, 274  
Horehound, 477-478, 478  
*Hormodendrum*, 421  
Hormone(s), adrenal cortical, 177  
  adrenocortical, 173  
  commercial production of, 252-253  
  defined, 250  
  estrogenic, 182-183  
  follicle-stimulating (FSH), 180-181, 261  
  from ovaries, 182-185. See also Estrogen(s); Progesterin  
  function of, 251  
  gastrointestinal, 271  
  gonadotropic, 261  
  growth, 263  
  interstitial cell-stimulating, 261  
  luteinizing (LH), 181, 261  
  parathyroid, calcitonin and, 269-271  
  peptide, 250-271, 254, 256, 259, 266  
  physiologic involvement of, 250-252  
  sex, 173  
  source of, 10  
  steroid. See Steroid hormone(s)  
  therapy with, historical development of, 250  
  thyroid, 255-258, 256  
    biosynthesis of, 256-257, 256  
Horsetail, 478  
Human diploid cell rabies vaccine (HDCV), 389  
Humulus, 477  
*Humulus lupulus*, 477  
Hyaluronidase, 278  
Hyaluronidase for injection, 278  
Hydrangea, 479  
*Hydrangea arborescens*, 479  
*Hydrangea paniculata*, 479  
Hydrastine, 212  
Hydrastine hydrochloride, 212  
Hydrastis, 212  
*Hydrastis canadensis*, 212, 475  
Hydrocarbon(s), acyclic monoterpene, 111  
Hydrocodone bitartrate, 218  
Hydrocolloid(s), 45-46. See also Gum(s)  
Hydrocortisone, 180  
Hydrocotyle, 476  
Hydrolase(s), defined, 272  
Hydromorphone hydrochloride, 218  
Hydroxocobalamin, 305, 306  
25-Hydroxycholecalciferol, 292  
*p*-Hydroxycinnamic acid, 111  
Hydroxyethylcellulose, 44  
 $\beta$ -Hydroxyethyltrimethylammonium hydroxide, 310  
3-Hydroxy-L-tyrosine, 284  
Hydroxypropylcellulose, 44  
Hydroxypropyl methylcellulose, 45  
Hydroxypropyl methylcellulose phthalate, 45  
5-Hydroxytetracycline, 360  
Hyoscine, 196  
Hyoscine hydrobromide, 196  
Hyoscyamine, 441  
  biosynthesis of, 192, 193  
  uses of, 195  
Hyoscyamine sulfate, 195-196  
Hyoscyamus, 197  
  classification of, 11  
Hyoscyamus leaves, English, 6  
*Hyoscyamus muticus*, 195, 196, 197  
*Hyoscyamus niger*, 197, 198, 442  
*Hyoscyamus* sp., 195  
Hypergonadism, 181  
Hyperinsulinism, 264  
Hypogonadism, 181  
 $\alpha$ -Hypophamine, 259  
 $\beta$ -Hypophamine, 259  
Hypophysis. See Pituitary gland  
Hyposensitization treatment, for allergy, 425-426  
Hypothalamus, function of, 251  
Hypothyroidism, 255  
Hyssop, 479  
  hedge, 476-477

- wild, 462  
*Hyssoopus officinale*, 479
- Iboga* sp., 219  
 Ibotenic acid-muscimol, 451  
 Ignatia, 228-229  
*Ilex aquifolium*, 442-443  
*Ilex paraguariensis*, 247  
*Illicium verum*, 131t  
 Imipenem, 343  
 Imipenem/cilastatin, 347t, 349  
 Immune globulin(s), 410-413  
   Hepatitis B, 412  
   lymphocyte, 413  
   pertussis, 411  
   rabies, 410, 412  
   RH<sub>0</sub> (D), 413  
   tetanus, 411-412  
   varicella-zoster, 412  
 Immune globulin intramuscular, 411  
 Immune globulin intravenous (IGIV), 411  
 Immune serum globulin (human), 411  
 Immunity, passive, artificially acquired, 385  
   naturally acquired, 385  
   types of, 383  
 Immunization, adult, recommended schedule for, 388t  
   pediatric, recommended schedule for, 386t  
   risks of, 387  
   "swine flu," 387  
 Immunoglobulin(s), 381-383, 382  
 Immunoglobulin A (IgA), 382  
 Immunoglobulin E (IgE), 382-383  
 Immunoglobulin G (IgG), 381-382, 382  
 Immunoglobulin M (IgM), 382  
 Immunotherapy, new drugs and, 22  
 Indanthrene dyestuff(s), 67  
 Indole alkaloid(s), 219-237, 220, 221, 223, 226, 228, 230, 232, 235  
   biosynthesis of, 219-222, 220, 221  
   monoterpenoid precursors of, carbon skeletons of, 219, 220  
*Inocybe napipes*, 451  
*Inocybe* sp., 450  
 meso-Inositol, 310  
 Inositol, 310-311  
 Insect(s), drug infestation by, 8  
 Insect sting(s), allergic reactions to, 423  
 Insulin, hypersensitivity to, 265  
   isophane, 268-269  
   lente, 269  
   NPH, 268-269  
   production of, 267  
   protamine zinc, 268  
   semilente, 269  
   structure of, 265, 266  
   ultralente, 269  
   uses of, 264-265  
   zinc, 267  
 Insulin injection, 268  
 Insulin zinc suspension, 269  
 Intrauterine device (IUD), progesterone in, 185  
 Inula, 42  
 Inulin, 42  
   hydrous, 42  
 Invertase, 273  
 Iodinated <sup>125</sup>I albumin injection, 415  
 Iodinated <sup>131</sup>I aggregated injection, 415  
 Iodinated <sup>131</sup>I albumin injection, 415  
 Iodine number, 82  
 Ipe roxo, 483  
 Ipecac, 209-212  
   syrup vs. fluidextract, 211  
   uses and dose of, 211  
 Ipecac syrup, 439  
*Ipomoea* sp., 143, 186, 222, 236, 443  
 Iridin, 77  
 Iron dextran injection, 43  
 Isinglas, Japanese, 50  
 Isomer(s), in volatile oils, 108-109  
 Isomerase(s), defined, 272  
 Isopentenyl pyrophosphate, 109  
 Isophane insulin suspension, 268-269  
 Isoprene unit(s), biosynthetically active, 109  
 Isopropyl myristate, 97  
 Isopropyl palmitate, 97  
 Isoquinoline, 187  
 Isoquinoline alkaloid(s), 208-219, 210, 213, 216  
   biosynthesis of, 209, 210  
   See also names of specific types  
 Isothiocyanate(s), 72-73  
 Isotretinoin, 289-290  
*Iva xanthifolia*, 430  
 Ivy, English, 441  
   poison, 423, 432, 435, 446, 447
- Jaborandi, 237  
 Jalap, 143  
 Jalap resin, 143  
 Jalap root, 143  
 Jasmine, yellow, 442, 443  
*Jatropha curcas*, 443  
*Jatropha multifida*, 443  
 Jelly, royal, 486  
 Jequirity seed(s), 280, 439-440, 439  
 Jessamine, yellow, 443  
 Jimson weed, 197, 198, 441  
 Jojoba oil, 98  
 Jonquil, 444  
*Juglans* sp., 429  
 Juniper oil, 113, 115t  
 Juniper tar, 127, 128t  
*Juniperus communis*, 115t  
*Juniperus oxycedrus*, 128t  
*Juniperus* sp., 429
- Kalmia angustifolia*, 443  
*Kalmia latifolia*, 443  
 Kanamycin, 374-376  
 Kanamycin A, structure of, 375  
 Kava, 143-144  
 Kava-kava, 143  
 Kelp, 479-480  
 Khat, 243  
   chewing of, 243  
 Khat plant, 239  
 Killwort, 462

- Klebsiella pneumoniae*, 337, 342, 343, 347, 373  
*Klebsiella* sp., 323, 324t, 341, 349  
*Kochia scoparia*, 430  
 Kola, 245  
 Kolanut(s), 245, 476
- Laburnum**, 443  
*Laburnum anagyroides*, 443  
*Lactarius torminosus*, 453  
 Lactase, 275  
 Lactic acid, 37  
 Lactose, 33-34  
*Lactuca virosa*, 492  
 Lactulose, 34  
 Laetrile, 70, 460-461  
*Laminaria* sp., 49, 479  
 Lanolin, 10, 96  
 Lantana, 443-444  
*Lantana camara*, 443-444  
 Lapachol, 483  
 Lappa, 464  
   inulin in, 42  
 Larkspur, 441  
*Larrea tridentata*, 467  
 Laser, 461  
 Lasiocarpine, 468  
 Latex, from poppy capsules, 215  
   metabolic function of, 209  
*Latrodectus mactans*, 410  
 Laudanum, 217  
 Laurel, dwarf and mountain, 443  
*Lavandula angustifolia*, 136t  
 Lavender, 106  
 Lavender oil, 136t  
 Laxative(s), glycosides in, 57  
 Lecithin, 90, 480  
 Lectin, plant, 280  
*Ledum* sp., 443  
*Legionella pneumophila*, 324t, 363  
 Lemon, 106, 122  
 Lemongrass oil, 123  
 Lemon oil, 105, 123-124  
 Lemon peel, 122-124  
*Lepidoptera* sp., 8  
*Lepiota* sp., 450  
 Lettuce, wild, 492  
*Leuconostoc mesenteroides*, 42  
 Leucovorin, 304  
 Leukotriene C, 419  
 Leurocristine, discovery of, 17  
 Levarterenol, 254  
*Levisticum officinale*, 480  
 Levodopa, 284  
 Levulose, 33  
 Licorice, 69, 475  
   Russian, 68  
   Spanish, 4, 6, 68, 69  
 Licorice root, 68  
 Licorice root extract, pure, 69  
 Life root, 480  
 Ligase(s), defined, 272  
 Lignin, 75  
 Lily-of-the-valley, 441  
 Lily-of-the-valley root, 171
- Limettin, 75  
 Limonene, 111  
 Linalool, 113  
 Lincomycin, 351-352  
 Linden flower(s), 480  
 Linolenic acid, 97  
 Liothyronine, 257  
 Liotrix, 258  
 Lipase, 273  
 Lipid(s), 82-101, 84, 86-88, 92, 93, 95  
   biosynthesis of, 83-87, 84, 86  
   See also names of specific types  
*Liquidambar* sp., 152  
 Liquid-liquid extraction, with antibiotics, 321  
*Liriosma ovata*, 482  
*Lithospermum erythrorhizon*, 21  
 Lobelia, 191  
*Lobelia inflata*, 191, 444  
 Lobeline, 191  
 (-)-Lobeline, 191  
*alpha* Lobeline, 191  
 Locust, black, 445  
 Locust bark, 280  
*Lophophora williamsii*, 239, 243, 244  
 Lovage, 480  
 Lucerne, 459  
 Lupulin, 477  
 Lutropin, 261  
 Lyase(s), defined, 272  
 Lymphokine(s), defined, 385  
 Lypressin, 260  
 Lysergic acid, biosynthesis of, 220-222, 221  
 Lysergic acid diethylamide (LSD), 236, 244  
 Lysine, 319-320  
 Lysine-vasopressin, 260
- Macrocystis pyrifera*, 49  
*Macrocystis* sp., 479  
*Macrozamia* sp., 446  
 Magnesium stearate, 96  
*Mahonia*, 6  
 Ma huang, 241  
 Malanga, 446  
 Malt, 274  
 Malt extract, 274-275  
 Maltase, 273  
 Maltose, 28  
 Mandelonitrile, 70  
*Mandragora officinarum*, 200  
 Mandrake, 141  
   American, 444-445  
   European, 200  
   Mandragora, 200  
 Manna, 38  
 Mannan, Konjac, 475  
 D-Mannitol, 38  
 Mannitol, 38-39  
 Manogenin, 67  
 Marc, defined, 4  
 Marigold, 480  
 Marihuana, 144  
 Marjoram, wild, 482  
 Marker, Russell E., research of, 175, 176  
 Marker degradation, 175, 176

- Marrubium vulgare*, 477, 478  
 Mastic (mastich, mastiche), 143  
 Maté, 247  
 Materia medica, 2  
 Matricaria, 466  
*Matricaria chamomilla*, 466  
 Maw seed, 217  
 Mayapple, 141, 142, 444-445  
 Meadowsweet, 472  
 Measles virus vaccine live, 386t, 388t, 396  
 Meconic acid, in opium, 216  
*Medicago sativa*, 459  
 Mel, 477  
*Melia azedarach*, 444  
*Melilotus albus*, 75  
*Melilotus officinalis*, 75  
 Menadiol, 295, 296  
 Menadione, 295, 296  
 Menaquinone, 296  
*Menispermum canadense*, 444  
 Menotropin(s), 262-263  
 Menstruum, 4  
*Mentha arvensis*, 114, 118  
*Mentha arvensis* oil, 118  
*Mentha cardiaca*, 126  
*Mentha piperita*, 113, 116  
     biosynthesis of, 117  
*Mentha spicata*, 126, 127  
*Mentha viridis*, 126  
 Menthofuran, 118  
 Menthol, 107, 113, 119  
 Mercaptothiazole, 318-319  
 D-3-Mercaptovaline, 283  
 Merrifield solid-phase synthesis, of peptides, 253  
 Mescal button(s), 243-244  
 Mescaline, 239, 244  
 Mesylate(s), ergoloid, 236  
 Methacycline, 361  
 Methicillin, 339  
 Methionine, 319  
 Methoxsalen, 75, 76  
 8-Methoxy-psoralen, 76  
 2-Methyl-1,4-naphthalenediol, 296  
 2-Methyl-1,4-naphthoquinone, 295, 296  
 Methylcellulose, 44  
 Methylcephaline, 211  
 Methylergonovine maleate, 234  
*N-Methyl-N-formylhydrazine* (MFH), 449  
 15-Methylprostaglandin  $F_{2\alpha}$ , 100-101  
 Methyl salicylate, 135-137, 137  
 Methysergide maleate, 236  
*Metopium toxiferum*, 444  
 Mezerein, 441  
 Mezereon, 441  
 Mezereum, 75  
 Mezlocillin sodium, 341  
*Micrococcus flavus*, 355  
*Micromonospora inyoensis*, 378  
*Micromonospora purpurea*, 376  
*Microsporium* sp., 324t  
*Micruroides euryxanthus*, 410  
*Micrurus fulvius*, 409-410  
*Micrurus fulvius tener*, 410  
 Milfojl, 492  
 Milk, types of, 33-34  
     "Milk sickness," 441  
     Milk sugar, 34  
     Mineralocorticoid(s), 178  
     Minimum inhibitory concentration (MIC), 316  
     Minocycline, 359, 361  
     Mint(s), cultivation of, 6  
         volatile oils in, 103  
     Mistletoe, 444, 480-481  
     Mitomycin C, 363  
     Molasses, 31  
     Mold(s), causing allergies, 432, 435  
     *Monarda didyma*, 127  
     *Monarda punctata*, 127  
     Monkshood, 440  
     Monosaccharide(s), defined, 26  
         examples of, 27-28  
         production of, by photosynthesis, 28  
     Monoterpene(s), 107  
         carvone series of, 118  
         piperitenone series of, 118  
     Moonseed, Canada, 444  
     *Morchella* sp., 449  
     Morel(s), false, 449  
     Morning glory(ies), 236, 443  
     Morphine, 216  
         biosynthesis of, 209, 210  
         composition of, 217  
     Moss, Irish, 51  
     Moxalactam disodium, 347t, 349  
     Mucilage(s), 45-54. *See also* Gum(s)  
     Mucopeptide, bacterial cell wall of, structure of, 327  
         synthesis of, 326  
     Mucopeptide layer, inhibition of, 325-326  
     Muiru puama, 482  
     Multivitamin therapy, 311  
     Mumps skin test antigen, 404  
     Mumps virus vaccine live, 386t, 396-397  
     Muscarine poisoning, 450-451, 451  
     Mushroom(s), 446-455, 447, 448, 451, 452, 454  
         gastrointestinal effects from, 453, 454  
         neurologic effects from, 450-453, 451, 452  
         protoplasmic poisonous, 448-450, 448  
     Mushroom toxin(s), types of, 448  
     Musk, 106  
     Mustard, types of, 72-73  
     Mustard oil, 104, 136t  
         volatile, 73  
     Mycelium, 231  
     *Mycobacterium* sp., 324t, 402  
     *Mycobacterium tuberculosis*, 352, 356, 368, 369, 372,  
         400, 402, 403  
     *Mycoplasma pneumoniae*, 324t  
     *Mycoplasma* sp., 359  
     Myoinositol, 310  
     Myrcia oil, 127, 128t  
     Myristica, 130  
     *Myristica fragrans*, 130, 132, 133  
     Myristica oil, 132-133  
     Myrosin, 58, 273  
         in mustard, 72-73  
     *Myroxylon balsamum*, 153  
     *Myroxylon pereirae*, 153  
     Myrrh, types of, 151

- Nafcillin, 339  
*Narcissus* sp., 444  
 Narcotine, 219  
 Naringen, 73  
 Natamycin, 367  
 Nebramycin factor 6, 376  
*Neisseria gonorrhoeae*, 324t, 361, 378  
*Neisseria meningitidis*, 323, 324t, 361, 369  
*Neisseria* sp., 386, 349, 365  
 Neomycin, 373-375, 375  
 Neomycin B, structure of, 375  
 Neoruscogenin, 464  
*Nepeta cataria*, 465  
*cis-trans-Nepetalactone*, 466  
*Nereocystis* sp., 49, 479  
*Nerium oleander*, 172, 444  
 Neroli, 106  
*N-Ethylisomicin*, 378  
 Netilmicin, 378  
*Neurospora crassa*, 315  
 Neurotoxicoid(s), 280  
 New Drug Application (NDA), 456, 457  
 Niacin, 299-300  
 Niacinamide, 299-300  
*Nicotiana* sp., 189, 444  
 Nicotinamide, 299  
 Nicotinamide adenine dinucleotide (NAD), 299  
 Nicotinamide adenine dinucleotide phosphate (NADP), 299  
*Nicotiana tabacum*, 21  
 Nicotine, biosynthesis of, 189-190, 190  
   classification of, 12  
   source of, 186  
 Nicotinic acid, 299, 300  
 Nightshade, black, 445  
   deadly, 438, 440  
 Nightshade leaf, deadly, 192  
*N-Nitroso-N-methylformamide* (NMFA), 449  
 Noon unit, 426  
*Nordihydroguaiaretic acid* (NDGA), 467  
 (-)-Norepinephrine, 254  
 Noscapine, 216, 219  
 Novobiocin, 369-370  
 Nuclease(s), 273  
 Nut, physic, 443  
 Nutgall, 78, 80  
 Nutmeg, 106, 130-132, 133  
   "Nutmeg butter," 132  
 Nutmeg oil, 132-133  
 Nux vomica, 227-229, 228  
 Nystatin, 367
- Oak, poison, eastern and western, 423, 436, 446  
*Oenothera biennis*, 471  
 Oil(s), cold-pressed, 82  
   drying, 85  
   empyreumatic, 106  
   essential, 103  
   ethereal, 103  
   fixed. *See* Fixed oil(s)  
   hot-pressed, 82  
   nondrying, 85  
   semidrying, 85  
   sulfated, 85-86
- terpeneless, 124  
   vegetable, hydrogenated, 96  
     sources of, 83  
   virgin, 82, 89  
   volatile. *See* Volatile oil(s)  
   *See also* names of specific oils  
 Oil cake meal, 93  
 Oil of rose, 8  
*Olea europaea*, 89  
 Oleander, 444  
   yellow, 446  
 Oleandomycin, 363, 364, 365  
 Oleic acid, 97  
 Oleo-gum-resin(s), 139, 151. *See also* specific types  
 Oleoresin(s), 139, 147-151, 148, 150  
   classification of, 12  
   *See also* specific types  
 Oleovitamin A and D, 292  
 Olive oil, 89  
 Ololiuqui, 236  
*Oncorhynchus* sp., 268, 283  
 Onion, 473  
 Ontogeny, role of, 14  
 Opioid(s), 219  
 Opium, 214-219, 216  
   adulterants of, 216-217  
   cultivation of, 214-216  
   Indian, 215-216  
   powdered, 216-217  
   prescription products from, 217  
   uses and dose of, 216  
 Opium tincture, 217  
 Orange, volatile oils in, 103  
 Orange flower oil, 113, 115t  
 Orange oil, 105, 119, 120t  
   California, 6  
 Oregano, 482  
 Orellanine, 450  
 Organoleptic evaluation, 10  
*Origanum vulgare*, 482  
 Orris root, 423  
 Ouabain, 172  
*Ovis aries*, 96  
 Ox, 275, 278  
 Ox bile extract, 161  
 Oxacillin, 339  
 Oxalactam(s), 343  
 Oxidative metabolism, products of, 35, 36  
 Oxidoreductase(s), 272  
 Oxytetracycline, 360  
 Oxytocin, 258-260  
   structures of, 259  
   use and dose of, 260
- Pagla-ka-dawa, 222  
*Panax notoginseng*, 490  
*Panax pseudoginseng*, 473  
*Panax quinquefolius*, 473  
 Pancreas, 264-269, 266  
   isolation of glucagon and insulin from, 267  
 Pancreatin, 275-276  
 Pancrelipase, 276  
 Pangamic acid, 482-483  
 Panthenol, 301



- Pantothenic acid, 300-301  
 Papain, 274, 276  
*Papaver bracteatum*, 21, 209  
 Papaverine, 216, 218  
   biosynthesis of, 209, 210  
 Papaverine hydrochloride, 218  
*Papaver setigerum*, 12  
*Papaver somniferum*, 12, 21, 209, 214, 217  
   morphine content of, 14  
*Papaver* sp., 444  
 Papaya tree, 276  
 Paprika, Spanish, 150  
*Papyrus Ebers*, 2, 38  
*Para*-aminobenzoic acid (PABA), 310  
 Parathyrin, 270  
 Parathyroid hormone, 270  
 Parathyroid injection, 270  
 Paregoric, 217  
 Paromomycin, 374, 375  
 Paromomycin I, structure of, 375  
 Parsley, 483  
 Passiflora, 483  
*Passiflora incarnata*, 483  
 Passion flower, 483  
 Patala-gandhi, 222  
 Pathogen(s), summary of, 324t  
 Páu d'Arco, 483  
*Pausinystalia yohimbe*, 492-493  
*Paxillus involutus*, 453  
 Peach kernel oil, 92  
 Peanut butter, 90  
 Peanut oil, 89-90  
 Peanut oil cake, 90  
 Pectase, 273  
 Pectin, 54-56  
 Penicillamine, 283  
 Penicillin(s), 332-339, 333-336  
   aminobenzyl, 339  
   ampicillin-related, 339-340  
   anaphylactic reactions to, 422-423  
   biosynthesis of, 333  
   combined with clavulanic acid, 342  
   commercially available, structures of, 334  
   extended spectrum, 337, 339-341  
   fermentation of, additives for, 319-320  
   phases of, 317-318, 320  
   inactivation of, 331  
   penicillinase-resistant, 339  
   production of, 318  
   properties of, 333-336, 336  
   reactions to, 338  
   use of, 336-338  
 Penicillin-binding protein(s) (PBPs), 326-327  
 Penicillin G, administration of, 336-337  
   biosynthesis of, 333, 335  
    $\beta$ -lactam system of, hydrolysis of, 333-335, 336  
 Penicillin G benzathine, 338-339  
 Penicillin G potassium, 338  
 Penicillin G procaine, 338  
 Penicillin G sodium, 338  
 Penicillin V, 339  
 Penicillin V potassium, 339  
*Penicillium chermesinum*, 236  
*Penicillium chrysogenum*, 320  
*Penicillium griseofulvum*, 367  
*Penicillium islandicum*, 59  
*Penicillium notatum*, 320  
*Penicillium roquefortii*, 236  
*Penicillium* sp., 332; 367, 368  
 Pennyroyal, 483-484, 484  
 Pennywort, Indian, 476  
 Pentagastrin, 271  
 Pentose(s), 26-27  
 Pepper(s), types of, 148-149  
 Peppermint, 113-119, 116  
   classification of, 11  
   cultivation of, 113-114  
   distillation of, 104  
 Peppermint oil, 6, 107, 114-119, 116  
   composition of, 116-118, 117  
   Japanese, 118-119  
   nonprescription products from, 118  
   production of, 114-116  
   uses of, 118  
 Pepsin, 274  
   scale, 275  
   spongy, 275  
   "vegetable," 276  
 Peptide(s), Merrifield solid-phase synthesis of, 253  
 Perfume(s), allergenic, 420, 423-424  
   formulation of, 106-107  
   oil production for, 105-106  
 Periwinkle, 225, 226  
 Peroxidase(s), 274  
 Persic oil, 92  
 Pertussis vaccine, adsorbed, 399-400  
 Peruvian bark, 204  
*Petroselinum crispum*, 483  
 Peyote, 244  
 PGE. See Prostaglandin(s)  
 Pharmacist, roles of, 3  
   in plant identification, 438-439  
 Pharmacognosy, analytic methods in, 20  
   defined, 1-4, 2  
   future of, 16-23, 18t  
   history of, 2  
 Pharmacology, concerns of, 3  
 Pheasant's eye, 172  
 Phenoxymethyl penicillin, 339  
 Phenoxymethyl penicillin potassium, 339  
 Phenprocoumon, 76  
*L*-1-Phenyl-1-acetylcarbinol, biosynthesis of, 240, 242  
 Phenylacetamide, as additive, 318  
 Phenylalanine, 111  
   biosynthetic incorporation of, into colchicine, 239, 240  
 Phenylpropanoid(s), in volatile oils, 107, 109  
 Phenylpropanoid compound(s), biosynthesis of, 111, 112  
*Philodendron* sp., 444  
*Phleum pratense*, 430  
 Phlobaphene(s), 78  
 Phloridzin, 77  
*Phoradendron flavescens*, 444, 480-481  
*Phoradendron serotinum*, 480  
*Phoradendron tomentosum*, 480  
*Phoradendron villosum*, 444  
 Phoratoxin, 444, 481  
 Photosynthesis, process of, 28, 29

- Phylloquinone, 295  
 Physostigma, 229  
*Physostigma venenosum*, 229, 230  
 Physostigmine, 229-230, 230  
 Physostigmine salicylate, 229-230  
 Physostigmine sulfate, 230  
 Phytoalexins, defined, 21  
*Phytolacca americana*, 444, 484, 484  
 Phytionadione, 294, 295-296  
 Phytopharmaceuticals, in Germany, 18  
 Phytylmenaquinone, 295  
 Picropodophyllin, 141  
*Pteris* sp., 443  
 Pigeon, digitalis assay procedure with, 167-168  
 Pilocarpine, types of, 237  
 Pilocarpine hydrochloride, 237  
 Pilocarpine nitrate, 237  
 Pilocarpus, 237  
*Pilocarpus jaborandi*, 237  
*Pilocarpus microphyllus*, 237  
*Pilocarpus pinnatifolius*, 237  
*Pimenta racemosa*, 128t  
 Pimiento, 150  
*Pimpinella anisum*, 131t  
 Pine, white, 7, 150-151  
   bark of, 150  
 Pine needle oil, 136t  
 Pine oil, 113, 115t  
 Pine tar, 127, 128t  
 Pineapple plant, 277  
*Pinus elliotii*, turpentine from, 147  
*Pinus mugo*, 136t  
*Pinus palustris*, 5, 111, 115t, 140  
   turpentine from, 147  
*Pinus* sp., 128t, 429  
*Pinus strobus*, 150  
 Piperacillin sodium, 341  
*Piper betle*, 190  
 Piperidine, 187  
 Piperitone, 116  
*Piper methysticum*, 143  
*Pistacia lentiscus*, 143  
 Pituitary gland, 258-264, 259  
   anterior lobe of, 261-264  
   posterior lobe of, 258-261  
 Plant(s), anemophilous, 420  
   biosynthetic process of, 14, 16  
   causing dermatitis, 432-436, 435. *See also*  
     Dermatitis and names of specific plants  
   causing hayfever, 427-432, 428, 429, 431-434. *See*  
     also Hayfever and names of specific plants  
   cultivated, medicinal, 5-6  
   entomophilous, 420  
   higher, 439-446, 439, 442, 443, 446-448, 447. *See also*  
     names of specific plants  
   indigenous, defined, 5  
   naturalized, defined, 5  
   poisonous, 438-455, 439, 442, 443, 446-448, 451,  
     452, 454. *See also* names of specific plants  
   in United States, 17  
   Plant extract(s), source of, 46  
   Plant substances, "secondary," 13  
*Plantago arenaria*, 52  
*Plantago indica*, 52  
*Plantago ovata*, 52  
*Plantago psyllium*, 52  
 Plantago seed, 52-53, 53  
   Indian, 52  
 Plantain seed, 52  
 Plasma protein fraction, 414-415  
*Platanus* sp., 429  
 Plate assay, 315, 316, 318  
*Plexaura homomalla*, 100  
 Pllicamycin, 362  
*Poa pratensis*, 430  
 Podophyllin, 142  
 Podophyllotoxin, biosynthetic origin of, 140, 141  
 Podophyllum, 141-142, 142  
   classification of, 11  
   collection of, 7  
   Indian, 141  
*Podophyllum emodi*, 140, 141  
*Podophyllum peltatum*, 141, 142, 444  
 Podophyllum resin, 142  
 Poinciana, 445  
*Poinciana gilliesii*, 445  
 Poinsetta, 441-442  
 Poison(s), protoplasmic, 448-450, 448  
 Poke root, 484-485, 484  
 Pokeberry, 444  
 Pokeweed, 444  
 Poliomyelitis vaccine(s), 386t, 392-396, 393-395  
 Poliovirus vaccine inactivated, 392-394, 393-395  
 Poliovirus vaccine live oral, 386t, 394-396  
 Pollen(s), 485  
   ragweed, 425-426  
 Pollen count, determining, with gravity method,  
   427-428, 428, 429  
   high and low, areas of, 428  
 Pollen grain(s), 420, 421  
 Pollinosis, 419  
 Polyene(s), 328-329, 330, 365-367  
*Polygala senega*, 488  
*Polygonum multiflorum*, 472  
 Polymyxin(s), 354  
   precipitation and, 321  
 Polymyxin B, 354-355  
 Polypeptide(s), 354-357. *See also* names of specific  
   drugs  
 Polysaccharide(s), and polysaccharide-containing  
   drugs, 39-43, 41  
   defined, 26  
 Poplar bark, 73  
 Popotillo, 481  
 Poppy, prickly and celandine, 444  
 Poppy seed(s), 217  
   cultivation of, 215, 216  
 Poppy seed oil, 217  
   ethiodized oil from, 94  
 Poppy seed oil cake, 217  
 Populin, 73  
*Populus* sp., 73, 429  
 Pot, 144  
 Pot curare, 213  
 Potassium benzyl penicillin, 338  
 Potassium clavulanate, 342  
 Potato, 445  
 Potato starch, composition of, 41  
 Potato-disc assay, 20

- Potency wood, 482  
 Precipitation, antibiotics and, 321  
 Prenylmenaquinone-7, 294  
 Primary exposure, defined, 419  
 Primin, 445  
 Primrose, 445  
   evening, oil of, 471-472  
*Primula obconica*, 445  
 Probenecid, 322  
   with penicillin, 337  
 Progesterone, dose and use of, 184-185  
   function of, 181  
   production of, 175, 177  
 Progestin, 173, 184  
 Proinsulin, 265-267  
 Propionate salt(s), 97  
 Propolis, 485  
 Propylene glycol monostearate, 96  
 Prostaglandin(s), 99-101  
   pharmacologic effects of, 99, 100  
   physiologic roles of, 99  
   prostaglandin A<sub>1</sub>, 473  
   prostaglandin E<sub>1</sub>, 101  
   prostaglandin E<sub>2</sub>, 101  
   prostaglandin F<sub>2α</sub>, 100  
 rotamine sulfate, 283-284  
 rotamine sulfate for injection, 284  
 rotamine sulfate injection, 284  
 rotamine zinc insulin suspension, 268  
 rotein(s), 280-284, 282  
   types of, defined, 280  
   See also names of specific types  
 rotein hydrolysate injection, 284  
*roteus mirabilis*, 340, 343, 347  
*roteus sp.*, 234t, 323, 337, 341, 342, 349, 375  
*roteus vulgaris*, 370  
 rotirelin, 264  
 rotopectin, 55  
 rotoveratrine, 238  
 rovitamin D<sub>2</sub>, 161  
 rovinasin, 70  
   biosynthetic pathway for, 58, 59  
   in wild cherry bark, 70  
*runus amygdalus*, almond oil from, 91, 92  
*runus armeniaca*, 92, 460  
*runus cerasus*, 35  
*runus laurocerasus*, 445  
*runus persica*, 92  
*runus serotina*, 58, 70, 445  
*runus virginiana*, 4, 70, 445  
*rudomonas aeruginosa*, 313, 324t, 337, 343, 349, 354, 376  
   penicillins active against, 340-341  
*rudomonas sp.*, 351  
*rococybe cubensis*, 453  
*rococybe mexicana*, 244  
*rococybe pelliculosa*, 454  
*rococybe semperviva*, 241  
*rococybin*, 244  
   poisoning from, 453  
*rococybin-psilocin*, 451-453, 454  
 rosalen(s), 76-77  
 rosalium, blonde, 52  
 rosalium husk, 52  
 rosalium seed, 52, 53  
 Pteroylglutamic acid, 303  
 Ptyalin, 273  
*Ptychopetalum olacoides*, 482  
*Ptychopetalum uncinatum*, 482  
 Pulegone, 118  
 Punsupari, 191  
 Purine base(s), 244-248, 246  
   derivatives of, 244-245  
   See also names of specific types  
 Pyocyanase, 313  
 Pyridine, 187  
 Pyridine-piperidine alkaloid(s), 189-191, 190  
 Pyridoxal, 301, 302  
 Pyridoxamine, 301  
 Pyridoxine, 301-303  
 Pyridoxol, 301  
 Pyroside, 77  
 Pyroxylin, 45  
 Quercitrin, 73  
*Quercus infectoria*, 80  
*Quercus sp.*, 429  
 Quince seed, 53  
 Quinidine, 207  
 Quinidine gluconate, 207-208  
 Quinidine polygalacturonate, 208  
 Quinidine sulfate, 207  
 Quinine, 208  
   biosynthesis of, 203-204, 205  
   in cinchona, 205, 207  
 Quinine sulfate, 208  
 Quinoline, 187  
 Quinoline alkaloid(s), 203-208, 204-206  
   biosynthesis of, 203-204, 204  
   precursors of, 203  
 Quinone skikonin, production of, 21  
 Rabies immune globulin, 410, 412  
 Rabies vaccine, 389-391  
   Pasteur treatment of, 390  
 Ragweed, allergic reaction to, 425-426  
   types of, 430-432, 434  
 Ragwort, golden, 480  
*Ranunculus sp.*, 445  
 Rape seed, 72  
*Rauwolfia* alkaloid(s), 219, 220  
*Rauwolfia canescens*, 225  
*Rauwolfia serpentina*, 222-225, 223  
   alkaloids in, 222-223  
   packaging and storage of, 224  
   powdered, 223-224  
   uses and dose of, 224  
 Rayon, purified, 44  
 Recall phenomenon, 383, 384  
 Recanescine, 225  
 Reductive metabolism, products of, 38  
 Reefers, 144  
*Remijia pedunculata*, 207  
*Remijia purdieana*, 207  
 Rennin, 274  
 Rescinnamine, 224-225  
 Resene(s), 140  
 Reserpine, in *rauwolfia serpentina*, 222, 224

- Resin(s), and resin combinations, 139-155, 141, 142,  
145, 146, 148, 150  
  pharmaceutic, 140  
  principal constituents of, 139-140  
  See also names of specific types
- Resin acid(s), 139-140
- Resin alcohol(s), 140
- Resin component(s), biosynthesis of, 140
- Resinol(s), 140
- Resinotannol(s), 140
- All-trans Retinoic acid, 289
- 13-cis Retinoic acid, 289
- Retinol, 287. See also Vitamin A
- Rhamnus purshiana, 60
- Rheum, 64
- Rheum emodi*, 64
- Rheum officinale*, 64, 65
- Rheum palmatum*, 64
- Rheum rhaponticum*, 64, 445
- Rheum webbianum*, 64
- Rhinitis, perennial, 419
- Rhizopus arrhizus*, 176, 236
- Rhododendron* sp., 443
- Rhodophyllus lividus*, 453, 454
- Rhubarb, 59, 64  
  chemistry of, 13  
  Chinese, 64  
  common, 445  
  Himalayan, 64  
  Indian, 6, 64  
  rhapontic, 445
- Rhus chinensis*, 80
- Rhus copallina*, 78
- Rhus toxicodendron*, 432
- Riboflavin, 298-299
- Riboflavin 5'-phosphate, 298
- Ribosome(s), protein synthesis on, 328, 329
- Richweed, 441
- Ricin, 280
- Ricinus communis*, 84, 87, 87, 88, 445
- Rickettsia* sp., 324t
- Rifampin, 369
- Rivea corymbosa*, 236
- Robin, 280
- Robinia pseudoacacia*, 445
- Rosa canina*, 485
- Rosa* sp., 115t
- Rose, Christmas, 172  
  volatile oils in, 103
- Rose hips, 485
- Rose oil(s), 106, 113, 115t
- Rosin, 140-141  
  production of, 147-148
- Rubella virus vaccine live, 386t, 388t, 396
- Rubeola vaccine, 396
- Rum, 38
- Rumex hymenosepalus*, 465
- Rumex* sp., 430
- Ruscogenin, 464
- Ruscus aculeatus*, 464
- Russula emetica*, 453
- Russula* sp., 450
- Rutin, 73
- Rye, ergot sclerotia of, 231, 232  
  spurred, 230
- Rye ergot, 230
- Sabinene, 111
- Saccharomyces cerevisiae*, 307, 365
- Saccharomyces lactis*, 275
- Saccharum, 30
- Saccharum officinarum*, 30
- Safflower seed oil, 93-94
- Safrole, 486
- Salamander(s), 280
- Salicin, 73
- Salix fragilis*, 73
- Salix purpurea*, 73
- Salk polio vaccine, 392, 394, 394
- Salmonella* sp., 324t, 337, 340, 351
- Salmonella typhi*, 315, 398
- Salmo* sp., 268, 283
- Salsola kali*, 430
- Sambucus nigra*, 58, 70
- Sambunigrin, 70
- Sanchi, 490
- Sanguinaria, 212-213
- Sanguinaria canadensis*, 212, 213, 445
- Santonin, 75
- Sapogenin(s), biosynthesis of, 68  
  defined, 67
- Saponification cloud test, 99
- Saponification value, 82
- Saponin(s), 67-68
- Sapotoxin, defined, 67
- Sarmentogenin, 67
- Sarpagandha, 222
- Sarsaparilla, 67, 486, 487  
  packaging of, 8
- Sarsasapogenin, 67
- Sassafras, 486-487, 488
- Sassafras albidum*, 486
- Sassafras bark, 486
- Schisandra, 487-488
- Schisandra chinensis*, 22, 487
- Scillaren A, 172
- Sclerotium, defined, 231  
  ergot, 231, 232
- Scopolamine, 195-196
- Scopolamine hydrobromide, 196-197
- Scopoletin, 75
- Scopolin, 75
- Seaweed(s), sodium alginate from, 49
- Secale cereale*, 230
- Secale cornutum*, 230
- 9,10-Secocholesta-5,7,10(19)-trien-3 $\beta$ -ol, 291
- 9,10-Secoergosta-5,7,10(19),22-tetraen-3 $\beta$ -ol, 292
- 9,10-Secoergosta-5,7,22-trien-3 $\beta$ -ol, 292
- Secologanin, 219
- Secretin, 271
- Selenicereus grandiflorus*, 172
- Selenium, 488
- Semisynthesis, 3
- Senecio aureus*, 480
- Senna, 59, 64-66, 66, 488-489  
  classification of, 11  
  composition of, 65  
  proprietary products of, 65-66

- use and dose of, 65  
 Senna leaves, 488  
   packaging of, 7  
 Serpentine, production of, 21  
 Sesame oil, 91  
 Sesame seed, 91  
 Sesamol, 91  
 Sesamolin, 91  
*Sesamum indicum*, 91  
 Sesamum seed, 91  
*Shigella*, 354  
*Shigella dysenteriae*, 324t  
*Shigella* sp., 337, 340, 359, 375  
 Shikimic acid, 111  
 Shock tissue(s), 419  
 Shrub exudate(s), source of, 46  
*Silybum marianum*, 22  
 Silymarin, 22  
*Simmondsia chinensis*, 98  
 Sinalbin, 72, 73  
*Sinapis alba*, 73  
*Sinapis nigra*, 72  
 Sinigrin, 57, 72, 104  
 Sinusitis, 419  
 Sitosterol, 67  
 $\beta$ -Sitosterol, 161  
*Skimmia*, 445  
*Skimmia japonica*, 445  
 Skimmin, 75  
 Skin reactions, clinical designations of, 426t  
 Skin tests, types of, 425  
 Slow-reacting substance (SRS), 419  
 Smilagenin, 67  
*Smilax aristolochiaefolia*, 486  
*Smilax febrifuga*, 486  
*Smilax regeli*, 486  
*Smilax* sp., 67  
 Snake(s), types of, 408-409  
 Snakeroot, Senega, 488  
   white, 441, 442  
 Soap plant, California, 67  
 Sodium alginate, 49-50  
 Sodium benzyl penicillin, 338. *See also* Penicillin(s)  
 Sodium carboxymethylcellulose, 45  
 Sodium dextrothyroxine, 258  
 Sodium levothyroxine, 257  
 Sodium liothyronine, 257-258  
 Sodium morrhuate, 86, 97  
 Sodium starch glycolate, 42  
 Sodium stearate, 96  
 Soil sample(s), for antibiotic screening, 314, 314  
*Solandra* sp., 445  
*Solanum dulcamara*, 445  
*Solanum nigrum*, 445  
*Solanum* sp., 445  
*Solanum tuberosum*, 41, 445  
 Solvent, defined, 4  
 Somatotropin, 263  
 Somatrem, 263  
 Somatropin, 263  
 Sorbitol, 39  
 D-Sorbitol, 39  
*Sorbus aucuparia*, 39  
*Sorghum halepense*, 430  
 Soybean(s), 90  
   Soybean cake, 90  
   Soybean meal, 90  
   Soybean oil, 90  
 Sparteine, 463-464  
 Spearmint, 126-127, 127  
   classification of, 11  
   distillation of, 104  
 Spearmint oil, 126-127  
 Spectinomycin, 378-379  
 Spermacti, synthetic, 98  
 Sphacelial stage, 231  
 Spirits of turpentine, 111  
 Spirulina, 489  
*Spirulina maxima*, 489  
*Spirulina platensis*, 489  
 Spore(s), fungous, 421, 435  
 Spurge, 441  
 Squalene, steroid biosynthesis and, 158  
 Squill, classification of, 11  
   types of, 172-173  
 Squill bulb, 172  
 "St. Anthony's fire," 232  
 St. John's bread, 54  
*Staphylococcus aureus*, 315, 326, 327, 342, 375  
*Staphylococcus epidermidis*, 360, 375  
*Staphylococcus* sp., 323, 324t, 336  
 Starch, biosynthesis of, 40, 41  
   chemistry and properties of, 39-40  
   corn, 41-42  
   potato, 41-42  
   pregelatinized, 42  
   prescription product for, 42  
   sources of, 39  
   wheat, 41-42  
 Starch amylose, 42  
 Steapsin, 273  
 Stearic acid, 96-97  
   purified, 96  
 Stearoptene(s), 107  
   in volatile oils, 108  
*Sterculia tragacantha*, 49  
*Sterculia urens*, 49  
*Sterculia villosa*, 49  
 Stereochemistry, of volatile oils, 108  
 Steroid(s), 156-185, 157-160, 162, 163, 165-167, 168t,  
   169t, 171t, 173, 175-178  
   activities of, 156  
   biosynthesis of, 158-159, 159  
   hydrocarbons of, 156, 157  
   nomenclature for, 156-158, 157, 158  
   *See also* names of specific drugs  
 Steroid hormone(s), 173-185, 173, 175-178  
   biosynthesis of, 173-174, 175  
   classification of, 173  
   commercial production of, 174-177, 176-178  
   regulation of, 173, 173  
   mechanism of action of, 174  
 Steroid nucleus, introduction of oxygen function  
   into, 176, 177  
 Steroid-protein complex(es), 174  
 Sterol(s), 160-161, 160  
 Stigmasterol, 90, 161  
 Stilbene derivative(s), 184  
 Stock culture maintenance, 317, 319  
 Stoneroot, 468

- Storax, types of, 152  
 Stramonium, 197-199, 199, 441  
   classification of, 11  
   packaging of, 7  
   sources of, 197-198  
   uses of, 198  
 Stramonium seed, 198-199  
 Strelitzia sp., 445  
 Streptococcus faecalis, 324t, 351  
 Streptococcus pneumoniae, 323, 324t, 400  
 Streptococcus pyogenes, 324t  
 Streptococcus sp., 336, 347  
 Streptokinase, 278-279  
 Streptomyces agrillaceus, 362  
 Streptomyces antibioticus, 365  
 Streptomyces aureofaciens, 357  
   additives used with, 318-319  
 Streptomyces caespitosus, 362-363  
 Streptomyces capreolus, 356  
 Streptomyces cattleya, 343, 349  
 Streptomyces clavuligerus, 342  
 Streptomyces coeruleorubidus, 362  
 Streptomyces erythreus, 364  
 Streptomyces flavoperisicus, 378  
 Streptomyces fradiae, 177, 373  
 Streptomyces griseus, 305, 367, 371  
 Streptomyces kanamyceticus, 375  
 Streptomyces lactamdurans, 343  
 Streptomyces lincolnensis, 351  
 Streptomyces mediterranei, 368  
 Streptomyces natalensis, 367  
 Streptomyces niveus, 369  
 Streptomyces nodosus, 366  
 Streptomyces noursei, 367  
 Streptomyces orchidaceus, 352  
 Streptomyces orientalis, 356  
 Streptomyces parvullus, 353  
 Streptomyces peuceitius, 362  
 Streptomyces plicatus, 362  
 Streptomyces rimosus, 357, 373  
 Streptomyces sp., high-fructose sweeteners from, 33  
 Streptomyces spectabilis, 378  
 Streptomyces spheroides, 369  
 Streptomyces tenebrarius, 376  
 Streptomyces venezuelae, 349  
 Streptomyces verticillus, 356  
 Streptomycin, 371-373, 372  
   biosynthesis of, 371-372, 373  
   protein synthesis and, 328  
   uses and dose of, 372-373  
 G-Strophanthin, 172  
 K-Strophanthoside, 172  
 Strophanthus, 172  
   classification of, 11  
 Strophanthus, 67  
 Strophanthus gratus, 172  
 Strophanthus hispidus, 172  
 Strophanthus kombe, 172  
 Strophanthus sarmentosus, chemical races of, 14  
 Strychnine, 228, 229  
 Strychnos castelnaei, 213  
 Strychnos crevauxii, 213  
 Strychnos ignatii, 228-229  
 Strychnos nux-vomica, 227-228  
 Strychnos toxifera, 213  
 Styra, 152  
 Styra sp., 154  
 Succus cerasi, 35  
 Sucrase, 273  
 Sucrose, production of, 28-31, 30  
 Sugar(s), and sugar-containing drugs, 30-35, 31, 32  
   compounds metabolically related to, 35-39  
   milk, 34  
   wood, 34  
 Sugar alcohol phosphates, 38  
 Sugar beet(s), 30, 31  
 Sugar beet cossettes, 31, 32  
 Sugar cane, 30  
 Sugar maple, 30  
 Sumac, poison, 423, 433, 446, 447  
 Sunflower oil, 94  
 Super oxide dismutase (SOD), 489  
 Sus scrofa, 257, 275  
 Sutilain(s), 279  
 Suture, absorbable surgical, 282-283  
   catgut, 283  
   nonabsorbable surgical, 283  
 Sweet flag, 464  
 Sweet oil, 89  
 Sweetener(s), high-fructose, 33  
 Symphytum, 18  
 Symphytum officinale, 468  
 Synthesis, total, 3  
 Synthetic substances, vs. natural substances, 2-3  
 Systemic lupus erythematosus (SLE), alfalfa  
   ingestion and, 460  
 T cell(s), 384-385  
 Tabasco pepper(s), 148, 149  
 Tabebuia impetiginosa, 483  
 Taheebo, 483  
 Tamarind, 489-490  
 Tamarindus indica, 489  
 Tannic acid, 80-81  
 Tannin(s), 77-78, 80  
   condensed, 77-78  
   hydrolyzable, 77  
   nonhydrolyzable, 77-78  
   Turkish, 80  
 Tannin-containing plant material(s), 78-81, 79  
 Tar(s), in destructive distillation, 106  
 Taraxacum, 42  
 Tarragon, 490  
 Tartaric acid, 37  
 Taxus sp., 445-446, 446  
 Tea, Abyssinian, 243  
   black, 247  
   composition of, 248  
   green, 247  
   Mexican, 481  
   mistletoe, 481  
   Mormon, 481-482  
   Paraguay, 247  
   red bush, 485  
   rooibos, 485  
   squaw, 481  
   Sudanese, 477  
   teamster's, 481  
 Teaberry, 135

- Tecoma curialis*, 483  
 Teel oil, 91  
 Terpene(s), in lemon oil, 123  
   in volatile oils, 107, 108  
   isoprene units of, 109-111, 110  
 Terpin hydrate, 113  
 $\alpha$ -Terpineol, 113  
   formation of, 118  
 Terpinol, 113  
 Testosterone, 181-182  
 Tetanus and diphtheria (Td) toxoid(s), 388t, 405  
 Tetanus toxoid, 406t  
 Tetracycline(s), 357-361, 358  
   adverse reactions to, 360  
   biosynthesis of, 357-359, 358  
   properties and uses of, 359-360  
   structures of, 358  
 Tetrahydrocannabinol(s) (THC), 144-146, 492  
 Tetrahydrofolic acid, 303  
 $\Delta^9$ -THC, 144  
 Thea, 247  
 Thebaine, 216  
*Theobroma cacao*, 94, 95, 248  
 Theobroma oil, 94-96  
 Theobromine, 248  
 Theophylline, 247-248  
*Thevetia peruviana*, 446  
 Thiamine, 296-298  
 Thienamycin, 343  
 Thistle, blessed, 462  
 Thornapple, 441  
 Thrombin, 274, 415  
*Thuja occidentalis*, 125t  
 Thujone, 492  
 Thyme, 106  
   classification of, 11  
 Thyme oil, 128t  
 Thymol, 127-129  
*Thymus gracilis*, 128t  
*Thymus vulgaris*, 127, 128t  
*Thymus zygis*, 128t  
 Thyroglobulin, 257  
 Thyroid, 257  
 Thyroid gland, 255-258, 256  
   hyperactivity of, 255-256  
 Thyrotropin, 263-264  
 Thyroxine, 256-257  
   exogenous, 256  
 Ticarcillin disodium, 341  
   and potassium clavulanate, 342  
 Tienchi, 490  
 Tienchi-ginseng, 490  
*Tilia* sp., 480  
 Tinnevely senna, 64  
 Tobacco, 444  
   Australian, 200  
   Indian, 191, 444  
   Pituri, 200  
 Tobramycin, 377  
 $\alpha$ -Tocopherol, 293  
 Tolu balsam, 153-154  
 Tournant oil, 89  
*Toxicodendron diversilobum*, 423, 436, 446  
*Toxicodendron quercifolium*, 423, 446  
*Toxicodendron radicans*, 423, 432, 446, 447  
*Toxicodendron verniciferum*, 436  
*Toxicodendron vernix*, 423, 433, 446, 447  
 Toxin(s), and toxoids, 404-405. *See also* names of specific types  
 Toxoid(s), adsorbed, 405  
   and toxins, 404-405  
   fluid, 405  
   therapeutically important, 406t  
 Tragacanth, 47  
   vermiform, 47  
 Tragacanth sorts, 47  
 Transduction process, 331  
 Transferase(s), defined, 272  
 Transformation process, 331  
 Transglycosylases, 40  
 (-)- $\Delta^9$ -*Trans*-tetrahydrocannabinol, 144  
 Tree(s), camphor, 6  
   chinaberry, 444  
   citrus, 75  
   horse chestnut, 75  
   Japanese lacquer, 436  
   manchineel, 442  
   poisonwood, 444  
   pollinating, early spring, 428-429  
   later spring, 429  
   tea, 247  
   tung-oil, 440  
   varnish, 436  
   wild black cherry, 70  
*Trigonema pallidum*, 324t, 336  
 Tretinoin, 289  
 Triamcinolone, 177, 178  
 Tricarboxylic acid cycle, 37  
*Trichocereus* sp., 244  
*Tricholoma pardinum*, 453  
*Trichophyton* sp., 324t  
*Trifolium pratense*, 75  
 Triglyceride(s), biosynthesis of, 84-85, 86  
*Trigonella foenumgraecum*, 472  
 Triiodothyronine, 256-257  
 1,3,7-Trimethylxanthine, 247  
 Trioxsalen, 76-77  
*Triticum aestivum*, 41, 463  
*Triturus* sp., 280  
 Trivalent oral polio vaccine (TOPV), 395  
 Tromethamine salt, 100  
 Tropane, 187  
   defined, 191  
 Tropane alkaloid(s), 191-203, 193, 194, 198, 199, 202  
   biosynthesis of, 192  
   *See also* names of specific types  
 Tropine, 191  
*Truita* sp., 283  
 Trypsin, 274, 278  
   crystallized, 278  
 L-Tryptophan, 490  
 Tryptophan, biosynthesis of, 203, 204  
   conversion of, to niacin, 299, 300  
 Tube curare, 213  
 Tuberculin(s), 402  
   concentrated, 402  
   crude, 402  
   old, 402-403  
   purified protein derivative (PPD) of, 403  
 Tuberculin-Koch, 402

- Tuberculosis vaccine(s), 400  
 Tubocurarine chloride, 213-214  
 (+)-Tubocurarine chloride, 214  
 Turbidimetric assay, 315-316, 317  
 Turmeric, 490-491  
*Turnera diffusa*, 469  
 Turpentine, 147-148, 148  
   "virgin," 147  
 Turpentine oil, 111-113  
   distillation of, 104  
   rectified, 113  
*Tussilago farfara*, 468  
 Tyrocidin(s), 355-356  
 Tyrosine, 111  
   biosynthetic incorporation of, into colchicine, 239, 240  
 Tyrothricin, 355-356
- Ubiquinone-10, 21  
*Ulmus* sp., 428  
 10-Undecenoic acid, 97  
 Undecylenic acid, 97  
 Urease, 273  
*Urginea indica*, 172  
*Urginea maritima*, 172  
 Uridyl transferases, 58  
 Urogonadotropin, 262  
 Urokinase, 279  
 Urushiol, 423  
   from poison ivy, 432-433  
*Uva ursi*, 77, 491
- Vaccination, importance of, 385  
 Vaccine(s), 387-401, 388*t*, 390, 392-395, 398, 401, 402  
   bacterial, 397-401, 401, 402  
   cholera, 398-399  
   combination virus, 397  
   diphtheria and tetanus toxoids and pertussis (DTP), 386*t*, 405, 406*t*  
   influenza virus, 391-392, 388*t*  
   IPV, 392  
   measles, 386*t*, 388*t*, 396  
   meningitis, 400, 401  
   meningococcal polysaccharide, 400  
   mumps, 386*t*, 396-397  
   pertussis, 386*t*, 399-400, 406*t*  
   plague, 399  
   pneumococcal, 400-401, 402  
   polyvalent, 388*t*, 400  
   poliovirus. *See* Poliovirus vaccine  
   rabies, 389-391  
   rickettsial, 397  
   smallpox, 389, 390  
   typhoid, 398  
   viral, 387-397, 390, 392-395  
   yellow fever, 391, 392  
 Vaccinia, 389  
 Valerian, 491, 491  
*Valeriana mexicana*, 491  
*Valeriana officinalis*, 491  
 Vancomycin, 356  
 Vanilla, 73-75  
   areas of production of, 5  
   types of, 74  
*Vanilla cut(s)*, 74  
*Vanilla planifolia*, 74  
*Vanilla split(s)*, 74  
*Vanilla tahitensis*, 74  
 Vanillin, 73-75, 106  
   ethyl, 75  
 Vasopressin, 258-260, 259  
   function of, 259  
   structures of, 259  
 Vasopressin injection, 260  
 Venom(s), 408-410, 409  
   snake, 408, 409  
*Veratrum album*, 238  
*Veratrum album*, 239  
*Veratrum viride*, 238-239  
*Veratrum viride*, 238, 238, 239, 446  
*Verbena hastata*, 462  
*Verticillium dahliae*, 21  
*Verticillium wilt*, 116  
 Vervain, blue, 462  
*Vibrio cholerae*, 324*t*, 398  
*Viburnum prunifolium*, 75  
*Vicia faba*, 284  
 Vidarabine, 353-354  
 Vinblastine, 226  
 Vinblastine sulfate, experimental use of, 227  
 Vinca, 225  
 Vincalucoblastine, discovery of, 17  
*Vinca minor*, 225  
*Vinca rosea*, 225, 226  
 Vincristine, 226  
 Vincristine sulfate, 227  
 Vinleurosine, 226  
 Vinrosidine, 226  
*Viburnum opulus*, 75  
 Viscotoxin(s), 481  
*Viscum albiectis*, 481  
*Viscum album*, 481  
 Vitamin(s), and drugs containing vitamins, 286-311, 288, 297, 300, 303  
   defined, 286  
   fat-soluble, 287-296, 288  
   need for, assessment of, 287  
   oil-soluble, 86  
   recommended daily allowance vs. recommended dietary allowance of, 287  
   uses of, 286-287  
   water-soluble, 296-310, 297, 300, 304  
   *See also* specific names  
 Vitamin A, 287-290  
   dietary sources of, 288  
   functions of, 288  
   RDA and dose of, 289  
 Vitamin B<sub>1</sub>, 296-298  
 Vitamin B<sub>2</sub>, 298-299  
 Vitamin B<sub>3</sub>, 299  
 Vitamin B<sub>5</sub>, 300-301  
 Vitamin B<sub>6</sub>, 301  
 Vitamin B<sub>7</sub>, 303  
 Vitamin B<sub>12</sub>, 304-307  
   mechanisms of absorption for, 305  
   RDA and dose of, 306  
 Vitamin B<sub>9</sub>, 482  
 Vitamin B<sub>17</sub>, 70



- Vitamin B complex, 296-298  
 Vitamin C, 307-309  
   in rose hips, 485  
   RDA and doses of, 308-309  
 Vitamin D, 290-293  
   functions of, 291  
   RDA and dose of, 291  
 Vitamin D2, 292  
 Vitamin D3, 161, 291  
 Vitamin E, 293-294  
 Vitamin F, 97  
 Vitamin H, 309  
 Vitamin K, 294-296  
   types of, 294-295  
   uses of, 295  
 Vitamin K<sub>1</sub>, 294, 295  
 Vitamin K<sub>2</sub>, 296  
 Vitamin P, 73  
 Vitamin-related factor(s), 310-311. *See also* specific names  
 Vitamin supplementation, indications for, 287  
 Volatile oil(s), 103-137  
   alcohol. *See* Alcohol volatile oil(s)  
   aldehyde, 119-124, 120t  
   as source of allergy, 420  
   biosynthesis of, 109-111, 110  
   chemistry of, 107-109, 108, 109  
   classification of, 12  
   ester, 135-137, 136t, 137  
   glycosidic, 104-105  
   hydrocarbon, 111-113  
   ketone, 124-127, 124, 125t, 127  
   medicinal and commercial uses of, 106-107  
   methods of obtaining, 104-106, 105  
   oxide, 133-135, 134  
   phenol, 127-130, 128t, 129  
   phenolic ether, 130-133, 131t, 132, 133  
   physical properties of, 103-104  
   *See also* names of specific oils  
 "Vomiting sickness," 440
- Warfarin salt(s), 76  
 Wax(es), 82, 97-99  
   carnauba, 99  
   cetyl esters, 98  
   insect, 98  
   vegetable, 98  
   white, 99  
   yellow, 98-99  
 Weed(s), causing hayfever, 430-432, 432-434
- Jamestown, 197, 198, 441  
 jimson, 197, 198, 441  
 Wheat starch, 41-42  
 Whey, 34  
 Whiskey, 38  
 Willow bark, 73  
 Wine, 38  
 Wintergreen, 135  
 Wintergreen oil, 106, 135, 137  
 Wisteria, 446  
*Wisteria* sp., 446  
 Witch hazel extract, distilled, 79-80  
 Witch hazel leaves, 78-79, 79  
 Withania, 199  
*Withania somnifera*, 199  
 Wood sugar, 34  
 Wool fat, 96  
 Wormwood, 492  
 Wormwood oil, 125t
- Xanthomonas campestris*, 54  
*Xanthosma sagittifolium*, 446  
 Xanthotoxin, 76  
 D-Xylose, 34  
 Xylose, 34-35
- Yam(s), 69  
   Mexican, 69, 175  
 Yarrow, 492  
 Yeast, types of, 307  
 "Yellow jack," 391  
 Yerba santa, 142  
*Yersinia*, 359  
*Yersinia pestis*, 324t, 372, 399  
 Yew, 445-446, 446  
 Yohimbe, 492-493  
 Yohimbine hydrochloride, 493  
 Yucca, 493  
*Yucca* sp., 493
- Zamia pumila*, 446  
*Zea mays*, 41  
   corn oil from, 93  
*Zigadenus* sp., 446  
 Zinc stearate, 96  
 Zingiber, 150  
*Zingiber officinale*, 150  
 Zingiberol, 113  
 Zymase, 273, 274