

BIBLIOGRAPHY

- [1] J. W. Cooley and J. W. Tukey. An algorithm for the machine computation of complex Fourier series. *Mathematical Computations*, 19:297–301, April 1965.
- [2] R. E. Crochiere and L. R. Rabiner. *Multirate Digital Signal Processing*. Prentice Hall, Englewood Cliffs, NJ, 1983.
- [3] C. de Boor. *A Practical Guide to Splines*. Springer-Verlag, 1978.
- [4] J. L. Flanagan et al. Speech coding. *IEEE Transactions on Communications*, COM-27:710–736, April 1979.
- [5] D. A. George, R. R. Bowen, and J. R. Storey. An adaptive decision feedback equalizer. *IEEE Transactions on Communications Technology*, pages 281–293, June 1971.
- [6] J. A. Greefties. A digitally companded delta modulation modem for speech transmission. In *Proceedings of IEEE International Conference on Communications*, pages 7.33–7.48, June 1970.
- [7] D. Hanselman and B. Littlefield. *Mastering MATLAB 7*. Pearson/Prentice Hall, Englewood Cliffs, NJ, 2005.
- [8] S. Haykin. *Adaptive Filter Theory*. Prentice Hall, Englewood Cliffs, NJ, 1986.
- [9] F. M. Hsu and A. A. Giordano. Digital whitening techniques for improving spread spectrum communications performance in the presence of narrowband jamming and interference. *IEEE Transactions on Communications*, COM-26:209–216, February 1978.
- [10] B. R. Hunt, R. L. Lipsman, J. M. Rosenberg, and Kevin R. Coombes. *A Guide to MATLAB: For Beginners and Experienced Users*. Cambridge University Press, New York, NY, 2001.
- [11] V. K. Ingle and J. G. Proakis. *Digital Signal Processing using the ADSP-2101*. Prentice Hall, Englewood Cliffs, NJ, 1991.
- [12] L. B. Jackson. An analysis of limit cycles due to multiplicative rounding in recursive digital filters. *Proceedings of the 7th Allerton Conference on Circuits and System Theory*, pages 69–78, 1969.
- [13] N. S. Jayant. Adaptive delta modulation with one-bit memory. *Bell System Technical Journal*, pages 321–342, March 1970.
- [14] N. S. Jayant. Digital coding of speech waveforms: Pcm, dpcm and dm quantizers. *Proceedings of the IEEE*, 62:611–632, May 1974.
- [15] J. W. Ketchum and J. G. Proakis. Adaptive algorithms for estimation and suppression of narrowband interference in pn spread-spectrum systems. *IEEE Transactions on Communications*, COM-30:913–922, May 1982.
- [16] N. Levinson. The Wiener RMS (root-mean-square) Error Criterion in Filter Design and Prediction. *Journal of Mathematical Physics*, 25:261–278, 1947.
- [17] S. K. Mitra. *Digital Signal Processing: A Computer-Based Approach*. McGraw-Hill, New York, NY, fourth edition, 2010.
- [18] A. V. Oppenheim and R. W. Schaffer. *Discrete-Time Signal Processing*. Prentice Hall, Englewood Cliffs, New Jersey, 3rd Edition, 2010.
- [19] S. J. Orfanidis. *Introduction to Signal Processing*. Prentice Hall, Englewood Cliffs, NJ, 1996, pp 367–383.
- [20] T. W. Parks and J. H. McClellan. A program for the design of linear-phase finite impulse response digital filters. *IEEE Transactions on Audio and Electroacoustics*, AU-20:195–199, August 1972.
- [21] R. Pratap. *Getting Started with MATLAB7: A Quick Introduction for Scientists and Engineers*. Oxford University Press, USA, 2005.
- [22] J. G. Proakis. *Digital Communications*. McGraw-Hill, New York, NY, fourth edition, 2001.
- [23] J. G. Proakis and D. G. Manolakis. *Digital Signal Processing: Principles, Algorithms*

- and Applications*. Prentice Hall, Upper Saddle River, NJ, fourth edition, 2006.
- [24] L. R. Rabiner and B. Gold. *Theory and Applications in Digital Signal Processing*. Prentice Hall, Englewood Cliffs, NJ, 1975.
- [25] L. R. Rabiner, R. W. Schafer, and C. A. McGonegal. An approach to the approximation problem for nonrecursive digital filters. *IEEE Transactions on Audio and Electroacoustics*, AU-18:83–106, June 1970.
- [26] M. Schetzen and V. K. Ingle. *Discrete Systems Laboratory Using MATLAB*. Brooks/Cole, Pacific Grove, CA, 2000.
- [27] H. Stark and J. W. Woods. *Probability, Random Processes, and Estimation Theory for Engineers*. Prentice Hall, Upper Saddle River, NJ, third edition, 2001.
- [28] B. Widrow et al. Adaptive noise cancelling: Principles and applications. *Proceedings of the IEEE*, 63:1692–1716, December 1975.
- [29] B. Widrow, P. Manley, and L. J. Griffiths. Adaptive antenna systems. *Proceedings of the IEEE*, 55:2143–2159, December 1967.

INDEX

' operator, 25
& operator, 26
(:) construct, 24
* operator, 27–28
. * operator, 26–27
. ^ operator, 24
+ operator, 26
<= operator, 26
== operator, 26

A

A/D quantization noise, 540–552. *See also*
Quantization
Absolute specifications, FIR filter design,
306–307
Adaptive delta modulation (ADM), 622–624
Adaptive filtering, 596–608
channel equalization, 605–608
coefficient adjustment, 598–501
least-mean square (LMS) algorithm, 598–601
line enhancement, 605
MATLAB implementation, 600
narrowband interference, suppression of,
602–605
sinusoidal interference, suppression of,
604–605
system identification (modeling), 601–602
wideband signals, 602–605
Adaptive PCM and DPCM (ADPCM),
616–620
Adders, 214
Addition, signal operation, 25–26
`afd_butt` function, 410–411
`afd_chb1` function, 416–417
`afd_chb2` function, 419–420
`afd_elip` function, 423–424
Allpass filters, 398–400
Allpass function, 452
All-pole lattice filters, 244–246
All-zero lattice filters, 240–244
Amplitude response, 312, 326–328, 361
Analog filter design (AFD) tables, 388
Analog filters, 388–391, 402–425
Butterworth lowpass, 403–412
Chebyshev lowpass, 412–421
design equations, 408–409, 415–416
elliptic lowpass, 421–425
frequency response, 389–391
IIR filter design, 388–391, 402–425
MATLAB implementation, 405–408,
410–412, 414–421, 422–424
phase responses, 424–425
prototype characteristics, 402–425
Analog signals, 3–4, 80–97
aliasing formula, 81
band-limited, 82–83, 87–90
digital signal processing (DSP) compared to,
3–4
digital-to-analog (D/A) converters, 90–92,
94–97
discrete-time Fourier analysis of, 80–97
impulse train conversion, 87–90, 92–94
interpolation, 87–97
MATLAB implementation, 84–87, 92–97
reconstruction of, 87–97
sampling, 81–87
signal processing (ASP), 3–4, 80–97
sinusoidal, 83–84
Analog-to-digital transformations, 425–445
bilinear transformation, 436–444
Butterworth lowpass filters, 429–431,
438–439
Chebyshev lowpass filters, 431–434, 439–442
design procedure, 427–436, 438–444
elliptic lowpass filters, 434–435, 442–444
impulse invariance transformation, 426–436
matched- z transformation, 444–445
`angle` function, 63
Anticausal sequence, 106
Antisymmetric impulse response, 231, 311,
313–314
Approximation error, 248, 361–364
Approximation theory, 367

- Arbitrary absolutely summable sequences, 75–76
- Attenuation parameter, 389–390
- Auto-correlation, 36, 45
- Autoregressive moving average (ARMA) filter, 53, 213
- B**
- Band-edge frequencies, 308
- Band-limited signals, 82–83, 87–90
 - reconstruction of, 87–90
 - sampling, 82–83
- Bartlett window, 329
- Bilateral z -transform, 103–107
- bilinear** function, 437–438
- Bilinear transformation, 426, 436–444
- Binary bit, 253
- Binary digital data communication, 632–633
- Binary number representation, 253–260, 265–266
- Binary point, 262–263
- bin2dec** function, 254
- Biquad section structure, 215, 217–218
- Blackman window, 331–332, 338–340
- Block convolution, 184–186
- Bounded-input bounded-output (BIBO) stability, 40
- butter** function, 459–4650
- Butterworth lowpass filters, 403–412, 429–431, 438–439, 445–447, 459–460
 - bilinear transformation, 438–439
 - design equations, 408–409
 - frequency-band transformation, 459–460
 - impulse invariance transformation, 429–431
 - MATLAB implementation, 405–408, 410–412, 445–447, 459–460
- buttord** function, 446, 459–460
- C**
- Cascade form, 215, 217–221, 229–231, 585–589
 - biquad section structure, 215, 217–218
 - FIR filters, 229–231, 585–589
 - IIR filters, 215, 217–221
 - MATLAB implementation, 218–221, 231, 588–589
 - round-off effect analysis, 585–588
- casfilt** function, 219–220, 588
- cas2dir** function, 220, 231
- Causal sequence, 106
- Causality, 40, 125–128
 - linear systems, 40
 - z -domain stability and, 125–128
- Ceiling function, 197–198
- Channel equalization, 605–608
- cheb1hpf** function, 457–458
- cheb1ord** function, 446, 460
- cheb2ord** function, 446, 462
- Chebyshev approximation problem, 361, 364
- Chebyshev lowpass filters, 412–421, 431–434, 439–442, 445, 447–449, 452, 455–458, 460, 462–463
 - bilinear transformation, 439–442
 - design equations, 415–416
 - frequency-band transformation, 452, 455–458, 460, 462–463
 - impulse invariance transformation, 431–434
 - MATLAB implementation, 414–421, 445, 447–449, 460, 462–463
 - I, passband equiripple response, 412–416
 - II, stopband equiripple response, 416–421
- circevod** function, 170–171
- circonvt** function, 178
- Circular conjugate symmetry, DFT, 168–173
- Circular convolution, DFT, 175–180
- Circular folding, DFT, 166–168
- Circular shifting, DFT, 173–175
- cirshftt** function, 174–175, 178
- Code division multiple access (CDMA), 634
- Codec (coder/decoder) chips, 628
- Coefficient adjustment, adaptive filtering and, 596, 598–501
- Comb filters, 397–398
- Command window, MATLAB, 6
- Commands, MATLAB control and flow of, 11–13
- Communications, 609–636

- adaptive delta modulation (ADM), 622–624
 - adaptive PCM and DPCM (ADPCM), 616–620
 - binary digital data, 632–633
 - delta modulation (DM), 620–624
 - differential pulse-code modulation (DPCM), 613–616
 - dual-tone multifrequency (DTMF) signals, 628–632
 - linear predictive coding (LPC) speech, 624–628
 - pulse-code modulation (PCM), 609–613
 - spread-spectrum digital data, 634–636
 - Complex frequency, 104
 - Complex-valued exponential sequence, 24, 74–75
 - Conjugation, 68, 71–72, 107, 168
 - discrete Fourier transform (DFT), 168
 - discrete-time Fourier transform (DTFT), 68, 71–72
 - z -transform (complex), 107
 - Constant group delay, 511
 - Constant phase delay, 510
 - Continuous function, 312
 - Continuously variable slope delta modulation (CVSD), 623–624
 - `conv` function, 43–45, 108, 197–198
 - Convolution, 39–47, 68–69, 108–110, 175–187, 197–200
 - block, 184–186
 - circular, 175–180
 - deconvolution, 109–110
 - discrete Fourier transform (DFT), 175–187, 197–200
 - discrete-time Fourier transform (DTFT), 68, 69
 - error analysis using, 182–184
 - fast, 197–199
 - fast Fourier transform (FFT), 197–200
 - folded-and-shifted method, 42
 - graphical, 42–43
 - high-speed, 199–200
 - linear, 180–187
 - linear sum, 39–40
 - linear time-invariant (LTI) systems, 39–47
 - MATLAB implementation of, 43–45, 47, 186–187
 - overlap-add method, 187
 - overlap-save method, 185–187
 - periodic, 69
 - sequence correlations, 45–47
 - z -transform, 108–110
 - Correlation of sequences, 36, 45–47
 - `cos` function, 24–25
 - `cplxcomp` function, 224
 - `cplxpair` function, 219, 224
 - Cross-correlation, 36, 45–46
 - Cubic spline interpolation, 92, 95–97
 - Cutoff frequency, 324
- ## D
- Dead band, 555
 - Decibels (dB), relative specifications in, 307–309
 - Decimal number representation, 264
 - `decimate` function, 486–487
 - Decimation, 479–488, 510–518
 - downsampler, 479–484
 - factor D , 479–488, 510–518
 - FIR integer, 510–518
 - frequency domain representation, 480–484
 - ideal, 484–488
 - MATLAB implementation, 480, 485–488, 512–514
 - sampling rate decrease, 479–488
 - Decimation-in-frequency (DIF-FFT) algorithm, 189, 195
 - Decimation-in-time (DIT-FFT) algorithm, 189, 194–195
 - Deconvolution, z -transform, 109–110
 - `dec2bin` function, 254–256
 - Delay element (shifter or memory), 214
 - Delta modulation (DM), 620–624
 - Denominator polynomial, 105
 - Density spectrum, DTFT, 69
 - `dfs` function, 144–146
 - `dft` function, 156–158
 - Difference equations, 47–53, 75–80, 128–134
 - complete response, 129–131
 - digital filters, 52–53

- frequency response evaluation from, 75–80
- homogeneous solution, 47–48, 130
- linear time-invariant (LTI) systems, 47–53, 76–80
- MATLAB implementation of, 48–51, 131–134
- natural frequencies, 48
- steady-state response, 75–76, 130
- transient response, 130
- zero-state input and responses, 51–52, 130–131
- z -transform solution of, 128–134
- Differential pulse-code modulation (DPCM), 613–616
- Differentiation in z -domain, 108
- Digital filters, 52–53, 305. *See also*
 - Finite-duration impulse response (FIR) filter; Infinite-duration impulse response (IIR) filter
- Digital prototypes, 450–463
- Digital resonators, 392–395
- Digital signal processing, 1–21
 - analog signal processing (ASP) compared to, 3–4
 - applications of, 17–20
 - echo generation, 18–19
 - echo removal, 19
 - MATLAB and, 1–2, 5–17
 - method of, 2–3
 - musical sound processing, 18
 - reverberation, 19–20
 - signal analysis, 4
 - signal filtering, 4–5
- Digital sinusoidal oscillators, 400–402
- Digital-to-analog (D/A) converters, 90–92, 94–97
 - analog signal reconstruction, 90–92, 94–97
 - cubic spline interpolation, 92, 95–97
 - discrete-time Fourier analysis and, 90–92, 94–97
 - first-order-hold (FOH) interpolation, 91–92, 94–95
 - MATLAB implementation, 94–97
 - zero-order-hold (ZOH) interpolation, 90–91, 94–95
- Direct form, 215–217, 229–230, 522–526, 581–585
 - FIR filters, 229–230, 581–585
 - FIR sampling rate conversion, 522–526
 - IIR filters, 215–217
 - MATLAB implementation, 217, 230, 583–585
 - round-off effect analysis, 581–585
- Dirichlet function, 153
- `dir2cas` function, 218–219, 224, 229, 231, 588
- `dir2fs` function, 236
- `dir2ladr` function, 247–248
- `dir2latc` function, 242, 245
- `dir2par` function, 222–224
- Discontinuous function, 312
- Discrete Fourier series (DFS), 141–150, 169
 - DTFT relation to, 148
 - inverse (IDFS), 149–150
 - MATLAB implementation, 143–146
 - matrix, 144
 - periodic conjugate symmetry, 169
 - periodic sequences, 142–143, 145–146
 - z -transform relationship, 146–148
- Discrete Fourier transform (DFT), 141–212
 - circular folding, 166–168
 - circular shift, 173–175
 - conjugation, 168
 - convolution, 175–187, 197–200
 - discrete Fourier series (DFS), 141–148
 - fast Fourier transform (FFT), 187–200
 - linear convolution using, 180–187
 - linearity property, 166
 - MATLAB implementation, 143–146, 153, 156–160, 186–187, 195–197
 - multiplication, 180
 - N -point sequence, 154–165
 - Parseval's relation, 180
 - symmetry, 168–173
 - z -domain sampling and reconstruction, 149–153
 - zero-padding, 159, 161–165
- Discrete systems, *see* Discrete-time systems
- Discrete-time filters, 213–304
 - adder, 214
 - delay element (shifter or memory), 214
 - error characteristics, 268–274
 - filter coefficients, 275–290

- finite-precision numerical effects for, 251–252
 - FIR systems, 229–240, 286–290
 - frequency response, quantization effects on, 282–290
 - IIR systems, 215–229, 275–286
 - lattice structures, 240–251
 - MATLAB implementation, 217, 218–221, 222–229, 230, 231–233, 236–240, 242–244, 245–246, 247–251
 - multiplier (gain), 214
 - number representation, 252–268
 - pole-zero locations, quantization effects on, 275–282
 - quantization and, 268–290
 - Discrete-time Fourier (DTF) analysis, 59–102
 - analog signals, 80–97
 - discrete-time Fourier transform (DTFT), 59–80
 - frequency domain and, 74–80
 - interpolation, 87–97
 - linear time-invariant systems, 74–80
 - MATLAB implementation for, 61–66, 84–87, 92–97
 - reconstruction of analog signals, 87–97
 - sampling analog signals, 81–87
 - unit impulse response, 59
 - Discrete-time Fourier transform (DTFT), 59–80, 148
 - arbitrary sequence response, 75–76
 - complex exponential response, 74–75
 - conjugation, 68, 71–72
 - convolution, 68–69
 - determination of, 59–60
 - DFS relation to, 148
 - energy density spectrum, 69
 - folding, 68, 72
 - frequency domain and, 74–80
 - frequency response evaluation, 76–80
 - frequency shifting, 68, 70–71
 - inverse, 60
 - linear time-invariant (LTI) systems, 74–80
 - linearity property, 67, 69–70
 - MATLAB implementation, 61–66
 - multiplication, 69
 - pairs, 66–67
 - periodicity property, 61
 - sinusoidal sequence response, 75
 - symmetry property, 61, 68, 72–73
 - time shifting, 68, 70
 - Discrete-time signals, 22–36
 - complex-valued exponential sequence, 24
 - correlations of sequences, 36
 - even and odd synthesis, 34–35
 - exponential sequences, 24, 36
 - finite-duration sequence, 23
 - geometric series, 36
 - infinite-duration sequence, 23
 - MATLAB representations, 23–32
 - number sequence, 22
 - operations on sequences, 25–32
 - periodic sequence, 25
 - random sequences, 25
 - real-valued exponential sequence, 24
 - sinusoidal sequence, 24–25, 32–33
 - unit sample sequence, 23
 - unit sample synthesis, 34
 - unit step sequence, 23–24
 - Discrete-time systems, 36–53
 - convolution, 39–47
 - difference equations, 47–53
 - digital filters, 52–53
 - excitation, 36
 - linear, 37–40
 - linear time-invariant (LTI), 38–53
 - MATLAB implementation for, 43–45, 47, 48–51
 - response, 36
 - sequence correlations, 45–47
 - zero-state input and responses, 51–52
 - Divide-and-combine approach, FFT, 191–193
 - Downsampler, 479–484
 - Dual-tone multifrequency (DTMF) signals, 628–632
- ## E
- Echo generation, 18–19
 - Echo removal, 19
 - `ellipord` function, 446, 460–461
 - Elliptic lowpass filters, 421–425, 434–435, 442–444, 446, 449, 460–462

- bilinear transformation, 442–444
 - frequency-band transformation, 460–462
 - impulse invariance transformation, 434–435
 - MATLAB implementation, 422–424, 446, 449, 460–462
 - phase responses, 424–425
- Energy, signal operation, 28
- Energy density spectrum, DTFT, 69
- Energy power spectrum, DFT, 180
- Energy spectrum, DFT, 180
- Error, 182–184, 268–274, 562–580. *See also*
 - Round-off effects
 - analysis, 182–184
 - linear convolution for, 182–184
 - multiplication quantization, 562–580
 - quantization, 268–274
 - rounding operation, 268, 273–274
 - truncation operation, 268–273
- Even and odd synthesis, 34–35
- evenodd** function, 34–35
- Excess- 2^{B-1} (biased) number format, 260
- Excitation, 36
- exp** function, 24
- Exponential sequences, 24, 36, 74–75
 - complex, 24, 74–75
 - DTFT representation, 74–75
 - frequency domain, response in, 74–75
 - geometric series, 36
 - real-valued, 24
- Extrripple filters, 367
- Extrema, 361, 365–367

- F**
- Fast Fourier transform (FFT), 187–200
 - divide-and-combine approach, 191–193
 - efficient approach, 188–191
 - fast convolutions, 197–199
 - high-speed convolutions, 199–200
 - MATLAB implementation, 195–197
 - radix-2 algorithm, 193–195
- fft** function, 195–197
- fftfilt** function, 200
- Filter coefficients, 275–290
 - FIR filters, 286–290
 - frequency response, effects on, 282–290
 - IIR filters, 275–286
 - pole-zero locations, effects on, 275–282
 - quantization of, 275–290
- filter** function, 48–52, 109–110, 121, 131–132, 197, 220, 224, 230
- Filters, 52–53, 213–475
 - design, 213, 305–475
 - defined, 52
 - discrete-time implementation, 213–304
 - finite-duration impulse response (FIR), 52, 213, 229–240, 305–387
 - infinite-duration impulse response (IIR), 53, 213, 215–229, 388–475
 - lattice structures, 240–251
- filtic** function, 132–133
- find** function, 26
- Finite-duration impulse response (FIR) filter, 52, 213, 229–240, 286–290, 305–387, 500–522, 522–532, 580–591
 - absolute specifications, 306–307
 - antisymmetric impulse response, 231, 311, 314–315
 - cascade form, 229–231, 585–589
 - design, 213, 305–387, 500–522
 - direct form structure, 229–230, 522–526, 581–585
 - fixed-point arithmetic analysis, 581–583, 585–588
 - floating-point arithmetic analysis, 589–591
 - frequency response and, 286–290, 312–315
 - frequency-sampling design, 346–360
 - frequency-sampling form, 229, 234–240
 - integer decimation, 510–518
 - integer interpolation, 501–510
 - linear-phase form, 229, 231–234
 - linear-phase properties, 309–323
 - MATLAB analysis for, 583–585, 588–589
 - MATLAB implementation, 230, 231–233, 236–240, 315–317, 334–335, 368–377
 - multiple stopbands, 521–522
 - optimal ripple design, 360–377
 - polyphase structure, 522, 526–529
 - quantization of coefficients, 286–290
 - rational-factor rate conversion, 518–521
 - relative specifications, decibels (dB), 307–309

- round-off effects, 580–591
- sampling rate conversion, 500–522, 522–532
- structures for sampling rate conversion, 522–532
- symmetric impulse response, 231, 310, 313–314
- time-invariant structures, 529–532
- windowing, 324–346
- zero locations, 317–323
- Finite-duration sequence, 23, 107
- Finite-precision numerical effects, 251–252
- `fir1` function, 345–346
- `fir2` function, 358–360
- `firpm` function, 368–369, 502–504, 511–512
- First-order-hold (FOH) interpolation, 91–92, 94–95
- `fix` function, 269
- Fixed-point arithmetic, 252–263, 268–274, 565–569, 581–583, 585–588
 - cascade-form realization, 585–588
 - direct-form realization, 581–583
 - excess- 2^{B-1} (biased) format, 260
- FIR round-off effect analysis, 581–583, 585–588
- IIR round-off noise analysis, 565–569
- number representation, 252–263
- one's complement format, 253, 254–256, 262, 269–271
- quantization error and, 268–274
- round-off analysis, 565–569, 581–583, 585–588
- rounding operation, 268, 273–274
- scaling to avoid overflow, 581–583
- sign-magnitude format, 253, 254, 262, 269
- signed integers, 253–260
- ten's complement format, 258–260
- truncation operation, 268–273
- two's complement format, 253, 256–258, 260, 262, 271–273
- `flip1r` function, 27, 242–243
- Floating-point arithmetic, 253, 263–268, 274, 578–580, 589–591
 - FIR round-off effect analysis, 589–591
 - IIR round-off noise analysis, 578–580
 - mantissa values, 264–267
 - number representation, 253, 263–268
 - quantization error and, 274
 - round-off effect analysis, 578–580, 589–591
- Folded-and-shifted convolution, 42
- Folding, 27, 68, 72, 107, 166–168
 - circular, 166–168
 - discrete Fourier transform (DFT), 166–168
 - discrete-time Fourier transform (DTFT), 68, 72
 - signal operation, 27
 - z -transform, 107
- `for...end` loop, 143, 178
- `freqs_m` function, 410–411
- Frequency, periodicity in, 33
- Frequency-band tolerances, 308
- Frequency-band transformations, 450–463
 - design procedure, 456–459
 - digital prototype design, 450–463
 - MATLAB implementation, 459–463
 - z -plane mapping, 450–456
- Frequency domain, 74–80, 175, 325–326, 489–490, 498
 - arbitrary sequence response, 75–76
 - circular shifting in, 175
 - complex exponential response, 74–75
 - DTFT representation, 74–80
 - frequency response evaluation, 76–80
 - linear time-invariant (LTI) systems, 74–80
 - resampled signal representation, 498
 - sampling rate conversion relationships, 480–484, 489–490, 498
 - sinusoidal sequence response, 75
 - steady-state response, 75–76
 - upsampled signal representation, 489–490
 - windowing operation in, 325–326
- Frequency resolution, 148
- Frequency response, 76–80, 282–290, 312–315, 389–391
 - analog filters, 389–391
 - DTFT evaluation, 76–80
 - FIR filters, 286–290, 312–315
 - IIR filters, 282–286
 - linear FIR filter design, 312–315
 - quantization effects on, 282–290
- Frequency sampling, 150, 229, 234–240, 346–360

approximation error, 248
 design, 346–360
 discrete Fourier transform (DFT) and, 150
 FIR filters, 229, 234–240, 346–360
 form, 229, 234–240
 naïve design method, 349–350
 optimum equiripple design method, 350–360
 Frequency-selective filters, 305
 Frequency shifting, 68, 70–71, 107
 DTFT, 68, 70–71
 z -transform, 107
freqz function, 64, 121–123
freqz_m function, 335
 Functions, MATLAB, 14
 Fundamental period, 25

G

Geometric series, discrete-time signals, 36
 Goertzel algorithm, 630–632
 Granular limit cycles, 554–560
 Graphical convolution, 42–43

H

Hamming window, 330–331, 343–344
 Hann window, 330, 344–345
 High-speed convolutions, FFT, 199–200
 Homogeneous solution, 47–48
hsoapsav function, 199–200

I

idfs function, 145
idft function, 156
 IEEE 754 standard, number representation,
 266–268
ifft function, 196
imp_invr function, 428–429
 Impulse invariance transformation, 426–436
 Impulse response, 229, 231, 309–315
 antisymmetric, 231, 314–315
 frequency response and, 312–315
 linear FIR filters, 229, 231, 309–311
 symmetric, 231, 313–314
 Impulse train conversion, 87–90, 92–94
impz function, 48–49, 110

Indexing operations, MATLAB, 10–11
 Infinite-duration impulse response (IIR) filter,
 53, 53, 213, 215–229, 275–286, 388–475,
 552–580
 allpass filters, 398–400
 analog filters, 389–391
 analog-to-digital transformations, 425–445
 cascade form, 215, 217–221
 comb filters, 397–398
 design, 213, 388–475
 digital resonators, 392–395
 digital sinusoidal oscillators, 400–402
 direct form, 215–217
 fixed-point arithmetic analysis, 565–569
 floating-point arithmetic analysis, 578–580
 frequency-band transformations, 450–463
 frequency response, 282–286, 389–391
 higher-order filters, 576–580
 limit cycles, 540, 553–562
 lowpass filters, 402–463
 MATLAB analysis for, 555–558, 569–576
 MATLAB implementation, 217, 218–221,
 222–229, 405–408, 410–412, 414–424,
 445–450, 459–463
 multiplication quantization error, 562–580
 notch filters, 395–397
 parallel form, 215, 222–229
 pole-zero locations, quantization effects on,
 275–282
 prototype filter characteristics, 402–425
 quantization of coefficients, 275–286
 relative linear scale, 389–390
 round-off effects, 552–580
 statistical round-off noise, 565–576, 578–580
 transformations, 425–445, 450–463
 transposed structure, 217
 Infinite-duration sequence, 23
 Initial-condition input, 131–134
interp function, 491–494
 Interpolation, 87–97, 152–153, 477–479,
 488–494, 501–510
 analog signal reconstruction, 87–97
 cubic spline, 92, 95–97
 digital-to-analog (D/A) converters, 90–92,
 94–97
 discrete-time Fourier analysis and, 87–97

- DTFT formula, 152–153
 - error, 477–478
 - factor I , 477–479, 488–494, 501–510
 - FIR integer, 501–510
 - first-order-hold (FOH) interpolation, 91–92, 94–95
 - formula, 88–90
 - ideal, 490–494
 - impulse train conversion, 87–90, 92–94
 - MATLAB implementation, 489, 491–494, 501–507
 - sampling rate increase, 479, 488–494
 - upsampler, 488–490
 - z -domain reconstruction, 152–153
 - zero-order-hold (ZOH), 90–91, 94–95
 - `intfilt` function, 502, 516
 - Inversion, 60, 112–118, 149–150
 - discrete Fourier series (IDFS), 149–150
 - discrete-time Fourier transform (IDTFT), 60
 - MATLAB implementation, 114–118
 - z -transform, 112–118
- K**
- Kaiser window, 331–334, 336–338, 340–342
 - `kaiserord` function, 346
- L**
- `ladr2dir` function, 248–249
 - `ladrfilt` function, 249
 - `latc2dir` function, 245
 - `latcfilt` function, 242, 251
 - Lattice filter structures, 240–251
 - all-zero, 240–244
 - all-pole, 244–246
 - lattice-ladder, 246–251
 - MATLAB implementation, 242–244, 245–246, 247–251
 - Least-mean square (LMS) algorithm, 598–601
 - Least-significant bit, 262
 - Left-sided sequence, 106
 - Levinson-Durbin algorithm, 626
 - Limit cycles, 540, 553–562
 - behavior, 553–554
 - granular, 554–560
 - IIR digital filters, 553–562
 - overflow, 554, 560–562
 - round-off effects, 540, 553–552
 - zero-input, 553
 - Line enhancement, adaptive filtering and, 605
 - Linear convolution, 180–187
 - blocks, 184–186
 - discrete Fourier transform (DFT) for, 180–187
 - error analysis using, 182–184
 - MATLAB implementation, 186–187
 - Linear convolution sum, 39–40
 - Linear filtering process, 478–479
 - Linear-phase FIR filters, 229, 231–234, 309–323
 - amplitude response, 312
 - antisymmetric impulse response, 231, 311, 314–315
 - design, 309–323
 - frequency response and, 312–315
 - impulse response and, 229, 231, 309–311
 - MATLAB implementation, 315–317
 - structure, 229, 231–234
 - symmetric impulse response, 231, 310, 313–314
 - zero locations, 317–323
 - Linear predictive coding (LPC) speech, 624–628
 - Linear systems, 37–40
 - bounded-input bounded-output (BIBO)
 - stability, 40
 - causality, 40
 - discrete-time, 37–40
 - impulse response, 37
 - superposition summation, 37
 - time-invariant (LTI), 38–40
 - time-varying impulse response, 37
 - Linear time-invariant (LTI) systems, 38–53, 74–80
 - arbitrary sequence response, 75–76
 - bounded-input bounded-output (BIBO)
 - stability, 40
 - causality, 40
 - complex exponential response, 74–75
 - convolution, 39–47
 - determination of, 38–39
 - difference equations, 47–53, 76–80

- digital filters, 52–53
- discrete-time Fourier transforms (DTFT), 74–80
 - frequency domain and, 74–80
 - frequency response evaluation, 76–80
 - sequence correlations, 45–47
 - sinusoidal sequence response, 75
 - zero-state input and responses, 51–52
- Linearity property, 67, 69–70, 107, 166
 - discrete Fourier transform (DFT), 166
 - discrete-time Fourier transform (DTFT), 67, 69–70
 - z -transform, 107
- lms** function, 600
- Lowpass filters, 402–463
 - analog prototype filter characteristics, 402–425
 - analog-to-digital transformations, 425–445
 - Butterworth, 403–412, 429–431, 438–439, 445–447, 459–460
 - Chebyshev, 412–421, 431–434, 439–442, 445, 447–449, 452, 455–458, 460, 462–463
 - design using MATLAB, 445–450
 - digital prototype design, 450–463
 - elliptic, 421–425, 434–435, 442–444, 446, 449, 460–462
 - frequency-band transformations, 450–463
 - MATLAB implementation, 459–463
 - z -plane mapping, 450–456
- M**
- Magnitude response, 75
- Mantissa values, 264–267
- Matched- z transformation, 444–445
- MATLAB, 1–2, 5–17, 23–32, 43–45, 47, 48–51, 61–66, 84–87, 92–97, 114–118, 120–125, 131–134, 143–146, 153, 156–160, 186–187, 195–197, 217, 218–233, 236–240, 242–251, 254–258, 260, 267–268, 315–317, 334–335, 368–377, 405–408, 410–412, 414–424, 445–450, 459–463, 480, 485–488, 489, 491–494, 498–500, 501–507, 512–514, 519–520, 542–552, 555–558, 569–576, 583–585, 588–589, 600
 - analog filters, 405–408, 410–412, 414–421, 422–424
 - analog signal analysis, 84–87, 92–97
 - Butterworth lowpass filters, 405–408, 410–412, 445–447
 - Chebyshev lowpass filters, 414–421, 445, 447–449
 - command window, 6
 - control and flow of commands, 11–13
 - convolution, 43–45, 47, 186–187
 - correlation, 47
 - decimation, 480, 485–488, 512–514
 - difference equations, 48–51, 131–134
 - digital signal processing (DSP) and, 1–2
 - discrete Fourier series (DFS), 143–146
 - discrete Fourier transform (DFT), 153, 156–160, 186–187, 195–197
 - discrete-time filters, 217, 218–233, 236–240, 242–251
 - discrete-time Fourier analysis, 61–66, 84–87, 92–97
 - discrete-time Fourier transform (DTFT), 61–66
 - discrete-time signals, 23–32
 - discrete-time systems, 43–45, 47, 48–51
 - elliptic lowpass filters, 422–424, 446, 449
 - fast Fourier transform (FFT), 195–197
 - FIR filters, 230, 231–233, 236–240, 230, 231–233, 236–240, 315–317, 334–335, 368–377
 - frequency-band transformations, 459–463
 - functions, 14
 - IIR filters, 217, 218–221, 222–229, 405–408, 410–412, 414–424, 445–450, 459–463
 - indexing operations, 10–11
 - interpolation, 489, 491–494, 501–507
 - inverse z -transform, 114–118
 - lattice filters, 242–244, 245–246, 247–251
 - least-mean-square (LMS) algorithm, 600
 - linear convolution, 186–187
 - linear-phase FIR filters, 315–317
 - lowpass filter design, 445–450
 - matrix operations, 8–13
 - number representation, 6, 254–258, 260, 267–268
 - operators, 8

- optimal equiripple design, 368–377
 - plotting, 14–17
 - quantization noise analysis, 542–552, 569–576
 - rational factor I/D , 498–500, 519–520
 - reconstruction of signals, 92–97, 153
 - round-off effects, 542–552, 555–558, 569–576, 583–585, 588–589
 - sampling rate conversion, 480, 485–488, 489, 491–494, 498–500, 501–507, 512–514, 519–520
 - sampling signals, 84–87
 - scripts, 13
 - use of, 5–17
 - variables in, 7–8
 - windowing operations, 334–335
 - z -transform, 114–118, 120–125, 131–134
 - Matrix operations, MATLAB, 8–13
 - mean** function, 548
 - Merging formula, 194
 - Minimizing approximation error (minimax) problem, 361–364
 - Minimum-phase filter, 391
 - Mirror-image symmetry, 391
 - Mixed-radix algorithm, FFT, 193
 - Moving average (MA) filters, 52
 - Multiple access code, 634
 - Multiple stopbands, sampling rate conversion, 521–522
 - Multiplication, 26–27, 69, 108, 180
 - DFT property, 180
 - by-a-ramp, 108
 - DTFT property, 69
 - signal operation, 26–27
 - z -transform property, 108
 - Multiplier (filter gain), 214
 - Multirate digital system processing systems, 476
 - Musical sound processing, 18
- N**
- N -point sequence, DFT, 154–165
 - Naïve design method, frequency sampling, 349–350
 - NaN function, 267
 - Narrowband interference, suppression of, 602–605
 - Natural frequencies, 48
 - Negative-time sequence, 105
 - Noise, 540–552, 565–580
 - A/D quantization, 540–552
 - round-off, 565–580
 - signal-to-noise ratio, 568–569, 572–574, 579–580
 - Nonperiodic signal, 153
 - Nonrecursive filters, 52
 - Normalized form, 264
 - Notch filters, 395–397
 - Null space, 104
 - Number representation, 6, 252–268
 - binary, 253–260, 265–266
 - decimals, 264
 - discrete-time filters, 252–268
 - excess- 2^{B-1} (biased) format, 260
 - fixed-point, 252–263
 - floating-point, 253, 263–268
 - IEEE 754 standard, 266–268
 - mantissa values, 264–267
 - MATLAB, 6, 254–258, 260, 267–268
 - one's complement format, 253, 254–256, 262
 - real, 261–263
 - sign-magnitude format, 253, 254, 262
 - signed integers, 253–260
 - ten's complement format, 258–260
 - two's complement format, 253, 256–258, 260, 262
 - Number sequence, 22
 - Numerator polynomial, 105
 - Nyquist component, 169
 - Nyquist rate, 83
- O**
- oc2sm** function, 263, 270
 - Omode** function, 556
 - One-sided z -transform, 128–130
 - One's complement number format, 253, 254–256, 262, 269–271
 - OnesComplement** function, 256

Operators, MATLAB, 8
 Optimal equiripple design, 360–377
 amplitude response, 361
 Chebyshev approximation problem, 361, 364
 extrema, 361, 365–367
 FIR filter design, 360–377
 MATLAB implementation, 368–377
 minimizing approximation error (minimax) problem, 361–364
 Parks-McClellan algorithm, 367–377
 Optimum design method, frequency sampling, 350–360
 Overflow limit cycles, 554, 560–562
 Overlap-add convolution, 187
 Overlap-save convolution, 185–187
`ovrlpsav` function, 186–187

P

Parallel form, IIR filters, 222–229
`parfiltr` function, 224–225
 Parks-McClellan algorithm, 367–377, 520
 Parseval's relation, DFT, 180
`par2dir` function, 225
 Passband, 306–307
 Periodic conjugate symmetry, DFS, 169
 Periodic convolution, 69
 Periodic sequence, 25, 142–143, 145–146
 Periodic shifting, 172
 Periodic-sinc function, 153
 Periodicity in time and frequency, 33
 Phase response, 75, 424–425
`plot` function, 94–95, 163
 Plotting, MATLAB, 14–17
 Pole-zero diagrams, 105
 Pole-zero locations, quantization effects on, 275–282
`poly` function, 116
 Polyphase structure, FIR sampling rate conversion, 522, 526–529
 Positive-time sequence, 105
 Power, signal operation, 28
 Power spectrum, DFT, 180
`prod` function, 28

Prototype filters, 402–425, 450–463
 analog, 402–425
 digital, 450–463
 Pseudo-noise (PN), 635–636
 Pulse-code modulation (PCM), 609–613

Q

`Qcoeff` function, 279–280
`Qfix` function, 557–562, 569–571, 575–576, 583–585
`Qmode` function, 556
 Quantization, 268–290, 540–552, 562–580
 A/D noise analysis, 540–552
 digital filters, noise through, 549–550
 error characteristics, 268–274, 540–552
 filter coefficients, 275–290
 FIR filters, 286–290
 fixed-point arithmetic, 268–274, 565–569
 floating-point arithmetic, 274
 frequency response, effects on, 282–290
 IIR filters, 275–286, 562–580
 MATLAB analysis for, 542–547, 569–576
 MATLAB implementation of, 548–549, 550–552
 multiplication error, 562–580
 noise, 540–552
 pole-zero locations, effects on, 275–282
 round-off effects, 540–552, 562–580
 rounding operation, 268, 273–274, 547–548
 statistical model of, 541–542, 547–548
 truncation operation, 268–273, 547–548

R

Radix-R algorithm, FFT, 193
 Radix-2 algorithm, FFT, 193–195
`rand` function, 25
 Random sequences, 25
 Rational factor I/D , 495–500, 518–521
 FIR filters, 518–521
 MATLAB implementation, 498–500, 519–520
 sampling rate conversion by, 495–500
 Real number representation, 261–263

- Real-valued exponential sequence, 24
 - Reconstruction, 87–97, 152–153
 - analog signals, 87–97
 - band-limited signals, 82–83, 87–90
 - cubic spline interpolation, 92, 95–97
 - digital-to-analog (D/A) converters, 90–92, 94–97
 - discrete Fourier transform (DFT) for, 152–153
 - DTFT interpolation formula, 152–153
 - first-order-hold (FOH) interpolation, 91–92, 94–95
 - impulse train conversion, 87–90, 92–94
 - interpolation, 87–97, 152–153
 - MATLAB implementation, 92–97, 153
 - z -domain, 152–153
 - zero-order-hold (ZOH) interpolation, 90–91, 94–95
 - Rectangular pulse, 35
 - Rectangular window, 325–329
 - Recursive filters, 53, 213
 - Region of convergence (ROC), 104–107
 - Relative linear scale, 389–390
 - Relative specifications, FIR filter design, 307–309
 - `rem` function, 154–156
 - `resample` function, 499, 522
 - `residue` function, 428–429, 551
 - `residuez` function, 114–118, 124, 224–225, 428–429
 - Resonator, 392
 - Response, 36
 - Reverberation, 19–20
 - Right-sided sequence, 106
 - Ripple parameter, 389–390, 515–516
 - `roots` function, 50, 119
 - Round-off effects, 540–595
 - A/D quantization noise, 540–552
 - FIR digital filters, 580–591
 - fixed-point arithmetic analysis, 565–569, 581–583, 585–588
 - floating-point arithmetic analysis, 578–580, 589–591
 - higher-order filters, 576–580
 - IIR digital filters, 552–580
 - limit cycles, 540, 553–562
 - MATLAB analysis for, 542–547, 555–558, 569–576, 583–585, 588–589
 - MATLAB implementation, 548–552
 - multiplication quantization error, 562–580
 - noise, 540–552, 565–581
 - statistical noise, 565–576, 578–580
 - Rounding operation, 268, 273–274, 547–548
- ## S
- Sample delay, 324
 - Sample products, signal operation, 28
 - Sample shifting, z -transform, 107
 - Sample summation, signal operation, 28
 - Sampling, 32–33, 81–87, 148–152, 346–360
 - aliasing formula, 81
 - analog signals, 81–87
 - band-limited signals, 82–83
 - discrete Fourier transform (DFT) for, 149–152
 - FIR filter design, 346–360
 - frequency, 150, 346–360
 - interval, 81, 148
 - MATLAB implementation, 84–87, 92–97
 - sinusoidal sequences, 32–33
 - sinusoidal signals, 83–84
 - z -domain, 149–152
 - Sampling rate conversion, 476–539
 - decimation by factor D , 479–488
 - FIR filter design for, 500–522
 - FIR filter structures for, 522–532
 - frequency domain relationships, 480–484, 489–490, 498
 - interpolation by factor I , 477–479, 488–494
 - linear filtering process, 478–479
 - MATLAB implementation, 480, 485–488, 489, 491–494, 498–500, 501–507, 512–514, 519–520
 - rational factor I/D , 495–500
 - Scaling, signal operation, 27
 - Scaling factor, 261
 - Scripts, MATLAB, 13
 - `sdir2cas` function, 406–408
 - Sensitivity formula, 276

- Sequences, 22–33, 36, 45–47, 75–76, 103–107,
 142–143, 145–146, 154–156
 anticausal, 106
 arbitrary absolutely summable, 75–76
 complex-valued exponential sequence, 24
 convolution and, 45–47
 correlations of, 36, 45–47
 DFS representation, 142–143, 145–146
 DFT representation, 154–165
 discrete-time signals, 22–33, 36
 DTFT representation, 75–76
 exponential, 24, 36
 finite-duration, 23, 107
 frequency domain, responses in, 75–76
 infinite-duration, 23
 left-sided, 106
 MATLAB representation of, 47
 negative-time, 105–106
 N -point, 154–165
 number, 22
 operations on, 25–32
 periodic, 25, 142–143, 145–146
 positive-time, 105
 random, 25
 real-valued exponential, 24
 region of convergence (ROC), 105–107
 right-sided, 106
 sinusoidal, 24–25, 32–33, 75
 two-sided, 106–107
 unit sample, 23
 unit step, 23–24
 z -transforms, 103–107
- Shifting, 27, 68, 70–71, 107, 173–175
 circular, 173–175
 discrete Fourier transform (DFT),
 173–175
 discrete-time Fourier transform (DTFT), 68,
 70–71
 frequency, 68, 70–71, 107
 periodic, 172
 sample, 107
 signal operation, 27
 time, 68, 70
 z -transform, 107
- sig*** functions, 30–31
sigadd function, 26, 30
sigfold function, 27, 31
sigmult function, 26–27, 31
 Sign-magnitude number format, 253, 254, 262,
 269
 Signal-to-noise ratio, 568–569, 572–574,
 579–580
 Signals, 1–23, 25–33, 36, 80–97, 149–153,
 346–360, 507–510
 addition, 25–26
 analog processing (ASP), 3–4, 80–97
 analysis, 4
 band-limited, 82–83, 87–90
 digital processing (DSP), 1–21
 discrete Fourier transform (DFT) for,
 149–153
 discrete-time, 22–33, 36
 discrete-time Fourier analysis of, 80–97
 filtering, 4–5
 folding, 27
 multiplication, 26–27
 operations, 25–32
 parameters, 507–510
 reconstruction, 87–97, 152–153
 sample products, 28
 sample summation, 28
 sampling, 32–33, 81–87, 149–152,
 346–360
 scaling, 27
 shifting, 27
 signal energy, 28
 signal power, 28
 sinusoidal, 83–84
- Signed integers, 253–260
 Significand, 267
sigshift function, 27, 30
sin function, 24–25
sinc function, 92–94
 Sinusoidal sequence, 24–25, 32–33, 75
 discrete-time, 24–25, 32–33
 DTFT representation, 75
 frequency domain, response in, 75
 MATLAB signal representation, 24–25
 periodicity in frequency, 33
 periodicity in time, 33
 rectangular pulse, 35
 sampling, 32–33

- Sinusoidal signals, 83–84, 604–605
 - interference, suppression of, 604–605
 - sampling, 83–84
 - sm2oc** function, 263, 270
 - sm2tc** function, 263, 272
 - Soft zero, 267
 - sos2tf** function, 220
 - Spectrum analyzers, 305
 - spline** function, 95–97
 - Spread-spectrum digital data communication, 634–636
 - Stability, 40, 125–128
 - bounded-input bounded-output (BIBO) stability, 40
 - linear systems, 40
 - z -domain causality and, 125–128
 - stairs** function, 94–95
 - Statistical round-off noise, 565–576, 578–580
 - fixed-point arithmetic analysis, 565–569
 - floating-point arithmetic analysis, 578–580
 - IIR digital filters, 565–576, 578–580
 - MATLAB analysis for, 569–576
 - StatModelR** function, 548, 563
 - std** function, 548
 - Steady-state response, 75–76, 130
 - stem** function, 48–49
 - Stopband, 307
 - sum** function, 28
 - Symmetric impulse response, 231, 310, 313–314
 - Symmetry, 61, 68, 72–73, 168–173, 391
 - circular conjugate, 168–173
 - discrete Fourier series (DFS), 169
 - discrete Fourier transform (DFT), 168–173
 - discrete-time Fourier transform (DTFT), 61, 68, 72–73
 - mirror-image, 391
 - periodic conjugate, 169
 - Synthesis, discrete-time signals, 34–35
 - System identification (modeling), 601–602
- T**
- tc2sm** function, 263, 272
 - Ten's complement number format, 258–260
 - TensComplement** function, 260
 - tf2sos** function, 219
 - Time, periodicity in, 33
 - Time shifting, DTFT, 68, 70
 - Time-invariant structures, FIR sampling rate conversion, 529–532
 - Transformations, 425–445, 450–463
 - analog-to-digital, 425–445
 - bilinear, 426, 436–444
 - frequency-band, 450–463
 - IIR filter design, 425–445, 450–463
 - impulse invariance, 426–436
 - matched- z , 444–445
 - Transient response, 130
 - Transition band, 307
 - Transposed structure, IIR filters, 217
 - Truncation operation, 268–273, 547–548
 - Twiddle factor, 192
 - Two-sided sequence, 106–107
 - Two's complement number format, 253, 256–258, 260, 262, 271–273
 - TwosComplement** function, 257–258
- U**
- U_buttap** function, 406–408, 410
 - U_chb1ap** function, 414–415
 - U_chb2ap** function, 419
 - U_elipap** function, 422–423
 - Unbounded response, 130
 - Unit circle, 104
 - Unit impulse response, 59
 - Unit sample sequence, 23
 - Unit sample synthesis, 34
 - Unit step sequence, 23–24
 - Unquantized filter coefficients, 284–285
 - upfirdn** function, 504–507, 522
 - Upsampler, 488–490
- V**
- VarGain** function, 551–552
 - Variables in MATLAB, 7–8

W

Wideband signals, 602–605

Windowing, 324–346

- accumulated amplitude response, 326–328
- Bartlett window, 329
- Blackman window, 331–332, 338–340
- cutoff frequency, 324
- FIR filter design, 324–346
- frequency domain, 325–326
- Gibbs phenomenon, 328
- Hamming window, 330–331, 343–344
- Hann window, 330, 344–345
- Kaiser window, 331–334, 336–338, 340–342
- MATLAB implementation, 334–335
- rectangular window, 325–329
- sample delay, 324

Word length, 261

X

`xcorr` function, 47

Z

z -domain, 108, 118–128, 149–153

- causality, 125–128
- difference equation representation, 119–120
- differentiation in, 108
- discrete Fourier transforms in, 149–153
- DTFT interpolation formula for, 152–153
- MATLAB implementation, 120–125, 153
- reconstruction in, 152–153
- sampling in, 149–152
- stability, 125–128
- system functions 118–128
- system representations, relationships
 - between, 125
- transfer function representation, 120
- z -transform reconstruction formula, 152–153

- z -plane mapping, 450–456
- z -transform, 103–140, 146–148, 152–153
 - bilateral, 103–107
 - complex conjugation, 107
 - convolution, 108–110
 - deconvolution, 109–110
 - difference equation solutions using,
 - 128–134
 - differentiation in z -domain, 108
 - discrete Fourier series (DFS) relationship,
 - 146–148
 - folding, 107
 - frequency shifting, 107
 - inversion of, 112–118
 - linearity property, 107
 - MATLAB implementation, 114–118,
 - 120–125, 131–134
 - multiplication, 108
 - one-sided, 128–130
 - pairs, 110–111
 - reconstruction formula, 152–153
 - region of convergence (ROC), 104–107
 - sample shifting, 107
 - sequences, 103–107
 - system representation in z -domain,
 - 118–128
 - z -domain, 108, 118–128, 152–153
- Zero constellation, 317–318
- Zero locations, linear-phase FIR filters,
 - 317–323
- Zero-order-hold (ZOH) interpolation, 90–91,
 - 94–95
- Zero-padding, DFT operation, 159, 161–165
- Zero-state input and responses, 51–52,
 - 130–131
- `zerophase` function, 315–317
- `zeros` function, 23
- `zmapping` function, 453–458
- `zplane` function, 119, 121–122