

Index

A

Abietic acid, 975
Acetal, 633
Acetaldehyde, 618, *t* 620
 preparation, 255–261, 620–621, 624–625
 reactions, 704, 709, 712, 714, 735, 879, 882,
 1020
Acetaldehyde diethyl acetal, 633
Acetaldoal, 704
Acetaldoxime, 633
Acetals, 633, 641–643, 1097, 1100–1101
Acetamide, 659, *t* 660, 758
 preparation, 682
p-Acetamidobenzenesulfonamide, 762
p-Acetamidobenzenesulfonyl chloride, 762
Acetanilide, *t* 730, 756
 preparation, 746, 747
 reactions, 340, 342, 365, 760, 762, 820
Acetate rayon, 1127
Acetic acid, 579, *r* 580
 acidity constant, *t* 600
 industrial preparation, 584
 synthesis of substituted, 848
Acetic anhydride, 659, *t* 660
 preparation, 667
 reactions, 668, 669, 714, 757, 794
 uses, 668
Acetoacetic acid, 854
Acetoacetic ester (*See also* Ethyl acetoacetate)
 preparation, 717–718
 reactions, 850–853, 862
Acetoacetic ester synthesis, of acids, 862
 of ketones, 850–853, 854–855
Acetoacetyl-S-ACP, 1176
Acetalysis, 909–914, 916–919, 923
1-Acetonaphthalene, 972, 979
2-Acetonaphthalene 972, 979
Acetone, 619, *t* 620
 preparation, 182, 255, 532
 reactions, 704, 709, 721, 735

synthesis of substituted, 851, 856
Acetone cyanohydrin, 632
Acetonitrile, 589
Acetonylacetone, 1007, 1023
Acetophenone (Methyl phenyl ketone), 619,
 t 620
 infrared spectrum, 646
 preparation, 623
 reactions, 704, 711, 741, 858, 875
Acetophenone oxime, 744
Aceto-*m*-toluidide, *t* 730, *t* 781
Aceto-*o*-toluidide, *t* 730
 preparation, 757
Aceto-*p*-toluidide, *t* 730, 756
 reactions, 343, 760, 771
Acetoxonium ions, 910, 911
o-Acetoxybenzoic acid (Aspirin), 804
2-*o*-Acetoxycholestane-3-one, nmr spectrum,
 437
2-Acetoxy cyclohexyl tosylate, 910–911
Acetylacetone, 1020
 acidity, 702
 nmr spectrum, 725
 preparation, 719
Acetyl chloride, 659, *t* 660
 Friedel-Crafts acylation, 979
 preparation, 590
Acetyl CoA, 1173, 1176, 1181
Acetylcholine, 781
Acetylene, *t* 251
 acidity, 257–259
 hydrogenation, heat of, 280
 industrial source, 43, 251–252
 industrial uses, 252, 1007
 reactions, 255, 256, 261–262, 454, 1007, 1107
 structure, 248–250
2-Acetyl furan, 1008
Acetylides, 253, 256, 257–259
α-Acetyl-*α*-Methylvaleric acid, 852
γ-Acetyl-*γ*-Methylvaleric acid, 851
Acetyl-S-ACP, 1176

Acetylsalicylic acid (Aspirin), 804
Acetylurea, 687
Acid anhydrides, 658, 667–670
addition to aldehydes, 714
cyclic anhydrides, 669–670
physical properties, 659, *t* 660
preparation, 667–668
reactions, 668–670, 673, 714
structures, 658
Acid chlorides, 658, 663, 668
conversion into acids and derivatives, 665, 666
into amides, 665, 746–747, 755–756
esterification, 665
ketone formation, 622–623, 665–666
Friedel-Crafts acylation, 622–623,
625–626, 665
with organocadmium compounds, 623,
627–628, 666
nucleophilic substitution, 664
physical properties, 659–660, *t* 660
preparation from carboxylic acids, 590,
601, 663
reactions, 664–666, 1087
reduction, 622, 686
spectroscopic analysis, 688, *t* 689
structure, 658, 659
(*See also* Sulfonyl chlorides)
Acidity, 32–35
alcohols, 526
alkynes, 257–259
amides, 672, 758
carboxylic acids, 583, 597–601
dicarboxylic acids, *t* 606, 607
hydrocarbons, 258–259, 402, 1016–1017
α-hydrogen, 701–702, 717–718, 846, 847,
853, 857
imides, 672, 758
β-keto esters, 717, 853
malonic ester, 847
phenols, 774, 790, 797–799
phosphates, 1064
and rate of reaction, 640–641, 773–774, 1167
relative series, of, 34, 258, 594
sulfonamides, 758
sulfonic acids, 458, 758
Acidity constants, 593
amides, 672, 758
amino acids, 1136–1137
carboxylic acids, 593–594, *t* 606
dicarboxylic acids, *t* 606
imides, 672, 758
phenols, *t* 788, 790
sulfonamides, 758
Acids (*See also* Acidity, Amino acids,
Carboxylic acids, Fatty acids, Sulfonic
acids)
Lewis definition, 33–34
Lowry-Bronsted definition, 32–33
and molecular structure, 34
Aconitic acid, 882
ACP, 1176
Acrolein, 643, *t* 866
reactions, 643, 868, 870, 876, 1013, 1018
preparation, 867
Acrylan, 1046
Acrylic acid, 613, *t* 866
hydration, 868
Acryloid, 867
ACTH, 1142, 1150
Actin, 1175
Activating groups, 340, 341–342, 360
Activation energy, 52
and reaction rates, 55–59

Acylation, 625
of amines, 755–757
by benzyl chlorocarbonate, 1148
Friedel-Crafts (*see* Friedel-Crafts acylation)
Acrylonitrile, *t* 866
industrial preparation, 867
polymerization, 867, 1030, 1033
reactions, 872, 875, 879, 880
Acyl azides, 889
Acyl carrier protein (ACP), 1176
Acyl compounds, nomenclature, 659
nucleophilic substitution, 660–664
structure, 658
Acyl group, 592, 625, 658
compared with alkyl group, 663–664
compared with phosphate group, 1064–1065
compared with sulfonyl group, 757–758
nucleophilic substitution, 626, 660–663
Acylum ions, 626, 801
Adamantane, 285
Addition polymerization, 207, 1029
Addition reactions (*See also* Electrophilic
addition, Free radical addition,
Nucleophilic addition)
of aldehydes and ketones, 628–645
of alkenes, 177–224
of alkarylbenzenes, 397–399
of alkynes, 254–257
of conjugated dienes, 268
of cycloalkenes, 288
of cyclopropane, 289
definition, 178
syn- and *anti-*, 239–242
α, β-unsaturated carbonyl compounds,
868–875
Adenine, 1178–1180
Adenosine, 1179
Adenosine diphosphate (ADP), 1171,
1172, 1174
Adenosine triphosphate (ATP), 864, 1063,
1171–1172
Adenylic acid, 1108–1109
Adipaldehyde, 313
Adipamide, *t* 614
Adipanilide, *t* 614
Adipic acid, 605, *t* 606 (Hexanedioic acid
derivatives, *t* 614
esterification, 603
polymerization, 1042
preparation, 313, 859, 1011
Adiponitrile, 736
ADP (adenosine diphosphate) 1171, 1172,
1174
Adrenal cortical hormones, 515
Adrenaline, 127
(*-*)-Adrenaline, 809
Agar, 1130
AlBN (azoisobutyronitrile), 1031
Alanine, 1149
preparation, 739, 743, 1139, 1140
(*+*)-Alanine, *t* 1134
Albumin, 1150
Alcohols, 492–517, 518–551
addition to aldehydes and ketones, 633,
641–643
as acids, 520, 526–527
alkyl halides from, 455, 456
alkyl sulfonates from, 527–528
analysis, 536–540, 545
iodoform test, 537–538
Lucas test, 536–537
periodic acid oxidation, 538
aromatic, synthesis, 531–533
classification 166, 493

- dehydration, to alkenes** (*see Dehydration*)
to ethers, 553–554
derivatives, 536, *t* 545
esterification, 520, 591, 602–603, 673
ethyl (*see Ethyl alcohol*)
hydrogen bonding, 495–497
industrial source, 43, 497–499, 1041
95%, 499
nomenclature, 493–494
oxidation, 528–530, 536, 537, 538
physical properties, 494–497, *t* 495
preparation, 500–503
 aldol condensation, 712
 Grignard synthesis, 501, 509–513, 530–533, 676, 683
hydroboration-oxidation, 500–501, 505–509
hydrolysis of halides, 502, 503
oxymercuration-demercuration, 500, 503–505
reduction, of aldehydes and ketones, 630, 636–637
 of carboxylic acids, 591, 592
 of esters, 676–677, 683–684
 of fats, 1061
reactions, 518–535
 as acids, 520, 526–527
 with epoxides, 564–568, 1061
 with hydrogen halides, 455, 518–519, 523–525
 with phosphorus trihalides, 455, 456, 519
 summary, 518, 521
reactivity, in dehydration, 519, 522
 with hydrogen halides, 519, 523–524, 536–537
resolution of, 237, 670
spectroscopic analysis, *t* 412, *t* 421, 539–540
structure, 492
use in detergents, 1061
use in syntheses, 533–535
- Alcohols**
of acid chlorides, 665
of acid anhydrides, 669
of esters, 676, 682–683
Aldaric acids, 1075, 1076
Aldehydes, 516, 615, 658, 852–874
addition, of alcohols, 633, 641, 643
 of aldehydes and ketones, 709–714
 of ammonia derivatives, 632–633, 639–641, 645
 of bisulfite, 632, 638–639
 of cyanide, 637–638
 of Grignard reagent, 501, 510–511, 637
 of organozinc compounds, 720–722
 aldol condensation, 704, 709, 712, 713
 related reactions, 714
aliphatic, preparation, 621, 622, 624–625
analysis, 630, 632–633, 634–635, 639, 645–646
aromatic, preparation, 621–622, 624, 625
Cannizzaro reaction, 633, 643–645
 crossed, 644
Clemmensen reduction, 631, 636
vs. ketones, 617, 645
Knoevenagel reaction, 714
nomenclature, 618–619
nucleophilic addition, 628–629, 637–645
oxidation of, 630, 634–635, 645
Perkin condensation, 714
physical properties, 619–621, *t* 620
preparation, 621–622
 oxidation, of alcohols, 528–529, 621, 624–625
 of methylbenzenes, 621–622, 625
 ozonolysis, 218–219
 reduction of acid chlorides, 622
 Reimer-Tiemann reaction, 797, 804–805
 reactions, summary, 630–634, 703–705
 reduction, to alcohols, 630, 636, 637
 to hydrocarbons, 631, 636
 reductive amination, 735, 736, 740–741
 spectroscopic analysis, *t* 412, *t* 421, 646–647
 structure, 617–618
 unsaturated, oxidation of, 635
 preparation, 711–712
 reduction, 636, 712
 (*See also α, β-Uncaturated carbonyl compounds*)
 Wittig reaction, 705, 714–716
 Wolff-Kishner reduction, 631, 636
- Alditols**, 1075
- Aldohexoses** (*See also Aldoses; D-(+)-Glucose*)
anomers, 1095, 1098
configurations, 1080–1085, 1098–1099
conformations, 1104–1106
conversion to epimers, 1080–1081
definition of, 1071
derivatives, nomenclature, 1075
(+)-glucose as, 1071–1073
Kiliani-Fischer synthesis, 1078–1080
ring size, 1102
Ruff degradation, 1080
- Aldol**
 preparation, 709
 reactions, 711, 712
- Aldolase**, 1182
- Aldol condensation**, 704, 709–711
 crossed, 712–713
 related reactions, 714
 use in synthesis, 712, 867
- Aldols**, 704
- Aldonic acids**, 1075, 1076
- Aldopentoses**, configurations, 1082, 1084, 1086–1087
 in Kiliani-Fischer synthesis, 1079
 from Ruff degradation, 1080
- Aldoses** (*See also Aldohexoses; D-(+)-Glucose*)
carbon chain, lengthening, 1078–1080
 shortening, 1080
configurations, 1078
conformations, 1085–1087
definition of, 1071
derivatives, nomenclature, 1073–1075
effect of alkali, 1076
epimers, conversion into, 1077–1078, 1080–1081
families, 1092–1094
Kiliani-Fischer synthesis, 1078–1080
osazone formation, 1077–1078
oxidation, 1075–1077
Ruff degradation, 1080
- Algum**, 1107
- Alginic acid**, 1130
- Alicyclic hydrocarbons**, 283–318 (*See also Cycloalkanes, Cycloalkenes*)
analysis, 312–313
angle strain, 289–293
Baeyer strain theory, 289–290, 291–292
conformational analysis, 294–301, 303–308
definition, 1002
dehydrogenation, 286
1,3-diaxial interaction, 299–300
heats of combustion, 290–291, *t* 290
industrial source, 286
nomenclature, 283–285
physical properties, *t* 284
preparation, 286–287

- cycloaddition, 310–312, 984–954
ring closure, 287, 939–948
methylene addition, 310–312
reactions, 287–289
relative stabilities, 290, 293, 294, 297–298,
 304–306
ring opening, 288–289
small ring, 288–289
stereoisomerism, 301–308
- Aliphatic cyclic hydrocarbons** (*see* Alicyclic hydrocarbons)
- Aliphatic compounds** (*see* Alkanes, Alkenes, Alkynes)
- definition, 318
- Aliphatic hydrocarbons** (*see* Alicyclic hydrocarbons, Alkanes, Alkenes, Alkynes, Dienes)
- Alizarin, 993, 1128
- Alkaloids, 236, 543, 571, 1004
piperidine ring in, 1018
pyridine ring in, 1018
pyrrolidin ring in, 1011
in resolution of racemic acids, 236
- Alkanes**, 40, 73–113
addition to alkenes, 181, 201–202
analysis, 112
bond dissociation energies, f 21, 102–103
classification by structure, 73
combustion, 95, 109–110
halogenation, 94, 95–109
 mechanism, 97–98, 107–108
 orientation, 98–100
 relative reactivities, 100–101
homologous series, 79–80
industrial source, 87–88, 110
 vs. laboratory preparation, 88–89
isomeric structures, 77–78, 79–80
methylene insertion into, 311
nomenclature, 80–84
physical properties, 85–87, f 86
preparation, 89–93
 by coupling of alkyl halides with organometallic compounds, 90, 92–93
 by hydrogenation of alkenes, 89–90
 by hydrolysis of Grignard reagent, 90, 91–92
 by reduction of alkyl halides, 90, 91–92
 by Wurtz reaction, 93
pyrolysis, 88, 95, 110–111
reactions, summary, 94–95
reactivity, 94
spectroscopic analysis, f 412, f 421, 444–445
structure, determination of, 111–112
uses, 87–88
- Alkenes**, 143–224 (*See also* Alkenylbenzenes, Cycloalkenes, Dienes)
addition reactions, 179–182
 of alkanes, 181, 201–203
anti-Markovnikov, 179, 189–190
 of bromine azide, 247, 570
 of carbenes, 310–312
dimerization, 180, 200–201
electrophilic, 178, 191–197
free-radical, 181, 203, 207, 1030–1036
 of halogens, 179, 186–187, 197–199,
 242–246
halohydrin formation, 180, 199–200, 247,
 530
hydration, 180, 191, 497–498
hydroboration-oxidation, 500–501,
 505–509
hydrogenation, 179, 182–186
of hydrogen bromide, 179, 189–190,
 203–205
- of hydrogen chloride, 187, 189
of hydrogen halides, 179, 187–189
of hydrogen iodide, 179, 187–189
of iodine azide, 247, 570
Markovnikov, 179, 187–189, 195, 203–204
mechanism, electrophilic, 191–194,
 197–199, 242–246
 free radical, 203–207, 1030–1036
 hydroxylation, 565–566
of methylene, 310–311
orientation in, 187–190, 194–195, 197
oxymercuration-demercuration, 500,
 503–505
- peroxide effect, 189–190, 203–205
polymerization, 206–207, 1030–1041
stereochemistry, halogens, 239–246
 halogen azides, 247
 halohydrin formation, 247
 hydroboration, 501, 506–507, 509
 hydroxylation, 242, 565–566
 oxymercuration, 504
of sulfuric acid, 180, 190–191
of water, 180, 191, 497–498
- alkylation of, 181, 201–203
alkyl halides from, 454, 455
analysis, 219–221
cleavage reactions, 182, 218–219
dimerization of, 180, 200–201
ease of formation of, 159
epoxides from, 562, 563
geometric isomerism in, 147–151
halogenation of, 182, 208–211, 456
hydration of, 180, 191, 497–498
hydrogenation, 179, 182–186
 heats of, f 183
hydroxylation of, 181–182, 207–208,
 565–566
 stereochemistry, 565–566
hyperconjugation in, 266–267
industrial source, 110, 154, 1041
nomenclature, 151–153
ozonolysis of, 182, 218–219
physical properties, 152–154, f 152
polymerization (*see* Polymerization)
preparation, 154–160, 166–175
 from alkyl sulfonates, 480, 481–482
 coupling of allyl bromide with Grignard reagents, 281
 dehalogenation of vicinal dihalides, 155, 156, 489
 dehydration of alcohols, 155, 156,
 166–175, 521–523
 dehydrohalogenation of alkyl halides, 154–155, 156–160, 475–485
 Hofmann elimination, 480, 752–755
 reduction of alkynes, 155, 254–255, 256–257
 Wittig reaction, 714–716
reactions, 177–224
relative reactivity toward acids, 195
resonance in, 266–267
spectroscopic analysis, f 412, f 421, 444–445
stability of, 159, 184–186, 266–268
substitution reactions, 182, 208–211
- Alkenylbenzenes** (*See also* Arenes)
analysis, 400
conjugation, 395–396
preparation, 394–396
reactions, 396–399
- Alkoxides**, 527, 556
- Alkoxy groups**, analysis for, 570–571
- Alkoxymercuration-demercuration**, 555,
 558–559
- Alkyd resins**, 1042
- Alkylacetoacetic ester**, 850

- Alkylation**
- of alkanes, 110
 - of alkenes, 181, 201–202
 - of amines, 742, 746, 752–755
 - of carbonyl and acyl compounds, 846–864
- B-Alkylanthracenes**, 993
- B-Alkyl-9-BBN**, 857
- Alkylbenzenes**, 372–389
- analysis, 384–385, 399–400
 - electrophilic substitution, 383, 385, 386
 - halogenation, 383–384, 386–389
 - hydrogenation, 382
 - industrial source, 375–376
 - nomenclature, 373–374
 - oxidation, 382, 384–385
 - physical properties, 374–375, *t* 375
 - preparation, 376–377
- Clemmensen reduction of ketones, 377, 636
- Friedel-Crafts alkylation, 376, 377–382, 385
- Wolff-Kishner reduction of ketones, 377, 636
- reactions of, 372, 373, 382–389
- summary, 382–383
- spectroscopic analysis, *t* 421, 444–445
- substitution, ring, 383, 385–389
- side-chain, 383–384, 386–389
- B-Alkyl-9-borabicyclo [3.3.1] nonane**, 857
- Alkylboranes**, 856–858
- 2-Alkyl-4,4-dimethyl-2-oxazoline**, 855
- Alkyl free radicals**, 47–49, 97–100
- hyperconjugation, 216–218
 - relative stabilities, 102–103
 - stereochemistry, 237–239
 - structure, 62–63
- Alkyl groups**
- electronic effects, 164
 - nomenclature, 81–83
- Alkyl halides**, 452–491
- vs. alkyl sulfonates, 527–528
 - analysis, 486, 823–824
 - vs. aryl halides, 823–824, 825–826
 - bond dissociation energies, *t* 21, 61
 - bond lengths, *t* 825
 - coupling with organometallic compounds, 92–93
 - dehydrohalogenation of, 154–155, 156–160, 475–485
 - mechanisms, 157–158, 475–480 - dipole moments, *t* 825
 - elimination (*See also* dehydrohalogenation above)
 - E1, 475–476
 - E2, 475–480
 - stereochemistry, 480–484
 - vs. substitution, 457, 484–485 - Grignard reagent from, 91–92
 - hydrolysis, 459–473
 - alcohol synthesis, 502, 503
 - glycol synthesis, 502
 - nomenclature, 452–453
 - physical properties, 453–454, *t*, 453
 - preparation, 454–456
 - from alcohols, 455, 518–519, 523–524
 - from alkanes, 455
 - from alkenes, 179, 187–190, 209–210, 455, 456
 - from alkynes, 455
 - by halide exchange, 456 - reactions, 456–458
 - with acetyliides, 253, 260–261, 484–485
 - with alkoxides, 457, 470, 555, 556–558
 - with amines, 457, 746, 752
- with ammonia, 457, 738–740
 - with cyanide ion, 457, 587, 588–589
 - with halide ion, 456, 457
 - with hydroxide ion (*see* hydrolysis above)
 - with nucleophiles, 456, 457
 - with phenoxides, 555, 556–558
 - with sodioacetoacetic ester, 457, 850–852
 - with sodiomalonic ester, 457, 847–850
 - with water (*see* hydrolysis above)
- reduction, 90, 91, 92, 458
- solvolysis, 473–474
- spectroscopic analysis, 486
- structure, 452
- substitution, nucleophilic, 456, 457, 459–474, 484–485
- kinetics, 459–460, 461, 466–467
 - rearrangement, in S_N1 , 470–471
 - relative reactivities, S_N1 , 469–470, 471
 - S_N2 , 464–465, 471
 - S_N1 , 466–471
 - compared with S_N2 , 471–473 - S_N2 , 461–465
 - compared with S_N1 , 471–473
- (*See also* Acetoacetic ester synthesis, Friedel-Crafts alkylation, Malonic ester synthesis)
- Alkyl hydrogen sulfates**, 190
- Alkylmalonic esters**, 847–848
- Alkyl shift**, 172, 857
- Alkyl sulfonates**
- preparation, 459, 527–528
 - reactions, 458
 - and stereochemistry, 527–528
- Alkynes**, 248–262
- acytliides from, 256, 257–259
 - acidity, 256, 257–259
 - alkyl halides from, 455
 - analysis, 259, 278–279
 - hydration, 255, 261–262
 - industrial source, 251–252
 - nomenclature, 250–251
 - ozonolysis of, 278
 - physical properties, *t* 251
 - preparation, 252–254, 260–261
 - from acetylides, mechanism, 484–485 - reactions, 254–259
 - as acids, 256, 257–259
 - addition, 254–255, 256
 - reduction, stereospecific, 155, 254–255 - spectroscopic analysis, *t* 412, *t* 421, 444–445
 - structure, 248–250
- Alkynylbenzenes**, 373, 374, 399 (*See also* Arenes)
- analysis, 400
- Allene**, *t* 263 (*See also* 1,2-Propadiene)
- Allenes**, 262
- optically active, 280
 - Allinger, N. L., 305, 315
 - Allitol, 1087
 - β -D-Allopyranose, 1106
 - (+)-Allose, 1087
 - Allyl alcohol, 492, *t* 495
 - Allyl anion
 - electronic configuration, 932–933
 - molecular orbitals, 933 - Allylbenzene, 374
 - Allyl bromide
 - coupling with Grignard reagents, 281
 - preparation, 209 - Allyl cation, 268–271
 - from cyclopropyl cation, 946
 - electronic configuration, 932–933
 - ionization potential of free radical, 269

- molecular orbitals, 933
 relative stability, 269
 resonance, 269–270
Allyl chloride, *t* 453
 preparation, 182, 209, 210
 reactions, 716
Allyl cyanide, 875
2-Allylcyclohexanone, 860
Allyl ether, *t* 553
Allyl free radical, 209, 210
 electronic configuration, 932–933
 HOMO, 955
 molecular orbitals, 933
 relative stability, 211
 as resonance hybrid, 212–215
Allylic hydrogen, 210
Allylic substitution, 288
Allylideneetriphenylphosphorane, 716
Allyl iodide, *t* 453
Allyl phenyl ether, 572
Allyltriphenylphosphonium chloride, 716
Alpha helix, 1154, 1157–115;
 Alternating copolymers, 1034
 (+)-Altraric acid, 1087
 (-)-Altrose, 1087
Aluminum isopropoxide, 520
Amide group, in peptide linkage, 1141–1142
Amides
 carboxylic acid, 591, 592, 603, 658, 670–672
 acidity, 672, 758
 analysis, 687–688
 Hofmann degradation, 741–742, 888 893
 hydrolysis, 671–672
 nomenclature, 658–659
 nucleophilic acyl substitution, 660–661
 physical properties, *t* 614, 659, *t* 660
 preparation, 591, 665, 558, 670, 675, 682
 reactions, 671–672
 spectroscopic analysis, 688–690
 vs. sulfonamides, 757–758
 structure, 658
 substituted, 746–747, 755–758
 analysis, 776
 hydrolysis, 757–758
 nomenclature, 756
 preparation, 746–747, 755–757
 spectroscopic analysis, 776–778
Amidol, 807
Amination, of α -halo acids, 1138–1139
 pyridine, 1015
 reductive, 735, 736, 740–741, 742
Amines, 727–786
 acidity, 758
 acylation, 746–747, 755–757
 alkylation, 742, 746, 752–753, 754
 analysis, 754–755, 775–776
 aromatic
 acetylation, 746, 757, 759
 basicity, 749–752
 conversion into diazonium salts, 763, 765
 coupling with diazonium salts, 772–774
 nitrosation, 748, 763–765
 ring substitution, 747, 758–760
 sulfonation, 760
 basicity, *t* 729–730, 731, 745, 748–752, *t* 749
 effect of substituents, 751–752
 classification, 727–728
 conversion into amides, 746–747, 755–757,
 1148
 derivatives, 776, *t* 781
 exhaustive methylation, 754–755
 Hinsberg test, 775–776
 from Hofmann degradation of amides,
 736 737 747–748, 888–893
Hofmann elimination, 479, 753–755
industrial source, 733
nitrosation, 748, 763–765
nomenclature, 728–729
physical properties, *t* 729–730, 729–731
preparation, 733–742
 Curtius reaction, 889
 Gabriel synthesis, 744
 from halides, 734–735, 736–737,
 738–740, 742
 Hofmann degradation of amides, 736,
 737, 747–748, 888–893
Lossen reaction, 919
 reduction, of nitriles, 735–736, 737
 of nitro compounds, 734, 736, 737–738
 reductive amination, 735, 736–737,
 740–741, 742
 protection of amino group, 758–760
 quaternary ammonium salts, 752–755
 reactions, 745–786
 with carbonyl compounds, 858–859
 with nitrous acid, 748, 736–765
 with sulfonyl chlorides, 746–747, 755–757
 775–776
 summary, 745–748
 salts, 729, 731, 745
 spectroscopic analysis, *t* 412, *t* 421, 776–777
 stereochemistry, 731–733
 structure, 727
***o*-Aminoacetamide**, 737
Aminoacetic acid, 747 (*See also* Glycine)
***p*-Aminoacetophenone**, 513
Amino acid residue, 1142
 C-terminal residue, 1142, 1144, 1146
 N-terminal residue, 1142, 1144–1146
 terminal residue analysis, 1143–1146
Amino acids, 605, 1132–1149
 acidic, 1133
 basic, 1133
 configuration, 1138
 as dipolar ions, 1133, 1136–1137
 essential, 1133, *t* 1134–1135
 isoelectric point, 1137–1138
 natural, *t* 1134–1135, 1138
 physical properties, 1133, 1136–1138
 preparation, 1138–1140
 reactions, 1141
 structure, 1133
1-Aminoalkanes, synthesis, 733
1-Amino-1-anisyl-1-phenyl-1-propanol,
 deamination, 901–903
1-Aminoazulene, 999
***p*-Aminobenzene sulfonamide** (*see*
 Sulfanilamide)
***p*-Aminobenzenesulfonanilide**, 779
***p*-Aminobenzenesulfonic acid** (Sulfanilic
 acid), 760
***m*-Aminobenzoic acid**, *t* 580, *t* 600
 formation, 844
***o*-Aminobenzoic acid**, 997 (*See also*
 Anthranilic acid)
***p*-Aminobenzoic acid**, *t* 580, *t* 600, *t* 730
 as essential metabolite, 762
 γ -Aminobutyric acid, 728
3-Amino-2,3-dimethyl-2-butanol, 898
2-Amino-1,1-diphenyl-1-propanol, 899–900
2-Aminoethanol, 565, 728 (*See also*
 Ethanolamine)
1-Aminoheptane, 740
***o*-Aminoisocaprylic acid (Leucine)**, 849
1-Aminoisquinoline, 1021
2-Amino-4-methylbiphenyl, 823
1-Amino-2-(*p*-methoxyphenyl)-1-phenyl-2-
 propanol, 904

- 1-(Aminomethyl)naphthalene**, 977
1-Amino-2-methyl-1-phenylpropane, 133
2-Amino-2-methyl-1-propanol, 855
 α -Amino- β -methylvaleric acid, 849 (*See also Isoleucine*)
2-Aminonaphthalene, 1020 (*See also 2-Naphthylamine*)
4-Amino-1-naphthalenesulfonic acid, 984
8-Amino-1-naphthalenesulfonic acid, 984
5-Amino-2-naphthalenesulfonic acid, 984
6-Amino-2-naphthalenesulfonic acid, 968
8-Amino-2-naphthalenesulfonic acid, 984
4-Amino-1-naphthol, 997
1-Amino-2-naphthol, 997
1-Amino-1-(2-naphthyl) ethane, 980
2-Aminopentane, 741
m-Aminophenol, *t* 788
 σ -Aminophenol
 physical constants, *t* 788
 reactions, 1020
***p*-Aminophenol**, *t* 788
1-Amino-1-phenyl-2-*p*-tolyl-2-propanol, 904
 α -Aminopropionic acid, 739 (*See also Alanine*)
 β -Aminopropionitrile, 872
2-Aminopyridine
 preparation, 1015
 reactions, 1013
 sodium salt, 1015
3-Aminopyridine, 1014
4-Aminopyridine, 843, 1015
2-Aminoquinoline, 1018
5-Aminoquinoline, 1023
Aminosuccinic acid, 870
Aminotoluene, (*see Toluidine*)
Ammonia, 17-19
 acidity, 257-258
 constant, 672
 basicity, 17, 32-33
 compared with amines, 749-750
 constant, 748
 bonding in, 17-19, 25
 dipole moment, *t* 23, 24-25
 inversion, 18
 unshared pair of electrons, 18, 25
Ammonium carbamate, 686
Ammonium formate, formate, 582
Ammonium glycinate, 734
Ammonium phthalamate, 672
Ammonium succinate, 668
Ammonolysis, 665
 of anhydrides, 668
 of esters, 675, 682
 of halides, 734, 736, 738-740
Amphiphatic molecules, 1060
Amplitude, of wave, 926
Amyl alcohol, *t* 495, 498
Amylopectin, 1120
 structure, 1124-1126
Amylose, 1120-1124
 reactions, 1121-1122
 structure, 1120-1124
Amytal, 862
Anaerobic processes, 1172
Analysis (*See also individual families and individual elements*)
 alkoxy, 570-571, 800
 Carius method, 69, 334
 chromatographic, 1143
 combustion, 67-69
 dansyl method, 1146
 by derivatives, 139
 determination of structure, 111-112, 405-406
 Dumas method, 333
 electron spin resonance (esr), 443-444
 elemental, qualitative, 67-68
 elemental, quantitative, 68-69
 infrared, 111, 112, 410-411, 444-445
 Kjeldahl method, 333-334
 mass spectrometric, 112, 406-409
 methoxyl, 570-571
 neutralization equivalent, 608
 nuclear magnetic resonance (nmr), 111, 112, 414-443, 445
 by periodic acid, 538
 saponification equivalent, 687-688
 Schoniger oxidation, 68
 sodium fusion, 68
 spectroscopic, 111-112, 405-451
 (*See also individual types and individual families*)
 structure, determination of, 111-112, 405-406
 ultraviolet, 412-414
 Van Slyke method, amino nitrogen, 1141
 x-ray, 112
 Zeisel method, 570-571, 800
Anchimeric assistance, 886, 889, 907-911
Androst-9(11)-ene, 516
Anet, E A L, 438
Anethole, 791
Angle strain, 289-293 (*See also Baeyer strain theory, Bond angles*)
Angular methyl groups, 514, 975
Anhydrides (*see Acid anhydrides*)
Aniline, 331, 727, *t* 730
 industrial preparation, 733
 preparation, 827, 836
 protection of amino group, 760
 reactions, 365, 735, 742, 746-747, 756, 760, 762, 766, 878, 1018, 1020
 resonance, 364
Aniline hydrochloride (*see Anilinium chloride*)
Anilinium chloride, 729, 745
Anilinium hydrogen sulfate, 760
Anionic polymerization, 1037-1039
Anisaldehyde, *t* 620, 644
Anisic acid, *t* 580, *t* 600, 800
***m*-Anisidine**, *t* 730, *t* 749, 839
***o*-Anisidine**, *t* 730, *t* 749
***p*-Anisidine**, *t* 730, *t* 749
Anisole, 552, *t* 553, 556, 773
Annulenes, 336, 447, 935
Anomeric effect, 1106
Anomers, 1096
Antarafacial reaction, 951
Anthocyanins, 1024
Anthracene, *t* 967, 988-996
 derivatives, preparation by ring closure, 992-994
 nomenclature, 988
 reactions, 989-992, 998
 resonance energy, 989
 structure, 989
 test for, 399
1-Anthracesulfonic acid, 992
Anthranilic acid
 formation, 844
 physical constants, *t* 580, *t* 600, 614
Anthraquinoid dyes, 993
9,10-Anthraquinone
 physical constants, *t* 967
 preparation, 990, 992, 997
Anthrone, 993
anti-Addition, 240
Antiaromatic, 938

- Antibiotics**, 761, 1181
Antibonding orbitals, 929
***anti* Conformation**
n-butane, 78, 300
 in F2 elimination, 480–482, 483
Antimony fluoride, 160–161
Aprotic solvents, 31–32, 849
Arabans, 1130
 α -D-Arabinopyranose, 1106
 $(+)$ -Arabinose, 1081
 $(-)$ -Arabinose, 1082–1084
Arachidamide, *t* 614
Arachidaniide, *t* 614
Arachidic acid, *t* 614
Arecaidine, 1025
Arenes, 372–404 (*See also* Alkenylbenzenes, Alkylbenzenes, Alkynylbenzenes)
 analysis, 384–385, 399–400
 industrial source, 375–376
 physical properties, 374–375
 preparation, 376–382, 394–396
 reactions, 382–389, 396–399
 addition reactions, 397–399
 hydrogenation, 382, 396
 oxidation, 382, 384–385, 396
 ring substitution, 383, 385–387
 side chain substitution, 383, 387–389
 structure and nomenclature, 373–374
 $(+)$ -Arginine, *t* 1134
Aromatic compounds, definition, 318
 heterocyclic (*see* Heterocyclic compounds)
 polynuclear (*see* Polynuclear aromatic compounds)
 sources, 286, 375–376
Aromatic hydrocarbons (*see* Arenes; Polynuclear aromatic compounds)
Aromaticity
 of annulenes, 336, 447, 935
 electronic configuration and, 936–937
 experimental criteria of, 318, 327–328, 934–935
 geometry and, 328, 330, 935
 Hückel rule and, 328–331, 934–938
 nmr and, 328, 419, 935
 requirements for, 328–331, 934–937
Aromatic properties, 318, 327–331 (*See also* Aromaticity)
Aromatic proton, nmr chemical shift, *t* 421
Aromatic sextet, 328–330, 936–937, 969, 1005, 1012
Aromatization, anthracene derivatives, 992
 hydroaromatic compounds, 286, 974–976
 isoquinoline derivatives, 1021
 naphthalene derivatives, 974–976, 985–988
 phenanthrene derivatives, 994–996
 quinoline derivatives, 1020
***o*-Aroylbenzoic acids**, 993
Aryl alkyl ethers, 552, 555
 cleavage, 559, 560, 800
 oxidation, 800
 Williamson synthesis, 556–558, 793–794, 799–800
Aryl bromides (*see* Aryl halides)
Aryl carbamates (*see* Urethanes)
Aryl chlorides (*see* Aryl halides)
Aryl fluorides, in nucleophilic aromatic substitution, 835 (*See also* Aryl halides)
Aryl halides, 452, 817–845
 vs. alkyl halides, 817, 818, 821
 ammonolysis, 735, 736, 823, 827
 analysis, 841
 bond lengths, *t* 825
 dipole moments, *t* 825, 826
 electrophilic substitution, 342, 365–368
 orientation, *t* 340, 366–367
 reactivity, 365–367
Grignard reagent, 513, 822
 hydrolysis, 793, 823, 826–827
 low reactivity, 822, 823–824
 structure and, 824–826
nomenclature, 331–332
nucleophilic substitution, 822–823, 826–841
 bimolecular displacement, 822–823,
 826–841
 elimination-addition, 823, 835–841
 physical properties, 818–819, *t* 819, *t* 825
 preparation from diazonium salts, 765–766,
 767–768, 820–821
 by halogenation, 349, 386, 820, 821
 nitration, *t* 340
 reactions, 821–823
 structure, 817–818, 824–826
 vinyl halides, similarity to, 823–826
Aryl iodides (*See also* Aryl halides)
 preparation from aryl thallium compounds,
 820–821
Arylmagnesium chlorides, 509, 822, 1010–1011
Aryloxyacetic acids, 805
Arylthallium compounds, 350–351
 iodides from, 820–821
 phenols from, 792–793
Arylthallium difluoracetates, 351
Asparagine, 127, 1141
 $(-)$ -Asparagine, *t* 1134
Aspartic acid, 870, 1140
 $(+)$ -Aspartic acid, *t* 1134, 1181
Aspergillus niger, 1129
Asphalt, *t* 87
Aspirin, 804
Associated liquids, 30, 496
Atactic polypropylene, 1040–1041
Atomic orbitals (*see* Orbitals)
Atomic structure, 5
Atomic weights (*see* back inside cover)
ATP (adenosine triphosphate), 864,
 1171–1172, 1174
Atropa belladonna, 614, 1025
Atropic acid, 614
Atropine, 1025
Atropisomers, 140
Aureomycin, 761
 Axial bonds in cyclohexane, 298–299
1-Azaphenanthrene, 1020
Azeotropes, 499, 602, 641
Azides, 889
Azobenzene, 744
Azo compounds, 767, 772–775
Azo dyes, 738
Azoisobutyronitrile AIBN, 1024
Azulene, 998–999

B

- Back-biting**, in polymerization, 1033
Bacterial enzymes, 584
von Baeyer, Adolph, 289
Baeyer strain theory, 289–290, 292 (*See also* Angle strain)
Baeyer test, 208, 220
Bakelite, 1043
Barbital, 862
Barbiturates, 687
Barbituric acid, 687 ..
Bardhan-Sengupta synthesis, 996
Bartlett, P.D., 884
Base-catalyzed halogen dance, 818, 845
Bases
 Lewis definition, 33–34

- Lowry-Bronsted definition**, 32–33, 236–237
and molecular structure, 34
Basicity, 32–35
alkenes, 178
alkoxide ions, 526
amines, 727, *t* 729, 731, 748–752, *t* 734
benzene ring, 337
carbanions, 257–259, 1017
carboxylate ions, 594
piperidine, 1018
pyridine, 1012, 1016–1018
pyrrole, 1005–1010
relative, 33, 257–259, 526, 1016–1017
Basicity constants, 748
amine, *t* 729, 748, *t* 749
amino acids, 1136–1137
ammonia, 748
isoquinoline, 1021
pyridine, 1018
pyrrole, 1005
quinoline, 1018
Basketane, 285
9-BBN, 857
Beckmann rearrangement, 920, 1051
Beef tallow, *t* 1057
Bender, Myron, 679
Benedict's reagent, 1071, 1075
Benzalacetone, *t* 866
preparation, 704, 713
reactions, 879
Benzalacetophenone (Chalcone), *t* 866
preparation, 704, 713
reactions, 870, 873, 875, 879
Benzal bromide, *t* 453
Benzal-*p*-bromoacetophenone, 875
Benzal chloride, 361, *t* 453
preparation, 383, 386
Benzaldehyde, 618, *t* 620
reactions, *t* 340, 631, 704, 713, 714, 715,
730, 740, 1020
Benzaldehyde, acetal with glycerol, 651
Benzaldehyde diethyl acetal, 641
Benzaldehyde phenylhydrazone, 633, 1077
Benzaldoxime, 744
Benzamide, 659, *t* 660, 672
infrared spectrum, 689
Hofmann rearrangement, 889
preparation, 665
Benzanilide, *t* 730
preparation, 756, 1051
1,2-Benzanthracene, *t* 967
synthesis, 998
1,2-Benz-9,10-anthraquinone, 993
Benzedrine, 743
Benzene, 286, 318–336
aromatic properties, 318, 321–322, 324,
326, 327–328
bromination, 321, 344
carbon–carbon bonds in, 323–324
chlorination, 321, 349
derivatives, nomenclature, 331–333
“Dewar” formula, 317, 965
disubstitution products, 320–321
electronic configuration, 934
electrophilic substitution, 322, 328
(*See also* Electrophilic substitution)
Friedel-Crafts acylation, 322, 348–349,
986–987
Friedel-Crafts alkylation, 322, 348–349
halogenation, 322, 349
heat of combustion, 322–323
hydrogenation, 286
heat of, 322–323
industrial source, 376
isomer number and structure, 317–321, 324
Kekulé structure, 317–321
Korner method of absolute orientation,
332–333
Ladenburg prism formula, 335
mass spectrum of, 408
nitration, 322, 341–342, 344, 345–347
orbitals, 325–326, 933–934
physical properties, *t* 375
reactions, 321–322
vs. cyclohexene, *t* 321
resonance, 324–327
stability and, 324–325
as source of aromatic compounds, 375–376
stability of, 321–323, 324–325, 328, 330,
936–937
structure, 317–321, 324–327
sulfonation, 322, 339, 347–348
thallation, 820
thiophene in, 1006
Benzenediazonium chloride, 747, 766
Benzenediazonium fluoroborate, 766
Benzenediazonium hydrogen sulfate, 766
1,4-Benzenedicarboxylic acid, 384
(Terephthalic acid)
Benzenesulfonamide, 758
Benzenesulfonanilide, 746
Benzenesulfonic acid, 331, 760
nitration, *t* 340
preparation, 322
Benzenesulfonyl-m-toluide, *t* 781
Benzenesulfonyl chloride, 757
in Hinsberg test, 775
Benzenonium ions, 346, 913, 914
Benzhydrol, 650, *t* 495 (Diphenylcarbinol)
Benzidine, *t* 730
Benzil, 645
Benzilic acid, 645
rearrangement, 645
Benzioic acid, 331, 579, *t* 580
industrial source, 584–585
preparation, 382, 384, 396, 665
reactions, *t* 340, 821
relative acidity, 595–596
Benzoin anhydride, 659
Benzoin, 1077
Benzonitrile, 589
nitration, *t* 340
Benzophenone, 619, *t* 620
preparation, 623
in Wittig reaction, 715
Benzophenone oxime
geometric isomers, 744
reactions, 920, 1051
5,6-Benzoquinoline, 1020
p-Benzoquinone, 877, 878
reactions, 877–880
m-Benzotoluuidide, *t* 781
Benzotrichloride, 383, 386, *t* 453
physical constants, *t* 453
preparation, 383, 386
Benzoylacetone, nmr spectrum, 726
o-Benzoylbenzoic acid
preparation, 669, 992
reactions, 992, 993
p-Benzoylbenzoic acid, 513
Benzoyl chloride, 659, *t* 660
preparation, 590, 601
reactions, 756, 794
Benzoylglycine, 1147
Benzoylglycylalanine acid, 1147
 β -Benzoylpropionic acid, 987
2-Benzoylthiophene, 1008
3,4-Benzyldiphenylmethane, 997

Benzyl acetate, *t* 674
preparation, 591, 673
Benzyl alcohol, 492, *t* 495
esterification, 591, 673
infrared spectrum, 539
preparation, 502, 503
Benzylamine, *t* 729
physical constants *t* 729
preparation, 739, 740
reactions, 734
o-Benzylbenzoic acid, 993
Benzyl bromide, *t* 453
preparation, 388, 455
reactions, 556
Benzylbromomalonic acid, 1139
Benzyl cations, stability of, 397–398
Benzyl chloride, 452, *t* 453
preparation, 383, 386
reactions, 378, 746, 808
reactivity, 361
Benzyl chlorocarbonate
in peptide synthesis, 1148
synthesis, 686
Benzyl cyanide (Phenylacetonitrile), 587, 735
Benzylid (*n*-butyl) amine, 746
Benzylimidethylamine, 734
Benzyl ethyl ether, 572
Benzyl free radical
resonance stabilization, 389–390
stability and ease of formation, 388
Benzylic hydrogen, 387
Benzyl iodide, *t* 453
1-Benzylisoquinoline, 1023
Benzylmagnesium chloride, 533
Benzylmalonic acid, 1139
Benzyl methyl ketone, 619, 897
formation, 897
nomenclature, 619
Benzyl phenyl ether, 556
Benzyne (*See also*
in nucleophilic aromatic substitution,
835 841
structure, 836
Bergmann, Max, 1148
Berson, Jerome, 959
Beryllium, 11
Beryllium chloride, 11–13
Betaine, 1161
Betaines, 705, 715
Bicyclic compounds, 288
trans-Bicyclo [4.4.0] deca-2,4-diene, 947
cis-Bicyclo [6.2.0] deca-2,9-diene, 947
cis-Bicyclo [6.2.0] deca-2,4,6,9-tetraene, 961
Bicyclo [2.2.1] heptane, 285
1,1'-Bicyclohexenyl, 879–880
cis-Bicyclo [4.3.0] nona-2,4-diene, 947
trans-Bicyclo [4.3.0] nona-2,4-diene, 947
Bicyclo [2.2.2] octa-2-ene, 285
cis-Bicyclo [4.2.0] octa-7-ene, 961
Bijvoet, J.M., 130, 229, 230, 1090
Bilayers, 1066
Bile acids, 515
Bimolecular displacement mechanism (*See*
Nucleophilic aromatic substitution)
Bimolecular elimination (E2 mechanism),
475 (*See also* Elimination reactions)
Biochemical processes, 1164–1183
biological energy, 1170–1172
biosynthesis of fatty acids, 1175–1177
chymotrypsin action, 1165–1170
heredity, 1180–1181
nucleoproteins and nucleic acids, 1177–1180
oxidation of carbohydrates, 1172–1175
Biochemistry, definition, 1055
Biodegradable detergents, 1062
Biogenesis, 278
Bio-inonose, 1108
Biological energy, 1170–1172
Biological oxidation of carbohydrates,
1172–1175, 1182
mechanism, 1173–1175
Biosynthesis
of fats, 1056
of fatty acids, 1175–1177
Biot, Jean-Baptiste, 120
Biphenyl, *t* 375, 823
Bischler-Napieralski synthesis, 1021
2,2-Bis(*p*-hydroxyphenyl) propane, 1052
1,1-Bis(*p*-methoxyphenyl)-2,2-diphenyl-1,2-
ethanediol, 898
Bisphenol A, 1052
Bisulfite addition products, 632, 638–639
Block copolymers, 1036, 1039
Boat conformation, 295
Bogert-Cook synthesis, 994
Boiling point, 29–30
associated liquids, 30, 495–496, 582, 789
chain branching and, 86
chain length and, 85
hydrogen bonding, intermolecular, 30, 495–
496, 582, 789
intramolecular, 789
ionic vs. non-ionic compounds, 29–30
molecular shape and, 86
molecular size and, 30, 85
polarity, 496
Bond angle, 13
Bond dissociation energy, inside front cover,
20–21, *t* 21
Bond energy, 20–21
Bond length, 10
Bond orbitals (*see* Orbital (s))
Bonds
bending, infrared absorption and, 410,
444–445
bent, 293
benzene, 324
covalent, 4–5, 9–11 (*See also* Covalent bonds)
dipole-dipole, 27–28
double (*see* Carbon–carbon double bond)
hybrid, 212
ion-dipole, 30, 158
ionic (*see* Ionic bonds)
one-and-a-half, 212, 324
orbitals (*see* Orbital(s))
from overlap of orbitals, 9–11
 π (*see* π bonds)
polarity, 22
 σ (*see* σ bonds)
single (*see* Carbon–carbon single bond)
stretching, infrared absorption and, 416,
444–445
triple (*see* Carbon–carbon triple bond)
Bond strength (*see* Bond dissociation
energy)
9-Borabicyclo [3.3.1] nonane, 857
Borane, 505
tetrahydrofuran complex, 505
Borane-tetrahydrofuran complex, 505
Borazole, 327
Boric acid, 505
Borneol, 1107
Boron, 14
Boron trifluoride, 13–15
Boyd, T.A., 109
Bromination (*See also* Halogenation)
of alkanes, 95–109
of alkenes, 186–187
of alkylbenzenes, 387–388
of methane, 45

- stereochemistry, 904–907
Bromine, *t* 408
p-Bromoacetanilide
 preparation, 820
 reactions, 747, 757 ·
Bromoacetic acid, *t* 600, 604
Bromoacetone
 preparation, 706
 reactions, 856–858
2-Bromo-*p*-acetotoluide
 preparation, 343
 reactions, 760, 771
Bromoalkanes, 95
3-Bromo-4-aminotoluene
 preparation, 760
 reactions, 775
m-Bromoaniline, *t* 730
 physical constants, *t* 730
 preparation, 736
 reactions, 771
o-Bromoaniline, *t* 730
p-Bromoaniline, *t* 730, 747
p-Bromoanilinium chloride, 757
m-Bromoanisole, 839
o-Bromoanisole, 839
9-Bromoanthracene, 991
p-Bromobenzaldehyde, 621
m-Bromobenzamide
 physical constants, *t* 614
 reactions, 736
m-Bromobenzanilide, *t* 614
Bromobenzene, 331, *t* 819, *t* 825
 nitration, *t* 340
 preparation, 322
m-Bromobenzenediazonium chloride, 771
p-Bromobenzenesulfonyl group, 458
m-Bromobenzoic acid, *t* 580, 614
o-Bromobenzoic acid, *t* 580, 586
p-Bromobenzoic acid, *t* 580, 581
 1-Bromobicyclo [2.2.1] heptane, 162
 1-Bromobicyclo [2.2.1] octane, 162
 1-Bromobutane (*See also* *n*-Butyl bromide)
 2-Bromobutane (*see sec*-Butyl bromide)
 3-Bromo-2-butanol, 904–907, 909
 3-Bromo-1-butene, 271
 1-Bromo-2-butene, 271
 β -Bromobutyric acid, 868
m-Bromochlorobenzene, 344, 843
 2-Bromo-1-chloroethane, 199
 3-Bromo-5-chloronitrobenzene, 332
Bromocyclohexane (*See also* Cyclohexyl bromide), 741
 nmr and conformational analysis of, 442–443, 447
 2-Bromocyclohexanol, 921
cis-4-Bromocyclohexanol, 463
 3-Bromocyclohexene, 182
 3-Bromo-2-cyclohexenol, 947
 2-Bromocyclohexyl brosylate, 911
Bromocyclopentane, 288
 1-Bromo-1,2-diphenylpropane, 480
Bromoethane (*see* Ethyl bromide)
2-Bromoethanol (*See also* Ethylene bromohydrin)
 preparation, 199
 7-Bromo-1-ethylnaphthalene, 988
 2-Bromoethyl nitrate, 199
o-Bromofluorobenzene, 841
Bromoform, 45, *t* 453
 α -Bromoglutaric acid, 606
 3-Bromo-1-hexene, 399
 α -Bromohydrocinnamic acid, 1139
 2-Bromo-5-hydroxybenzaldehyde, 343
D-(*–*)-3-Bromo-2-hydroxypropionic acid, 1088, 1089
p-Bromoiodobenzene, 332
 2-Bromo-1-iodoethane, 199
 α -Bromoisovaleric acid, 592
 1-Bromo-2-methoxynaphthalene, 997
 1-Bromo-3-methylbutane, 534
 2-Bromo-2-methylbutane, 158
 3-Bromo-3-methyl-2-butanone, 854
 1-Bromo-2-methylnaphthalene, 983
 1-Bromo-2-methylpropane, 96
 2-Bromo-2-methylpropane (*See* *tert*-Butyl bromide)
 1-Bromonaphthalene (*α*-Bromonaphthalene), *t* 967, 977, 1000
 preparation, 972
 2-Bromonaphthalene, *t* 969
 preparation, 982
m-Bromonitrobenzene, 771
Bromonitrobenzenes, 344
 Bromonium ions, 246, 906–907
 (*–*)-2-Bromooctane, 236, 462, 467, 469
 2-Bromopentane, 158
 2-Bromopentanedioic acid, 606
 9-Bromophenanthrene, 990–991
m-Bromophenol, *t* 788
 preparation, 771
o-Bromophenol, *t* 88, 794, 802
p-Bromophenol, 332, *t* 788
 preparation, 795, 802
1-Bromo-1-phenylethane (*See also* α -Phenylethyl bromide)
 preparation, 372, 387, 519
2-Bromo-1-phenylethane, 387
 α -Bromo- β -phenylpropionic acid, 1139
o-Bromophenyl *p*-toluenesulfonate, 794
 1-Bromopropane (*see* *n*-Propyl bromide)
 2-Bromopropane (*see* Isopropyl bromide)
 2-Bromopropanoic acid, 579
 1-Bromo-1-propene, 252
 2-Bromopropene, nmr signals, 416, 432
 3-Bromo-1-propene, 452 (*See also* Allyl bromide)
 1-Bromopropionic acid, 579
 preparation, 739
 reactions, 1139
 3-Bromopropyne, *t* 453
 2-Bromopyridine, 1015
 3-Bromopyridine, 1013
 4-Bromopyridine, 1018
 4-Bromopyridine N-oxide, 1017
 6-Bromoquinoline, 1021
 α -Bromostyrene, boiling point, 844
 N-Bromosuccinimide (NBS), 209
m-Bromotoluene, *t* 819, 844
 synthesis, 771
 α -Bromotoluene, *t* 819, 844
 synthesis, 765, 770
p-Bromotoluene, *t* 819, 844
 synthesis, 770
 2-Bromo-*p*-toluenediazonium chloride, 771
 Bromotrichloromethane, 274, 1050
 3-Bromo-1,1,1-trichlorononane, 181
 3-Bromo-5,5,5-trichloro-1-pentene, 274
 1-Bromo-5,5,5-trichloro-2-pentene, 274
 Brosyl (*see* *p*-Bromobenzenesulfonyl)
 Brown, C. A., 257
 Brown, H. C., 209, 238, 257, 505, 507, 856,
 913–914, 918
 Brucine, 237
 Bs (*see* *p*-Bromobenzenesulfonyl)
 Burnett, Joseph, 478, 479, 480, 818, 822, 834
 1,3-Butadiene, 262
 copolymerization of, 1033, 1036, 1039, 1048
 cycloaddition, 876–877, 949–950
 Diels-Alder reaction, 876–877, 942, 950
 electronic configuration 931

- electrophilic addition, 268, 271–273
 free-radical addition, 274–275
 heat of hydrogenation, *t* 263, 264
 molecular orbitals, 932
 polymerization, 275–276, 1031
 preparation, 263
 stabilization, 264–265
 (*See also* Dienes)
Butanal, 618
 (*See also* *n*-Butyraldehyde)
Butanes, 77–78
n-**Butane**, *t* 77, *t* 86
 bromination, 96
 chlorination, 95, 100
 conformations, 78–79, 294, 300
 dehydrogenation, 263
 halogenation, 95–96, 100
 isobutane, 77–78
 preparation, 90, 287
 thiophene from, 1006
Butanedioic acid (*see* Succinic acid)
Butane-gauche interactions, 299–301, 305
(+)-**2-Butanol**, 1089
Butanone (methyl ethyl ketone), 619, 632
2-Butenal (Crotonaldehyde), 704, 867
1-Butene, 146–147, *t* 147, 151, *t* 152
 addition of hydrogen halides, 188
 dehydrogenation, 263
 dipole moment, 153
 heat of combustion, 186
 hydrogenation, 147
 heat of, *t* 183, 185
 ozonolysis, 182
 preparation, 155
 reactivity, 195–196
2-Butene, 146–147, *t* 147, 151, *t* 152
 addition of hydrogen halides, 188
 cyclopropane from, 310, 311
 dehydrogenation, 263
 geometric isomerism, 147–149
 hydrogenation, 147
 preparation, 155, 156, 158, 166
 reactivity, 195, 196
cis- and *trans*-**2-Butenes**, 147–149
 addition of bromine, stereochemistry, 239–245
 addition of carbenes, stereochemistry, 311
 addition of methylene, stereochemistry, 310
 chlorhydrin formation, stereochemistry, 247
 dipole moments, 153
 glycol formation, stereochemistry, 242
 heats of combustion, 186
 heats of hydrogenation, *t* 183
 stability and, 184–185
 hydroxylation, stereochemistry, 242
 physical properties, *t* 147, *t* 152, 153
cis-**Butenedioic acid** (Maleic acid), 867
trans-**Butenedioic acid** (Fumaric acid), 867
cis-**Butenedioic anhydride**, 867
2-Butenoic acid, 581
1-Buten-2-ol, 494
Butter, *t* 1057
Butvar, 1045
***n*-Butyl acetate**, *t* 674
***tert*-Butyl acetate**, 681
***n*-Butylacetylene**, 253 (*See also* 1-Hexyne)
***n*-Butyl alcohol**, *t* 495, *t* 496
 dehydration, 155, 156
 derivatives, *t* 545
 industrial preparation, 712
 oxidation, 621
 preparation, 506, 636
***sec*-butyl alcohol**, *t* 495
 dehydration, 155, 166
 infrared spectrum, 539
 optical activity, 236
 preparation, 498, 530
***tert*-Butyl alcohol**, *t* 495
 dehydration, 166
 Friedel-Crafts alkylation with, 380
 hydrogen halides reaction, 519, 523
 iodoform test, 537
 preparation, 191, 498
***n*-Butylamine**, *t* 729, 742, 763, 919
***sec*-Butylamine**, *t* 729
***tert*-Butylamine**, *t* 729
***n*-Butylammonium bromide**, 739
***n*-Butylbenzene**, *t* 375
 infrared spectrum, 411
 preparation, 380, 631
***sec*-Butylbenzene**, *t* 375, 380
***tert*-Butylbenzene**, *t* 375, 380
***sec*-Butyl benzoate**, 625
***p*-*sec*-Butylbenzoic acid**, 586
***n*-Butyl bromide**, *t* 453
***sec*-Butyl bromide** (*See also* 2-Bromobutane)
 dehydrohalogenation, 158
 physical constants, *t* 453
***tert*-Butyl bromide**, 103, 190, *t* 453
 carbonium ion from, by electron impact, 162
 ease of elimination, 589
 hydrolysis, 460, 470
 S_N1 reaction, relative rate, 470
 S_N2 reaction, relative rate, 465
 reaction, with cyanide ion, 589
 with iodide ion, 465
trans-4-*tert*-Butyl-1-bromocyclohexane, 447
***sec*-Butylcarbinol**, 494 (*See also* 2-methyl-1-butanol)
 preparation, 511
***n*-Butyl cation**
 mass to charge ratio, 406
 rearrangement, 171–173
***tert*-Butyl cation**, 160
 by electron impact, 162
 nmr spectrum, 161
 in S_N1 reactions, 466
***n*-Butyl chloride**, *t* 453
 from *n*-butane, 95, 100
 dehydrohalogenation, 155, 156
 Friedel-Crafts alkylation with, 380
***sec*-Butyl chloride**, *t* 453
 from *n*-butane, 95, 100, 226–227
 dehydrohalogenation, 155, 156
 enantiomers of, 125, 129, 132
 lithiumdialkylcopper from, 93
 stereochemistry, 228–229, 232–235
***tert*-Butyl chloride**, *t* 452, *t* 453
 dehydrohalogenation, 486
 Friedel-Crafts alkylation with, 795
 from isobutane, 96, 99
 lithiumdialkylcopper from, 90
 preparation, 519, 523
 trimethylacetic acid from, 588
4-*tert*-Butylcyclohexene, 488
***cis*-4-*tert*-Butylcyclonexyl tosylate**, 488
***n*-Butyldimethylcarbinol**, 511 (*See also* 2-Methyl-2-hexanol)
Butylenes, 146–151
 physical properties, 147
 (*See also* Butene; Isobutylene)
***n*-Butyl ether**, *t* 553, 554
***tert*-Butyl fluoride**
 nmr spectrum, 161
***tert*-Butyl free radical**, 217
Butyl groups, 82
***sec*-Butyl hydrogen phthalate**, 669
***tert*-Butyl hydrogen sulfate**, 191

- n*-Butyl iodide, *t* 453
sec-Butyl iodide, 188, *t* 453
tert-Butyl iodide, 187, *t* 453
n-Butyl isopropyl ketone (2-Methyl-3-heptanone), 623
n-Butyllithium, 855, 1037
n-Butylmagnesium bromide, 531
2-(*sec*-Butyl) naphthalene, 980
p-*tert*-Butylphenol, 795
Butyl rubber, 1037, 1048
m-(*n*-Butyl) toluene, 627
p-*tert*-Butyltoluene
 nmr spectrum, 424
sec-Butyl tosylate, 528
1-Butyne (Ethylacetylene), 250, *t* 251
 preparation, 260
2-Butyne (Dimethylacetylene), 250, *t* 251, 254
1,4-Butynediol, 1007
1-Butyn-3-ol, 714
3-Butyn-2-ol, 714
n-Butyraldehyde, *t* 496, 618, *t* 620
 in aldol condensation, 712
 infrared spectrum, 646
 preparation, 621, 712
n-Butyramide, *t* 660
Butyric acid, *t* 580, *t* 600
n-Butyrophenone (Phenyl *n*-propyl ketone), 619, *t* 620, 631
n-Butyryl chloride, *t* 660
n-Butyryl-S-ACP, 1177
- C**
- Cadalene, 976
Cadaverine, 743
Cadinene, 976
Cadmium chloride, 627
Caffeic acid, 808
Cahn, R.S., 124, 130
Calcite, Nicol prism, 118
Calcium acetate, 582
Calcium carbide, 251
Calcium cyanamide, 687
Camphane, 316
Camphene hydrochloride, 915, 918
Camphoronic acid, 863
Cannizzaro reaction, 633, 643–645, 709
Capric acid, *t* 580
Caproaldehyde, *t* 620
Caproamide, 736
Caproic acid, *t* 580, 796
Caprolactam, 1051
Carbamates, 685 (*See also* Urethanes)
Caprylic acid, *t* 580
Carbamic acid, 684–685, 1044
Carbamide (Urea), 684
Carbanionoid compounds, 92, 93, 510, 715, 720, 840–841
Carbanions, 701–726, 846–864 (*See also* individual carbanions)
 from acetoacetic ester, 717–718, 850
 addition to aldehydes and ketones, 704–705, 709–711, 712–713, 714, 715–716, 719, 720–722
 in aldol condensations, 704–705, 709–711, 712–713
 basicity, relative, 1016–1017
 charge accommodation, 701–702, 718
 in Claisen condensation, 705, 716–720
 from cyanoacetic ester, 874
 in dehydrohalogenation, 477, 479
 in halogenation of ketones, 706–707
 from malonic ester, 847–849, 874
 in Michael reaction, 873–875
- in nucleophilic acyl substitution, 705, 720–722
in nucleophilic addition, 870–875
in nucleophilic aliphatic substitution, 93, 260–261, 847, 850
in nucleophilic aromatic substitution, 829–833, 836–841
pyridine, 1087–1088
orbitals, 258–259, 1016–1017
in organoborane synthesis, 856–857
in Perkin condensation, 714
racemization, 859–860
reactions, summary, 703–706
in Reformatsky reaction, 720–722
resonance, 701–702, 718
shape, 733
stereochemistry, 733
in Wittig reaction, 715
- Carbazole, 1002
Carbenes, 308–312
Carbenoid compounds, 312
2-Carboxyoxycyclopentanone, 718
Carbinol system for naming alcohols, 493–494
Carbitol, 566
Carbobenzoxy chloride, 686
 in peptide synthesis, 1148
Carbobenzoxyglycine, 1148
Carbobenzoxyglycylalanine, 1149
Carbohydrates, 1070–1131 (*See also* Aldohexoses, Aldoses, Monosaccharides, etc.)
 biological oxidation, 1172–1175
 classification, 1071
 definition, 1071
 disaccharides, 1112–1119
 esterification, 668, 1127
 fermentation, 497, 498–499
 methylation, 1099–1101
 monosaccharides, 1070–1111
 nomenclature, 1071, 1073–1075, 1103–1104
 osazone formation, 677–1078
 oxidation, 1075–1077
 polysaccharides, 1119–1128
o-Carbomethoxyphenylthallium
 dtrifluoroacetate, 351
Carbon, analysis for, 67–69
Carbonation of phenols, 796
Carbon–carbon double bonds
 analysis for, 183, 186, 208, 219–221
 in benzene, 323–327
 in ethylene, 143–146
 formation, 157
 hindered rotation about, 145, 148
 infrared spectra, 445
 length, 146
 protecting, 156
 reactions, 177–221
- Carbon–carbon single bonds
 in ethane, 73–76
 infrared spectra, 445
 length, 146, 267
 rotational barrier, 75, 76
- Carbon–carbon triple bonds, 248–250
 infrared spectra, 445
- Carbon-chain lengthening
 synthesis of alcohols, 530–533
 Aldol condensation, 709–714
 of aldoses, 1078–1080
 of alkanes, 92, 253, 260
 synthesis of amines, 737, 741
 of carboxylic acids, 768–769
- Carbon-chain shortening
 of aldoses, 1080

- degradation of alkenes**, 218
Hofmann degradation, 741
Carbon–halogen bonds, 368
Carbon–hydrogen bonds
 infrared spectra, 444
 lengths and hybridization, 267
Carboxic acid, 684
 stability, 685
Carboxic acid functional derivations,
 684–687
Carbonium ions (*See also* individual
 cations)
 in acetals, 642–643
 in addition to α , β -unsaturated carbonyl
 compounds, 869–870
 from alcohols and alkenes, 379
 in alkylation of alkenes, 202
 from alkyl halides, 379
 of anthracene and phenanthrene, 991
 in electrophilic aromatic substitution, 346,
 348, 352, 356–357, 359–368
 from dehydration of alcohols, 169–174
 delocalization, 268–271
 ease of formation, 170–171, 195
 electronic effect in, 162–163, 171
 in electrophilic addition, 191–194
 in electrophilic substitution in
 naphthalene, 978
 from free radicals, ionization potentials,
 164–165, 269, 397
 of pyridine, 1014
 reactions, 380
 rearrangement of, 171–173
 in rearrangements, 886–901
 in S_N1 reactions, 466, 469
 stability, 163–165, 170, 195, 269, 368
 structure, 161–162
Carbon tetrabromide, 45, t 453
Carbon tetrachloride, 31, 44, t 453
 addition to alkenes, 205
Carbonyl chloride (Phosgene), 684
Carbonyl compounds (*See also* Aldehydes,
 Keto acids, Ketones, α , β -Unsaturated
 carbonyl compounds)
 addition to, 704, 868–873
 preparation, 867
 structure and properties, 865–867
 α , β -unsaturated, 865–884
Carbonyl group
 and acidity of α -hydrogens, 701–703
 in aldehydes and ketones, 628–629
 in aldol condensation, 710
 bonding in, 613–618, 661
 in carboxylic acids, 592, 597–599
 in carboxylic acid derivatives, 660–662
 geometry, 617–618, 661
Carbowax, 1029
 σ -Carboxybenzenediazonium inner salt, 844
Carboxylate anion, basicity, 593–594
 structure, 597–599
Carboxyl group, 579
 electron withdrawal by, 592, 593
Carboxylic acid anhydrides (*see* Acid
 anhydrides)
Carboxylic acid chlorides (*see* Acid chlorides)
Carboxylic acids, 579–616 (*See also*
 Dicarboxylic acids)
 acidity, 592, 597–601
 effect of substituents, 599–601
 acidity constants, 593, t 600
 aliphatic, acidity, 599–600
 alpha-halogenation, 592
 sources, 583–583
 alpha-amino (*see* Amino acids)
 analysis, 608–609
 aromatic, acidity, 600–601
 nomenclature, 581
 preparation, 382, 384–385, 586
 ring substitution, 340, 592
 sources, 584–585
 biosynthesis, 1175–1177
 conversion, into acid chlorides, 590
 into amides, 591
 into esters (*see* Esterification below)
 into functional derivatives, 590–591
 into salts, 583–584, 590
 derivatives, 608, t 614
Dicarboxylic (*see* Dicarboxylic acids)
esterification, 591, 602–603
 mechanism, 680–682
 reactivity, 603
 (*See also* Esters)
 from fats, 584, 1060–1061
functional derivatives, 590, 591–592,
 658–700 (*See also* individual families)
 acid chlorides, 590, 664–666
 acid anhydrides, 667–668
 analysis, 687–688
 amides, 591, 670–672
 carbonyl group in, 661–665
 compared with sulfonyl derivatives,
 713–714
 esters, 591, 672–684
 hydrolysis, 660, 665, 668, 671, 675
 nomenclature, 658–659
 nucleophilic substitution, 660–664
 physical properties, 659–660, t 660, t 674
 spectroscopic analysis, 688–690
 structure, 658
halogenation, alpha (*see* Hell-Volhard–
 Zelinsky reaction)
hydrogen bonding in, 582
hydroxy (*see* Hydroxy acids)
ionization, 592, 593
keto (*see* Keto acids)
neutral/ration equivalent, 608
nomenclature, 580–582
physical properties, t 580, 582–583
preparation, 219, 585–588
 acetoacetic ester synthesis, 862
 carbonation of Grignard reagents, 586,
 587, 588
 via diazonium salts, 768–769
haloform reaction, 537–538, 973
hydrolysis of nitriles, 586, 588, 588, 589,
 768–769
Knoevenagel reaction, 714
Kolbe reaction, 796, 803–804
malonic ester synthesis, 847–850
organoborane synthesis, 856–858
via 2-oxazolines, 855–856
oxidation of alcohols, 520–521, 528, 529,
 585, 586, 587
 of alkenes, 219
 or arenes, 382, 384–385, 586
 of methyl ketones, 630, 635, 973
Perkin condensation, 714
periodic acid oxidation, 538
Reformatsky reaction, 720–722
reactions, summary, 590–592
reduction to alcohols, 591, 603, 604
salts, 582, 583–584, 590
 nomenclature, 582
 physical properties, 583–584, 608, 609
solubility, t 580, 582, 583–584
 salts, 583–584
sources, aliphatic, 584, 1060–1061
 aromatic, 584–585

- spectroscopic analysis, *t* 412, *t* 421, 609–610
 substitution, *alpha*, 592
 Hell-Volhard-Zelinsky reaction, 592,
 t 604–605
 ring, 340, 592
 unsaturated, from fats, 584, 1058,
 t 1060–1061
 α , β -unsaturated, *t* 866, 866–867
 electrophilic addition, 868
 hydrogenation, 721
 nucleophilic addition, 870–872
 preparation, 605, 867
 Carboxylic acids, functional derivatives,
 658–700 (*See also* Acid chlorides,
 Acid anhydrides, Amides, carbonic
 acid derivatives, Imides, Esters, Fats)
 Carboxypeptidase, 1146
 Carcinogenic hydrocarbons, 996–997
 Cardiac glycosides, 515
 Carius method, analysis for halogen, 69
 analysis for sulfur, 334
 β -Carotene, 413, 414
 Carotenes, 313
 Carvocrol, 809
 3,8-Carvomenthenediol, 651
 Carvomenthol, 652
 Carvomenthone, 652
 Carvone, 127, 976
 (+)-Carvotanacetone, 652
 Castile soap, 1059
 Catalytic cracking, (*see* Pyrolysis)
 Catalytic dehydrogenation, 974–976 (*See also*
 Aromatization, Dehydrogenation)
 Catalytic hyd.ogenation, 183–184 (*See also*
 Hydrogenation)
 Catalytic reforming
 of alkanes, 110, 376
 of alicyclic hydrocarbons, 286
 Catechol, 787, *t* 788
 Cationic polymerization, 1037
 Cell membranes, 1066–1067
 (+)-Celllobiose, 1115–1116
 Celllobiose octacetate, 1115, 1116
 Cellophane, 1128
 Cellulose
 description, 1070, 1120
 esterification, 668
 properties, 1126
 reactions, 1127–1128
 structure, 1030, 1126–1127
 Cellulose acetate, 1127
 Cellulose ethers, 1128
 Cellulose nitrate, 1127
 Cellulose trinitrate, 1127
 Cellulose xanthate, 1128
 Cerebrosides, 1067
 Chain-reaction polymerization, 1028–1041
 (*See also* Free radical
 polymerization)
 coordination polymerization, 1039–1041
 copolymerization, 1033–1036
 free radical vinyl polymerization, 1030–1033
 ionic polymerization, 1037–1039
 Chain reactions
 chlorination of methane, 49
 combustion of alkanes, 109
 free radical addition, 203–205
 halogenation of alkanes, 96–97
 Chain transfer, 1032
 Chair conformation, 295, 301
 Chalcone, *t* 866
 Chao, T.H., 238
 Chavibetol, 810
 Chelation, 789
 Chemical paleogenetics, 1152
 Chemical shifts, 419–423, *t* 421
 Chichibabin reaction, 1015
 Chirality, 123–126, 130
 bond breaking, 229, 237–246
 generation of chiral center, 226–228,
 t 232–235
 reactions of chiral molecules, 228–246
 Chloranil, 975
 Chlorination (*See also* Halogenation)
 of alkanes, 95–109
 of alkylbenzenes, 386, 388–389, 402
 aromatic, 350
 of methane, 43–45
 and stereochemistry, 237–239
 Chlorine
 abundance of, ^{37}Cl , *t* 408
 ^{36}Cl as tracer, 108
 α -Chloroacetanilide, *t* 781
 Chloracetic acid, *t* 600, 613
 preparation, 592, 604
 reactions, 794
 relative acidity, 599
 Chloroalkanes, 95 (*See also* Alkyl chlorides)
 m-Chloroaniline, *t* 730, *t* 749
 o-Chloroaniline, *t* 730, *t* 749, *t* 781
 p-Chloroaniline, *t* 730, *t* 749
 m-Chlorobenzamide, *t* 614
 m-Chlorobenzamidine, *t* 614
 2-Chlorobenzanilide, *t* 781
 Chlorobenzene, 331, *t* 819, *t* 825, 844
 nitration, *t* 340
 preparation, 322, 349
 reactions, 365–368, 733, 791, 792, 818, 827
 resonance, 824
 n-Chlorobenzenediazonium hydrogen sulfate,
 t 792
 2-Chlorobenzenesulfonanilide, *t* 781
 p-Chlorobenzenesulfonic acid, 332
 m-Chlorobenzoate ion, 633
 m-Chlorobenzoic acid, *t* 580, *t* 600, *t* 614
 o-Chlorobenzoic acid, *t* 580, *t* 600, 613, 817,
 t 844
 p-Chlorobenzoic acid, *t* 580, *t* 600, 613
 m-Chlorobenzyl alcohol, 633
 endo-2-Chloro-exo-2-bromobicyclo [3.1.0]
 hexane, 947
 1-Chlorobutane, 95 (*See also* *n*-Butyl chloride)
 2-Chlorobutane, 95 (*See also* sec-Butyl
 chloride)
 3-Chloro-2-butanol, 247
 2-Chloro-2-butene, 268, *t* 453
 1-Chloro-2-butene, 268, *t* 453
 3-Chloro-2-butyl free radical, 233–235
 α -Chlorobutyric acid, *t* 600
 β -Chlorobutyric acid, *t* 600
 Chlorocarbonic acid, 685
 2-Chlorocyclohexyl brosylate, 911
 Chlorocyclopropane, 284, 285
 2-Chloro-2,3-dimethylbutane, 197
 2-Chloro-3,3-dimethylbutane, 197
 3-Chloro-2,3-dimethyl-2-butanol, 898
 Chloroethane, 95 (*See also* Ethyl chloride)
 2-Chloroethanol, 494, 844 (*See also* Ethylene
 chlorohydrin)
 α -Chloroethylbenzene, 844
 (1-Chloroethyl) benzene, 236, 383 (*See also*
 α -Phenylethyl chloride)
 Chloroform, 44, *t* 453
 addition to alkenes, 205
 test for alkylbenzenes, 399
 1-Chlorohexane, 844
 4-Chloro-2-hexene, 269
 2-Chloro-3-hexene, 269

- 2-Chlorohydroquinone, 878
1-Chloro-1-iodoethane, 188, 818
Chloriodomethanesulfonic acid, enantiomers, 121
1-Chloro-2-iodopropane, 255
Chloromethane, 43–45 (*See also* Methyl chloride)
1-Chloro-2-methylaziridine, 732
1-Chloro-2-methylbutane (*See also* *tert*-Pentyl chloride) chirality, 229–231
photochemical halogenation of S-(+)-isomer, 238 preparation, 194, 541
3-Chloro-2-methylbutane, 541
 γ -Chloro- α -methylbutyric acid, 581
1-Chloromethylnaphthalene, 977
3-Chloro-2-methylpentane, 132
m-Chloro-N-methylphenethylamine, 844
o-Chloro-N-methylphenethylamine, 844
1-Chloro-2-methylpropane, 96 (*See also* Isobutyl chloride)
2-Chloro-2-nethylpropane, 96 (*See also* *tert*-Butyl chloride)
Chloromycetin, 127
1-Chloronaphthalene, *t* 967, 977, 1000
2-Chloronaphthalene, *t* 967, 1000
1-Chloro-2-naphthol, 1000
m-Chloronitrobenzene, 332, 817, *t* 819, 832 preparation, 820
o-Chloronitrobenzene, *t* 819, 828, 831–832
p-Chloronitrobenzene, *t* 819, 827, 831–832
2-Chloro-4-nitrophenol, 332
4-Chloro-2-nitrotoluene, 343
4-Chloro-3-nitrotoluene, 343
Chloronium ions, 246
2-Chloropentane, 541
3-Chloropentane, 541
m-Chlorophenol, *t* 788 preparation, 792
o-Chlorophenol, 787, *t* 788
p-Chlorophenol, *t* 788 preparation, 792
p-Chlorophenoxyacetic acid, *t* 614
p-Chlorophenoxyacetamide, *t* 614
p-Chlorophenoxyacetanilide, *t* 614
Chlorophenylbutanes, 401
3-(*p*-Chlorophenyl) butanoic acid, 581
1-Chloro-1-phenylethane, 388 (*See also* α -Phenylethyl chloride)
2-Chloro-1-phenylethane, 388 (*See also* β -Phenylethyl chloride)
o-Chlorophenyl phenyl sulfide, 908–909
Chlorophyll, 789, 1004, 1070
Chloroprene, 276
1-Chloropropane, 95 (*See also* *n*-Propyl chloride)
2-Chloropropane, 95 (*See also* Isopropyl chloride)
2-Chloro-1-propanol, derivatives, 545
1-Chloro-2-propanol (*See also* Propylene chlorhydrin) derivatives, 545 preparation, 180, 199
2-Chloropropene, 255
3-Chloro-1-propene (*see* Allyl chloride)
 β -Chloropropionaldehyde, 868
 α -Chloropropionic acid, 613
3-Chloropropyne, *t* 453
4-Chloropyridine, reactions, 843, 1015
p-Chlorostyrene, 397
o-Chlorotoluene, 361 (*See also* Benzyl chloride)
m-Chlorotoluene, *t* 819 nitration, 344
o-Chlorotoluene, 384, 386, 572, 765, *t* 819, 820 preparation, 765
p-Chlorotoluene, 343, *t* 819 preparation, 384, 386
2'-Chloro-*p*-toluenesulfonanilide, *t* 781
p-Chlorotriphenylcarbinol, 920
Cholecaliferol, 966
Cholestane, 316
Cholestane- 3β , 6 α -diol, 507
3-Cholestanol, 521
3-Cholestanone, preparation, 521, 543
2-Cholestene, 517
Cholesterol, 507, 514, 517, 1182 aromatization, 976 biogenesis, 278
Choline, 781, 1065
Choline phosphoglyceride, 1065
Chromatography, 1143
Chromic acid, 634
Chromic anhydride, test for alcohols, 221, 536
Chromium (VI), 528
Chrysene, *t* 967, 996
Chymotrypsin α -structure, 1159, 1165–1166 action, 1165–1170, 1181
Chymotrypsinogen, 1146
Cinchonine, 237
Cinnamaldehyde, *t* 866 synthesis, 704, 713, 867
Cinnamic acid, *t* 866, 871 synthesis, 714, 867
Cinnamyl alcohol physical constants, *t* 495 preparation, 636 reactions, 563
Cinnamylidenetriphenylphosphorane, 715
cis- and *trans*-isomers (*see* Geometric isomers)
Citral, 652, 808, 881
Citric acid, 1182
Citronellol, 277
Claisen condensation, 677, 714, 716–720 crossed, 719
Cleavage, 218 of alkenes, 218 of alkynes, 278 of bonds, 21 of cycloalkenes, 288 of dienes, 279 of epoxides, 565, 567, 568–570 of esters, 677–678, 681 of ethers, 559–560 of ketones, 635 ozonolysis, 218–219 by periodic acid, 538 by permanganate, 219
Clemmensen reduction, 377, 626–627, 631, 636, 987
Coal, 1 in manufacture of acetylene, 251 as source of aromatic compounds, 376
Coal gas, 376
Coal tar, 376 as source of carboxylic acids, 585
Cobalt (III) fluoride, 454
Cocaine, 236
Coconut oil, *t* 1057
Cod liver oil, *t* 1057
Codons, 1181
Coenzyme A, 782
Coenzymes, 1153
Coke, 376
Collagen, 1150, 1159
Collins, Clair, 899, 922

- Collision frequency**, 56–58
Combination, in polymerization, 1031
Combustion of hydrocarbons, 42, 109–110
Competition (*see* Method of competition)
Concentration, and reaction rates, 459–460
Concerted reactions, 939–960
Condensation polymerization, 207, 1029
Conessine, 543
Configuration
 absolute, 231, 1092–1094
 of aldoses, 1085–1087
 of amino acids, 1138
 of carbohydrates, 1081–1094, 1098–1099
cis and *trans*, 149
D and *L*, 1087–1089, 1093
 definition, 129
 of (+)-glucose, 1081–1085
 and optical rotation, 131, 1098–1099
 Rand, S., 130–133, 137–138, 1089
 relative, 230
 sequence rules for, 130–133, 137–138
 Z and E , 150
Configurational isomers, definition, 139
Conformation
anti, 78
 boat, 295, 296, 297
 chair, 295, 297
 definition, 75
 eclipsed, 75
 envelope, 315
gauche, 78
 half-chair, 297
 nmr and, 447, 1110
 skew, 75
 stability, factors affecting, 294
 staggered, 75
 twist-boat, 295, 296, 297
Conformational analysis, 75–76, 78–79,
 138–140, 294
 aldoses, 1104–1106
 angle strain, 294
 anomeric effect, 1106
 amylose, 1124
 butanes, 78–79
 cyclobutane, 298
 cyclohexane, 294–299
 derivatives, 299–301, 303–308
 cyclohexanediols, 298, 902
 cyclopentane, 298–299
 decalin, 974
 1, 3-diaxial interaction, 299
 dipole-dipole interaction, 294
 1, 2-dimethylcyclohexanes, 303–308
 E2 elimination, 483
 ethane, 75–76
 factors in, 294
D-(+)-glucose, 1104–1106
 methycyclohexane, 299–301
 nmr and, 447, 1110
 proteins, 1154–1160
 pyranoses, 1104–1106
 rearrangement, 900–903
 torsional strain, 75–76
 van der Waals strain, 78–79
Conformational effects, in pinacolic
 deamination, 898–904
Conformational isomers, definition of, 138–139
Conformers, 138
Coniferyl alcohol, 811
Conjugated double bonds, 262
 ultraviolet absorption band shift, 412, 413
 in alklenylbenzenes, 395–396
 in α , β -unsaturated carbonyl compounds,
 711, 869, 871
Conjugated proteins, 1152–1153
Conrotatory motion, 941–948
Coordination polymerization, 1039–1041
Cope reaction, 714, 850
Cope rearrangement, 954
Copolymerization, 1033–1036
Copolymers, 1033
Copper acetylides, 261
Copper chromite, 684
Copper phthalocyanine, 1004
Corey, E. J., 92
Corey-House synthesis, 846
Corey, Robert B., 1154
Corn oil, *t* 1057
α-Corticotropin, 1142–1143
Cortisone, 515, 877
Corynebacterium diphtherium, 1068
Corynomycolic acid, 1068
Cottonseed oil, *t* 1057
Coulson, C. A., 293
Coumarane, 809
Coupling, of diazonium salts, 767, 772–775,
 796
Coupling constants, 435
Covalent bonds (*see* Bonds)
Cracking (*see* Pyrolysis)
Craik, James, 378
Cram, Donald J., 911
m-Cresol, 787, *t* 788, 796
o-Cresol, 766, *t* 788, 796, 802
p-Cresol, 343, *t* 788, 794, 896
 infrared spectrum, 806
Cresols, industrial source, 376
m-Cresyl acetate, 796
Crick, F. H. C., 1180
Crisco, 1062
Crotonaldehyde, 636, 712, *t* 866, 879, 1020
 synthesis, 704, 711, 867
trans-Crotonamide, *t* 614
trans-Crotonanilide, *t* 614
trans-Crotonic acid, *t* 614, *t* 866, 868, 872
Crotonyl-S-ACP, 1177
Crotyl alcohol, *t* 495
Crotyl chloride, *t* 453
Crotyl iodide, *t* 453
Crystallinity of polymers, 1040, 1045–1046
Crystallites, 1046
Crystal structure
 of macromolecules, 1045
 and melting points, 26–27
 and physical properties, 819
Cubane, 285
3-Cumaranone, 809
Cumene, *t* 375, 791, 893
Cumene hydroperoxide, 791
 rearrangement, 791, 893–896
Cumulated double bonds, 262
Cupric bromide, 858
Cuprous methylacetylide, 256
Curtain, D. Y., 901
Curtius rearrangement, 889
Cyanamide, 684, 687
Cyanic acid, 684
Cyanides (*see* Nitriles)
Cyanoacetic ester, reactions, 850
3-Cyano-1,3-diphenyl-1-propanone, 870
Cyanohydrins, 631, 637–638
β-Cyanopyridine, 1023
α-Cyano-*m*-toluic acid, 844
7-Cyano-7-trifluoromethylnorcaradiene, 947
7-Cyano-7-trifluoromethyltropylidene, 947
Cyclic anhydrides, 669–670
Cyclic bromonium ions, 243–246
Cyclic compounds (*see* Alicyclic)

- hydrocarbons, Arenes, Aromatic compounds, Heterocyclic compounds)**
 Cyclic esters, 674 (*See also* Lactones)
 Cyclic ethers, 561 (*See also* Epoxides)
 Cyclic halonium ions, 570
 Cyclic mercurinium ions, 570
 Cyclization, 287, 985–988
 cycloaddition, 948–954
 electrocyclic reactions, 939–948
Cycloaddition reactions
 definition, 287
 Diels-Alder reaction, 876–878
 and orbital symmetry, 948–954
Cycloalkanes, 87 (*See also* Alicyclic hydrocarbons)
 Cyclobutane, 283, *t* 284
 conformations, 298
 reactions, 288–289
1,3-Cyclobutanedicarboxylic acid, 302
Cyclobutenes, electrocyclic reactions, 939–948
Cyclodecane, puckerred ring, 291
cis, cis, cis-Cyclodecal-1,3,5-triene, 947
Cycloheptane, *t* 284
1,3,5-Cycloheptatriene, 1025
Cycloheptatrienyl anion, 328
Cycloheptatrienyl cation (Tropylium ion)
 electronic configuration, 330, 936
 molecular orbitals, 936
 π electrons, 328, 934
Cycloheptatrienyl radical, 328
1,3-Cyclohexadiene, 284, *t* 284, 323
 reactions, 877, 879
1,4-Cyclohexadiene, *t* 284, 323
Cyclohexane, 284, *t* 284
 analysis, 313
 axial bonds, 298–301
 conformational analysis, 294–298, 442–443
 derivatives, conformational analysis,
 298–301, 303–308
 stereoisomerism, 301–308
 equatorial bonds, 298–301
 heat of combustion, 290
 industrial source, 286
 nmr spectrum, 442–443
 puckerred ring, 291
Cyclohexanecarboxylic acid, 579, *t* 580
1,2-Cyclohexanediol diacetate, 910
Cyclohexanol, 492, *t* 495
 industrial source, 286
 nmr spectrum, 438
 reactions, 519, 521, 741
Cyclohexanone
 preparation, 521, 741
 reactions, 705, 714, 860, 875
Cyclohexene, *t* 284, 323
 preparation, 519, 741
Cyclohexene oxide, preparation, 562, 573
Cyclohexylamine, *t* 729
 preparation, 741
Cyclohexyl bromide, 452, *t* 453
 preparation, 523
Cyclohexyl brosylate, 911
Cyclohexylcarbinol, 491
Cyclohexyl chloride, *t* 453
 hydrolysis and neighboring group effects,
 908–909
cis, cis-Cyclonona-1,3-diene, 962
cis, cis, trans-Cyclonona-1,3,5-triene, 947
Cyclooctadecanonaene, 933
cis, cis-Cycloocta-1,3-diene, 961
cis, trans-Cycloocta-1,3-diene, 961
1,5-Cyclooctadiene, reactions, 857, 863
Cyclooctane, *t* 284
cis-1,4-Cyclooctanediol, 863
Cyclooctatetraenyl dianion, 934
1,3,5-Cyclooctatriene, 960
1,3-Cyclopentadiene, 284, *t* 284
 reactions, 875, 880, 953
Cyclopentadienyl anion
 electronic configuration, 329, 935–936
 molecular orbitals, 936
Cyclopentadienyl cation
 electronic configuration, 328, 935
 molecular orbitals, 935
Cyclopentadienyl free radical
 electronic configuration, 328, 935
 molecular orbitals, 935
Cyclopentane, 284, *t* 284
 conformational analysis, 298
 derivatives, conformational analysis,
 215–216
 preparation, 631
 stereoisomerism, 301–303
1,3-Cyclopentanedicarboxylic acid, 302
1,2-Cyclopentanediol
cis- and *trans*-isomers, 301, 307, 494
 chirality, 302–303
Cyclopentanol, *t* 495
 preparation, 630, 636
Cyclopentanone
 formation, 667
 reactions, 631, 636
Cyclopentene, 283, *t* 284
 reactions, 858
Cyclopentene oxide, 563
B-Cyclopentyl-9-BBN, 858
Cyclopentenyl cation, 946
Cyclopropane, 283, *t* 284
 preparation, 287
 reactions, 288–289
Cyclopropanecarboxylic acid, 850
Cyclopropenes, 938
Cyclopropenyl anion, 937
Cyclopropenyl cation, 934, 937
Cyclopropenyl free radical, 937
Cyclopropyl anion, 946
Cyclopropyl cation, 946
2-Cyclopropyl-2-propanol, 545
Cycloreversions, 952
p-Cymene, *t* 375
 (–)-Cysteine, *t* 1134
 (–)-Cystine, *t* 1134
Cytochrome c, 1161
Cytosine, 1179
 in nucleic acids, 1178, 1179, 1180, 1182

D

- d, prefix, 1089
 d, prefix, 1089
2,4-D (2,4-Dichlorophenoxyacetic acid), 800
Dacron, 1046
 synthesis, 1042
 “Dansyl” method, 1146
DDQ, 1001
DDT, 843
Dead polymers, 1050
Deamination, 898–904
Decahydronaphthalene, 971 (*See also* Decalin)
Decalin, 491, *t* 967, 974
 conformations, 315
 preparation, 971, 973
 reactions, 974
n-Decane, *t* 86
cis, cis, cis, cis, trans-Deca-1,3,5,7,9-pentaene, 961
Decarbonylation, 1007

- Decarboxylation**
- of aromatic acids, 593
 - of β -ketoacids and malonic acids, 853–854
- 2,4,6,8-Decatetraene**, 946
- 1-Decene**, 152
- n-Decyl alcohol**, 1495
- 1-Decyne**, 1251
- 5-Decyne**, 1251
- Degradation**
- amines (*see* Exhaustive methylation)
 - Hofmann (*see* Hofmann degradation)
 - by oxidation, 219
 - by ozonolysis, 218–219
 - Ruff (*see* Ruff degradation)
- Dehalogenation**
- of tetrahalides, 253–254
 - of vicinaldihalides, 155, 156
- Dehydration**
- of alcohols, 166–175, 395, 519, 521–523, 554
 - ease of formation of carbonium ions, 170–171
 - mechanism, 167–169
 - order of reactivity, 166
 - rearrangement of carbonium ions, 171–174
 - of aldol products, 711
- Dehydrobenzene**, 836 (*See also* Benzyne)
- 7-Dehydrocholesterol**, 966
- Dehydrogenation**
- of alicyclic hydrocarbons, 286
 - of hydroaromatic compounds, 974–976
 - industrial, 376, 395
- Dehydrogenation enzymes**, 1153
- Dehydrohalogenation**
- of alkyl dihalides, 252, 253
 - of alkyl dehalides, 252, 253
 - of alkyl halides, 156–165, 395
 - order of reactivity in, 159
 - use in synthesis, 867
- Delocalization energy**, 215 (*See also* Resonance energy)
- Denaturation**, of proteins, 1150
- Denatured alcohol**, 499 (*See also* Ethyl alcohol)
- D,L-Dendroketose**, 1109
- Deoxyribonucleic acids**, 1178 (*See also* DNA)
- D-2-Deoxyribose**, 1178
- Desulfonation**, 350
- of naphthalenes, 981
- Detergents**
- manufacture, 154, 1041, 1061–1062
 - non-ionic, 1061
 - solubility and cleansing power, 32, 1061
- Deuterium** (*See also* Hydrogen)
- exchange, 710, 843
 - isotope effects, 353, 358
 - labeling for nmr spectra, 437–439
 - labeling for reaction studies, 107–108, 838, 843, 889
 - separation, 107
- Deuterium oxide**, 107
- α -Deuteriobromobenzene**, 838
- α -Deuteroethylbenzene**, 122
- α -Deuterofluorobenzene**, 838
- 3-Deuterioindene**, 957
- 2-Deuterioisobutane**, 107–108
- Dewar, James**
- benzene structure, 319, 826, 965
- Dextrins**, 1126
- Dextrorotatory**, definition, 119
- Dextrose**, 1118
- DHP⁺ (Dichloropyran)**, 692
- Diacetamide**, 738
- gem-Diacetates**, 625
- Diacetone alcohol**
- from aldol condensation, 704, 709
 - dehydration, 711
- Dialkylacetocetic esters**, 820
- Dialkylmalonic esters**, 847–848
- 1,6-Diaminohexane**, 736
- 1,2-Diaminonaphthalene**, 997
- 1,3-Diaminonaphthalene**, 997
- 1,5-Diaminonaphthalene**, 997
- 2,4-Diaminophenol (Amidol)**, 807
- 3,3'-Diaminospiro[3.3]heptane**, 315
- 2,3-Diaminotoluene**, 1023
- Diamond**, structure, 285, 968
- Diastase**, 1112
- Diastereomers**, 133–135
- comparison of properties, 135
 - formation, by generation of second chiral center, 232–235
 - geometric isomers as, 148, 150
 - in resolution, 235–237
 - (*See also* Anomers, Epimers)
- Diastereotopic protons**, 418
- 1,3-Diaxial interactions**, 299–304, 305
- 1,8-Diazaphenanthrene**, 1023
- Diazo coupling**, 339, 767
- Diazocyclopentadiene-2-carboxylic acid**, sodium salt, 884
- Diazomethane**, 308
- Diazonium fluoroborates**, 768
- Diazonium hexafluorophosphates**, 768
- Diazonium salts**
- coupling, 765, 772–775
 - preparation, 736, 763, 765
 - reactions, 738, 765–775, 820–821
 - replacement, 765–772
- Dibenzoacetone**, 1866, 879
- 1,2,5,6-Dibenzanthracene**, 996, 1967
- Diborane**, 505
- Dibromoacetic acid**, 604
- 3,5-Dibromo-4-aminotoluene**, 759
- m-Dibromobenzene**, 324, 331, 1819
- o*-Dibromobenzene**, 324, 331, 1819, 844
- p-Dibromobenzene**, 324, 331, 1819
- 2,4-Dibromobenzensediazonium chloride**, 843
- 1,4-Dibromobutane**, 1010
- 2,3-Dibromobutane**
- dehalogenation, 155
 - stereochemistry of elimination, 489
 - stereochemistry of formation
 - from 2-butenes, 242–246
 - from 3-bromo-2-butanol, 904–907
- 3,4-Dibromo-1-butene**, 268
- 1,4-Dibromo-2-butene**, 268
- 2 β , 3 α -Dibromochalestanate**, 517
- 1,2-Dibromocyclohexane**, 288
- 1,2-Dibromocyclopentane**, 302
- 1,2-Dibromo-1,2-dideuterio ethane**, stereochemistry of elimination, 489
- 9,10-Dibromo-9,10-dihydroanthracene**, 991
- 9,10-Dibromo-9,10-dihydrophenanthrene**, 991
- 4,8-Dibromo-1,5-diiodonaphthalene**, 997
- 1,3-Dibromo-1,3-dimethylcyclobutane**, 446
- 1,2-Dibromo-1,2-diphenylethane**, stereochemistry of elimination, 389
- 1,1-Dibromoethane**, 1453
- nmr spectrum, 426–427, 430
- 1,2-Dibromomethane**, 186, 199, 452, 1453
- cis- and trans-isomers, 149
- 1,2-Dibromoethylene**, 153
- 5 α , 6 β -Dibromo-3 β -hydroxycholestane**, 517
- Dibromomethane**, 1453
- 4,6-Dibromo-2-methylphenol**, 802
- 1,2-Dibromo-2-methylpropane**, 186
- nmr spectrum, 432

- 2,6-Dibromo-4-nitroaniline**, 772
2,6-Dibromo-4-nitrobenzenediazonium hydrogen sulfate, 772
4,5-Dibromo-1-pentene, 268
1,2-Dibromo-1-phenylethane, 434
1,2-Dibromopropane, 179, 186
1,2-Dibromopropene, 255
3,5-Dibromopyridine, 1013
 $(+)$ -**3,5-Dibromotyrosine**, 1134
Di-*n*-butylamine, reactions, 746, 757
N, N-Di-*n*-butylbenzenesulfonamide, 757
Dicarboxylic acids, 606–607
 physical constants, 606
 preparation, 606
Dichloroacetic acid, *t* 600, 613
 preparation, 592, 604
 relative acidity, 599
2,4-Dichloroaniline, 766
2,6-Dichlorobenzaldehyde, 863
2,5-Dichlorobenzamide, *t* 614
***m*-Dichlorobenzene**, 766, *t* 819, 863
***o*-Dichlorobenzene**, *t* 819, 844
***p*-Dichlorobenzene**, *t* 819
2,4-Dichlorobenzenediazonium hydrogen sulfate, 766
2,5-Dichlorobenzoic acid, *t* 614
1,2-Dichlorobutane, chirality, 228–229
2,3-Dichlorobutane, 135–137, 232, 233
Dichlorocarbene, 311, 804–805
 β , β' -**Dichlorodiyethyl sulfide**, 907–908
1,2-Dichloro-1,1-difluoroethane, nmr spectrum, 432
Dichlorodifluoromethane, 454
3,3-Dichloro-1,2-dimethylcyclopropane, 311
1,2-Dichloroethane, *t* 453, 739 (*See also* Ethylene chloride)
 conformational analysis, 141–142
1,2-Dichloroethylene, 153
 geometric isomerism, 149
 α , α' -**Dichloroglutamic acid**, 606
Dichloromethane, 44, *t* 454 (*See also* Methylene chloride)
1,2-Dichloro-2-methylbutane, 238
1,2-Dichloro-3-methylbutane, 132
endo-cis-**2,3-Dichloronorbornane**, 484
trans-**2,3-Dichloronorbornane**, 484
2,3-Dichloropentane, 133–134
2,4-Dichloropentanedioic acid, 606
2,4-Dichlorophenoxyacetic acid, 800
1,2-Dichloropropane, 209
 conformations, 441–442
 nmr signals, 417
1,3-Dichloropropane, 287, 289
1,3-Dichloro-2-propanol, 490
3,4-Dichloro-1,2,3,4-tetramethylcyclobutene, 938
Di(β -cyanoethyl)amine, 872
Dicyclopentadiene, 953
Dicyclopentadienyliron, 329
Dieckmann condensation, 714, 718
Diels-Alder reaction, 876–878
 orbital symmetry, 948–954
 stereochemistry, 880, 948–949, 965
Dienes, 262–282
 allenes, 262, *t* 263
 stability, 264
 stereochemistry, 280
 analysis, 278–279
 conjugated, 262–265, 266–278
 1,2-vs. 1,4-addition, 268–274
 bonds in, 264–268
 cycloaddition, 876–878, 948–950
 Diels-Alder reaction, 876–878, 948–950
electrocyclic reactions, 940–945
electronic configuration, 931–932
electrophilic addition, orientation, 268–274
 rate vs. equilibrium, 271–274
free-radical addition, orientation, 274
 reactivity, 274–275
molecular orbitals, 931–932
polymerization, 275–277
resonance, 264–265
sigmatropic reactions, 954–960
stability, 263–265, 267–268
heats of hydrogenation, *t* 263, 264
nomenclature, 262
preparation, 262–263
stability, 263–265, 267–268
structure, 262, 264–265, 267–268
Dienophile, 876
Diethylamine, *t* 729
***m*-Diethylbenzene**, 491
Diethyl benzylidene malonate, 714
1,2-Diethylcyclopentene, 542
Diethylene glycol, 566
N,N-Diethyl-*o*-toluidine, *t* 781
***o*, *m*, *p*-Difluorobenzene**, *t* 819
1,2-Difluorotetrachloroethane, nmr spectrum, 443
3,3-Difluoro-2,2,3-tribromopropanenitrile, nmr spectrum, 443
Diglyme, 506
Dihalocarbenes, 311
9,10-Dihydroanthracene
 preparation, 990
 reactions, 992
Dihydromycene, 282
1,4-Dihydronaphthalene, *t* 967
 preparation, 971, 973
cis-**9,10-Dihydronaphthalene**, 961
Dihydropentalene, 1000
Dihydrophellandric acid, 809
9,10-Dihydrophenanthrene, 990
Dihydropyran, 692
1,2-Dihydroquinoline, 1019–1020
Dihydroxyacetone, 1183
Dihydroxybenzene (*see* Catechol, Hydroquinone, Resorcinol)
3,4-Dihydroxybenzoic acid, 810
2,4-Dihydroxyphenyl *n*-pentyl ketone, 796
***o*, *m*, *p*-Diodobenzene**, *t* 819
1,1-Diodoethane, *t* 453
1,2-Diodoethane, *t* 453
1,2-Diodoethylene, 153
Diiodomethane, *t* 453
 $(+)$ -**3,5-Diodotyrosine**, *t* 1134
Diisopentylcadmium, 628
Dimerization, of alkenes, 180, 200–201
3,4-Dimethoxybenzaldehyde, 633
3,4-Dimethoxybenzyl alcohol, 633
Dimethylacetocetic acid, decarboxylation, 854
Dimethylacetylene, 250 (*See also* 2-Butyne)
Dimethylallyl pyrophosphate, 282
Dimethylamine, 727, *t* 729
 industrial preparation, 733
 reactions, 745
 synthesis, 742, 828
t-**(Dimethylamino)azobenzene**, 747
 β -**Dimethylaminoconanin-6-one**, 543
 β -**Dimethylaminocon-5-enine**, 543
 β -**(Dimethylamino)-3-methyl-1-butene**, 755
 β -**(Dimethylamino)-1-pentene**, 755
Dimethylammonium nitrate, 745
N,N-Dimethylaniline, 365, 727, *t* 730
 reactions, 735, 745, 747, 763

- N,N-Dimethylanilinium acetate**, 745
2,9-Dimethylanthracene, 994
1,2-Dimethylanthraquinone, 994
1,3-Dimethylanthraquinone, 994
1,4-Dimethylanthraquinone, 994
N,N-Dimethylbenzaldehyde, 756
5,10-Dimethyl-1,2-benzanthracene, 996
Dimethylbicyclo[4.3.0]nonadienes, 959–960
2,3-Dimethyl-1,3-butadiene, 1263
2,2-Dimethylbutane, 186
2,3-Dimethylbutane, 186
2,3-Dimethyl-2,3-butanediol, 896
2,2-Dimethylbutanoic acid, 586
3,3-Dimethyl-1-butanol, preparation, 501, 506
2,3-Dimethyl-2-butanol, 676
3,3-Dimethyl-2-butanol
 dehydration, 171
 preparation, 500, 504
3,3-Dimethyl-2-butane, 703
2,3-Dimethyl-1-butene
 heat of hydrogenation, 183
 preparation, 171
3,3-Dimethyl-1-butene, 151, 176
 heat of hydrogenation, 183
2,3-Dimethyl-2-butene, 152
 heat of hydrogenation, 183
 preparation, 171
2,3-Dimethyl-2-butene, epoxide, 898
Dimethyl *sec*-butylamine, 728
3,3-Dimethyl-2-butyl cation, rearrangement, 172–173
3,3-Dimethyl-1-butyne, 1251
Dimethylcadmium, 628
N,N-Dimethyl-*o*-chloroaniline, 1781
3,4-Dimethylcyclobutene, 940, 943
5,6-Dimethyl-1,3-cyclohexadiene, 941, 945
1,2-Dimethylcyclohexane
 chirality, 306
 conformational analysis, 304–307
 stability of isomers, 304–305
1,3-Dimethylcyclohexane, 284
1,2-Dimethylcyclohexene, 542
1,2-Dimethylcyclopentane, 1284
 industrial source, 286
2,5-Dimethylcyclopentanecarboxylic acid, 314
2,5-Dimethyl-1,1-cyclopentanedicarboxylic acid, 314
cis-1,2-Dimethylcyclopentanol, 507
1,2-Dimethylcyclopentene, 507
1,2-Dimethylcyclopropane
cis- and *trans*-isomers, 302
 preparation, 310
Dimethylethylamine, 735
N,N-Dimethylformamide
 nmr spectrum, 1142
 as solvent, 31–32, 849
2,5-Dimethylfuran, 1022
 synthesis, 1007
2,3-Di-O-methyl-*D*-glucose, 1124–1135
2,4-Dimethylglutaraldehyde, 288
 β , β -Dimethylglutaric acid, 606
2,2-Dimethylheptane, 90
1,5-Dimethylisoquinoline, 1023
1,4-Dimethylnaphthalene, 988
1,6-Dimethylnaphthalene, 988
1,7-Dimethylnaphthalen, 988
2,6-Dimethylnaphthalene, 984
Dimethyl-1-naphthylcarbinol, 977
3,7-Dimethyl-3-octyl acetate, 681
Dimethylolurea, 1044
2,2-Dimethyl-3-oxobutanal, 860
3,3-Dimethylpentanedioic acid, 606
2,4-Dimethyl-3-pentanone, 632
4,4-Dimethyl-1-pentene, 183
Dimethyl-*tert*-pentylsulfonium ethoxide, 754
Dimethyl-*tert*-pentylsulfonium iodide, 754
1,4-Dimethylphenanthrene, 994
1,9-Dimethylphenanthrene, 994
4,9-Dimethylphenanthrene, 994
2,2-Dimethylpropanol, 676 (*See also*
 Neopentyl alcohol)
2,5-Dimethylpyrrole, 1007
2,4-Dimethylquinoline, 1020
6,9-Dimethylspiro[4.4]nona-1,3-diene, 959–960, 964
Dimethyl sulfoxide, as solvent, 31–32, 849
2,5-Dimethylthiophene, 1007
 α , β -Dimethylvaleric acid, 581
2,4-Dinitroaniline, 1730
 preparation, 823, 827
2,4-Dinitroanisole
 preparation, 799
 reactions, 828
2,4-Dinitrobenzenediazonium chloride, 773
Dinitrobenzenes, separation, 828
3,5-Dinitrobenzoates (*see specific alcohol derivatives*)
2,4-Dinitrobenzoic acid, 581
3,5-Dinitrobenzoyl chloride, 1660
 preparation, 601
 reactions, 666
2,4-Dinitrobromobenzene, 843
2,6-Dinitro-4-*tert*-butyl-3-methylanisole, 808
2,4-Dinitrochlorobenzene, 1819
 reactions, 735, 793, 799, 823, 827
4,4'-Dinitrodiphenylamine, 728
2,4-Dinitrofluorobenzene
 reactions, 843
 in terminal residue analysis, 1144
1,2-Dinitronaphthalene, 984
1,3-Dinitronaphthalene, 984
1,4-Dinitronaphthalene, 984
1,5-Dinitronaphthalene, 968
 preparation, 983
1,8-Dinitronaphthalene, 983
2,4-Dinitro-1-naphthol, 983
2,4-Dinitro-1-naphthylamine, 969
 synthesis, 984
2,4-Dinitrophenol, 1788, 799
 preparation, 793, 823, 827
N-(2,4-Dinitrophenyl) amino acids, 1145
2,4-Dinitrophenyl ethyl ether, 823
2,4-Dinitrophenyl methyl ether, 799
2,4-Dinitrophenyl phenyl ether, 843
1-(2,4-Dinitrophenyl)-2-phenylethylene, 714
2,4-Dinitrophenyl phosphate, 1067
2,4-Dinitrostilbene, 714
2,4-Dinitrotoluene, 714
2,6-Dinitrotoluene, 332
gem-Diols, 634
1,4-Dioxane, 1553
 industrial preparation, 561
Dipeptides, 1141 (*See also Peptides*)
Diphenylacetylene, 1375
 α , β -Diphenylacrylonitrile, 714
Diphenylamine, 728, 1730
1,1-Diphenyl-2-amino-1,2-propanediol, 899
1,4-Diphenyl-1,3-butadiene, 953
2,3-Diphenyl-2,3-butanediol, 920
1,3-Diphenyl-2-buten-1-one, 711
Diphenylcarbinol, 1495
Diphenylcyclopropene, 938
1,1-Diphenyl-2,2-dimethyl-1,2-ethanediol, 898
1,2-Diphenylethane, 374, 1375
 preparation, 378
1,1-Diphenyl-1,2-ethanediol, 898
1,1-Diphenylethylene, 1375
 preparation, 715

1,2-Diphenylethylenes, 1034
2,5-Diphenylfuran, 1007
Diphenylmethane, *t* 375
 preparation, 378
Diphenylmethyl bromide, *t* 453
Diphenylmethyl chloride, *t* 453
1,9-Diphenylphenanthrene, 998
1,1-Diphenyl-1,2-propanediol, 899
1,2-Diphenyl-1-propanone, 899–900
1,2-Diphenylpropene, 480–481
1,3-Diphenyl-2-propen-1-one, 704
1,3-Diphosphoglycerate, 1174–1175
Diphosphopyridinenucleotide (*see*
 Nicotinamide adenine dinucleotide)
Dipolar ions, 761
 amino acids as, 1133–1137
 phospholipids as, 1065
Dipole-dipole interactions, 27, 294
 in macromolecules, 1045–1047
Dipole moments, 22–23, *t* 23, *t* 825
Dipoles, 22
Di-n-propylamine, *t* 729
Diradicals, 211–212
Disaccharides, 1071, 1112–1119 (*See also*
 Cellulose, Lactose, Maltose, Sucrose)
Disproportionation of free radicals, 1031
Disrotatory motion, 941–948
Dissociation energy (*see* Bond dissociation
 energy)
DMF, 31–32, 849
DMSO, 31–32, 849
DNA, structure, 1177–1180, 1181
 and genetics, 1180
DNFB, 1144
DNP, 1144
DNP-AA, 1145
n-Dodecane, *t* 86
Dodecanoic acid, 579
1-Dodecanol, 684
n-Dodecyl alcohol, *t* 495
6-Dodecyne, 253
Doebner reaction, 714
Doebner-von Miller synthesis, 1020
Double helix, for DNA, 1179
Double irradiation in nmr spectroscopy,
 438–439
Double resonance, in nmr spectroscopy,
 438–439
Double bonds (*see* Carbon-carbon double
 bonds, carbonyl group)
Dow process, 791
Drugs, 686
Drying oils, 1062–1063
Dumas method, 333
Duprene, 276
Durene, *t* 375
Dyes
 anthraquinoid, 993
 azo, 774
 use of naphthols, 982
Dypnone, *t* 866

E

E1 mechanism (*see* Elimination reactions)
E2 mechanism (*see* Elimination reactions)
eclipsed conformation, 75
 in E2 elimination, 483
Edman, Pehr, 1145
Egg albumin, 1139
n-Eicosane, *t* 86
Elastomers, 1027, 1033
 properties, 1047

Electrocyclic reactions, 939–948
Electromagnetic radiation, absorption,
 410–414
 wave lengths in, 409–410
 related to frequency, 409
Electromagnetic spectrum, 409–410
Electronegativity, 22, 749
Electronegativity series, 237
Electronic configuration, 7, 8, 931–934
Electronic effects, 35–36 (*See also* Inductive
 effects, Resonance effects)
 and acidity, 599–601
 accommodation of change, 163
 in addition to carbonyl groups, 510
 of alkyl groups, 164
 in amines, 751–752
 in aromatic substitution, 359–368
 and basicity, 749–752
 in carboxylic acids, 593
 effect of substituent groups, 751–752
 in electrophilic addition, 195–199, 872–873
 of functional groups, 867–868
 in Hofmann degradation, 891–892
 infrared absorption shift, 412
 in naphthalenes, 984–985
 in nucleophilic addition, 628, 872–873
 in nucleophilic aromatic substitution,
 828–833, 835
 in polymerization, 1035
 in S_N1 reactions, 469–470, 835
 in S_N2 reactions, 465, 835
 and stability of carbonium ions, 163, 171
 vs. steric effects, 892, 904, 911
Electronic transitions, 413
Electron paramagnetic resonance (*see*
 Electron spin resonance)
Electron sharing, 4 (*See also* Bonds)
Electron spin resonance spectra, 406, 443–444
Electron spin resonance spectroscopy
 of free radicals, 394
 in reaction studies, 204
Electron spin, 7, 394
Electrophilic addition (*See also* Addition
 reactions)
 to alkenes, 191–202, 242–246
 to alkylbenzenes, 397–398
 to alkynes, 254–257
 to α , β -unsaturated carbonyl compounds,
 868–870
 to conjugated dienes, 268
 to cycloalkenes, 288
 definition, 178
 effect of substituent groups, 195–197, 868
 hydroboration, 508
 orientation and reactivity, 194–197
 oxymercurcation, 504
 reaction mechanism, 191–194
 rearrangement, 197
Electrophilic aromatic substitution, 337–371
 alkylbenzenes, 383, 385
 amines and amides, 747, 751–752
 anthracene and phenanthrene, 990
 aromatic ethers, 561
 coupling of diazonium salts, 772–775
 Friedel-Crafts acylation, 626
 furan, pyrrole, and thiophene, 1008–1011
 effect of halogen, 365–368, 818, 822
 naphthalenes, 971–972, 976–985
 nitrosation of amines, 764
 orientation, 339–345
 phenols, 801–803
 pyridine, 1013–1014
 reaction mechanisms, 345–353
Electrophoresis, 1132

- Element effect**, 478, 834
Eliel, E. L., 889
Elimination-addition mechanism, 817, 835–841
Elimination reactions
 by acetylide, 260
 of alkyl sulfonates, 458
 dehydration of alcohols, 522
 β - and α -elimination, 312
 E1 mechanism, 475–486, 522
 evidence for, 476
 orientation, 480
 E2 mechanism, 475–486, 522
 evidence for, 476–478
 orientation, 478–480
 stereochemistry, 480–484
 variable transition state theory, 479
 in α -halogenated acids, 605
 Hofmann elimination, 753
 orientation, 478–480
 preparation of alkynes, 252
 stereochemistry, 480–484
 vs. substitution, 484–486, 557, 738–739
Empirical formula, determination, 69
Emulsin, 1115
Enamines, 858–861
Enantiomers, 121–124, 126–128
Enantiotopic protons, 417
End group analysis, 1122–1124
Endothermic reactions, 50
Energy of activation (*see* Activation energy)
Energy factors, in reactions rates, 56
Energy sources, 1170
Enolization, 707–709
Enol-*keto* equilibrium, 261–262, 870, 871, 1076
Enthalpy change, 595
 in macromolecules, 1045–1047
Entropy change, 595
 in macromolecules, 1045–1047
Entropy of activation, 65 (*See also* Activation energy)
“Envelope” conformation, 315–316
Enzyme action, 1165–1170
Enzymes
 and neighboring group effects, 887
 solubility and shape, 32
Ephedrine, 127
Epichlorohydrin, 1052
Epimers, 1078, 1079
 interconversion of, 1080–1081
Epoxydes, 562–570
 cleavage, 564–570.
 acid-catalyzed, 564, 565–566
 base-catalyzed, 564–565, 567
 orientation, 568–570
 in glycol formation, 564, 565–566
 from halohydrins, 562, 563, 887
 in pinacol rearrangement, 922
 preparation, 562–563
 protonated, 565, 566, 569
 reactions, 563–570
 with Grignard reagents, 567–568
 polymerization, 567, 1038, 1052
Equatorial bonds in cyclohexane, 298–299
Equilibrium, 594–596
 in esterification, 602
Equilibrium constant, 594–596
Ergocalciferol, 316, 966
Ergosterol, 515
 (–)-Erythrose, 693, 1086
Esr (*see* Electron spin resonance)
Essential oils, phenols from, 791–792
Esterification
 of alcohols, 520, 591
 by acid chlorides, 591, 665, 666, 673–674
 by anhydrides, 669, 673
 by carboxylic acids, 591, 602–603, 673, 674
 by esters, 676, 682–683
 relative reactivity, 603, 673
 by sulfonyl chlorides, 527–528
 of carbohydrates, 1072, 1098, 1127
 of carboxylic acids, 591, 602–603, 673–674, 680–681
 bond cleavage, 603
 relative reactivity, 603
 of cellulose, 1127
 of dicarboxylic acids, 607
 of glucose, 1072, 1098
 of sulfonic acids, 527–528
 (*See also* Esters; Transesterification)
Esters, boric acid
 elimination from, 517
 in hydroboration-oxidation, 921
Esters, carboxylic acid, 658, 672–684
 (*See also* Fats)
 ammonolysis, 675, 682
 analysis, 687–688
 Claisen condensation, 677, 705, 716–720
 cleavage, 675–677, 714
 cyclic (*see* Lactones)
 hydrogenolysis, 676–677, 683–683
 hydrolysis, 675
 acid, 680–682
 alkaline, 677–680
 hydroxy (*see* Hydroxy esters)
 keto (*see* β -Keto esters)
 malonic (*see* Malonic ester synthesis)
 nomenclature, 659
 nucleophilic substitution, 660–664
 phenolic, 603, 666, 794, 800–801
 physical properties, 659–660, 674
 preparation, 457, 520, 591, 602–603, 672–674
 reactions, 675–684
 with Grignard reagents, 676, 683
 reduction, 676–677, 683–684
 saponification equivalent, 687–688
 spectroscopic analysis, 412, 421, 688–690
 structure, 658
 transesterification, 676, 682–683
Esters, phosphoric acid, 1063–1065
 hydrolysis, 1064–1065, 1068
Esters, sulfonic acid, 458–359, 480, 909
 preparation, 527–528
Estrogen, 515, 809
Estrone, 515
Ethanal, 618
 (*See* Acetaldehyde)
Ethanamide, 659
 (*See* Acetamide)
Ethane
 conformations, 74–76
 physical constant, 186
 structure, 73–74
Ethanedioic acid (*see* Oxalic acid)
1,2-Ethanediol (*see* Ethylene glycol)
Ethanenitrile, 589
 (*See* Acetonitrile)
Ethanoic acid, 579, 659 (*See* Acetic acid)
Ethanoic anhydride, 659
 (*See* Acetic anhydride)
Ethanol (*see* Ethyl alcohol)
Ethanolamine, 728
 (*See* 2-Aminopropanol)
Ethanoyl chloride, 659
 (*See* Acetyl chloride)

- Ethene, 151
(*See* Ethylene)
Ether (*see* Ethyl ether)
Ethers, 552–561, 570–571
 absolute, 554
 analysis, 570–571
 of carbohydrates, 1100, 1128
 of cellulose, 1128
 cleavage by acids, 559–560
 as nucleophilic reaction, 560
 cyclic, 561
 (*See also* Epoxides)
 electrophilic aromatic substitution, 561
 as Grignard solvent, 91, 553–555, 822
 hydrogen bonding, 553
 industrial source, 553–554
 nomenclature, 552–553
 peroxides in, 554
 physical properties, 553
 preparation, 555–559
 alkoxymercuration-demercuration, 555, 558–559
 dehydration of alcohols, 554
 from phenols, 555, 556–558, 793–794, 799–800
 Williamson synthesis, 555, 556–558, 793–794, 799–800
 protonated, 560
 reactions, 559–561
 as solvents, 91, 553–555, 561
 sources, industrial, 561–562
 spectroscopic analysis, *t* 412, *t* 421, 570–571, *t* 689
 structure, 552–553
Zeisel method, 570
Ethide ion, basicity, 259
p-Ethoxybenzoic acid, 552
3-Ethoxy-2,2-dimethylbutane, 555
2-Ethoxyethanol, 552, 564
N-Ethylacetamide, 756, *t* 781
Ethyl acetate, 520, 659, *t* 674
 ammonolysis, 675
 Claisen condensation, 705, 717, 719
Ethyl acetoacetate (*See also* Acetoacetic ester synthesis)
 preparation, 705, 717
 reactions, 851–852, 874–875, 879, 882
 relative acidity, 717
Ethylacetylene, 250
Ethyl acetylenedicarboxylate, 875, 879
Ethyl acrylate, 872, 875
Ethyl adipate
 in Dieckmann condensation, 718
 preparation, 602–603
Ethyl alcohol, 493, *t* 495, 499–500
 dehydration, 155, 156
 iodoform test, 537
 preparation, 191, 505
 sources, 499
 uses, 499
Ethylamine, *t* 729, 734
Ethyl *p*-aminobenzoate, 734
Ethylammonium sulfate, 729
N-Ethylaniline, *t* 781
1-Ethylaziridine, 732
N-Ethylbenzamide, *t* 781
Ethylbenzene, 373, *t* 375
 preparation, 377, 400
 reactions, 382, 383, 387, 388, 396
Ethyl benzoate, 659, *t* 674
 in Claisen condensation, 705
 hydrolysis, 675
 preparation, 665
 tracer studies of hydrolysis, 679
Ethyl benzoylacetate, 705, 719
Ethyl benzylidenemalonate, 714
Ethyl benzylmalonate, 1139
Ethyl bromide, *t* 453, 742, *t* 825
 nmr spectrum, 426–427, 430
Ethyl bromoacetate, 721, 856–858
Ethyl *o*-bromobenzoate, 673
Ethyl bromomalonate, 1140
Ethyl α -bromopropionate, reactions, 720–849
Ethyl bromosuccinate, 1017
Ethyl 2-butenoate, 850
Ethyl *n*-butylamine, 742
Ethyl *tert*-butyl ether, 557
Ethyl *n*-butyrate, *t* 674
Ethyl carbonate, 684
Ethyl carbonate, 684, 719
Ethyl cation, 160
 ionization potential of free radical, 164
 mass to charge ratio, 406
Ethyl chloride, 90, 95, *t* 453, *t* 825
 conformations, 441
 nmr signals, 416, 440–441
Ethyl chloroacetate, 1139
Ethyl chlorocarbonate, 684
Ethyl cinnamate, *t* 866, 879
 preparation, 714
Ethyl crotonate, reactions, 870, 875, 879, 881
Ethyl cyanacetate, reactions, 714, 850, 874, 879
Ethyl β -cyanobutyrate, 870
Ethyl α -cyano- α' -methylglutarate, 874
Ethylcyclohexane, 382, 396, 844
3-Ethylcyclopentene, 284
Ethyl cyclopentylacetate, 858
Ethylidimethylacetic acid, 586
Ethyl 6,6-dimethyl-2,4-dioxocyclohexane-carboxylate, 875
Ethyl 2,2-dimethylpropanoate, 676
Ethyl 2,4-dimethyl-3-pyrocatecarboxylate, 1009
Ethyl 2,3-dioxo-1,4-cyclopentanedicarboxylate, 719
Ethyl 1,3-dioxo-2-indanecarboxylate, 720
Ethyl (1,3-diphenyl-3-oxopropyl) malonate, 873
Ethylene, 151, *t* 152
 cycloaddition reactions, 949–951
 electronic configuration, 931
 heat of hydrogenation, 183
 molecular orbitals, 931
 polymerization, 1028, 1048
 preparation, 155, 166
 structure, 143–145
 from thermal cracking, 110
Ethylene bromide, 452
Ethylene bromohydrin, 199, 452, 564 (*See also* 2-Bromoethanol)
Ethylene chlorohydrin, 492 (*See also* 2-Chloroethanol)
 derivatives, 545
Ethylenediamine, 727, *t* 729, 739
Ethylene glycol, 494, *t* 495
 polymerization, 1042, 1045
 polymer with terephthalic acid, 1029
 preparation, 208, 502, 503, 564
Ethylene oxide
 detergents from, 1061
 industrial preparation, 562, 563
 polymerization, 1038
 reactions, 564–565
 with Grignard reagents, 567
Ethyl ethanoate, 659 (*see* Ethyl acetate)
Ethyl ether, *t* 496, 552, *t* 553
 absolute, 554–555
 as anesthetic, 554
 hazards, 555

- industrial source, 553–554
 as solvent, 554–555
 Ethyl formate, *t* 674, 719
 Ethyl formylacetate, 719
 Ethyl free radical, 103
 Ethyl fumarate
 preparation, 1017
 reactions, 879
 Ethyl hexadecanoate, 684
 2-Ethyl-1,3-hexanediol, 712
 2-Ethyl-1-hexanol, 491, 712
 2-Ethyl-2-hexenal, 712
 Ethyl hydrogen sulfate, 191
 Ethyl β -hydroxyisovalerate, 720, 721
 Ethyl 3-hydroxy-3-methylbutanoate, 720
 Ethyl β -hydroxy- β -phenyl- α -methylpropionate, 720
 Ethyl iodide, 794
 preparation, 187, 455, 519
 Ethyl α -isobutyacetacetate, 851
 Ethyl isobutyimalonate, 848
m-Ethylisopropylbenzene, 374
 Ethyl ketone, 619
 Ethyllithium, 90
 Ethylmagnesium bromide, 91
 Ethyl malonate (*See also* Malonic ester)
 preparation, 606
 reactions, 585, 687, 714, 848–849, 850,
 873–875, 879
 Ethyl mandelate, 707
 Ethyl α -methylacrylate, 874
 Ethyl α -methyl- β -ketovalerate, 718
 Ethyl methylmalonate, 879
 1-Ethyl-4-methyl-aphthalene, 988
 Ethyl α -methyl- α -n-propylacetacetate, 852
 Ethyl methyl-*n*-propylmalonate, 849
 2-Ethynaphthalene, 980
 Ethyl *p*-nitrobenzoate, 734
 Ethyl 5-nitro-2-furoate, 1023
 2-Ethyloctanoic acid, 585
 Ethyl oxalate, 719, 881
 Ethyl oxaloacetate, 719
 Ethyl 3-oxo-2-methylpentanoate, 718
 Ethyl palmitate, 684
 Ethyl phenylacetate, *t* 674, 719
 Ethyl α -phenylbenzoyl ceteate, 719
 Ethyl γ -phenylbutyrate, 602
 Ethyl phenyl ether (*see* Phenetole)
 Ethyl phenylmalonate, 719
 Ethyl pimelate, 719
 Ethyl propionate, *t* 674, 678
 in Claisen condensation, 718
 Ethyl α -*n*-propylacetate, 852
 Ethyl *n*-propylmalonate, 849
 Ethyl radical (*see* Ethyl free radical)
 Ethyl stearate, *t* 674
p-Ethyltoluene, 374
N-Ethyl-*p*-toluenesulfonamide, *t* 781
 Ethyl tosylate, 520
 Ethyl trimethylacetate, 676
 preparation, 591
 Ethyl *n*-valerate, *t* 674
 Eudalene, 999
 Eudesmol, 999
 Eugenol, 650, 791
 Excited state, of molecules, 931
 Exhaustive methylation, of amines, 754
 Exothermic reaction, 50
 Extinction coefficients, 413
- F
- Farnesyl pyrophosphate, 282
 Fats, 1055–1069, 1175
- alcohol source, 498, 1060
 biosynthesis, 855
 carboxylic acid source, 584, 1060
 detergents from, 1061–1062
 hydrolysis, 1059–1060
 industrial uses, 604
 occurrence and composition, 1056–1059
 phospholipids, 1063–1067
 soap from, 1059–1060
 unsaturated, 1062–1063
 Fatty acids, 1056, 1058–1059
 biosynthesis, 1175–1177
 in fats and oils, *t* 1057
 Fehling's reagent, 1071, 1075
 Ferguson, Lloyd, 283
 Fermentation, 497, 498–499
 Ferrocene, 329
 Fibers (synthetic), 1027
 properties, 1046
 Fibrin, 1150
 Fibrinogen, 1150
 Fibroin, 1150
 Fibrous proteins, 1149
 Fischer, Emil, 1077, 1081, 1147, 1160
 Fischer proof, of (+)-glucose configuration,
 1081–1085
 Flavylum chloride, 1024–1025
 Fluorine
 bond formation, 11
 ¹⁹F nucleus and nmr spectra, 432
 Fluoroacetic acid, *t* 600
o-Fluoroanisole, 840
 Fluorobenzene, *t* 340, 766, *t* 819, 823
o-Fluorobenzophenone, 662
 Fluorocarbons, 454
 1-Fluoro-2-methylnaphthalene, 977
 1-Fluoronaphthalene, 1000
 2-Fluoronaphthalene, 982
p-Fluoronitrobenzene, 843
m-Fluorophenol, *t* 788
o-Fluorophenol, *t* 788
p-Fluorophenol, *t* 788
m-, *o*-, *p*-Fluorotoluene, *t* 819
 Formaldehyde, 618, *t* 620, 879, 1007
 formation, 279
 polymerization, 1043–1044, 1049
 preparation, 182, 535
 Formalin, 620
 Formamide, *t* 660
 Formate ion, 633
 Formic acid, 579, *t* 580, *t* 600
 bond lengths, 223, 598
 Formolysis, 913
 Fossil fuels, 1
 Free energy change, 594–595
 Free energy of activation, 65 (*See also*
 Activation energy)
 Free radical addition, 203–207, 274–275,
 397–398
 Free radicals, 47 (*See also* individual free
 radicals)
 addition
 to alkenes, 181, 203–207, 1050
 to alketylbenzenes, 398–399
 to dienes, 274–277
 alkyl, 47–49, 97–100
 relative stabilities, 102–104, 210–211, 188
 resonance stabilization, 216–218
 allyl, 209–211
 electronic configuration, 932–933
 molecular orbitals, 932–933
 relative stability, 388
 resonance stabilization, 212–215
 benzyl, 387–390

- resonance stabilization, 388–390
 definition, 47
 delocalization of odd electron, 213–215, 217,
 388, 393
 detection, alkyl, 71
 by esr, 394, 443–444
 triarylmethyl, 394
 diradicals, 211–212, 949
 electron paramagnetic resonance (epr)
 spectrum, 394, 443–444
 electron spin resonance (esr) spectrum, 394,
 443–444
 formation, by abstraction, 47
 by addition, 203–207, 1030–1031
 from AIBN, 1031
 from alkanes, 47–49
 from alkenes, 203–207, 208–210
 from alkylbenzenes, 387–388
 in allylic substitution, 208–210
 by N-bromosuccinimide, 209–210
 from *tert*-butyl peroxide, 114
 in concerted homolysis, 206
 from dienes, 274–277
 ease of, 103–104, 388
 stability and, 104–105, 275
 in halogenation, 47–50, 97–98, 208–211,
 387–388
 from inhibitors, 1032
 from peroxides, 114, 203–206, 1030
 from tetraethyllead, 72
 from tetramethyllead, 72
 from toluene, 387–388
 hyperconjugation in, 216–218
 methyl (*see* Methyl radicals)
 Paneth mirror technique, 72
 paramagnetism, 394
 in polymerization of alkenes, 206–207
 of dienes, 275–277, 1031, 1033–1035
 of styrene, 1030–1032, 1033–1036
 vinyl, 1030–1036
 racemization and, 238–239, 733
 reactions, polar factors in, 388, 1035–1036
 rearrangement, lack of, 107–108
 resonance stabilization, 213–215, 217, 388
 stable, 390–394
 stability, 102–103
 ease of formation and, 103–105
 hyperconjugation and, 216–218
 relative, 102–104, 210–211, 388
 stereochemistry, 238–239, 733
 structure, 62–63
 triarylmethyl, 393
 triphenylmethyl, 390–394
 vinyl, 207–208
 Free radical substitution, 46–62, 63–67,
 208–211, 386–388
 Freon 12, 454
 Friedel, Charles, 378
 Friedel-Crafts acylation
 of benzene, 322, 338, 987
 of naphthalene, 972, 979–980
 of heterocyclic compounds, 1008
 of phenols, 796
 in preparation of anthracene derivatives, 992
 in preparation of ketones, 622, 625–627, 665
 in preparation of naphthalene derivatives,
 986
 Friedel-Crafts alkylation
 of benzene, 322, 338, 376–382
 of phenols, 795, 803
 reaction mechanism, 348–349
 test for aromatic compounds, 402
 Fries rearrangement, 796, 800–801
 β -D-Fructofuranosyl α -D-glucopyranoside, 1119
- (+)-Fructose, 1087
 (-)-Fructose, structure determination, 1073,
 1075, 1078, 1087
 D-Fructose, 1109, 1118
 D-Fructose-1,6-diphosphate, 1183
 Fuchsin-aldehyde reagent, 645
 Fuels, synthetic, 110
 Fukui, K., 938
 Fumaric acid, *t* 606, 668, *t* 866, 876
 Fumaryl chloride, 880
 Functional derivatives of carboxylic acids,
 658–700 (*See also* Acid chlorides, Acid
 anhydrides, Amides, Carbonic acid
 derivatives, Imides, Esters, Fats)
 Functional groups, 177
 Furan, *t* 1003
 in carbohydrate nomenclature, 1103
 reactions, 561, 1008–1010
 source, 1006–1007
 structure, 1002, 1004–1006
 2-Furancarboxaldehyde (*see* Furfural)
 2-Furansulfonic acid, 1008
 Furfural, *t* 1003
 reactions, 1007, 1009, 1022, 1023
 source, 1007
 Furfuryl alcohol, *t* 1003
 Furoic acid, *t* 1003, 1008
 Furylacrylic acid, 1023
 Fused ring aromatic compounds, 967–1001
 (*See also* Polynuclear aromatic
 compounds)
 Fusel oil, 498
cis-Fusion, 515
trans-Fusion, 514

G

- Gabriel synthesis, 744, 1139
 Galactaric acid, 1087
 α -D-Galactopyranose, 1105
 4-O-(β -D-Galactopyranosyl)-D-glucopyranose,
 1116–1117
 (+)-Galactose, 1074, 1087
 D -(-)-Galactose, 1106, 1116–1117
 D-Galacturonic acid, 1107
 Gas, natural, *t* 87
 Gas oil, *t* 87
 Gasoline, 109, 110
 Gaspar, P. P., 309
 Gattermann reaction, 768
 gauche-conformation, 78
 Gelatin, 1159
 Genetic code, 1180–1181
 (+)-Gentiobiose, 1128
 Geometric isomerism, 145, 148–151, 225–226
 Geranial, 652
 Geraniol, 546–547
 infrared spectrum, 551
 nmr spectrum, 551
 Geranyl pyrophosphate, 282
 Glass, 1049
 Globular proteins, 1149–1150
 structure, 1159–1160
 gamma-Globulin, 1146, 1159
 Globulins, 1150
 Glucaric acid, 1072, *t* 1075, 1085
 (+)-Glucaric acid, 1093
 Glucitol, 1072, *t* 1075
 Gluconic acid, 1072, *t* 1075
 D -(-)-Gluconic acid, 1116–1117
 α -D-Glucopyranose, 1105
 β -D-Glucopyranose, 1104
 β -D-(+)-Glucopyranose, 1104
 β -L-(-)-Glucopyranose, 1106

- α -D-Glucopyranosyl β -D-fructofuranoside, 1119
4-O-(α -D-Glucopyranosyl)-D-glucopyranose, 1113
4-O-(β -D-Glucopyranosyl)-D-glucopyranose, 1116
D-Glucosazone, 1116–1117
D-(+)-Glucose, acetylation, 1072, 1098
as aldohexose, 1071–1073
 α - and β -forms, 1094–1096
in amylopectin structure, 1124–1126
in amylose structure, 1120–1124
anomers, 1095–1096
 configuration, 1095
 conformations, 1095, 1104–1105
 specific rotations, 1094
biological importance, 1070, 1072
in cellobiose structure, 1115–1116
in cellulose structure, 1070, 1126–1127
configuration, 1085, 1092, 1093
 Fischer proof, 1080–1085
conformation, 1104–1105
cyclic structure, 1094–1098
 configuration, 1095
 conformation, 1104–1105
 methylation, 1094, 1099–1101
 ring size, 1101–1109
in dextrans, 1126
enantiomeric forms, 1092
epimers, 1078
formation, from arabinose, 1083
 in photosynthesis, 1070
 γ -glucoside of, 1103
glucoside formation, 1095
 (See also Glucosides)
in glycogen structure, 1126
glycolysis, 1172
as hemiacetal, 1095–1096
 mutarotation, 1094–1096
in lactose structure, 1116–1118
in maltose structure, 1112–1115
methylation, 094, 1099–1101
O-methyl ethers, oxidation, 1103
molecular models, 1074, 1097
mutarotation, 1094–1096
nomenclature, of derivatives, τ 1075
open-chain structure, in mutarotation, 1096
osazone (see Glucosazone)
oxidation, 1072, 1083, 1093
 in body, 1070, 1172
reactions, 1072
reduction, 1072
ring size determination, 1101–1103
in starch structure, 1070, 1120
stereoisomers, 1073–1074
structure, 1071–1073
in sucrose structure, 1118–1119
L-($-$)-Glucose, 1092
Glucose phenylhydrazone, 1072
D-Glucose-1-phosphate, 1110
D-Glucose-6-phosphate, 1175
Glucosides
 as acetals, 1094–1095
 configuration, 1097
 conformation, 1097
 formation, 1094–1098
 hydrolysis, acid, 1095–1096
 base, stability toward, 1096
 enzymatic, 1099
 methyl (see Methyl glucosides)
 methylation, 1099–1101
 oxidation by periodic acid, 1099
Glucosone, 1077
Glucuronic acid, τ 1075
Glutamic acid, 127, 1141
 synthesis, 1140, 1161
(+)-Glutamic acid, τ 1134
(+)-Glutamine, τ 1134
Glutamylcysteinylglycine, 1143
Glutaric acid, τ 606
Glutathione, 1142–1143, 1146
Glyceraldehyde, 643
 configuration, 132, 1087–1089
 relationship to tartaric acid, 1090
 relationship to glucose, 1092–1093
(+)-Glyceraldehyde, 1089
D-(+)-Glyceraldehyde, 1088, 1089, 1091–1093
R-Glyceraldehyde, 693
R-(+)-Glyceraldehyde, 1079–1080
D-Glyceraldehyde-3-phosphate, 1173–1175,
 1183
Glyceraldehyde-3-phosphate dehydrogenase,
 1174
D-($-$)-Glyceric acid, 1088, 1089
Glycerides, 1056
 hydrolysis, 1059
Glycerol, 492, τ 495, 1018, 1020, 1022
 from glycerides, 676
 polymers from, 1042
Glycerol, acetal with benzaldehyde, 651
Glycine, τ 1134
 isoelectric point, 1137
 preparation, 734
 reactions, 1141, 1148
Glycine hydrochloride, 1139
Glycogen, 1070, 1126, 1175
 biological oxidation, 1172
Glycolamide, τ 614
Glycolanilide, τ 614
Glycolic acid, τ 614
Glycols, 207, 208, 494
 analysis, 538
 preparation, 181, 207–208, 396
 rearrangement, 896–898
Glycolysis, 1172
Glycosides, 1097
Glycylalanine, synthesis, 1147, 1148–1149
Glyptal, 1042
Gomberg, Moses, 391
Graft copolymers, 1036
Grain alcohol (see Ethyl alcohol)
Grains, as alcohol source, 498
Gramicidin S, 1162
Graphite, structure, 968
Greiss, Peter, 335, 1077
Grignard reagent, 91–92
 in alcohol synthesis, 509–513, 530, 637
 choice of, 512–513, 531–532
 decomposition, 512–513
 preparation, 91, 458, 509, 512–513, 822
 reactions
 with acids, 92
 with aldehydes and ketones, 509–513
 with cadmium chloride, 627
 with esters, 676, 683
 with ethylene oxide, 567–568
 with water, 92
Grignard synthesis
 of alkanes, 92
 of alcohols, 501, 509–513, 530, 641, 637
 of carboxylic acids, 586, 587, 588
 limitations, 512–513
Grignard, Victor, 91
Ground state, of molecules, 931
Guaiacol, 806
Guanidine, 686, 687
Guanine
 in nucleic acids, 1178, 1179, 1180

β -D-Gulopyranose, 1106
Gulose, 1075, 1084–1085
(+)-Gulose, 1093–1094
Gun cotton, 1127
Gutta percha, 281, 1048
Guvacine, 1025

H

Halides (*see also* Alkyl halides, Aryl halides)
Haloform reaction, 630
 α -Halogenated carboxylic acids, reactions, 605
Halogenation
addition to alkenes, 179, 186–190
addition to alkynes, 239–246, 255
of aliphatic acids, 604–605
of alkanes, 95–109, 237–239
of alkylbenzenes, 386–389
allylic substitution in alkanes, 208–218
of amides, 888
aromatic, 819–821
of benzene, 322, 338
of ketones, 634, 703, 706–709
of methane, 43–67
of naphthalene, 972, 976–978
order of reactivity, 45, 59–62
of phenols, 795, 802
of pyridine, 1013
of pyrrole, furan, and thiophene, 1008
Halogen dance, base-catalyzed, 844–845
Halogens
addition to alkenes, 186–190
addition to alkynes, 255
effect on acidity, 599
effect on electrophilic aromatic substitution, 365–368
order of reactivity, 45
Halohydrins
orientation in, 200
preparation, 180, 199–200
Hammett equation, 596, 914
Hammett, Louis P., 596
Hammond, G. S., 309
Hardening of oils, 1062–1063
Haworth, R. D., 986
Haworth, Sir W. N., 1102
Haworth synthesis, 984–988, 994–995
Heat of activation, ΔH^\ddagger (*See also* Activation energy)
Heat of combustion
of alkanes, 290
of benzene, 322–323
of cycloalkanes, ΔH^\ddagger , 290, 290–294
of methane, 43
Heat of hydrogenation
acetylene, 280
alkenes, ΔH^\ddagger , 183, 183–186
benzene, 322–323
definition, 183
dienes, ΔH^\ddagger , 263, 264, 323
Heat of reaction, definition of, 50
Heavy metal acetylides, 259
Hell-Volhard-Zelinsky reaction, 592, 593, 604–605
Hemiacetals, 641, 1095
Hemimellitine, ΔH^\ddagger , 375
Hemin, 789, 1152–1153
Hemithioacetals, 1174
Hemoglobin, 1146, 1150, 1152, 1159, 1160
Hendrickson, James F., 294
 n -Heptadecane, ΔH^\ddagger , 86, 1056
Heptaldehyde, ΔH^\ddagger , 620, 740
Heptanal, 740

n -Heptane, ΔH^\ddagger , 86, 109
Heptanoic acid, 1072
1-Heptene, ΔH^\ddagger , 152, 153
 n -Heptyl alcohol, ΔH^\ddagger , 495
 n -Heptylamine, 740
 n -Heptyl bromide, 90, ΔH^\ddagger , 453
 n -Heptyl chloride, ΔH^\ddagger , 453
 n -Heptyl iodide, ΔH^\ddagger , 453
1-Heptyne, ΔH^\ddagger , 251
Heredity, 1180–1181
Hertz, 409
Heterocyclic compounds, 1002–1026
five-membered rings, 1004–1011
 reactions, 1008–1011
 structure, 1004–1006
 source, 1006–1007
fused rings, 1018–1021
physical constants, 1003
six-membered rings, 1011–1018
uses, 1003
Heterolysis, 206
 in acetylene, 250
Hexa-O-acetylglucitol (Hexa-O-acetylsorbitol), 1072
1,2,3,4,5,6-Hexachlorocyclohexane, 447
Hexacyclopentylethane, 402
 n -Hexadecane, ΔH^\ddagger , 86
1-Hexadecanol, 684
 n -Hexadecyl alcohol, ΔH^\ddagger , 495
3,3,4,4,5,5-Hexadeuteriocyclohexanol, nmr spectrum, 438
1,5-Hexadiene, ΔH^\ddagger , 263
2,4-Hexadiene, 940, 943
Hexamethylbenzene, ΔH^\ddagger , 375
Hexamethylenediamine, ΔH^\ddagger , 729, 736, 1011, 1042
Hexanamide, 736
 n -Hexane, ΔH^\ddagger , 83, ΔS^\ddagger , 86
Hexanedioic acid, 605
2,5-Hexanedione, 1007
Hexanes, isomeric, 80
1-Hexanol, 565 (*See also* n -Hexyl alcohol)
2-Hexanol, 504
2-Hexanone, ΔH^\ddagger , 620
3-Hexanone, ΔH^\ddagger , 620
Hexaphenylethane, 390–394
1,3,5-Hexatriene, 262
 electronic configuration, 944
 molecular orbitals, 944
Hexatrienes, 945
1-Hexene, ΔH^\ddagger , 152, 479
2-Hexene, 479
3-Hexene, 255
Hexestrol, 809
 n -Hexyl alcohol, ΔH^\ddagger , 495, 565
 n -Hexylbenzene, 627
 n -Hexyl bromide, ΔH^\ddagger , 453
2-Hexyl bromide, 479
 n -Hexyl chloride, 82, ΔH^\ddagger , 453, 844
2-Hexyl chloride, 479
2-Hexyl fluoride, 479
 n -Hexyl iodide, ΔH^\ddagger , 453
2-Hexyl iodide, 479
4- n -Hexylresorcinol, 636, 801
1-Hexyne, ΔH^\ddagger , 251, 253
2-Hexyne, ΔH^\ddagger , 251
3-Hexyne, ΔH^\ddagger , 251, 255
Highest occupied molecular orbital (HOMO), 940
High-modulus fibres, 1051
Hine, Jack, 805
Hinsberg test, 775
Hippuric acid, 779, 1141
Histamine, 1026
Histidine, 1165–1170

- (*-*)-Histidine, *t* 1134
Hoffmann, Roald, 938
Hofmann degradation, 736, 737, 741–742
 rearrangement, 737, 888–893
Hofmann elimination, 747, 753–754
Hofmann orientation, 479, 480
Holley, Robert W., 1178
HOMO, 940
Homocyclic compounds, 1002 (*See also*
 Alicyclic hydrocarbons, Cycloalkanes)
Homologous series, 79–80
Homolysis, 21, 205, 250
 concerted, 206
Homopolymers, 1033
Hordinene, 811
Hormones, 515
House, Herbert, 92
Hückel, Erich, 328, 936
Hückel $4n + 2$ rule, 328, 934–938
Hudson, C. S., 1098
Hughes, E. D., 907
Hyalophora cecropia, 1069
Hybrid bonds (*see* Bonds)
Hybridization (of atomic orbitals) (*see*
 Orbitals)
Hydration
 of alkenes, 180, 191
 of alkynes, 255, 261–262
Hydrazine, 632, 920
Hydrazone, 632
Hydride ion, 662
Hydride shift, 172, 202
Hydroaromatic compounds, 974–976
Hydroboration-oxidation, 181, 500, 505–507,
 921
Hydrocarbons, 40 (*See also* Alicyclic hydro-
 carbons, Alkanes, Alkenes, Alkynes,
 Arenes)
Hydrocracking (*see* Pyrolysis)
Hydrodealkylation, industrial, 376
Hydrogen (*See also* Deuterium, Protons,
 Tritium)
 abundance, *t* 408
 bond formation, 10
 classification, 84–85
 exchange, 707–708, 843
 hydride character, 509
 ionization of α -hydrogen, 701
 isotope effects, 353
 migration, 955–957
Hydrogenation
 of alkenes, 179, 182–186
 of alkynes, 254, 256–257
 of alkylbenzenes, 397–398
 of alkylbenzenes, 382
 of aromatic hydrocarbons, 286
 of esters, 676
 heat of (*see* Heat of hydrogenation)
 of nitro compounds, 733–737
 of oils, 1062–1063
 quantitative, 278
Hydrogen bonds, 27–28, 31, 294
 in alcohols, 495, 496
 in amides, 659
 in amines, 729
 boiling point and, 30, 495, 789
 in carboxylic acids, 582
 in DNA, 28, 1180
 in ethers, 553
 and infrared absorption shift, 412
 in macromolecules, 1045–1047
 and molecular shape, 28
 in nitrophenols, 789
 in phenols, 787
 and physical properties, 30, 619, 789
 in proteins, 28, 1150
Hydrogen bromide, 975
 addition to alkenes, 189, 203–205
Hydrogen chloride, 29
Hydrogen fluoride
 dipole moment, *t* 23
 molecular orbitals, 928
Hydrogen halides
 reaction with alcohols, 518, 523–526
 addition to alkenes, 179, 187–190
 addition to alkynes, 255
Hydrogenolysis, of esters, 676, 683
Hydrolysis
 of alkyl halides, 502
 of alkyl hydrogen sulfates, 190–191
 of amides, 671–672
 in biochemical processes, 1167
 of carboxamides vs. sulfonamides, 762
 of carboxylates, 593–594
 of carboxylic acid derivatives, 663, 668
 of esters, 686
 of fats, 1059–1060
 of (*+*)-maltose, 1113
 of methyl glucosides, 1100–1101
 and neighboring group effects, 908–909
 of nitriles, 589, 638
 of phosphates, 1064
 of substituted amides, 757
 of urea, 686
Hydroperoxides, rearrangement, 893–896
3-Hydroperoxyhexane, 919
Hydrophilic, definition, 1060
Hydrophobic, definition, 1060
Hydroquinone, 787, *t* 788, 878
m-Hydroxybenzaldehyde, 343
o-Hydroxybenzaldehyde, 618 (*See also*
 Salicylaldehyde)
p-Hydroxybenzaldehyde, *t* 620
m-Hydroxybenzoic acid, *t* 600
o-Hydroxybenzoic acid, 787 (*See also* Salicylic
 acid)
p-Hydroxybenzoic acid, 787, *t* 580, *t* 600
3-Hydroxybutanal, preparation, 704, 709
 β -Hydroxybutyraldehyde, preparation, 709
 α - β -Hydroxybutyryl-S-ACP, 1177
3-Hydroxy-2,2-dimethylpropanoic acid, 881
 β -Hydroxyesters, 720–722, 855
 α -Hydroxyisobutyramide, *t* 614
 α -Hydroxyisobutyraniilide, *t* 614
 α -Hydroxyisobutyric acid, *t* 614
Hydroxylamine, 632
Hydroxylamine hydrochloride, 640
3-(N-Hydroxylamino)-3-phenylpropanoic
 acid, 871
Hydroxylation of alkenes, 207–208, 502
Hydroxyl group, 518, 589
(*-*)-Hydroxylysine, *t* 1134
3-Hydroxy-2-methylpentanal, 709
4-Hydroxy-4-methyl-2-pentanone, 704, 709
 β -Hydroxy- α -methylvaleraldehyde, 709
o-Hydroxyphenyl ethyl ketone, 801
p-Hydroxyphenyl ethyl ketone, 801
(*-*-)Hydroxyproline, *t* 1134
 α -Hydroxypropionic acid (*see* Lactic acid)
 β -Hydroxypropionic acid, 868
o-Hydroxypropiophenone, 801
p-Hydroxypropiophenone, 801
8-Hydroxyquinoline, 1018
Hygrine, 1011
Hygrinic acid, 1011
Hyperconjugation, 216–218
 in alkenes, 266
Hypohalite, 530, 635, 685

Hypophosphorous acid, 769

I

- (*-*)-Idose, 1087
α-D-Idopyranose, 1105
Ignition test, 608
Imidazole, 1002
Imine-enamine tautomerism, 858–859
Imines, 740
Iminium ions, 859–860
Indanthrene Golden Yellow Gk, 993
Indanthrone, 993
Indene, 404, 958
Indigo, 71
Indole, *t* 1003, 1010, 1023
3-Indolecarboxaldehyde, 1023
Inductive effects (*See also* Electronic effects, Resonance effect)
in aromatic substitution, 360
and carbonium ion stability, 163
definition, 36
of halogens, 365, 818
of substituent groups on acids, 599–601
Infrared absorption bands, for organic groups, 410, *t* 412
Infrared absorption shift, 410–412
Infrared spectra, 405, 410–414
analysis of alcohols, 539
of aldehydes and ketones, 646–647
of amines and substituted amids, 776–777
of carboxylic acids, 609, 647
of carboxylic acid derivatives, 688–689
of ethers, 571
of hydrocarbons, 444–445
of phenols, 805–806
Ingold, Sir Christopher, 124, 130, 160, 460, 463, 480, 907
Inhibitors
in chlorination of methane, 49–50
in polymerization, 1032
Initiators
for polymerization, 207, 1037–1038
Inorganic compounds, 1
Insertion reactions, of methylene, 311
Insulin, 1146, 1150, 1159
structure of, 1162–1163
Interionic forces
of liquids, 29
of solids, 26
and solubility, 30
Intermolecular forces, 27, 29
in liquids, 29
in macromolecules, 1045–1049
in solids, 27
and solubility, 30–32
Intramolecular forces, 20
Intramolecular nucleophilic substitution, 885–924 (*See also* Rearrangement)
Intramolecular reactions, 287
Inversion
of ammonia, 18
of configuration, 462–463
of sucrose, 1118
Inversional isomers (*see* Stereoisomers)
Invertase, 1118
Invert sugar, 1118
Iodine, 60
as tracer, 108
Iodoacetic acid, *t* 600, *t* 614
Iodoacetamide, *t* 614
Iodoacetanilide, *t* 614
Iodoacetone, 706, 707
o-Iodoaniline, 332
Iodobenzene, 331, *t* 340, 766, *t* 819
o-Iodobenzoic acid, 821
2-Iodobutane, 188
1-Iodo-2-butene, *t* 453
2-Iodocyclohexyl brosylate, 911
Iodoform, 630
melting point, 537
Iodoform test
alcohols, 537
aldehydes and ketones, 537, 630
2-Iodohexane, 1072
2-Iodo-2-methylbutane, 188
3-Iodo-3-methyl-2-butanone, 854
1-Iodo-1-methylcyclopentane, 288
o-Iodonaphthalene, 977, 997, 1000
2-Iodonaphthalene, 997
2-Iodopentane, 188
3-Iodopentane, 188
m-Iodophenol, *t* 788
o-Iodophenol, *t* 788
p-Iodophenol, *t* 788
2-Iodopropane, 179
 β -Iodopropionic acid, *t* 614
 β -Iodopropionamide, *t* 614
3-Iodopropyne, *t* 453
p-Iodotoluene, 817, 820
preparation, 820
o-, *m*-, *p*-Iodotoluene, *t* 819
Ionic bonds (*see* Bonds)
Ionic polymerization, 1037–1039
Ionization (*see* Acidity, Acidity constants, Basicity, Basicity constants)
Ionization potential, definition, 164
Ir, *see* Infrared
Isobornyl chloride, 915
Isobutane, *t* 77, 78, *t* 86
Isobutyl alcohol, 493, *t* 495, 506
Isobutylamine, *t* 729
infrared spectrum, 777
N-Isobutylaniline, 735
B-Isobutyl-BBN, 858
Isobutylbenzene, 373, *t* 375
Isobutyl benzoate, 673
Isobutyl bromide, 190, *t* 453, 535, 848, 851
Isobutyl chloride, 96, *t* 453
Isobutylene, 146, *t* 147, 151, 152, 739, 858
dimerization, 180
heat of hydrogenation, *t* 183
nmr signals, 416, 432
Isobutylene bromide, 186
Isobutyl free radical, 103
Isobutylmagnesium bromide, 535
Isobutylmalonic acid, 848
Isobutylmalonic ester, 848
Isobutyraldehyde, 533, 735
Isobutyric acid, 586
Isocaproaldehyde, 618
Isocaproic acid, 848
Isocrotonic acid, *t* 866
Isocyanates
reactions, 888–889, 919, 1044
Isodurene, *t* 375
Isoelectric point
of amino acids, 1137–1138
in proteins, 1151–1152
Isoelectronic molecules, 308
Isoeugenol, 650, 791
Isohexane, 83, 84, *t* 86
Isohexyl chloride, 83
2-Isohexyl naphthalene, 980
Isolated double bonds, 262
Isoleucine, 498, 849, 1166
(+)-Isoleucine, *t* 1135
Isomer

- conformational, 138–140
 definition, 37
 mirror-image (*see* Enantiomers)
 stereo- (*see* Stereoisomers)
 Isomerism, 36–37
 alkanes, 82
 alkenes, 146–151
 alicyclic compounds, 301–303
 alkyl groups, 82–83
 alkynes, 250
 butanes, 77–78, *t* 78
 butylenes, 146–148, *t* 147, 149
 cis-trans (*see* Geometric isomerism)
 optical (*see* Optical isomerism)
 substituted benzenes, 320–321
 (*See also* Keto-enol tautomerism)
 Isomer number, 116–117
 benzene and, 319–321
 tetrahedral carbon and, 116–117
 Isomerization, industrial, 376
 Isoniazid, 1013
 Isonicotinic acid
 physical constants, *t* 1003
 preparation, 1012
 Isonicotinic acid hydrazide, 1013
 Isooctane, 201
 Isopentane, 83, *t* 86
 Isopentyl acetate, *t* 674
 Isopentyl alcohol, *t* 495, 844
 Isopentyl bromide, 535
 Isopentyl chloride, 83
 Isopentyl ether, 573
 Isopentenyl pyrophosphate, 278, 282, 864
 Isophthalic acid, 385, *t* 580, *t* 606
 Isoprene
 polymerization, 276, 1037, 1040
 reactions, 879
 rule, 277
 units (in nature), 277
 3-Isopropoxy-2,2-dimethylbutane, 559
 Isopropyl alcohol, 180, 191, 493, *t* 495, 497, 537
 Isopropylamine, *t* 729, 735
 Isopropylbenzene, 380, 791
 Isopropyl bromide, 189, *t* 453, 476, 519, 560,
 t 825
 infrared spectrum, 411
 nmr spectrum, 433
 Isopropyl cation, 160
 ionization potential of free radical, 164
 Isopropyl chloride, 82, 95, 194, *t* 453, *t* 825
 dehydrohalogenation, 156
 nmr signals, 416
 1-Isopropylcyclopentene, 542
 Isopropyl ether, *t* 553, 554
 Isopropyl free radical
 hyperconjugation, 217
 β-Isopropylglutaric acid, 653
 Isopropyl hydrogen sulfate, 180, 191
 Isopropyl iodide, 187, *t* 453
 Isopropyl ketone, 632
 Isopropylmagnesium chloride, 91
 4-Isopropyl-1-methylcyclohexane, 863
 1-Isopropynaphthalene, 977
 Isopropyl phenyl ether, 552
 Isopropylsuccinic acid, 653
p-Isopropyltoluene (*see* *p*-Cymene)
 Isoquinoline, 1002, *t* 1003, 1021–1022
 Isotactic polypropylene, 1040–1041
 Isotope effects, 353–354, 402
 in elimination reactions, 476
 in sulfonation, 357–358
 Isotopes, abundance of heavy, *t* 408
 Isotopic exchange, 679, 681
 Isotopic peaks, in mass spectra, 408, *t* 409
- Isotopic tracers
 in alkaline hydrolysis of esters, 678
 in halogenation of alkanes, 107–108
 in Hofmann rearrangement, 890
 in organic chemistry, 108
 (*–*)-Isotrehalose, 1128
 Isovalent hyperconjugation, 267
 Isovaleric acid, 592, 722
 IUPAC system of nomenclature (*See individual families*)

J

Johnson, W. S., 437

K

- Kekulé, August, 2
 benzene structure, 319
 Kelvin, Lord, 124
 Kendrew, J. C., 1160
 α-Keratin, 1150
 proposed helix structure, 1157–1159
 Kerosene, *t* 87
 Ketals, 641
 Ketene, 308
 preparation, 667
 Keto acids, from tetra-O-methyl-D-glucose,
 1101–1103
 α-Keto acids, preparation, 853
 β-Keto acids, decarboxylation, 848, 853–854
 γ-Keto-acids, in Haworth synthesis, 986–988
 α-Ketobutyric acid, preparation, 853
 Keto-enol tautomerism, 261–262, 707–708,
 1020 (*See also* Imine-enamine
 tautomerism)
 acid and base catalysis, 798, 724–725
 acid-catalyzed aldol condensation, 710
 bromination, 707–708
 in carbohydrates, 1076
 composition, 725–726
 electrophilic conjugate addition, 870
 nucleophilic conjugate addition, 871
 β-Keto esters, 705, 716–720, 853
 (*See also* Acetoacetic ester synthesis,
 Claisen condensation, Ethyl
 acetoacetate)
 2-Ketohexose, (–)-fructose as, 1073, 1087
 2-Ketohexoside, 1103
 Ketones, 617–657, 701–716, 720–722
 addition, of ammonia derivatives, 632–633,
 639–641
 of bisulfite, 632, 638–639
 of cyanide, 631–632, 637–638
 of Grignard reagents, 509–512, 637
 of organozinc compounds, 720–722
 aldol condensation, 704, 709–713
 analysis, 537, 745–746
 Clemmensen reduction, 631, 636
 in Haworth synthesis, 987
 crossed Claisen condensation, 719
 enamine formation, 858–861
 enolization, 707–709
 in Grignard synthesis, 509–513, 637
 halogenation, 634, 703
 acid-catalyzed, 706–707
 base-promoted, 707–709
 industrial source, 621
 nomenclature, 618–619
 nucleophilic addition, 628–629, 704–705
 oxidation, 537, 630, 635
 physical properties, 619–621, *t* 620
 preparation, acetoacetic ester synthesis,
 850–853

- from acid anhydrides, by Friedel-Crafts acylation, 623
 from acid chlorides by Friedel-Crafts acylation, 623–624, 625–626
 by organocadmium compounds, 623, 627–638
 via enamines, 858–861
Fries rearrangement, 796, 800–801
 organoborane synthesis, 856–858
 oxidation of alcohols, 521, 529–530, 622, 624
 ozonolysis, 218–219
 reactions summary, 630–634
 reduction, to alcohols, 630, 636, 637
 to hydrocarbons, 631, 636
 reductive amination, 735, 736, 740–741
Reformatsky reaction, 720–722
 spectroscopic analysis, 646–647, *t* 689
 structure, 617–618
 unsaturated, preparation, 867
Wittig reaction, 705, 714–716
Wolff-Kishner reduction, 631, 636
(See also α, β-Unsaturated carbonyl compounds)
Ketopentoses, definition, 1071
7-Ketonboromene, 882
Ketones
 definition, 1071
 effect of alkali, 1076
1-Keto-1,2,3,4-tetrahydrophenanthrene, 995
4-Keto-1,2,3,4-tetrahydrophenanthrene, 995
Kharasch, M. S., 94, 189, 238
Kilian, Heinrich, 1078
Kilian-Fischer synthesis, 1078–1080
Kimball, G. E., 243, 906
Kinetic energy distribution, 57
Kinetics, definition, 459
Kjeldahl method, 333
Kloosterziel, H., 959
Knocking, in gasoline engine, 109
Knoevenagel reaction, 714, 850, 1018
Knoop, Franz, 1182
Kolbe reaction, 339, 803–804
Körner, Wilhelm, 333
Körner method of absolute orientation, 322–333
Kossel, Walther, 3
- L**
- L.. prefix**, 1089
l.. prefix, 1089
Lactams, 891
Lactic acid
 enantiomers, 121
 in biochemical processes, 1172
 from muscle contraction, 236
(+)-Lactic acid, 1089
D-(−)-Lactic acid, 1088, 1089
L-(+)-Lactic acid, 1089
Lactobacillus bulgaricus, 1116
Lactobionic acid, 1116–1117
β-Lactoglobulin, 1162
Lactones, 674
β-Lactones, 884
Lactosazone, 1116–1117
(+)-Lactose, 1116–1118
 properties, 1116
 source, 1116
 structure, 1116–1117
Ladenburg, Albert, 335
 benzene structure, 335
- Lanosterol**, 278
Lapworth, A., 707
Lard, *t* 1057
Lauric acid, 579, *t* 580
Lauryl alcohol, 684, 1061
Lauryl hydrogen sulfate, 1061
LCAO method, 927–928
Leaving groups, 456
 in acyl substitution, 661
Le Bel, 1081
Lemieux, R. V., 1119
Leucine, 127, 498, 849, 1141
 synthesis, 1140
(−)-Leucine, *t* 1135, 1181
Levarotatory, definition, 119
Levulinic acid, 652
Levulose, 1118
Lewis, G. N., 3
 acid and base definition, 33–34
 acids, 349, 378
Life, origin of, 42
Ligroin, *t* 87
Limestone, 251
Limonene, 317, 490
Linalool, 547
Lindlar's catalyst, 257
Linear combination of atomic orbitals (LCAO), 927–928
Linear free energy relationships, 596
Linear polymers, 1042
Linoleic acid, *t* 580, 1058
Linolenic acid, *t* 580, 1058
Linseed oil, 1052, 1063
 composition, *t* 1057
Lipids, 1056
Lithium aluminum hydride, 507
 in reduction of acids, 592, 604
Lithium amide, 1037
Lithium di-sec-butylcopper, 93
Lithium di-*tert*-butylcopper, 90
Lithium diethylcopper, 90
Lithium dimethylcopper, 93
Lithium hydride, 509
Living polymers, 1039
Longuet-Higgins, H. C., 938
Lossen rearrangement, 919
Lowest unoccupied molecular orbital (LUMO), 950
Lowry-Bronsted acid and base definition, 32–33
Lubricating oil, *t* 87
Lucas, Howard J., 905
Lucas reagent, 536
Lucas test, 524, 526
Lucite, 867, 1030, 1049
LUMO, 950
Lycopene, 313
Lycra, 1050
(+)-Lysine, *t* 1135, 1141, 1160
(−)-Lyxose, 1086, 1087
- M**
- Macromolecules**, 1027–1052
 definition, 1027–1028
 structure and properties, 1045–1049
“Magic” acid, 94
Magnesium–halogen bonds, 91
Magnetic moments
 in free radicals, 394
 of nuclei, 414
Malaprade, L., 1076
Maleic acid, *t* 606, 668, *f* 866

- Maleic anhydride, *t* 660, 866, 877, 879, 880
polymerization, 1034
Malic acid, 236, 237
Malonic acid, 605, *t* 606
decarboxylation, 853
Malonic ester (*see* Ethyl malonate)
Malonic ester synthesis, 847–850, 1139
Malonyl CoA, 1176
Malonyl-S-ACP, 1176
Malonylurea, 687
Maltase, 1113
Maltobionic acid, 1112
D-Maltobionic acid, 1113–1114
(+)-Maltose, 1112–1115
 α - and β , 1112, 1115
from amylose, 1120
reactions, 1112–1115, 1124
structure, 1112–1115
Mandelonitrile, 631
Mandelic acid, 613, 631
Manganese (VII), 528
Mannans, 1130
Mannaric acid, *t* 1075
Mannitol, *t* 1075
Mannonic acid, *t* 1075
 β -D-Mannopyranose, 1105
Mannosaccharic acid, *t* 1075
(+)-Mannose, 1074, 1075
 structure determination, 1078, 1083–1085
(-)-Mannose, 1087
Mannuronate acid, *t* 1075, 1107
Markovnikov's rule, 188–191, 502, 506
Mass spectra, 406–409
Mass spectrometers, 406
Mass to charge ratio, 406, 407
Mayo, Frank R., 189, 1035
McKillop, Alexander, 345, 351
Meerwein, Hans, 160, 915
Melander, Lars, 355
(+)-Melezitose, 1129
Melibiose, 1129
Mellitic acid, 608
Melting point, 26–27
 ionic vs. non-ionic compounds, 26–27
 and molecular symmetry, 374
p-Menthae, 317, 863
2-Menthene, 482–483
3-Menthene, 482–483
(-)-Menthol, 622
Menthone, 863
(-)-Menthone, 622
Methyl chloride, 483
Mercuric acetate, 503
Mercurium ions, 504
Merrifield, R. Bruce, 1149
Mesitoic acid, 588, 603, *t* 614
Methylene, *t* 375, 446, 773
 nmr spectrum, 422, 423
Mesityl oxide, *t* 866
 preparation, 704, 711
 reactions, 630, 702, 869, 870, 875, 879
Meso compounds, 137
Mesotartaric acid, 613, 1087, 1090–1091
Mesyl (*see* Methanesulfonyl)
Metabolite antagonism, 762
meta-directing groups, 339–345, 828
Metal hydrides, 637
Metals, 520
Methacrylamide, 694
Methacrylic acid, 632, *t* 866
Methylallyl chloride, 882
Methanal. 618
Methane, 40–72
 bond formation, 15–17
 physical properties, 27, 29, 31, 41–42, 43,
 t 86
 reactions, 42–46, 252
 halogenation, 43–67
 oxidation, 43
 source, 42
 structure, 40–41, 116–117
Methanesulfonyl group, 458
Methanoic acid, 579
Methanol, 31, 43, 494, *t* 495
(-)-Methionine, *t* 1135
Methoxyaniline (*see* Anisidine)
p-Methoxybenzaldehyde, 644
m-Methoxybenzoic acid, *t* 580, *t* 600
o-Methoxybenzoic acid, *t* 580, *t* 600
p-Methoxybenzoic acid (*see* Anisic acid)
p-Methoxybenzyl alcohol, 644
3-Methoxy-2-biphenylcarboxylic acid, 841
(3-Methoxy-2-biphenyl) diphenylmethanol,
 841
3-Methoxyhexane, 552
4-Methoxy-4-methyl-2-pentanone, 869
1-Methoxy-2-methyl-2-propanol, 568
2-Methoxynaphthalene, 984
6-Methoxy-8-nitroquinoline, 1020
2-Methoxyphenanthrene, 994
6-Methoxy-4-phenyl-1-methylnaphthalene, 998
p-Methoxytriphenylcarbinol, 920
Methyl acetate, *t* 674
 infrared spectrum, 689
 preparation, 669
N-Methyl-*m*-acetotoluide, *t* 781
N-Methyl-*o*-acetotoluide, *t* 781
N-Methyl-*p*-acetotoluide, *t* 781
Methylacetylene, 146
Methyl acrylate, *t* 866, 867, 879
Methylallylphenylbenzylaminonium iodide,
 732
Methylamine, 727, *t* 729, 733, 742
2-(*N*-Methylamino) heptane, 728
4-(*N*-Methylamino)-4-methyl-2-pentanone,
 870
2-Methyl-4-aminophenol, 775
ar-Methylaniline (*see* Toluidine)
N-Methylaniline, 365, 727, *t* 730, 742, 763, 843
 infrared spectrum, 777
 preparation, 757
p-Methylanisole, 800 (*See also* Methyl
 p-tolyl ether)
2-Methyl-9,10-anthraquinone, 993
Methyl α -L-arabinoside, 1103
p-Methylbenzaldehyde, 896
N-Methylbenzalide, 757
9-Methyl-1,2-benzanthracene, 994
N-Methylbenzenesulfonyl-*p*-toluidide, *t* 781
Methyl benzilate, 645
Methyl benzoate, 591
N-Methyl-*o*-benzotoluide, *t* 781
N-Methyl-*p*-benzotoluide, *t* 781
m-Methylbenzyl alcohol, 591
p-Methylbenzyl hydroperoxide, 896
Methyl bromide, 45, *t* 453, 459, 461–465, 742,
 t 825
2-Methyl-1-bromobutane, 519
2-Methyl-1,3-butadiene, *t* 263 (*See also*
 Isoprene)
4-Methyl-1,3-butadiene, 952
2-Methylbutanoic acid (*See also*
 α -Methylbutyric acid)
 chirality, 230
 preparation, 521

2-Methyl-1-butanol, *t* 126, 494 (*See also sec-Butylcarbinol*)
 derivatives, 545
 enantiomers, 121
 from fermentation, 236
 from fusel oil, 231
 reactions, 171, 229–231
 specific rotation, 120, 231
3-Methyl-1-butanol (*See also Isopentyl alcohol*)
 derivatives, 545
 synthesis, 535
2-Methyl-2-butanol, 494
3-Methyl-2-butanol, 494
 derivatives, 545
 preparation, 506
3-Methyl-2-butanone, 619
2-Methyl-1-butene
 heat of hydrogenation, *t* 183
 preparation, 158
3-Methyl-1-butene, *t* 152, *t* 183
 synthesis, 534–535
2-Methyl-2-butene, *t* 152, *t* 183
 preparation, 158, 171, 470, 534
2-Methyl-2-butenoic acid
 preparation, 638, 881
3-Methyl-2-butenoic acid, 630
Methyl sec-butylamine, 742
2-Methyl-1-butyl cation, 172–173
Methyl tert-butyl ether, 552
 preparation, 556
Methyl n-butyl ketone, 532
Methyl tert-butyl ketone (*See also 3,3-Dimethyl-2-butanone, Pinacolone*)
 preparation, 896
 reactions, 703, 858
3-Methyl-1-butyne, *t* 251
α-Methylbutyric acid, 581
 preparation, 586
α-Methylcaproic acid, 1073
Methyl cation
 ionization potential of free radical, 164
 structure, 160
Methyl chloride, *t* 23, 43, 46–49, *t* 453, *t* 834
 (*See also Chloromethane*)
Methylcholanthrene, *t* 967, 996
α-Methylcinnamic acid, 635
β-Methylcrotonaldehyde, 882
Methylcyclohexane, *t* 284
 conformation, 299–301
 1,3-diaxial interactions, 299
 industrial source, 286
4-Methylcyclohexanol, 490
1-Methyl-1-cyclohexyl hydroperoxide, 919
4-Methylcyclohexylideneacetic acid, 315
Methylcyclopentane, *t* 284
 industrial source, 286
1-Methylcyclopentanol, 504
trans-2-Methyl-1-cyclopentanol, 501
1-Methylcyclopentene, 501
3'-Methyl-1,2-cyclopentenophenanthrene, 976
2-(1-Methylcyclopentyl) ethanol, 542
Methylcyclopropane, 416
5-Methylcytosine, 1178, 1179
4-Methyl-3,3-diethyl-5-isopropyloctane, 84
1-Methyl-3,4-dihydroxquinoline, 1021
5-Methyl-1,3-dihydroxybenzene, 808
N-Methyl-2,4-dinitroaniline, 735
N-Methyl-2,4-dinitrophenylamine, 843
Methyl dodecanoate, 684
Methylene, 308–311
Methylene bromide, 45
Methylene chloride, 44 (*See also Dichloromethane*)

Methylenecyclohexane, 705
Methylenetriphenylphosphorane, 705, 715
Methyl ether, 36–37, *t* 553
Methylethylamine, 728, 734, 747
N-Methyl-N-ethylaniline, 728
N-Methyl-N-ethylbenzamide, 747
Methylethyl-*n*-butylamine, 742
N-Methyl-N-ethylbutyramide, 756
Methyl ethyl ketone, 619, *t* 620
Methylethyl-2-naphthylcarbinol, 980
2-Methyl-3-ethyl-2,3-pentanedione, 898
N-Methyl-N-ethyl-*p*-toluenesulfonamide, 747
Methyl fluoride, 454
Methyl free radical, 62–63, 103
Methyl β-D-fructofuranoside, 1104
Methyl α-D-fructoside, 1103
Methyl β-D-glucopyranoside, 1104
Methyl α-D-glucoside
 formation, 1094–1095
 reactions, 1100
 structure and properties, 1096–1097
Methyl β-D-glucoside
 formation, 1094–1095
 reactions, 1100, 1101–1102
 structure and properties, 1096–1097
2-Methyl-3-heptanone, 623
6-Methyl-2-heptene, 222
6-Methyl-5-hepten-2-one, 881
2-Methylhexane, 572
2-Methyl-2-hexanol, 531
3-Methyl-2-hexanone, 852
5-Methyl-2-hexanone, synthesis, 851, 858
α-Methylhydrocinnamic acid, 722
2-Methyl-4-hydroxyacetophenone, 796
4-Methyl-2-hydroxyacetophenone, 796
Methyl iodide, *t* 453
Methyl isobutyl ketone, *t* 620
Methylisopropylacetylene, 250
3-Methyl-2-isopropyl-1-butene, 541
Methyl isopropyl ketone, 619
1-Methyl-7-isopropylphenanthrene, 975
1-Methylisoquinoline, 1021
Methylisourea, 687
Methyl laurate, 684
Methyl lithium, 93
Methylmagnesium iodide, 91
α-Methylmandelic acid, 707
Methyl mesityl ketone, 669
Methyl methacrylate, *t* 866, 867
 polymerization, 1030, 1033, 1035, 1036, 1038
1-Methylnaphthalene, *t* 967, 984
 synthesis, 988, 998
2-Methylnaphthylene, *t* 967, 973, 983, 984
 synthesis, 988
2-Methyl-1,4-naphthoquinone, 973
Methyl-1-naphthylcarbinol, 977
Methyl α-naphthyl ketone, 979
Methyl β-naphthyl ketone, 979
Methyl p-nitrophenyl ketone, 628
2-Methylnorbornyl cation, 918
Methyl cis-9-octadecenoate, 677
3-Methyloctane, 93
Methyl olate, 677, 1067
Methylolurea, 1044
Methyl orange, 70, 775
Methyl 4-oxo-7-methyloctanoate, 628
γ-Methylparaconic acid, 724
2-Methylpentanal, 618
3-Methylpentanal, 618
4-Methylpentanal, 618
2-Methylpentane, 84 (*See also Isohexane*)
3-Methylpentane, 84, *t* 86
3-Methylpentanedioic acid, 850
3-Methyl-2-pentanol, 530

- 4-Methyl-2-pentanol, esters**, 545
3-Methyl-3-pentanol, 530
4-Methyl-2-pentene, 151
4-Methyl-2-pentenoic acid, 867
4-Methyl-3-penten-2-one, 630, 702, 867 (*See also* Mesityl oxide)
4-Methyl-2-pentyne, 250
1-Methylphenanthrene, 994
2-Methylphenanthrene, 994
4-Methylphenanthrene, 994
9-Methylphenanthrene, 994
Methyl phenyl ether (*see* Anisole)
Methyl phenyl ketone, 623 (*See also* Acetophenone)
2-Methyl-3-phenylpentane, 374
5-Methyl-2-phenyl-3-pyrazolidinone, 872
2-Methylpiperidine, 1023
Methylpropane, 84 (*See also* Isobutane)
2-Methyl-1,2-propanediol, 898
2-Methylpropenoic acid, 866
 α -**Methyl- β -phenylpropionic acid**, 722
2-Methyl-1,2-propanediol, 568
2-Methylpropene, 151 (*See also* Isobutylene)
2-Methylpropenoic acid, 632 (*See also* Methacrylic acid)
Methyl *n*-propyl ketone, 619
Methyl-*n*-propylmalonic acid, 849
Methyl-*n*-propylmalonic ester, 849
N-Methylpyridinium iodide, 1017
2-Methylpyrrolidine, 755
3-Methylpyrrolidine, 755
2-Methylquinoline, 1020
8-Methylquinoline, 1020
2-Methyl-6-quinolinecarboxylic acid, 1023
Methyl radical, 62–63 (*See also* Methyl free radical)
Methyl salicylate, 804
 α -**Methylsuccinic acid**, 849
Methyl sulfate, reactions, 556, 794
Methyl terephthalate, 1042
Methyl β -2,3,4,6-tetra-O-methyl-D-glucoside, 1100–1102
N-Methyl-*p*-toluenesulfono- α -toluidide, *t* 781
N-Methyl-*p*-toluenesulfono-*p*-toluidide, *t* 781
N-Methyl-*m*-toluidine, *t* 781
N-Methyl- α -toluidine, *t* 781
N-Methyl-*p*-toluidine, *t* 781
Methyl *m*-tolyl ether, 572
Methyl *o*-tolyl ether, 573
Methyl *p*-tolyl ether, 572 (*See also* *p*-Methylanisole)
Methyltriphenylphosphonium bromide, 715
 α -**Methylvaleraldehyde**, 618
 β -**Methylvaleraldehyde**, 618
 γ -**Methylvaleraldehyde**, 618
 α -**Methylvaleric acid**, 848–849
Methylvinylcarbinol, *t* 495
Methyl vinyl ketone, reactions, 875, 879, 1020
Methyl β -D-xyloside, 1103
Mevalonic acid, 864, 1182
Mevalonic acid 5-pyrophosphate, 864
Mevalonic acid 5-pyrophosphate 3-phosphate, 864
Meyers, A. I., 855
MIBK (*see* Methyl isobutyl ketone)
Micelles, 1060
Michael addition, 873–875, 1018
Michael condensation, 850
Micrococcus ureae, 686
Microscopic reversibility principle, 350, 940
Midgley, T. C., Jr., 109
Migratory aptitude, 895–896, 897
Miller, Stanley, 42
Moffit, W. A., 293
- Molecular biology**, 1164
Molecular formula, determination, 67, 70
Molecular orbitals, 8–17, 925–966
 bonding and antibonding orbitals, 929–930
 LCAO method, 927–928
 orbital symmetry and chemical reactions, 938–960
 theory, 925
 wave equations, 925–927
Molecular rearrangement (*see* Rearrangements)
Molecular weight
 end-group analysis, 1121–1124
 by mass spectrometry, 70, 407
 of peptides, 1144
 of polysaccharides, 1121, 1124, 1127
Molozonides, 218
Monomer, 206
Monosaccharides, 1070–1111 (*See also* Aldohexoses, Aldoses, D-(+)-Glycose, etc.)
 analysis, 1076, 1077
 classification, 1071
 definition, 1071
 reactions, 1075–1077, 1100
Morphine, 236
Morpholine, 860
Ms (*see* Methanesulfonyl)
Mucic acid, 1087
Musk (synthetic), 808
Mustard gas, 907–908
Mutarotation
 of D-(+)-glucose, 1094, 1096
 of (+)-maltose, 1112
 (−)-Mycarose, 1110
Myoglobin, 1160
Myosin, 1150, 1175
Myrcene, 282
Myristic acid, *t* 580
- N**
- NAD** (Nicotinamide adenine dinucleotide), 1153, 1172, 1174, 1183
NADD, 1183
NADH, 1175, 1183
NADP, 1153
NADPH, 1176–1177
 α -**Naphthaldehyde**, 977, 997
 β -**Naphthaldehyde**, 982, 997
Naphthalene, *t* 967
 industrial source, 376
 nomenclature, 968–969
 reactions, 970–988, 993, 995, 998
 structure, 969–970
 test for, 399
- 1-Naphthalene carbamates** (*See* specific alcohol, α -naphthylurethane)
1-Naphthalene carboxylic acid, 973, 977
2-Naphthalene carboxylic acid, 973
Naphthalene derivatives
 orientation of substituents, 982–985
 synthesis by ring closure, 985–988
1-Naphthalenediazonium salts, reactions, 977, 982
1-Naphthalenesulfonic acid, *t* 967
 preparation, 972, 980–981
2-Naphthalenesulfonic acid, *t* 967
 preparation, 972, 980–981
 reactions, 984
- Naphthalenes**, 87, 286 (*See also* Cycloalkanes)
Naphthionic acid, 984
 α -**Naphthoic acid**, 973, 977, 997
 β -**Naphthoic acid**, 973, 980, 982
 preparation, 979, 997

- 1-Naphthol**, *t* 967
 preparation, 981, 997
 reactions, 983
2-Naphthol, *t* 967
 preparation, 981, 997
 reactions, 982, 983
Naphthols, 981–982
 α -Naphthonitrile, 977
 β -Naphthonitrile, 982
1,4-Naphthoquinone, 879, *t* 967
 preparation, 971
 α -(2-Naphthoyl) benzoic acid, 993
 α -Naphthoyl chloride, 977
 β -(1-Naphthoyl) propionic acid, 995
 preparation, 980
 β -(2-Naphthoyl) propionic acid, 995
 preparation, 980
N-(1-Naphthyl) acetamide, 977
(1-Naphthyl) acetic acid, 977
1-Naphthylamine, *t* 967, 977
 preparation, 997
 reactions, 977, 981
2-Naphthylamine, *t* 967
 preparation, 997
 reactions, 982
4-(1-Naphthyl) butanoic acid, 997
4-(2-Naphthyl)-1-butanol, 980
2-(2-Naphthyl)-2-butanol, 980
 γ -(1-Naphthyl) butyric acid, 995
 γ -(2-Naphthyl) butyric acid, 980, 995
1-Naphthylcarbinol, 977
1-(α -Naphthyl) cyclohexene, 975
1-(1-Naphthyl) ethanol, 977
1-(2-Naphthyl) ethanol, 980
2-(1-Naphthyl) ethanol, 977
1-Naphthyl ethyl ketone, 977
1-Naphthylmagnesium bromide, 977
(1-Naphthyl) methanol, 977
1-Naphthyl methyl ketone, preparation, 972, 979
2-Naphthyl methyl ketone, preparation, 972, 979
5-(2-Naphthyl)-2-methyl-2-pentanol, 980
4-(1-Naphthyl)-4-oxobutanoic acid, 980
4-(2-Naphthyl)-4-oxobutanoic acid, 980
2-(1-Naphthyl)-2-propanol, 977
3-(2-Naphthyl) propanoic acid, 982
Natta, Giulio, 1039
Natural gas, 42, *t* 87
NBS, 209
Neighboring group effects, 544, 885–924
 by acetoxy, 909–911
 anchimeric assistance, 907–911
 by aryl, 887, 911–914
 by bromine, 887, 904
 by carbon, 887, 911–914, 915–919
 by iodine, 911
 by nitrogen, 887
 nonclassical ions, 915–919
 by oxygen, 887
 reaction mechanism, 885–887
 reaction rate, 907–911
 stereochemistry, 904–907, 910–911, 912–914
 by sulfur, 887, 907–909
Neomenthyl chloride, 482–483
Neopentane, *t* 86
Neopentyl alcohol, 176, 525, 591, 676
Neopentyl cation
 mass to charge ratio, 406
 rearrangement, 470
Neopentyl chloride, 455
Neopentyl ethyl ether, 470
Neopentyl halides, 470
Neoprene, 276, 1029
(+)-Neotrehalose, 1128
Neral, 652
Nerol, 317
Nerolidol, 863
Nervonic acid, 1067
Neutralization equivalent, 608
Newman, M. S., 75
Newman projections, 75, 300
Niacin, 1012
Nickel boride, 257
Nicol prisms, 118
Nicotinamide adenine dinucleotide (NAD), 1153
 reduced (NADH), 1153
Nicotinamide adenine dinucleotide phosphate (NADP), 1153
Nicotine, 1004
(-)-Nicotine, 1024
Nicotinic acid (3-Pyridinecarboxylic acid), *t* 1003, 1012
 decarboxylation, 1026
Nitration
 of anthracene, 992
 of aryl halides, 818
 of benzene, 322, 338
 of naphthalene, 971, 976–978
 orientation in substituted benzenes, *t* 340
 of phenols, 795, 802
 of pyridine, 1013
 of pyrrole, furan, and thiophene, 1008
 reaction mechanism, 345–347, 355–356
Nitriles
 hydrolysis, 589, 638
 infrared absorption frequencies, *t* 412
 nomenclature, 589
 preparation, 588–589, 638, 768–769
 reduction, 735, 737
Nitrile synthesis
 of carboxylic acids, 587, 588–589
***m*-Nitroacetanilide**, *t* 730
***o*-Nitroacetanilide**, *t* 730, 737
***p*-Nitroacetanilide**, *t* 730, 760, 828
***p*-Nitroacetophenone**, 628
3-Nitro-4-aminoanisole, 1020
1-Nitro-2-aminonaphthalene, 1000
***m*-Nitroaniline**, *t* 730, *t* 749, 1020
***o*-Nitroaniline**, *t* 730, 734, *t* 749, 772
 preparation, 760
***o*-Nitroanisole**, 794
9-Nitroanthracene, 992
***m*-Nitrobenzaldehyde**, 513
***p*-Nitrobenzaldehyde**, 618
 preparation, 622
Nitrobenzene, 331, *t* 340, 733, 777, 820, 1018
 orientation of electrophilic substitution, 362–363
 preparation, 322
***m*-Nitrobenzoic acid**, 332, *t* 580, *t* 600, 613
 preparation, 592
***o*-Nitrobenzoic acid**, *t* 580, 586, *t* 600
***p*-Nitrobenzoic acid**, 384, 579, *t* 580, *t* 600, 613
 relative acidity, 595–596
Nitrobenzoic acids, 345
***m*-Nitrobenzophenone**, 626
***p*-Nitrobenzophenone**, 896
***p*-Nitrobenzoyl chloride**, *t* 660, 622
***p*-Nitrobenzyl adipate**, *t* 614
***p*-Nitrobenzyl alcohol**, 493
 preparation, 644
***p*-Nitrobenzyl benzoate**, 385
***p*-Nitrobenzyl bromide**, 452, 794
***p*-Nitrobenzyl *m*-bromobenzoate**, *t* 614
***p*-Nitrobenzyl *m*-chlorobenzoate**, *t* 614

p-Nitrobenzyl *trans*-crotonate, *t* 614
p-Nitrobenzyl glycolate, *t* 614
p-Nitrobenzyl α -hydroxybutyrate, *t* 614
p-Nitrobenzyl isophthalate, 385
p-Nitrobenzyl phenylacetate, *t* 614
p-Nitrobenzyl phthalate, 385
p-Nitrobenzyl salicylate, *t* 614
p-Nitrobenzyl terephthalate, 385
p-Nitrobenzyle 2,4,6-trimethylbenzoate, *t* 614
o-Nitrocinnamic acid, 613
 Nitro compounds
 importance, 768, 769, 821
 infrared absorption frequencies, *t* 412
 reduction, 734, 736, 737–738
 removal of nitro group, 770
 2 -Nitro-*p*-cresol, 343
o-Nitroethylbenzene, 372
p-Nitroethylbenzene, 372
 Nitrogen
 amino, Van Slyke determination, 1141
 analysis, 333–334
 electronic configuration, 8
 Nitrogen trifluoride, *t* 23, 24, 25
 5 -Nitroisoquinoline, 1021
 m -Nitromandelic acid, 638
 Nitromethane, 879
 3 -Nitro-4'-methylbenzenophenone, 619
 1 -Nitronaphthalene, *t* 967, 977, 982, 983
 preparation, 971, 997
 2 -Nitronaphthalene, *t* 967, 984
 preparation, 982, 997
 5 -Nitro-2-naphthalenesulfonic acid, 997
 1 -Nitro-2-naphthol, 1000
 4 -Nitro-1-naphthylamine, 984
 Nitronium salts, 346
 m -Nitrophenol, *t* 788
 intermolecular hydrogen bonding, 789
 o -Nitrophenol, *t* 788, 794
 chelation, 789
 preparation, 795, 802
 p -Nitrophenol
 intermolecular hydrogen bonding, 789, *t* 788, 794
 preparation, 795, 802, 827
 Nitrophenols, infrared bands, 790
 p -Nitrophenyl acetate, preparation, 673, 794
 p -Nitrophenylacetamide, *t* 614.
 p -Nitrophenylacetanilide, *t* 614
 p -Nitrophenylacetic acid, *t* 600, *t* 614
 o -Nitrophenyl methyl ether, 794
 3 -Nitrophthalic acid, 613
 1 -Nitropropane, 734
 3 -Nitropyridine, 1013
 4 -Nitropyridine, 1018
 4 -Nitropyridine N-oxide, 1017
 5 -Nitroquinoline, 1018
 6 -Nitroquinoline, 1023
 8 -Nitroquinoline, 1018
 Nitrosation, 339, 763–765
 of phenols, 796, 803
 p -Nitro-N,N-dimethylaniline, 728, 828
 preparation, 747, 763–764
 N -Nitroso-N-methylaniline, 763
 4 -Nitroso-2-methylphenol, 796
 Nitrosonium ion, 764
 p -Nitrosophenol, 803
 β -Nitrostyrene, reactions, 714, 879
 Nitrosyl chloride, 764
 o -Nitrotoluene, 332, 770
 preparation, 383
 p -Nitrotoluene, 769, 770, 771
 preparation, 383
 p -Nitrotriphenylmethyl hydroperoxide, 896
 Nitrous acid

reactions with amines, 748, 763–765
 reaction with urea, 686
 Nodal plane, 926
 Nodes, waves, 926
 Nmr (*see* Nuclear magnetic resonance)
 Nomenclature (*see specific families*)
 n -Nonadecane, *t* 86
 n -Nonane, *t* 86, 90, 93
 Non-bonding orbitals, 930
 Nonclassical ions, 917
 1 -Nonene, *t* 152
 1 -Nonyne, *t* 251
 Noradrenaline, 808
 Norbornane, 285
 Norbornene, 500
 exo -Norborneol, 500
 Norbornyl acetate, 916–917, 923
 Norbornyl brosylate, 916–917
 Norbornyl cation, 918
 $anti$ - 7 -Norbornylene acetate, 923
 $ante$ - 7 -Norbornylene tosylate, 923
 Norcarane, 458
 Norticycline, 285
 Novocaine, 781
 Nuclear energy, 1
 Nuclear magnetic resonance (nmr)
 spectroscopy, 405–451
 absorption frequency, 414–415
 alcohols, 539
 amides, 689, 778
 amines, 689, 778
 azulene, 999
 carboxylic acid derivatives, 691
 carboxylic acids, 610
 chemical shifts, 419–423, *t* 421
 δ scale, 420
 τ scale, 420
 of 1° , 2° , and 3° hydrogens, 421
 reference point, 420
 conformational analysis and, 446–451
 coupling constant, 428–429, 435
 conformations and, 435, 447
 decoupling spins in, 438–439
 deuterium labeling, 438–439
 double resonance method, 438–439
 esters, 690
 field strength, 415
 fluorine, 433, 443
 hydrocarbons, 435
 inversion of molecules and, 440
 magnetic moment in, 414
 molecular change effects, 439–443
 monosaccharides, 1110–1111
 peak area and proton counting in, 423–425
 phenols, 806
 protons in, 414ff
 aromatic, 419, 420, 423
 chemical shifts (*see* chemical shifts *above*)
 counting of, and peak area, 423–425
 deshielded, 419–420
 diastereotopic, 418
 enantiopic, 417–418
 equivalent, 416–417, 439–443
 exchange, 440
 neighboring, 431
 non-equivalent, 431
 shielded, 419
 side-chain, 423
 rotations about single bonds in, 440–443
 signals in, 416
 intensities, 416, 423–425
 number of, 416–419
 positions of, 416, 419–423
 splitting of, 416, 425–434

spectra, 414–416
complicated, 437–439
spin (of nuclei) in, 414
spin–spin coupling, 425–434
structural information from, 416
temperature effects, 443
theory, 414–416
Nuclear spin, 414
Nucleic acids, 1027, 1030, 1063, 1108,
 1177–1180
denaturation, 1150
genetic code, 1080–1081
heredity and, 1080–1081
primary structure, 1177–1178
secondary structure, 1179–1180
Nucleophilic acyl substitution
in acid chlorides, 664–666
acylation of organocadmium compounds,
 705
vs. addition, 661
vs. alkyl substitution, 663–664
in carboxylic acid derivatives, 660–663
in Claisen condensation, 705, 717
in esters, 675
in Friedel–Crafts acylation, 626
in hydrolysis of amides, 671, 757
Nucleophilic addition (*See also* Addition
reactions)
vs. acyl substitution, 661
to aldehydes and ketones, 628–645
in aldol condensation, 704, 717
in alkynes, 254
in Cannizzaro reaction, 644
to carbonyl compounds, 704
of organozinc compounds, 704
to α , β -unsaturated carbonyl compounds,
 868, 870–873
in Wittig reactions, 705
Nucleophilic aliphatic (alkyl) substitution
vs. acyl substitution, 663–664
alcohols, 524
in alkylation of esters, 847–853, 706
alkyl halides and organometallic compounds,
 92–93, 456–457, 705
alkyl sulfonates, 458
in ammonolysis of halides, 738–740
in cleavage of ethers, 560
electronic effects, 835
in ether formation, 554
 α -halogenated acids, 605
kinetics, 459–460
in Michael addition, 706, 873–875
mechanisms, 461–473, 829–830
in synthesis of acetylates, 256, 706
in Williamson synthesis, 556
Nucleophilic aromatic substitution, 825–841
bimolecular displacement, 826–835
 mechanism, 829–830, 833–835
 orientation, 831–832
 reactivity, 826–829, 830–831, 832–833
elimination-addition (benzyne), 823, 835–841
in pyridine, 1014–1016
Nucleophilic sulfonyl substitution, 757
Nucleoproteins, 1177–1180
Nucleosides, 1178
Nucleotides, 1178
Nylon 6, 1029, 1051
Nylon 66, 780, 1029, 1047, 1101
synthesis, 1042

O

Oblivon, 723
Octa-O-acetylcellobiose, 1116, 1127
9, 12-Octadecadienoic acid, 1052

n-Octadecane, *t* 86
cis-9-Octadecanoic acid, (*see* Oleic acid)
cis-9-Octadecen-1-ol, 677
n-Octadecyl alcohol, *t* 495
1,4,5,8,11,12,13,14-Octahydro-9,10-
anthraquinone, 877
 $\Delta^{1,9}$ -Octalone, 875
Octa-O-methyl-D-maltobionic acid, 1113–1114
n-Octane, *t* 86
mass spectrum, 407
Octane number, 109
(+)-2-Octanol, 462, 468, 469, 491
(−)-2-Octanol, 462, 491
2,4,6-Octatriene, 941, 945
1-Octene, *t* 152, 1033, 1050
infrared spectrum, 411
n-Octyl alcohol, *t* 495

- Orlon, 867, 1030, 1046
 Ortho effect, 601, 752
ortho, *para*-directing groups, 339–345, 747,
 794, 800, 822 (*See also* Orientation,
 Substituent groups)
 Ozazones, 1077–1078
 Osones, 1077
 Oxalic acid, *t* 606, 652
 Oxalacetic acid, 1182
 Oxazole, 1002
 2-Oxazoline, reactions, 855–856
 Oxidation
 of alcohols, 520, 528–530, 621, 622,
 624–625
 mechanism, 529
 of aldehydes and ketones, 630, 634–635
 of alkenes, 219
 of alkylbenzenes, 396
 of alkynylbenzenes, 382, 384–385
 of amines, 730
 biological, of carbohydrates, 1172–1175
 of carbohydrates, 1075–1077
 of glycols, 538
 of methane, 43
 of methylbenzenes, 621
 of naphthalene, 971, 972–973
 Oximes, 632, 640
 Oxirane, 562
 Oxonium ions, 801
 Oxonium salts, 536, 570
 Oxygen exchange
 in hydrolysis of esters, 679–681
 in rearrangement studies, 895, 898
 Oxygen transport, by hemoglobin, 1160
 Oxymercuration-demercuration, 181, 500,
 503–505
 Oxytocin, 1142–1143, 1149
 Ozonides, 218
 Ozonolysis
 of alkenes, 218
 of alkynes, 278
 of cycloalkenes, 313
 of dienes, 279
- P**
- P-2 catalyst, 257
 Paints, 1052, 1063
 Palmitic acid, *t* 580, 743
 biosynthesis, 1177
 Palm oil, *t* 1057
 Palm kernel oil, *t* 1057
 Pamaquine, 1024
 Pan, S. C., 1129
 Paneth, Fritz, 72
 (+)-Panose, 1129
 Panothentic acid, 782
 Papaverine, 570
 synthesis, 1024
 Paraffins (*see* Alkanes)
 Paraformaldehyde, 620
 Paraldehyde, 621
 Paramagnetic resonance absorption (*see*
 Electron spin resonance spectroscopy)
 Paramagnetism, 394
 Para red, 775
 Pasteur, Louis, 120, 128, 1090
 Pauli exclusion principle, 7, 214
 Pauli, Wolfgang, Jr., 8
 Pauling, Linus, 10, 1154
 Peanut oil, *t* 1057, 1067
 Pectic acid, 1130
 Pectin, 1107
 Pendant groups, 1030
 Penicillin G, 1004
 Penicillium glaucum, 127
 Penta-O-acetylglucose, 1072
n-Pentadecane, *t* 86
 1,3-Pentadiene, *t* 263
 1,4-Pentadiene, 262, *t* 263
 Pentadienyl cation, 946
 Pentaerythritol
 physical constants, *t* 495
 synthesis, 724
 Pentamethylbenzene, *t* 375
n-Pentane
 nomenclature, 83
 physical constants, *t* 86, *t* 496
 2,4-Pentanedione (Acetylacetone), 1020, 1023
 acidity, 702
 enol in, 724–725
 nmr spectrum, 725
 preparation, 719
 Pentanenitrile (*see* Valeronitrile)
 Pentanes, 80, 83
 Pentanoic acid, 581
 2-Pentanol, 537
 derivatives, *t* 545
 3-Pentanol, 537
 derivatives, *t* 545
 2-Pentanone, 619, *t* 620
 reductive amination, 741
 3-Pentanone, *t* 620
 1-Pentene, *t* 152, 158, *t* 183, 754
 2-Pentene, *t* 152, 158, *t* 183, 185, 754
 Pentosan, 1007
 Pentose, 1007
n-Pentyl acetate, *t* 674
n-Pentyl alcohol, *t*, 495
tert-Pentyl alcohol, 493, *t* 495, 504 (*See also*
 2-Methyl-2-butanol)
n-Pentylamine, 736
tert-Pentylbenzene, 380, 381, *t* 453
tert-Pentyl cation, 470
n-Pentyl chloride, 82, *t* 453, 519
tert-Pentyl chloride, preparation, 194, 524
 (*See also* 2-Chloro-2-methylbutane)
tert-Pentyl ethyl ether, 470
n-Pentyl iodide, *t* 453
tert-Pentyl iodide, preparation, 188 (*See also*
 2-Iodo-2-methylbutane)
 Pentyl phenyl ketone, 622
 2-Pentyltrimethylammonium ion, 753–754
 2-Pentylurethane, 686
 1-Pentyne, *t* 251
 2-Pentyne, *t* 251, 260
 Peptide chains, 1151, 1154–1158
 Peptides, 1141–1149, 1169
 peptide linkage, 1141–1143
 structure determination, 1143–1147
 synthesis, 1147–1149
 Perfluorohexane, 454
 Periodic acid, 530
 analysis of carbohydrates, 1076
 analysis of glycols, 538
 Periodic table, inside back cover
 Perkin condensation, 714, 867
 Permanganate test, 536
 Peroxide effect, 189–190
 mechanism, 201–203
 Peroxides
 analysis for, in ethers, 554
 effect on orientation, 397
 removal from ethers, 554
 Peroxybenzoic acid, 563
 Perutz, M. F., 1160
 Petroleum, 1
 constituents, 87
 source of alcohols, 498
 source of aromatic compounds, 376

- source of carboxylic acids, 585
uses, 88, 252
- Petroleum coke, *t* 87
- Petroleum ether, *t* 87
- Phases, of orbitals, 925–927
- Phases, of waves, 926
- (*-*)-Phellandral, 809
- β -Phellandrene, 316
- (*-*)-Phellandric acid, 809
- Phenacetin, 809
- Phenanthren, *t* 967, 988–996
nomenclature, 988
reactions, 989–992, 998, 1000
structure, 989
synthesis, 995, 997
test for, 399
- Phenanthren derivatives, 994–996
- 9,10-Phenanthrequinone, *t* 967, 990
- Phenetole, *t* 553
infrared spectrum, 571
preparation, 555, 794
- Phenol, 331, *t* 788 (*See also Phenols*)
industrial source, 376, 791
preparation, 560, 827, 893
reactions, *t* 340, 365, 556, 564, 793–798,
801, 802–805
relative acidity, 798
use, 791
- 2,4-Phenoldisulfonic acid, 803
- Phenol-formaldehyde resins, 1043
- Phenolic acids, 803–804
- Phenolic aldehydes, 804–805
- Phenolic esters, 603
- Phenolic ethers
analysis, 570
cleavage, 559–560, 570
preparation, 555, 556–558, 793–794, 799–800
spectroscopic analysis, 571, *t* 689, 806
substitution, in ring, 561
- Phenolic ketones, 801, 803
- Phenols, 787–814
acidity, *t* 788, 790, 793, 797–799
effect of substituents, 799
aldehydes from, 797, 804–805
analysis, 790, 805
carbonation, 796, 803–804
coupling with diazonium salts, 767, 772–774
electrophilic substitution, 794–797, 801–805
from essential oils, 791–792
esterification, 603, 794, 800
ether formation, 555, 556–558, 793–794,
799–800
formation, during diazotization, 769, 773
- Friedel-Crafts acylation, 796
- Friedel-Crafts alkylation, 795, 803
- Fries rearrangement, 796, 800–801
- halogenation, 795, 802
- hydrogen bonding, 789–790
- industrial source, 791–792
- ionization, 790, 797–799
- Kolbe reaction, 796, 803–804
- nitration, 795, 802–803
- nitrosation, 796, 803
- nomenclature, 787
- oxidation, 788, 802
- physical properties, 787–790, *t* 788
- in polymerization, 1043–1044
- preparation, 792–793
from arylaluminum compounds, 792, 793
from diazonium salts, 766, 769, 792
from sulfonic acids, 981–982
- reactions, with diazonium salts, 767, 772–774
with ferric chloride, 805
with formaldehyde, 1043–1044
- Reimer-Tiemann reaction, 797, 804–805
- ring substitution, 794–797, 801–805
- salts, 790, 793
- sources, industrial, 793–796
- spectroscopic analysis, *t* 689, 805–806
- structure, 789
- sulfonation, 795, 803
- Williamson synthesis, 555, 556–558, 793–794,
799–800
(*See also* Hydroquinones)
- o*-Phenolsulfonic acid, 795, 803
- p*-Phenolsulfonic acid, 795, 802, 803
- Phenoxyacetic acid, 794
- 2-Phenoxyethanol
preparation, 564, 565, 567
- Phenylacetaldehyde, 618, *t* 620
- Phenylacetamide, 591, *t* 614
- N-Phenylacetamide, 746 (*See also* Acetanilide)
- Phenyl acetate, *t* 674
- Phenylacetic acid, 579, *t* 580, 587, *t* 600, *t* 614
- Phenylacetonitrile, 735
- Phenylacetylene, 374, *t* 375
preparation, 399
- (*-*)-Phenylalanine, *t* 1135, 1181
synthesis, 1139, 1160
- β -(Phenylamino)propionaldehyde, 1018
- m*-Phenylanisole, 840
- 9-Phenylanthracene, 998
- 4-Phenylazo-1-naphthol, 983
- 1-Phenylazo-2-naphthol, 983, 997
- 2-(Phenylazo)pyrrole, 1008
- N-Phenylbenzenesulfonamide, 746
- Phenyl benzoate
preparation, 666, 794
- 1-Phenyl-1,3-butadiene, 402, 705
- 2-Phenyl-2-butene, 374
- 4-Phenyl-3-butenoic acid, 998
- 1-Phenyl-2-buten-1-ol, 691
- 1-Phenyl-1-buten-3-ol, 691
- 4-Phenyl-3-buten-2-one, 704
- 3-Phenyl-2-butyl acetate, 912–913
- 3-Phenyl-2-butylamine, 921
- (*+*)-Phenyl *sec*-butyl ketone, 707
- 3-Phenyl-2-butyl tosylate, 912–913
- γ -Phenylbutyric acid, 581, 987
- Phenyl carbitol, 566
- m*-Phenylenediamine, *t* 730, *t* 749, 1020
- o*-Phenylenediamine, *t* 730, *t* 749, 1020
- p*-Phenylenediamine, *t* 730, 734, *t* 749
in polymerization, 1051
- 1-Phenyl-1,2-ethanediol, 396
rearrangement, 898
- 1-Phenylethanol (*see* α -Phenylethyl alcohol)
- 2-Phenylethanol (*see* β -Phenylethyl alcohol)
- Phenyl ether, 552, *t* 553
- N-(2-Phenylethyl)acetamide, 1021
- α -Phenylethyl alcohol, 493, *t* 495, 537
preparation, 511, 565, 630
- β -Phenylethyl alcohol, *t* 495, 535
preparation, 511, 565
- α -Phenylethylamine, *t* 729
preparation, 741
- (*-*)- α -Phenylethyamine, 890
- β -Phenylethylamine, *t* 729
preparation, 735
- α -Phenylethyl bromide, *t* 453 (*See also*
1-Bromo-1-phenylethane)
preparation, 372, 455
- β -Phenylethyl bromide, *t* 453
- α -Phenylethyl *tert*-butyl ether, 559
- α -Phenylethyl chloride, 236, *t* 453
preparation, 383
- β -Phenylethyl chloride, *t* 453, 914
preparation, 383

- Phenylethylene**, 374 (*See also Styrene*)
 α -Phenylethyl hydroperoxide, 895
 β -Phenylethyl iodide, 453
 β -Phenylglutaric acid, 882
Phenylglyoxal, 645
4-Phenyl-2,6-heptanedione, 882
2-Phenyl-2-hexanol, 512
1-Phenyl-2-hexene, 401
Phenylhydrazine, 632
 in carbohydrate studies, 1077
Phenylhydrazine hydrochloride, 640
Phenylhydrazones, 632, 640
2-Phenyl-1-iodo-2-propanol, 897
1-Phenylisoquinoline, 1023
Phenyl isothiocyanate, 1145
Phenyl ketone, 623
Phenyllithium, reactions, 823, 840, 1015
Phenylmalonic ester, 719
1-Phenyl-3-methyl-2-butanol, 532
Phenylmethylcarbinol, 511 (*see α -Phenylethyl alcohol*)
1-Phenyl-2-methyl-2-propanol, 531
1-Phenylnaphthalene, preparation, 975, 988
2-Phenylnorbornyl cation, 918
5-Phenyl-2,4-pentadienal, 713
1-Phenylphenanthrene, 998
1-Phenyl-1,2-propanediol, 897, 898
3-Phenyl-1,2-propanediol, 920
3-Phenylpropanoic acid, 581
1-Phenyl-2-propanone, 619
3-Phenylpropenal, 704, 867
1-Phenylpropene, 491
 cis- and *trans*-isomers, 399
 preparation, 395, 403, 522
 reactions, 401
2-Phenylpropene, 520
3-Phenylpropene, 374, 395
3-Phenyl-2-propen-1-ol (*see Cinnamyl alcohol*)
Phenylpropionic acid, 854
 α -Phenylpropionamide, 236
 (+)- *α* -Phenylpropionamide, 890
Phenyl propionate, 801
Phenyl *n*-propyl ketone, 631
2-Phenylpyridine, 1015
Phenylsuccinic acid, 882
Phenyliothiodantoins, 1145
Phenyltrimethylammonium iodide, 735
Phlorogucinol, 808
Phosgene, 684
 manufacture, 685
 reactions, 685
Phosphate esters, 1063–1065
Phosphatidic acids, 1063
Phosphatidyl choline, 1065
Phosphatidyl ethanolamine, 1065
3-Phosphoglycerate, 1174
3-Phosphoglyceric acid, 1173
Phosphoglycerides, 1063–1065, 1177
Phospholipids, 781, 1063–1067
 in cell membranes, 1066–1067
Phosphonium salts, 715
Phosphoric acid, 1064–1065
Phosphorus pentachloride, 601
Phosphorus trichloride, 601
Phosphorus trihalides, 519
Phosphorus ylides, 715
Phosphorylation, 1171
Photosynthesis, 1070, 1108
Phthalamic acid, 672
Phthalic acid, 385, 1580, 1606
 industrial source, 585
Phthalic anhydride, 1660
 in polymerization, 1042
 preparation, 667, 971
 reactions, 669, 992–993
Phthalimide, 660, 672
 preparation, 672
Phthalimidomalic ester, 1140
C₂₇ Phthienoic acid, 1068
Physical-organic chemistry, 596
Phytol, 1058
 α -Picoline, 1003, 1012
 β -Picoline, 1003, 1012, 1014, 1023
 preparation, 1013
 γ -Picoline, 1003, 1012
Picolinic acid, 1003
Picramide, 1730
Picric acid, 1788
 preparation, 802, 827
Picryl chloride, 1819, 827, 828
Pinacol, 896
Pinacolic deamination, 898–904
Pinacolone, 896
Pinacol rearrangement, 896–898
Piperic acid, 810
Piperidine, 843, 977, 1003, 1018
 in alkaloids, 1018
 preparation, 810, 1018
Piperine, 810
Piperonal, 1620
 preparation, 650–651
Piperonylic acid, 810
Plane-polarized light, 117–118
Plasmochin (Pamaquine), 1024
Plasticizers, 1061
Plastics (*See also Polymers*)
 industry, 276
 preparation, 206–207
 structure, 1048–1049
 uses, 1027–1028, 1048
Plexiglas, 867, 1030, 1049
Pmr (*see Electron spin resonance*)
Polar factors, in polymerization, 1035–1036
Polarimeters, 118
Polarity
 of bonds, 22–23
 of molecules, 22–25
Polarization, of halogens by alkenes, 198
Polaroid, 118
Pollution
 from automobile emission, 109–110
 from plastics, 1027–1028
Polyacrylonitrile, 1030
Poly(allyl acetate), 1052
Polyamides, 1042
Polyarginines, in nucleoproteins, 1180
Polybutadiene, 276
 copolymers, 1033, 1036, 1048
Polychloroprene, 276
Polyesters, 1042
Polyethylene, preparation, 206, 1040–1041
 cis-Polyisoprene
 preparation, 277, 1040, 1048
 structure, 276
Polymerization, 1027–1052 (*See also Chain reaction polymerization, Free-radical polymerization*)
 of alkenes, 181, 206–207
 reactions, 1028–1045
 stereochemical control, 1040
Polymers, 1027–1052
 definition, 206
 formation, 1028
 industrial, 867
Poly(methyl methacrylate), 1030, 1052
Polynuclear aromatic compounds, 967–1001
Polynucleotide chains, 1177

- Poly(oxypropylene) glycols**, 567
Polypeptides, 1141 (*See also Peptides*)
Polypropylene, 1040–1041
Polysaccharides, 1027, 1119–1128
 definition, 1071
Polystyrene, 1030, 1031–1032
 copolymers, 1033
 living, 1051
 properties, 1033
Polystyrene(co-methyl methacrylate), 1033, 1035
Polyurethane foam rubber, 567
Polyurethanes, 1044
 recycling, 1049
Poly(vinyl acetate)
 reactions, 1045
 structure, 1051
Poly(vinyl chloride)
 copolymers, 1036
 preparation, 206, 1030
 properties, 1046
Poly(vinylidene chloride), 1046
Ponnampеруна, Cyril, 236
Porphin, 1153
Porphyrin system, 1007
Potassium amide, 844
Potassium di-*tert*-butylphenoxide, 857
Potassium *tert*-butoxide, 311
 preparation, 520
Potassium α , β -dibromopropionate, 582
Potassium phthalimide, 1139
Potassium triphenylmethide, 844
Potential energy changes
 in 1,2-vs. 1,4-addition, 272
 in chlorination of alkanes, 98
 and conformation, 76, 79, 297
 in halogenation of methane, 52–55, 61, 64, 66
 in hydrogenation of alkenes, 184
Power sources, 1
Pregnenolone, 693
5 α -Pregnane-3 α -ol-20-one (acetate ester), 543
Prehnitene, t 375
Prelog, V., 124, 130
Primoverose, 1128
Probability factor, and reaction rates, 56
Progesterone, 692–693
(–)-Proline, t 1135, 1141
 synthesis, 1160
1,2-Propadiene, t 263
Propanal, 618 (*See also Propionaldehyde*)
Propane, 76–77, t 86, 179, 213, 289
Propanedioic acid (*see* Malonic acid)
1,2-Propanediol, 494, 898 (*See also*
 Propylene glycol)
(+)-1,2-Propanediol, 1089
1,3-Propanediol, 494, t 495, 921
1,2-Propanedione, 279
1,1,2-Propanetricarboxylic acid, 849
2-Propanol, 180 (*See also Isopropyl alcohol*)
Propanone (*see* Acetone)
Propargyl chloride, t 453 ✓
Propenal, 866 (*See also Acrolein*)
Propene, t 152 (*See also Propylène*)
Propenenitrile, 866 (*See also Acrylonitrile*)
Propenoic acid, 579, 866 (*See also* Acrylic acid)
 β -Propiolactone, 1050
Propiolic acid, 883
Propionaldehyde, 182, 521, 618, t 620
 in aldol condensation, 709
Propionamide, t 660
Propionic acid, 278, t 580, 1139
 infrared spectrum, 609
Propionyl chloride, t 660
Propiophenone, t 620
n-Propyl acetate, t 674
n-Propyl alcohol, 289, t 495, 506
n-Propylamine, t 729, 746
 preparation, 734
n-Propylbenzene, 373, t 375, 380, 400
 nmr spectrum, 433
n-Propyl bromide, 189, t 453, 455, t 825
Propyl cation, 406
n-Propyl chloride, 82, 95, 416, t 453, t 496,
 t 825
 dehydrohalogenation, 156
n-Propyldimethylamine, 746
n-Propyl 3,5-dinitrobenzoate, 666
Propylene, 145, 151, t 152, 153, 184, 213
 polymerization, 1040, 1048
 preparation, 156
 reactions, 179–182
Propylene bromide, 179
Propylene chloride, 209
Propylene chlorhydrain, 199 (*See also*
 1-Chloro-2-propanol)
Propylene glycol, 494, t 495
 preparation, 182, 208
Propylene oxide, 562
n-Propyl ether
 infrared spectrum, 571
n-Propyl iodide, t 453
 preparation, 187
n-Propyl isopropyl ether, 555
n-Propylmagnesium chloride, 91
n-Propylmalonic ester, 849
n-Propylmethylamine, 746
1-(*n*-Propyl)naphthalene, 977
n-Propyl phenyl ether, 557
n-Propyl *m*-tolyl ketone, 623
n-Propyltrimethylammonium iodide, 746
Propyne, t 251
 preparation, 252
Prosser, T. J., 889
Prosthetic groups, 1152–1153
Protection, of amino groups, 759–760,
 1147–1148
Proteins, 1027, 1030, 1149–1160
 classification and function, 1149–1150
 cleavage, 1169
 denaturation, 1150
 DNA and synthesis, 1180
 structure, 1150–1160
alpha-Proteins, 1157–1159
beta-Proteins, 1157–1159
Protein sequenator, 1145
Protic solvents, 31
Protocatechuic acid, 810
Protonation
 of aromatic compounds, 338
 mechanism, 350
Proton magnetic resonance spectrum
 (pmr), 415
Protonysis, 857
Protons, in nuclear magnetic resonance
 alignment, 414
 chemical shift for characteristic, t 421
 counting, 423–425
 equivalence, 416–418, 420, 439–443
 and position of nmr signals, 419–423
 shielding and deshielding, 419–420
 spin–spin coupling, 425–434
Pseudocumene, t 375
Pseudotropine, 1025
D-Psicose, 1107

Puckered rings, 291
Purine, 1002
Purity, of synthetic products, 770
Putrescine, 743, 882
PVC, 1030 (*See also* Polyvinyl chloride)
Pyran, 1103
Pyranose ring, 1103–1104
Pyrazole, 1002
Pyrene, 1067
synthesis, 996
Pyridine, 1003, 1018, 1011–1018
in alkaloids, 1018
as base, 666
basicity, 1016–1018
reactions, 1009, 1013–1018, 1022, 1023
source, 1012–1013
structure, 1002, 1011–1012
Pyridineacetic acids, 1026
decarboxylation, 1026
2-Pyridinecarboxylic acid, 1012, 1022, 1026
3-Pyridinecarboxylic acid, 1012, 1022, 1026
(*See also* Niacin, Nicotinic acid)
4-Pyridinecarboxylic acid, 1012, 1022, 1026
(*See also* Isonicotinic acid)
2,3-Pyridinedicarboxylic acid, 1018
Pyridine methiodide, 1017
Pyridine N-oxide, 1017, 1018
3-Pyridinesulfonic acid, 1013
Pyrimidine, 1002
Pyrolysis, of alkanes, 110–111, 263
Pyroxylon, 1127
Pyrrole, 1003
basicity, 1005, 1010
reactions, 1008–1010, 1022
reactivity, 1009
source, 1006–1007
structure, 1002, 1004–1006
2-Pyrrolecarboxaldehyde, 1008
Pyrrolidine, 1003
basicity, 1010
preparation, 1010
reactions, 860, 1011
structure, 1002
3-Pyrroline, 1002
Pyruvic acid, 1020
in biochemical processes, 1172

Q

Quantum mechanics, 3, 5, 925–934
Quaternary ammonium hydroxide, 753
Quaternary ammonium salts, 740, 752–755, 1017
Quinaldine, 1020
Quinine, 236, 237
Quinoline, 1002, 1003, 1018–1020
reactions, 1022, 1023
synthesis, 1019–1020
5-Quinolinesulfonic acid, 1018
8-Quinolinesulfonic acid, 1018
Quinolinic acid, 1018
8-Quinolinol, 1018
Quinones, 878

R

R, prefix, for configuration, 130
R, symbol for alkyl group, 89
Racemic modification
definition, 127–128
formation, 227
Racemization, in *S*N1 reactions, 467–469
Radical-anions, 1038

Radicals (*see* Free radicals)
Radioactive labeling, 899 (*See also* Isotopic tracers)
(+)-Raffinose, 1129
Rancidity, of fats, 1062
Random copolymers, 1034
Rate constant, 460
Rates of reaction, 55–59
Rayon, 1128
Rearrangement, 885–924
of carbonium ions, 171–174
conformational effects, 899–904
in dehydration of alcohols, 523
in Friedel-Crafts alkylation, 380
in Hofmann degradation, 737, 742, 888–893
of hydroperoxides, 893–896
neighboring group effects, 904–919
in pinacol deamination, 898–904
pinacol rearrangement, 896–898
in *S*N1 reactions, 470–471
Reducing sugars, 1071
oxidation rate, 1108
Reduction (*see* Hydrogenation, and specific compound or family)
Reductive amination, 735, 736, 740–741
Reeves, R. E., 1105
Reformatsky reaction, 720–722
Reforming (*see* Catalytic reforming)
Regiospecific reactions, 189
Reimer-Tiemann synthesis, 339, 624, 797, 804–805
Reppe, W., 252
Reserpine, 1004
Resins
structure, 1049
synthesis, 1050
Resolution, of racemic modification, 228, 235–237
Resonance
allyl radical, 212–215
alkenes, 266
aromatic amines, 750
aryl and vinyl halides, 824–826
benzene, 324, 361–368
benzyl cation, 398
benzyl radical, 389–390
carbanions with α -ionization, 701
carboxylic acids, 597–598
chloronitrobenzenes, 832–833
conjugated dienes, 264–265
phenols, 798
Resonance energy
alkyl free radicals, 217
allyl radical, 213
anthracene and phenanthrene, 990
benzene, 324
benzyl radical, 389–390
conjugated dienes, 265
definition, 211
naphthalene, 970
pyrrole, furan, and thiophene, 1005
triphenylmethyl radical, 394
Resonance stabilization
aromatic amines, 750, 759
benzyl radical, 389–390
carboxylic acids, 597
phenols, 798–799
urea, 686
Resorcinol, 636, 787, 1078, 796
Respiration, 1172–1173
Reversible reactions, 594–596
Ribitol, 1086

Ribonucleic acids, 1177–1178 (*See also RNA*)
D-Ribose, 1177
(-)-Ribose, 1086, 1087
Ring closure, 292, 985–988, 992–996 (*See also Cyclization*)
electrocyclic reactions, 939–948
preparation of isoquinoline derivatives, 1021
preparation of quinoline derivatives, 1019–1020
Ring opening reactions, 288–289
electrocyclic reactions, 939–948
RNA, 1177–1179
and genetics, 1180
messenger, 1181
structure, 1177–1180
transport, 1181
Roberts, John D., 212, 440, 837
Rosanoff, M.A., 1092
Rotational barrier (*See also Carbon–carbon bonds*)
in ethane, 75
in propane, 76
Rotational isomers, 225
Rubber (*See also cis-Polyisoprene*)
preparation, 277
structure, 276, 1047–1048
vulcanization, 276, 1048
Ruberythric acid, 1128
Ruff degradation, 1080
Russell, Glen, 107

S

Saccharic acid, 1072
Sacrificial hyperconjugation, 266
Safrole, 650, 651, 792
Salicin, 1108
Salicylaldehyde, 618, 1, 620
preparation, 794, 804
Salicylamide, 1, 614
Salicylanilide, 1, 614
Salicylic acid, 1, 580, 1, 600, 1, 614, 787
preparation, 803
Salmine, 1144
Sandmeyer reaction, 767–768
Sanger, Frederick, 1144, 1146
Saponification equivalent, 688
Saran, 1029
Sarett, Lewis, 877
Saytzeff, Alexander, 478
Saytzeff orientation, 478, 479, 480
SBR rubber, 1048
Schiff test, 645
Schlesinger, H. I., 507
Schleyer, Paul, 913–914
Schöniger oxidation, 68, 486
Schotten–Bauman reaction, 666, 674, 756
Schrödinger, Erwin, 5
Seconal, 862
Selectivity, and reactivity, 106
Semicarbazide, 632
Semicarbazide hydrochloride, 640
Semicarbazones, 632, 640
Sequence rules, for configuration, 131–133
Serine, in chymotrypsin, 1165–1170
(-)-Serine, 1135
Sex hormones, 515
1,2-Shifts, 173, 889, 893, 896
stereochemistry, 891
Sickle-cell anemia, 1152, 1181
Sigma orbitals, 10 (*See also Molecular orbitals*)
Sigmatropic reactions, 954–960
Silk fibroin, proposed structure, 1155–1157

Silver acetylide, 256
Silver ethylacetylide, 259
Silver mirror test, 630, 635
Silver nitrate, 486
Simmons, H. E., 312
Simmons-Smith reaction, 312
Singlet methylene, 309
Skell, P. S., 310
Skew conformations, 75
Skoala synthesis, 1018–1020
Smith, R. D., 312
 S_N1 reactions
of alcohols, 524
mechanism and kinetics, 466–467
reactivity, 469–470
rearrangement, 470–471
stereochemistry, 467–469
vs. S_N2 reactions, 471–473
 S_N2 reactions
cleavage of epoxides, 569
mechanism and kinetics, 461, 829–830
primary alcohols, 525
reactivity, 464–465
stereochemistry, 461–463
vs. S_N1 reactions, 471–473
Sneen, R. A., 649
Soaps
cleansing power and solubility, 32, 1060
manufacture, 1059–1060
Sodamide, 235, 1015 (*See also Sodium amide*)
Sodioacetoacetic ester, 717–718, 850
Sodiomalonic ester, 847, 1139
Sodium acetylide
formation, 256, 257
reactions, 253, 260
Sodium alkoxides, 556
Sodium amide, 1015 (*See also Sodamide*)
Sodium azide, 889
Sodium benzenesulfonate, 791
Sodium benzoate, 582, 590, 757
Sodium borohydride, 503, 507, 636, 712
Sodium *c*-bromopropionate, 907
Sodium 3-butyn-2-oxide, 714
Sodium chloride, 26, 29
Sodium cyanacetate, 606
Sodium cyanohydridoborate, 740
Sodium 2,4-dinitrophenoxide, 793
Sodium ethoxide, 520
Sodium ethylacetylide, 260
Sodium formate, 644
bond lengths, 598
Sodium fusion, 68, 486
Sodium hypoidate, 537
Sodium isopropylacetylide, 256
Sodium lactate, 907
Sodium laurate, 590
Sodium lauryl sulfate, 1061
Sodium mandelate, 645
Sodium 2-naphthalenesulfonate, 981
Sodium 2-naphthoxide, 981
Sodium *o*-nitrobenzenesulfonate, 828
Sodium *p*-nitrobenzoate, 644
Sodium phenoxide, 556, 791
formation, 793
reactions, 565, 796, 808
Sodium salicylate, 796, 804
Sodium trichloroacetate, 862
Solid-phase peptide synthesis, 1149
Solubility, and structure, 30–32
Solvation, 526
Solvents, 31–32
Solvolyisis, 473–474, 909–919
Solvomercuration, 505, 558
Sorbic acid, 1, 866