

Index

A

A-74704, 486–8
A-77003, 487–9
A-78791, 488–9
A-80987, 488–9
A-83962, 488–9
ab initio quantum mechanics, 337–8
abacavir, 478–9, 481, 717, 732
abatacept, 266
Abbott pharmaceuticals, 12, 485
abciximab, 140, 717
abdominal infections, treatment of, 443
abdominal muscles, relaxation, 591
Abelson tyrosine kinase inhibitors, 552–5
abiraterone, 538, 717, 732
ABT 378, 488
ABT 538, 488
abzymes, 572
7-ACA; *see* 7-aminocephalosporinic acid
ACE; *See* angiotensin-converting enzyme
acebutolol, 624–6, 717, 732
acetaldehyde, 208
acetorphan, 653, 717
acetyl coenzyme A, 162, 580–1
acetylation
 aspirin synthesis, 285–6
 by aspirin, 222
 drug metabolism, 162, 166
 histone acetylase, 564
 of proteins, 25
N-acetylation, 25
acetylcholine, 42–4, 578–88, 609, 712,
 see also acetylcholinesterase,
 anticholinesterases, cholinergic
 agonists, cholinergic antagonists, and
 cholinergic receptors
active conformation, 584
binding interactions with cholinergic
 binding site, 368, 583
biosynthesis, 580–1
control of gastric acid release, 659–60
hydrolysis by acetylcholinesterase, 595–7
interaction with presynaptic receptors,
 580, 613
pharmacophore, 585
role in depression, 700
acetylcholinesterase, 96, 243–4, 390, 580,
 595–8
acetylcholinesterase inhibitor, 244
N-acetylcysteine, 528
N-acetylglucosamine, 423, 445
L- α -acetylmethadol, 644
3-acetylmorphine, 634
6-acetylmorphine, 633–4, 637
N-acetylmuramic acid, 423, 445
N-acetylneurameric acid, *see* sialic acid
acetylsalicylic acid, 286, *see also* aspirin

aciclovir, 95, 129–30, 472–3, 475, 573,
 717, 732
 prodrugs, 473
aciclovir triphosphate, 130, 472
Aclacin, 722
aclacinomycin A, *See* aclarubicin
Aclaplastin, 722
aclarubicin, 563, 717
acne, treatment of, 454, 457
acquired immune deficiency
 syndrome, 170, 413, 468, 471, 476; *see*
 also HIV
appetite stimulation in patients, 206
clinical trials of HIV drugs, 278–9
patient susceptibility to *Pseudomonas*
 , 426
treatment, 133, 143, 477, 479, 481
treatment of other diseases in AIDS
 patients, 419, 462, 475
 vaccination, 470
acquired resistance, 523
Actenomium chrysogenum, 436
acrolein, 528, 530
acromegaly, treatment of, 267
actimid, 565
actinomycin D, *See* dactinomycin
Actinoplanes teichomyceticus, 448
action potentials, 196, 714
Actiq, 722
activation energy, 30
active conformation, 227, 239, 352–4,
 401, 403
acetylcholine, 584
captopril, 354
cimetidine, 673–4
decamethonium, 353
kinases, 549
muscarine, 585
receptors, 112
serotonin antagonists, 702
tubulin polymerization inhibitors, 405
active principle, 199, 328
active site, 23, 31–3
 acetylcholinesterase, 596–7
angiotensin-converting enzyme, 294–6
carboxypeptidase, 293
epidermal growth factor receptor, 549
neuraminidase, 499
thymidylate synthase, 408
acupuncture, 649
acute bacterial skin infections, treatment
 of, 442
acute myeloid leukaemia, treatment of,
 571
acyclovir. *See* aciclovir
acyl CoA synthetase, 165
acylases, *see* penicillin acylase
acylating agent, 222

N-acylsulfonamide, bio-isostere for
 carboxylic acid, 236
N-acyltransferase, 166
Adagen, 722
adalimumab, 268, 717
adamanolol, 140–1
adamantanes, 498
ADAPT, *see* antibody-directed abzyme
 prodrug therapy
Adcetris, 722
addiction, 1–2, 266, *see also* drug addiction
Addison's disease, 690
adefovir dipivoxil, 479, 481, 717, 732
adenine, 71–2
 binding interactions, 224
 nucleophilic groups, 124
adenosine, 36, 44, 51, 535
adenosine deaminase, 96, 267, 534–5
 inhibitors, 535
adenosine 5'-diphosphate, 55
adenosine 5'-monophosphate, 36–7
adenosine receptors, 56
adenosine 5'-triphosphate, 54–5, 60–1,
 548–9, 551, 580, 612–13, 680
S-adenosyl methionine, 162, 166
S-adenosylhomocysteine hydrolase, 510
adenovirus, 573
adenylate cyclase, 59–64
adenylyl cyclase, *see* adenylate cyclase
ADEPT strategy, *see* antibody-directed
 enzyme prodrug therapy
ADME, 11, 153, 248
adozelesin, 529, 531, 570
ADP, *See* adenosine 5'-diphosphate
adrenal cortex, 689
adrenal gland tumours, treatment of, 624
adrenal medulla, 579, 609, 611–12
adrenaline, 578, 609–11, 616–18,
 see also adrenergic agonists, adrenergic
 antagonists, and adrenergic receptors
 as a lead compound, 204
 as a vasoconstrictor, 170, 265, 616
 binding site interactions, 614–16
 biosynthesis, 611–12
 effects on the peripheral nervous system,
 579, 581
 fight or flight response, 44, 579, 609
 metabolism, 618
 relaxation of heart muscle, 63
 role in fat metabolism, 63
 role in glycogen breakdown, 37–9, 60–2
 structure and properties, 338–41
 treatment of asthma, 618
adrenergic agents, clinical aspects, 611
adrenergic agonists, 116, 616–20
adrenergic antagonists, 234–5, 620–6 *see also*
 beta blockers
adrenergic nervous system, 609

- adrenergic receptors, 50, 609–11
 binding site, 51, 614–17
 distribution, 610
 evolutionary tree, 51–2
 in the peripheral nervous system, 579
 neurotransmission process, 612–14
 physiological effects, 610, 618
 presynaptic control systems, 580, 613
 role in fat metabolism, 63
 role in glycogen metabolism, 60, 62–3
 role in smooth muscle contraction, 63
 signal transduction, 58, 60–3
 target for antidepressants, 701
 types and subtypes, 45, 52, 115, 609–10
 X-ray crystal structure, 53, 367, 614
- adrenoceptors, 192, *See adrenergic receptors*
- adrenocortical tumours, treatment of, 540
- adrenocorticoids, 689
- adriamycin, 524, 717
- adsorption, 469–70, 497
- HIV, 476
- aerobic bacteria, 716
- affinity, 116
- affinity constant (K_i), 117
- affinity screening, 197
- African bush willow, 541
- African clawed frog, 201
- AG-1254, 490–1
- β -agalsidase, 266, 717
- Agenerase, 722
- age-related vision loss, treatment of, 268
- Aggrastat, 722
- agonists, 102–6, 113
- AIDS, *see acquired immune deficiency syndrome*
- Airomir, 722
- Akira Endo, 180
- D-alanine, 424, 445, 448, 651
- L-alanine, 17, 22, 148–9, 705
- ACE inhibitors, 295
- cholinergic binding site, 368
- decapeptide, 339
- matrix metalloproteinase active site, 561
- racemization, 445
- resistance to HIV protease inhibitors, 489
- yeast alanine tRNA, 77
- L-alanine racemase, 445
- D-alanyl-D-alanine, 197, 424–5, 445, 447
- D-alanyl-D-alanine ligase, 445
- albinism, 79
- albumin, 156–7, 385, 436
- albuterol, 619, *see salbutamol formulation*, 173
- Alchemy, 338
- alclometasone, 732
- alclometasone dipropionate, 693, 717
- alcohol, 2, 157, 169, 208
- aversion therapy, 261
- cure for antifreeze poisoning, 88
- alcohol dehydrogenases, 88–9, 160, 162–3
- alcoholism, treatment of, 89, 208, 639–40
- alcohols, binding role, 216–17
- Aldara, 722
- aldehyde dehydrogenases, 160
- aldehyde oxidase, 473
- aldehydes, binding role, 218
- aldesleukin, 566, 717
- Aldomet, 722
- aldometasone dipropionate, 692
- Aldosterone, 689–90
- alemtuzumab, 569, 717
- alfacon-1, 511
- alfentanil, 643
- alferon, 511
- algae, 716
- algorithms, 337
- Alimta, 722
- aliphatic electronic substituent constants, 390
- aliskiren, 91–2, 717, 732
- alkaline phosphatase, 572
- alkaloids, *see atropine, camptothecin, cocaine, codeine, huperzine, hyoscine, morphine, pilocarpine, thebaine, vinca alkaloids*
- alkenes, binding role, 218
- Alkeran, 722
- alkyl fluorides, 223
- alkyl halides, binding role, 222
- alkyl substituents, *see also variation of alkyl substituents*
- binding role, 223
 - variation in drug design, 228–31
- alkylated N-morphine analogues, synthesis of, 639
- alkylating agents, 89, 126–7, 522, 526–30, 572
- oxamniquine, 309
- alkylation
- by alkyl halides, 222–3
- Allegra, 166, 722
- AlleGrow, 378
- allergic reactions to penicillin, 423
- allergies, treatment of, *see anti-allergic agents*
- allosteric binding sites, 36, 56, 89–90, 111
- allosteric inhibitors, 479, 535, 555
- allosteric modulators, 56, 106, 110–11
- N-allylmorphine, 648
- aloe plant, 212
- altanserin, 369
- Alvesco, 722
- Alzheimer's disease, treatment of, 96, 603, 630
- amantadine, 471, 498, 717, 732
- American mandrake, 540
- Ames test, 194
- amides
- binding role, 219–20
 - synthesis, 322, 325–6
- amines, binding role, 218–19
- amino acid conjugates, 165
- amino acid N-acyltransferase, 165
- aminoacridines, 120, 459–60
- aminoacyl t-RNA, 452
- aminoacyl t-RNA synthetases, 464
- para-aminobenzoic acid, 419
- γ -aminobutyric acid, 44, 51, 700, 712
- γ -aminobutyric acid receptors, 56, 106, 112, 206, 386
- 7-aminocephalosporinic acid, 437–8
- aminoglutethimide, 208, 539, 717, 732
- aminoglycosides, 200, 414, 452–3, 464
- 5-aminolevulinic acid, 574, 717, 732
- 4-amino-Neu5Ac2en, 501–2
- 6-aminopenicillanic acid, 422, 428–9
- aminopenicillins, 433
- aminopeptidase enzyme, 262, 545
- para-aminosalicylic acid, 453
- amitriptyline, 627–8
- amoebic dysentery, 716
- amoxicillin, 433, 444, 717, 732
- clinical aspects, 435, 462
 - treatment of *Helicobacter pylori*, 659, 685–6
- Amoxil, 722
- amoxycillin, *see amoxicillin*
- AMP, *see adenosine 5'-monophosphate*
- amphetamines, 172, 616–17, 629, 700
- amphotericin, 143–5, 717, 732
- ampicillin, 263–4, 430, 432–5, 445, 717, 732
- ampicillin-resistant *H. influenzae*, 462
- amprenavir, 478, 491–4, 717, 732
- amprotropine, 589
- amsacrine, 525, 717, 732
- Amsidine, 722
- β -amyloid protein, 604–5
- anabaseine, 603–4
- Anacetrapib, 184
- anaerobic bacteria, 716
- analgesic receptors, *see opioid receptors*
- analgesics, 115, 202, 255, 261, 265, 618, *see also opioids*
- anandamide, 206, 700
- Anapen, 616
- anaphylactic reactions, treatment of, 616
- anastrozole, 539–40, 717, 732
- anchimeric assistance, 124, 584
- anchor, 315–16
- anchor and grow programs, 362–6
- anchors, 147
- androgens, 537–40
- androstenedione, 539
- Anectine, 722
- angina, treatment of, 207, 611, 622, 624–5
- angiogenesis, 515, 519–21, 561
- inhibition, 542, 565–66
- angiogenesis inhibitors, 520–1
- angioplasty, 171
- angiostatin, 520, 566
- angiostatin II receptors, 52, 192
- antagonists, 292
- angiotensin-converting enzyme, 91, 192, 292, 294, 296
- inhibitors, 2, 96, 233, 292–8, *see also captopril, cilazapril, enalaprilate, and lisinopril*
- angiotensinogen, 91, 292
- angiotensins, 44, 51, 91, 292, 295, 297, 624
- anilinopiperidines, 642
- annealing, 81

- Antabuse, 89, 208, 722
 antacids, 659
 antagonists, 102, 106–11, 113
 antedrugs, 167
 anthracyclines, 121, 524–5
 resistance, 523
 anthraquinone, 563
 anthrax, treatment of, 423, 454, 459
Anthriscus sylvestris, 540
 anti-allergic agents, 115, 204, 398
 anti-androgens, 538
 anti-angiogenesis agents, 564, 566
 anti-arthritis agent, 255
 anti-asthmatics, 256, 268, 618–20
 administration, 170
 antibacterial agents, 249, 413–67, 659, 685
 antibodies, 149, 151, 267–8
 abzymes, 572
 anticancer therapy, 568–70, 572
 antiviral agents, 511
 chimeric, 267
 fusion protein, 266
 humanized, 268
 hybrid, 572
 inhibiting protein–protein interactions, 139–41
 linking drugs, 571
 monoclonal, 257
 murine, 267
 reduction of disulphide links, 570
 targeting drugs, 174–5, 257
 antibody-directed abzyme prodrug therapy
 ADAPT, 572
 antibody-directed enzyme prodrug therapy
 ADEPT, 570, 572
 antibody–drug conjugates, 174, 568–71
 antibody–enzyme complex, 570
 anticancer agents, 96, 242, 267, 272, 280,
 514–74
 anticholinergic agents, 202, 660, 662, *see also*
 cholinergic antagonists
 anticholinesterase poisoning, antidote, 588
 anticholinesterases, 404, 595–608
 anticoagulant, 280
 anticoagulants, 141, 166, 204, 212, 280, 492
 effect of aspirin, 171
 anticodon, 77, 79
 antidepressants, 204, 594, 700–1, *see also*
 monoamine oxidase inhibitors, tricyclic
 antidepressants, selective noradrenaline
 reuptake inhibitors, selective serotonin
 reuptake inhibitors
 adrenergic antagonists, 621
 dopamine antagonists, 115, 189
 drug–drug interactions, 172
 dual action agents, 701
 reuptake inhibitors, 135–6
 serotonin agonist, 205
 serotonin antagonists, 287, 701–4
 antidiabetic agents, 204, 253
 antidiarrhoeal agents, *see* diarrhoea
 treatments
 anti-diuretic hormone, 169
 antidotes
- anticholinesterase poisoning, 588
 atropine poisoning, 599
 curare poisoning, 599
 to lewisite, 96
 to morphine overdose, 115
 to organophosphates, 602–3
 anti-emetics, 115, 192
 antiepileptics, *see* epilepsy treatments
 anti-estrogens, 538–9
 antifreeze poisoning, 88
 antifungal agents, 191, 233, 249, 254, 258,
 275, 464
 antigenic drift, 498
 antigenic variation, 498
 antigens, 149, 151, 175, 257, 470, 497, 568
 anti-growth factors, 517
 antihistamines, 166, 193, 205, 208
 anti-HIV drugs, *see* HIV
 antihypertensive agents, 203, 620, 627,
 700, *see also* angiotension-converting
 enzyme inhibitors, beta-blockers,
 adrenergic antagonists, clonidine,
 cromakalim, losartan, and renin
 inhibitors
 anti-impotence drugs, 204
 anti-inflammatory agents, 96, 222, 279–80,
 565, 689–99
 antimalarial agents, 204, 260, 299–304, 393
 doxycycline, 454
 antimetabolites, 416, 531–6
 antimicrobial agents, *see* antibacterial agents,
 antifungal agents, and antiprotozoal
 agents
 antimigraine agents, 115
 anti-obesity agents,
 adrenergic agonists, 116, 287, 617
 lipase inhibitors, 89–90, 200
 melanin concentrating hormone receptor
 agonists, 194
 reuptake inhibitors, 135, 629
 antioncogenes, 515
 antiparasitic drugs, 465
 antiprotozoal agents, 2–3, 414, 461–2,
 see also antimalarial agents and
 oxamniquine
 antipsychotics, 114, 116, 191, 235, 260–1
 antirheumatic agent, 251
 antisense therapy, 131–2, 175, 271, 475,
 493–4, 529
 antiseptic, 413
 antismoking drugs, 204, 594, 629
 antithrombotic agents, 250
 antituberculosis agents, *see* tuberculosis
 treatments
 antitumour agents, *see* anticancer agents
 antiulcer agents, 115, 457, 462, 588–9,
 659–88, *see also* ulcers, treatment of
 antiviral agents, 234, 275, 468–511
 antrum, 659
 ants, 603
 anxiety
 treatment of, 200, 624
 aorta, 156
 6-APA, *see* 6-aminopenicillanic acid
- ApaF-1 protein, 518
 apomorphine, 340
 apoptosis, 142, 515, 517–19
 apoptosome, 518
 appetite, control of, 200
 appetite stimulants, 206
 apricots, 3
 Apsin, 722
 aptamers, 143, 271
 aquaporins, 168
 arabinosyl transferase enzymes, 461
 ara-C, 534
 2-arachidonyl glycerol, 206
 arachidonyl ethanolamine, 206
 ara-CTP, 535–6
 ara-G, 534
 area under the plasma drug concentration
 curve (AUC), 173
 arecoline, 586–7
 Arf protein, 67
 arginine, 17, 21–2, 670–1, 705
 ACE binding site, 293–4, 296
 binding of statins, 183–4
 carboxypeptidase binding site, 293
 neuraminidase binding site,
 499–501, 503
 role in depression, 700
 synthesis of nitric oxide, 38
 Aricept, 722
 Arimidex, 722
 armodafinil, 282–3, 717
 aromatase, 538–9
 inhibitors, 538–9
 aromatic L-aminoacid decarboxylase, 612
 aromatic rings, binding role, 217–18
 aromatic substituents, variation in drug
 design, 229–31, *see also* variation of
 aromatic substituents
 arrhythmia, treatment of, 622, 624
 arsenic, 2
 arsenic trioxide, 566, 717, 732
 arsenite, 96
Artabotrys uncinatus, 304
 arteether, 300, 303
 artelene, 304
 artemether, 300, 303
Artemisia annua, 299–300
 artemisinin, 199–200, 202, 299–303
 Artemisinin Combination Therapy, 303
 arthritis, 27
 treatment, 93, 212, 266, 268, 279, 405
 arthropods, 468
 artificial viruses, 83, 175
 aryl halides
 binding agents, 223
 binding role, 222
 aryloxypropanolamines, 622–3
 Arzerra, 722
 asbestos, 515
 Asian flu, 496
 Asmabec Clickhaler, 722
 Asmanex, 722
 Asmasal Clickhaler, 722
 asparaginase, 267, 567

- asparagine, 17, 705
 cholinergic binding site, 368, 584
 glycoproteins, 25
 in leukaemia cells, 567
 in protease inhibitors, 485–6, 490
 mutation in reverse transcriptase, 479
 rigidification, 239
 aspartate (aspartic acid), 17, 21–2, 705
 acetylcholinesterase active site, 597
 adrenergic receptor binding site, 614–15
 binding of protease inhibitors, 484–9,
 491–2
 binding to estrogen antagonists, 110
 catalytic triad, 34, 90
 cholinergic binding site, 583
 HIV-protease binding site, 482–4, 489
 HMG-CoA reductase active site, 179–80
 in fibrinogen, 141
 kinase active site, 553–5, 558
 lipase active site, 90
 mechanism of renin, 91
 mimic, 190
 neuraminidase active site, 499–501,
 503, 505
 proton acceptor, 33
 proton donor, 33
 receptor binding sites, 367–8
 substrates for caspases, 190
 thymidylate kinase active site, 407–10
 aspartic acid, *see* aspartate
 aspartyl proteases, 481
 aspergillosis, 716
Aspergillus alliaceus, 200
Aspergillus sclerotiorum, 310
Aspergillus terreus, 181
 asperlicin, 200, 237
 aspirin, 3, 212, 278, 522, 632
 as a prodrug, 261
 as an acylating agent, 222
 drug–drug interactions, 171
 interaction with cyclooxygenases, 96,
 222, 659
 role in causing ulcers, 659
 synthesis of, 285–6
 synthesis of salbutamol, 619
 Association of British Pharmaceutical
 Industry, 284
 astemizole, 204, 481
 asthma, treatment of, 192–3, 212, 268, 611,
 661, 694–6, *see also* antiasthmatics and
 salbutamol
 Astra, 287, 684
 AstraZeneca, 546, 550
 asymmetric compounds, 104
 asymmetric synthesis, 104
 atazanavir, 478, 492, 494, 717, 732
 atenolol, 624–6, 717, 732
 athletes foot, treatment of, 143
 atomoxetine, 629, 717, 732
 atorvastatin, 154, 178, 181–4, 717, 732
 ATP, *see* adenosine 5'-triphosphate
 ATPase, 680
 ATP-binding cassette (ABC)
 transporters, 523
 atracurium, 592–3, 717, 732
 α-atrial natriuretic peptide, 68
 Atripala, 722
Atropa belladonna, 588
 atropine, 202, 588–9
 atropine methonitrate, 589
 atropine poisoning, antidote, 599
 atropine sulphate, 718
 Atrovent, 722
 attention deficit hyperactivity disorder,
 treatment of, 629
 AUC, *see* area under the plasma drug
 concentration curve
 Augmentin, 444, 722
 Aureocort, 722
 aureomycin, 454
 auristatin PE, 566–67
 auristatins, 569
 AutoDock, 361, 366
 autoimmune disease, 586
 treatment of, 190
 autonomic motor nervous system, 579
 autoreceptors, 12, 580, 621, 701
 Avalox, 722
 Avamys, 722
 Avastin, 722
 Avelox, 722
 Avloclor, 722
 avridine, 511
 Axid, 722
 axon, 711
 Azactam, 722
Azadirachta indica, 687
 azathioprine, 260–1, 717, 732
 AZD3409, 546
 azidothymidine, 478, *see* zidovudine
 azithromycin, 456–7, 717, 732
 azlocillin, 435
 AZT, *see* zidovudine
 Aztec, 202
 aztreonam, 444, 717, 732
- B**
- bacampicillin, 434
Bacillus polymyxa, 450
Bacillus subtilis, 445
 bacitracin, 414, 445–6, 451–2, 717, 732
 bacteria, 716
 bacterial carboxypeptidase, 570
 bacterial cell, 415
 bacterial pneumonia, treatment of, 442
 bacterial RNA polymerase, inhibitors of, 461
 bactericidal, definition, 419
 bacteriophages, 82, 463
 bacteriorhodopsin, 367, 369
 bacteriostatic, definition, 418
Bacteroides fragilis, 442, 715
 treatment of, 457, 462
 Bactroban, 722
 Bad protein, 518
 bar coding, 331
 barbiturates, 1, 156, 157, 386, 594
 Barlos resin, 315–16
 base pairing, 72–4, 76, 224–5
 abnormal for guanine, 124
 basil, 3
 Bax protein, 518, 563
 BAY12-9655, 562–3
 Baycol, 722
 bazinaprine, 205
 Bcl-2 protein, 272, 518–19, 529
 BCl-x protein, 142–3, 518–19
 BCNU, 722
 Bcr-Abl kinase inhibitors, 559
 BCX-1812, 506
 beclometasone dipropionate, 692, 694–5,
 717, 733
 beclomethasone dipropionate, 692, *see*
 beclometasone dipropionate
 Becodisks, 722
 Beconase, 722
 bee sting, 616
 Beechams Pharmaceuticals, 422, 428,
 433, 444
 belimumab, 268, 717
 belladonna, 588
 Benadryl, 661, 722
 bendamustine, 527–8, 530, 717, 733
 benextramine, 606
 benign prostatic hyperplasia, treatment
 of, 620
 benign tumours, 514, 521
 Benlysta, 722
 Benuryl, 722
 Benylin, 617
 benzalkonium chloride, 719
 benzatropine, 589–90, 717, 733
 benzhexol, *see* trihexyphenidyl
 benzodiazepines, 106, 206
 solid phase synthesis, 317
 benzoic acid, ionization, 388
 benzomorphans, 641–2
 benzotropine, *see* benzatropine
 benzylpenicillin (penicillin G), 422–3,
 426–7, 429–30, 463, 717, 733
 L-benzylsuccinic acid, 206, 292–4
 Bergman cyclization, 128
 besifloxacin, 459, 717, 733
 Besivance, 722
 beta blockers, *see* β-blockers
 beta lactams, *see* β-lactams
 Betacap, 722
 Betaloc, 722
 betamethasone, 690–2, 694, 717, 733
 betamethasone dipropionate, 692, 694,
 717, 733
 betamethasone sodium phosphate, 696,
 717, 733
 betamethasone valerate, 692, 694,
 717, 733
 betaxolol, 624–6, 717, 733
 Betesil, 722
 bethanechol, 586, 717, 733
 Betim, 722
 Betnelan, 722
 Betnesol, 722
 Betnesol-N, 722

- Betnovate, 722
 Betnovate-C, 722
 Betnovate-N, 722
 Betoptic, 722
 Bettamousse, 722
 bevacizumab, 143, 268, 285, 569, 717
 Bextra, 722
 Bexxar, 722
 BIACore, 197
 BiCNU, 722
 bicyclams, 495
 bile duct, 167
 bilharzia, 305
 biliary tract infections, treatment of, 453
 Bill and Melinda Gates Foundation, 189
 binding efficiency, 211
 binding groups, 5, 46, 102–5
 binding regions, 5, 32, 46
 binding site, 4–5, 45, *see also allosteric binding sites*
 adrenergic receptors, 614–15
 catecholamine receptors, 368
 cholinergic receptor, 368
 construction of, 368
 estrogen receptor, 109–10
 G-protein coupled receptors, 368
 model, 369
 muscarinic receptor, 583
 bioassays, 195–9
 bioavailability, 173, 278
 Biocef, 722
 bio-equivalence studies, 278
 bio-isosteres, 234, 236, 251, 268–9, 397, 489, 542
 for alpha, beta-unsaturated esters, 259–60
 for carboxylic acid, 250–1
 for methyl group, 550, 586
 for phenols, 251
 for phosphate, 473
 for thiourea, 672
 serotonin antagonists, 703
 biomarker, 280
 Biota pharmaceuticals, 502
 bioterrorism, 468, 511
 birocodar, 523
 bis(7)-tacrine, 605
 bismuth, 462
 bismuth chelate, 686
 bismuth subcitrate, 686
 Black, James, 622
 bladder cancer, treatment of, 530, 534
 Bld protein, 518
 bleomycins, 121–2, 128, 525
 blinatumomab, 568
 β-blockers, 115, 279, 621–6, *see also adrenergic antagonists*
 short acting, 625–6
 blood clotting, inhibition, 140
 blood–brain barrier, 156–7, 195
 bloodshot eyes, treatment of, 618
 blue green algae, 541, 716
 BMS-184476, 137–8
 BMS-188797, 137–8
 BMS-247550, 542
 BMS-275291, 562
 BMS-378806, 495
 boceprevir, 508–9, 717, 733
 boils, treatment of, 413, 462
 π-bond cooperativity, 225
 bone infections, treatment of, 457, 459
 bortezomib, 96, 563, 717, 733
 bosutinib, 555
 botulism, 202
 bradykinin, 44
 receptor, 51
 brain abscesses, treatment of, 462
 brain natriuretic peptide, 68
 brain tumours, treatment of, 530
 Brazilian viper, 202
 breast cancer, 514–15, 517, 522
 treatment with alkylating agents, 530
 treatment with antibodies, 569
 treatment with antimetabolites, 533, 534
 treatment with aromatase inhibitors, 538–9
 treatment with drugs acting on tubulin, 543
 treatment with hormone-based therapies, 540
 treatment with intercalating agents, 525
 treatment with kinase inhibitors, 559
 treatment with pancratistatin, 566
 treatment with raloxifene, 110
 treatment with tamoxifen, 115
 breast milk, 167
 bremazocine, 641
 brentuximab vedotin, 569, 717
 bretylium, 627–8
 Brevibloc, 722
 Bridion, 722
 British Approved Name, 12
 British National Formulary for Children, 280
 broad-spectrum antibiotics, 433
 broad-spectrum antiviral agents, 510–11
 broad-spectrum penicillins, 433–6
 clinical aspects, 435
 broccoli, 3, 522
 Broflex, 722
 bromodomain, 567
 bronchitis, treatment of, 435, 459
 bronchodilator, 589, 617
 Brookhaven National Laboratory Protein Data Bank, 20, 353, 355
 Brucellosis, treatment of, 453, 462
 Brussels sprouts, 166
 bryostatins, 201, 566
 bubonic plague, 414
 budding, 470
 Budelin Novolizer, 722
 budesonide, 692, 695–6
 bungarotoxin, 201, 594–5
 bupivacaine, 282, 717, 733
 buprenorphine, 645, 647, 649, 717, 733
 bupropion, 204, 594, 629, 639, 717, 720, 733
 burimamide, 206, 665, 667–9
 Burkitt's lymphoma, 514
 treatment of, 472, 522
 burns, treatment of, 417
 Busilvex, 722
 busulfan, 124–6, 530, 717, 733
 busulphan, *see* busulfan
 butorphanol, 649
 N-butyldeoxyojirimycin, 495
 butyrylcholinesterase, 595–6
 bystander effect, 573

C

- C55 carrier lipid, 445
 CaaX peptide, 545
 cabbage, 3, 522
 CAChe, 338
 Caco-2 cell monolayer absorption model, 195
 cadherins, 521
 CAESA, 376
 caffeine, 2, 278
 calabar bean, 598
 calcitonin, 266
 calcium carbonate, 659
 calcium-dependent protein kinases, 65
 calcium ion channel blocker, 523
 calcium ion channels, 59, 65, 192
 calcium ions, 65, 67
 calcium-sensing receptor, 106
 Calcort, 722
 calicheamicin, 128–9, 529, 570–1
 calmodulin, 65–6, 142
 Cambridge Structural Database, 339, 353
 Camcolit, 722
 cAMP, *see* cyclic AMP
 Campito, 722
 Campitosar, 722
Campotheca acuminata, 122, 526
 camptothecin, 122–3, 526
 canaliculus, 679–80
 cancer, 514–23
 cancer chemotherapy, *see* anticancer agents
 cancer stem cells, 523
 candidiasis, 716
 candoxatril, 260, 265
 candoxatrilat, 260
 Canesten, 722
 cannabinoid antagonists, 116
 cannabinoid receptors, 206
 cannabis, 1–2, 170
 capecitabine, 533–4, 559, 717, 733
 Capoten, 722
 Caprelsa, 722
 caproctamine, 606, 607
 capsid, 135, 469
 capsid-binding agents, 507–8
 capsules, 12, 169, 173, 277–8, 494
 captoril, 96, 320, 717, 733
 active conformation, 354
 as a lead compound, 203–4
 design of, 293–4
 rigidification of, 239
 side effects, 294
 synthesis of, 297
 Carace, 722
 carbachol, 586

- carbapenems, 442–3
 carbenicillin, 433, 435
 carbenoxolone, 687, 717, 733
 carbidopa, 265, 717, 733
 carbohydrates, 25, 148–51
 in antibodies, 569–70
see also aminoglycosides, anthracyclines,
 N-butyldeoxyojirimycin,
 cyclodextrins, deoxyribose, glucose,
 glycoconjugates, glycoproteins,
 macrolides, peptidoglycan,
 podophyllotoxins, ribose, sialic acid,
 vancomycin
 carbolic acid, 413
 carbon buckyballs, 83
 carbonic anhydrase, 40, 205, 333, 679, 680
 carboplatin, 190, 529–30, 718, 733
 carboxamides, 502–5
 carboxylate ion, binding role, 221
 carboxylation, 25
 carboxylesterases, 526–7, 572
 carboxylic acids, binding role, 221
 carboxypenicillins, 433, 435
 carboxypeptidases, 292–3, 570–3
 inhibitor, 293
 carbuncles, treatment of, 413
 carcinogenesis, 514
 cardiac arrest, treatment of, 616
 cardiac failure, treatment of, 620
 cardiac stimulant, 617
 cardiogenic shock, treatment of, 617
 cardiotonic agents, 387
 cardiovascular drugs, 586, 621, *see also*
 antihypertensive agents
 Cardura, 722
 Carelux, 722
 carfecillin, 433, 435
 carmustine, 124, 126, 530, 718, 733
 carrier lipids, *see* C55 carrier lipid
 carrier proteins, *see* transport proteins
 carvedilol, 620–1
 caspases, 97, 190, 518, 564
 inhibitors, 190
 catalase-peroxidase enzyme, 461
 catalytic triad, 34, 90, 597, 598
 Catapres, 723
 catch and release, 324–5
 catechols, 340, 611, *see also* catecholamines
 catecholamine receptors, 368, *see also*
 adrenergic and dopamine receptors
 catecholamines, 611–12, *see also* adrenaline,
 adrenergic agonists, dopamine and
 noradrenaline
 catechol-O-methyltransferase, 162, 254, 612,
 617–18
Catharanthus roseus, 540
 cathepsin D, 482
 cation–pi interaction, 9, 221
 cauliflower, 3, 522
 CB-3717, 407–8
 CC-1065, 529, 531
 CCK, *see* cholecystokinin
 CCNU, 723
 CCR5 antagonist, 495
 CCR5 receptor, 477, 495
 CD4 protein, 476–7, 495
 CD20 antigen, 570
 CD20 receptor, 569
 CD33 antigen, 571
 CD52 antigen, 569
 CD117 receptor, 559
 CDKs, *see* cyclin-dependent kinases
 cefalexin, 253, 438–9, 442, 718, 733
 cefalothin, 718, 733, *see also* cephalotin
 cefalotin, *see* cefalothin
 cefazolin, 438, 440, 442
 cefepime, 440–1
 cefotaxime, 440–1, 718, 733
 cefoxitin, 252, 440, 442, 718, 733
 cefpirome, 440–2, 718, 733
 Cefrom, 723
 ceftaroline, 441
 ceftaroline fosamil, 441–2, 718, 733
 ceftazidime, 440–2, 718, 733
 ceftizoxime, 440–1
 cefotobiprole, 718, 733
 ceftriaxone, 440–2, 718, 733
 cefuroxime, 440, 442, 718, 733
 Celebrix, 723
 celecoxib, 93, 95, 718, 733
 cell adhesion molecules, 521
 cell cycle regulation, 516–17
 cell death, *see* apoptosis and caspases
 cell entry inhibitors, 494–5
 cell membrane, 3
 cell wall structure, 423–4
 cellulose, 148
 Celsentri, 723
 central dogma, 77
 central nervous system, 42–3
 central nervous system infections, treatment
 of, 462
 centroid, 227, 352
 scaffold, 318
 centromere, 519
 cephalixin, *see* cefalexin
 cephaloridine, 253, 438–9, 441
 cephalosporin C, 414, 436–7, 442
 cephalosporin prodrug, 572
 cephalosporinases, 428, *see also*
 β-lactamases
 cephalosporins, 200, 436–41, 464–5
Cephalosporium acremonium, 436
 cephalostatins, 143, 201, 566–7
 cephalothin, 438–9, 442, *see also* cefalothin
 cephamycins, 439–41
 Ceporex, 723
 Cerep, 703
 Cerezyme, 723
 cerivastatin, 181–2, 279–80, 718, 733
 Certican, 723
 cerubidine, 524
 cervical cancer, 514
 treatment of, 530, 534
 cetuximab, 569, 718
 cGMP, *see* cyclic GMP
 CGP-52411, 252–3
 CGP-53353, 253
 CGP-53716, 553
 CGS-27023A, 562–3
 Chain, *see* Florey and Chain
 chain contraction, 231, 233, 242, 589
 chain cutters, 128, 529
 chain extension, 231, 233, 622, 667
 ACE inhibitors, 296
 oxamniquine, 306
 chain termination, 535
 chain terminators, 120, 129–30, 139, 472
 Chantix, 723
 chaperones, 28
 cheese reaction, 630
 Chem3D, 338
 ChemDraw, 338
 chemical development, 285–6
 chemokine receptors, 477, 495
 therapeutic index, 414
 chemotherapy, 413, 514
 ChemWindow, 338
 cherries, 3
 chickenpox, 468
 treatment of, 472, 475
 chimeric antibodies, *see* antibodies
 chimeric drug, 244
 Chinese Hamster Ovarian cells, 195
 chiral compounds, 104
 chiral switching, 136, 282, 619, 684
 Chirocaine, 723
Chlamydia, treatment of, 454
 chlorambucil, 527–8, 530, 718, 733
 chloramphenicol, 200, 262, 280, 414, 452,
 454–6, 718, 733
 chloramphenicol acetyltransferase, 454
 chloramphenicol palmitate, 262
 chloramphenicol succinate, 262
 chloramphenicol-resistant meningococci,
 462
 chlordiazepoxide, 718, 734, *see also* Librium
 chlorhexidine, 719
 chloride ion channels, 712, *see also*
 γ-aminobutyric acid receptors and
 glycine receptors
 chlorins, 264, 573
 chloromethine, 124–5, 526–8, 530
 chloroform, 386
 Chloromyctin, 723
 chlorophyll, 573
 chloroquine, 299, 718, 734
 chlorothiazide, 205
 chlorpromazine, 205, 208, 718, 734
 chlorpropamide, 253
 chlorpyrifos, 601
 chlortetracycline, 414, 454–5, 718, 721, 734
 CHO cells, *see* Chinese hamster ovarian
 cells
 cholecystokinin, 200, 237
 cholera, 413
 cholesterol, 178, 212, 689
 cholesterol conjugates, 163
 cholesterol-lowering agents, 96, 133, 169,
 238, 279, *see also* statins
 cholestryl ester transfer protein, 184
 colestyramine, *see* colestyramine

- choline, 580–1, 597
 choline acetyltransferase, 580–1
 cholinergic agonists, 582–7
 cholinergic antagonists, *see* muscarinic antagonists and nicotinic antagonists
 cholinergic nervous system, 580–1, 613
 cholinergic receptors, 45, 579, 582, 660, *see also* muscarinic and nicotinic receptors
- Chondrodendron tomentosum*, 591
 chromatin, 76, 519, 564
Chromobacterium violaceum, 444
 chromogranin A, 612
 chromosomes, algorithms, 350–1
 chronic myeloid leukaemia, treatment of, 559
 Churchill, Winston, 417
 chymotrypsin, 20, 34, 563
 Cicatrin, 723
 ciclesonide, 692, 695–6, 718, 734
 ciclosporin, 200–1, 208, 523, 718, 734
 absorption, 154
 administration, 270
 metabolism, 166
 cidofovir, 473–5, 718, 734
 Cidomycin, 723
 cigarette, 170
 cigarette smoke, 166
 cilastatin, 443, 718, 734
 cilazapril, 202, 204, 239, 718, 734
 cilazaprilat, 233
 cimetidine, 166, 659–61, 670–3, 679, 718, 734
 cinacalcet, 106–7
 cinchona bark, 202
 Cipralex, 723
 Cipramil, 723
 Cipro, 723
 Ciprobay, 723
 ciprofloxacin, 414, 458–9, 718, 734
 Ciproxan, 723
 Ciproxin, 723
 cisapride, 193
 cisplatin, 125, 127, 522, 529–30, 534, 566, 568
 citalopram, 136, 718, 734
 citrulline, 38
 CJS-149, 570
 CKIs, *see* cyclin-dependent kinase inhibitors
 c-Kit protein, inhibition of 552–5, 559
 Claforan, 723
 clarithromycin, 455–7, 685–6, 718, 734
 Clarosip, 723
 clavulanic acid, 92–3, 422, 435–6, 444–5, 718, 734
 Clenil Modulite, 723
 click chemistry *in situ*, 210–11
 clindamycin, 263, 455–7, 718, 734
 clindamycin phosphate, 263, 455
 clinical trials, 277–80
 cloquinol, 717, 719
 clique searching, 359
 clobetasol, 692, 734
 clobetasol propionate, 694–5, 718, 734
 clobetasone butyrate, 694–5, 718, 734
- Clog P, 248, 387
 clomifene, 719
 clonidine, 169, 208, 617–18, 718, 734
 clorgiline, 95–6
Clostridium botulinum, 202
Clostridium difficile infections, treatment of, 451, 461–2
 clotrimazole, 717
 cloxacillin, 432
 clozapine, 114, 116, 718, 734
 Clozaril, 723
 club moss, 604
 CML, treatment of, 559
 CMN-131, 682, 683
 CMV, *see* cytomegalovirus
 CMV retinitis, treatment of, 475
 CNS infections, treatment of, 453
 coactivator proteins, 56, 109–10, 140, 567
 coagulation factors, 80–1
 coal dust, 515
 co-amoxiclav, 718
 cobras, 201
 coca bush, 202
 coca leaves, 629
 cocaine, 2, 642, 700
 ability to cross placental barrier, 157
 administration of, 169–70
 lead compound for local anaesthetics, 237
 mode of action, 135, 629
 overlay with procaine, 351–2
 source, 199, 202
 co-careldopa, 265, 718
 cocoa, 2
 codeine, 160, 164, 633–4, 637–8, 653
 coenzyme A, 179–80, 182–3, *see also* acetyl coenzyme A
 coenzyme F, 419
 coenzymes, 35–6
 cofactor, competition with inhibitors, 88
 cofactors, 20, 35
 coffee, 2
 co-fluampicil, 432, 723
 Cogentin, 723
 Cognex, 723
 colchicine, 136–7, 244, 404–5, 540–1
 cold sores, 468
 treatment of, 472, 475
 cold virus, 507
 colestyramine, 169, 718
 collagenases, 561
 colon cancer, 522, 544
 treatment of, 533
 colony stimulating factors, 266
 Colorado tick fever, 468
 colorectal cancer, treatment of, 527, 530, 533–4, 569
 CoMASA, 404
 combination therapies, 193
 combinatorial libraries, 329
 combinatorial synthesis, 313–34
 planning, 379
 combretastatins, 541–2
Combretum caffrum, 541
 CoMFA, 342, 401, 403–5
- comfrey, 687
 CoMMA, 404
 common cold, 468
 compactin, 180–1, 718, 734
 competitive inhibition, 87
 competitive inhibitors, 88
 compound libraries, 313, 318, 329
 planning, 379
 computer-aided design of lead compounds, 207
 CoMSIA, 404
 Condyline, 723
 conformational analysis, 346–51, 702
 conformational blockers, 241, 663
 design of imatinib, 552, 553
 oxamniquine, 307–8
 conformational explosion, 361
 conformational space, 318
 conjugation, 463
 conjugation reactions, 158, 160
 Conn's syndrome, 690
 Connolly surface, 358
 conotoxin, 202
 constructs, 362
 contraception, 115
 contraceptives, 106, 200, 252
 drug–drug interactions, 167, 462
 Contrave, 723
 convergent evolution, 52
 Copegus, 723
 Co-phenotrope, 723
 Cordilox, 723
 Corgard, 723
 Corlan, 723
 coronary heart disease, 178
 correlation coefficient, 384
 corticosterone, 689–90
 corticotrophin-releasing factor, 700
 cortienic acid, 697
 cortisol, 106, 689, 691–2, 697
 cortisone, 689–90, 693
 cortisone acetate, 692–3
 cortivazol, 106, 378
 Corvitol, 723
 Cosmegen Lyovac, 723
 co-transmitters, 581, 612–13
 co-trimoxazole, 420, 718
 coughs, treatment of, 638
 cowpox, 470
 Cozaar, 723
 Craig plot, 392–4
 Crestor, 723
 crisantaspase, 567, 718
 Crixivan, 723
 crizotinib, 226, 242, 556–7, 560, 718, 734
 cromakalim, 256, 276, 342–3
 cross-linking, 124–8, 526, 529
 cross-validated correlation coefficient, 403
 cross-validation, 402
 cryptophycins, 541
 CrystalLEAD, 210
 Crystapen, 723
 c-Src tyrosine kinase, 554
 Cubicin, 723

curacin A, 201
 curare, 2, 591
 curare poisoning antidote, 599
 Cushing's syndrome, 689
 Cutivate, 723
 CXCR4 receptor, 477
 cyclases, 38
 cyclic AMP, 59–63, 595, 610
 cyclic GMP, 38, 59, 67–8
 cyclic lipopeptides, 451
 cyclic peptide antibiotics, 414
 cyclic peptides, 145
 cyclin-dependent kinases, 19–20,
 516–17, 555
 inhibitors, 517, 555–6
 cyclins, 516–17, 556
 cyclodextrins, 83, 150–1
 cycloguanil pamoate, 260–1
 cyclohexane, 347
 cyclooxygenase-2, 280
 cyclooxygenases, 93, 222, 659
 inhibitors, 95–6
 cyclopentenyl cytosine, 510
 cyclopentolate, 589–90, 718, 734
 cyclophosphamide, 124, 261, 528, 530,
 718, 734
 cyclopropanecarboxylic acid esters
 as potential prodrugs, 259–60
 cyclopropyl group, 235
 D-cycloserine, 445–6, 451
 cyclosporin, see ciclosporin
 Cymbalta, 723
 Cymevene, 723
 Cyprostat, 723
 cyproterone acetate, 538, 540, 718, 734
 cysteine, 17, 94, 705
 biosynthetic building block for β -lactams,
 422, 436–7
 caspase active site, 190, 518
 disulphide bonds, 21–3
 farnesyl transferase inhibitors, 545
 farnesylation, 545
 glutathione conjugates, 166
 glycolysis enzymes, 466
 intracellular receptors, 56
 mercury poisoning, 96
 nicotinic receptor, 591
 nucleophile, 34, 89
 PEGylation of antibodies, 268
 proton pump, 680–2
 reaction with acrolein, 529
 urease, 687
 Cysticide, 723
 Cytadren, 723
 cytarabine, 534–6
 cytidine triphosphate, 510
 cytidine triphosphate synthetase, 510
 cytochrome c, 518
 cytochrome P450 activity, 166
 cytochrome P450 enzymes, 126, 158–61,
 163–4, 166–7, *see also S-mephenytoin*
 hydroxylase and nifedipine hydroxylase
 irreversible inhibition, 94
 cytokine receptor, 559

cytokines, 54, 565, 700
 cytomegalovirus (CMV) infections,
 treatment of, 475
 cytoplasm, 3
 cytosine, 71–2
 alkylation of, 126
 nucleophilic groups, 124
 cytosine arabinoside, 536

D

D-1927, 251
 D-2163, 562
 dacarbazine, 126–7, 530, 718, 734
 daclizumab, 140, 718
 dactinomycin, 121, 524–5, 718, 734
 resistance, 523
 daffodils, 603
 Daktacort, 723
 Dalacin C, 723
 dalforpristin, 456–7, 718, 734
 dantron, 202
 dapson, 462
 daptomycin, 143, 451–2, 718
 darunavir, 478, 491–2, 494, 718, 734
 dasatinib, 285, 554–5, 559, 718, 734
 database handling, 379, 380
 database mining, 209, 366
 dATP, *see deoxyadenosine triphosphate*
Datura stramonium, 588
 daunomycin, 524
 daunorubicin, 524–5, 718, 734
 DaunoXome, 723
 dCTP, *see deoxycytosine triphosphate*
 DDT, 299
de novo drug design, 242, 370–8, 407–10,
 486–7, 489
 10-deacetylbbaccatin III, 289
 deacetyl cortivazol, 106
 deadly nightshade, 588
 dealkylation, 229
 death activator proteins, 518
 death-inducing protein, 566
 3-deazaneplanocin A, 510
 decamethonium, 353, 404, 592, 595
 deflazacort, 692–3, 718, 734
 Degarelix acetate, 565–6, 718, 734
 degree of inhibition, 98
 dehydropeptidase, 443
 inhibitor, 443
 delavirdine, 478–81, 718, 734
 demeclocycline, 454–5, 718, 734
 dementia, 595
 Demerol, 723
 demethylation, 220, 639
 of methyl ethers, 223
 N-demethylation, 223, 260
 dendrites, 711
 dengue fever, treatment of, 470
 Denosumab, 268, 718
 deoxoartemisinin, 301
 deoxodeoxyartemisinin, 301
 2-deoxy-2,3-dehydro-N-acetyleneuraminic
 acid, 501, 503–4

deoxyadenosine, 71
 deoxyadenosine triphosphate, 535
 allosteric inhibitor, 535
 deoxyartemisinin, 301
 21-deoxybetamethasone 17-propionate,
 692, 695
 deoxycytidine, 71, 479, 535
 deoxycytidine monophosphate, 473–4
 deoxycytosine triphosphate, 535
 deoxyguanosine, 71, 130
 deoxyguanosine triphosphate, 472
 deoxypodophyllotoxin, 540
 deoxyribose, 71, 76
 deoxythymidine, 71, 473, 478
 deoxythymidine monophosphate, 531, *see also*
 deoxythymidylate monophosphate
 deoxythymidine triphosphate, 535
 deoxythymidylate monophosphate, 407,
 531–3, *see also* *deoxythymidine*
 monophosphate
 deoxyuridine monophosphate, 531, *see also*
 deoxyuridylate monophosphate
 deoxyuridylate monophosphate, 407, 531–2,
 see also *deoxyuridine monophosphate*
 deoxyuridylic acid monophosphate,
 fluorinated analogue, 532
 dependence, 114
 depolarization, 712–13
 Depo-Medrone, 723
 Deprenyl, 723
 depression, 621, 700
 treatment of, 167, 629
 depsipeptide, 564, 718
 Derbac-M, 723
 Dermovate, 723
 Dermovate-NN, 723
 desiclovir, 473, 475
 desensitization, 112, 114, 621
 desipramine, 164, 189–90, 627–8
 Deteclo, 454, 723
 deuterium
 as a metabolic blocker, 253, 492
 devazepide, 237
 dexamethasone, 692
 dexamethasone, 452, 690–3, 696, 718, 734
 dexamethasone acetate, 693
 dexamethasone metasulphobenzoate,
 693, 718
 dexamethasone phosphate, 693
 Dexilant, 723
 Dexlansoprazole, 684, 718, 734
 dextrophan, 640
 DF118 Forte, 723
 dGTP, 535
 DHC Continus, 723
 diabetes, treatment of, 171, 287
 diacylglycerol, 59, 64–7, 610
 diamorphine, 1, 637
 diarrhoea, treatment of, 460, 632–3, 638,
 644, 653
 diazepam, 172, 261–2, 673, 718, 734
 dicer, 132
 dichloroisoprenaline, 622
 dicloxacillin, 432

- Diconal, 723
 didanosine, 478–9, 481, 494, 718, 734
 dideoxyadenosine triphosphate, 478–9
 Diels-Alder reaction, 646
 diethyl ether, 386
 diethylstilbestrol, 537, 540
 differentiation, 514
 Diflucin, 723
 diflucortolone valerate, 692–3, 718, 735
 difluoromethylornithine, 522
 digitalin, 202
 digitalis, 199, 202
 digitonin, 202
 digitoxin, 202
 digoxin, 718, 735
 dihydroartemisinin, 300–1, 303
 dihydrocodeine, 633–4, 718, 735
 dihydrocodeinone, 718, 735
 dihydroetorphine, 645
 dihydrofolate, 419–20, 531–3
 dihydrofolate reductase, 96, 191,
 419–20, 531
 inhibitors, 531
 dihydrolipoate, 96–7
 dihydromorphine, 633–4
 dihydropteroate, 419–20
 dihydropteroate synthetase, 418–20
 dihydropyran-derivatized resin, 315–17
 dihydropyridine receptor, 112
 dihydrotestosterone, 537
 2,3-dimercaptopropanol, 96–7
 Dioderm, 723
 diphenhydramine, 661, 718, 735
 diphenoxylate, 644, 718, 735
 diphenylpropylamine, 643
 diphtheria, treatment of, 423, 457
 diphtheria toxin, 570
 dipipanone, 644, 718, 735
 dipole–dipole interactions, 8–9
 diprenorphine, 645, 647
 Diprosalic, 723
 Diprosone, 723
 Directed Dock, 361–2
 dirty drugs, 194, 244
 Discovery Studio Pro, 338
 disoxaril, 507–8
 displacement or inhibition curve, 117
 displacer, 117
 dissociation binding constant (K_d), 116
 dissociation constant, 388
 distance matching, 359
 disulphide bonds, 21–2
 disulfiram, 89, 208, 718, 735
 dithiolthiones, 522
 diuretics, 94, 205, 279
 divergent evolution, 52
 Dixarit, 723
 DNA, 71–6, 175
 as a drug target, 120–31
 DNA gyrase, 459
 DNA ligase, 121, 128
 DNA polymerases, 96, 477–8, 519, 535, *see also* viral DNA polymerases
 inhibitors, 473, 535–6
 RNA-dependent, 519
 DNA-dependent RNA polymerase, 460
 dobutamine, 205, 617–18, 718, 735
 Dobutrex, 723
 docetaxel, 137–8, 272, 529, 543, 718, 735
 DOCK program, 358–62
 docking, 356–66, 702
 dolastatins, 201, 566–7
 donepezil, 96, 603–5, 718, 735
 dopa decarboxylase, 265, 611–12, 627
 dopamine, 42
 as a drug, 265
 biosynthesis, 611–12
 interaction with adrenergic
 receptors, 615
 metabolism of, 95
 pharmacophore, 355–6
 prodrugs, 260, 265
 reuptake inhibitors, 594, 629
 role in depression, 700
 role in Parkinsons disease, 192
 role in treating depression, 135, 630
 structure, 44
 dopamine agonists, 106, 115, 205
 dopamine antagonists, 114–15, 235, 241,
 252, 258
 dopamine receptors, 45, 50–2, 115, 189,
 191–2, 194
 regulation, 56
 dopamine β -hydroxylase, 611, 627
 dopamine β -monooxygenase, 627
 dose ratio, 118
 double-blind placebo-controlled studies,
 278–9
 doxazosin, 620–1, 718, 735
 DOXIL, 175, 723
 doxorubicin, 121, 175, 524–5, 568, 718, 735
 doxorubicin analogues, 570
 doxycycline, 453–5, 718, 735
 Drogenil, 723
 drug absorption, 153–5
 drug addiction, treatment of, 639, 643, 645
 drug administration, 168–71
 drug alliances, 264–5
 drug delivery, 174–7
 drug distribution, 156–7
 drug dosing, 171–3
 drug excretion, 167–8
 drug half-life, 172
 drug load, 277
 drug metabolism, 157–67
 drug metabolism studies, 276–7
 drug scavengers, 150
 drug specifications, 286
 drug–drug interactions, 157, 166, 195, 279,
 493, 673
 protease inhibitors, 481
 DTIC-Dome, 723
 dTMP, *see* deoxythymidylate
 monophosphate
 dTTP, *see* deoxythymidine triphosphate
 DU-122290, 235
 Du Pont Pharmaceuticals, 251
 dual action serotonin and noradrenaline
 reuptake inhibitors, 628, 701
 dual reuptake inhibitors, 628
 dual-action agents, 244
 acting on AChE, 604–6
 dual-action inhibitor, 551
 duloxetine, 628, 718, 735
 dUMP, *see* deoxyuridylate monophosphate
 DuP-697, 234
 duplex regions, 77
 Durogesic, 723
 dyflos, 600–1
 dynamic combinatorial synthesis, 331, 333–4
 dynamic structure–activity analysis, 670
 dynorphins, 649–50
 dysentery, treatment of, 462
 Dysparmet, 723
 dystrophin, 81

E

- ear drop, 452
 ear infections, treatment of, 432, 435, 442,
 452–4
 Easi-Breathe, 723
 ebalzotan, 287
 Ebola virus, 468, 470
 ecothiopate, 601
 Ecuadorian poison frog, 201
 ED_{50} , 274
 Edronax, 723
 edrophonium, 404, 600
 Edurant, 723
 efavirenz, 478–81, 718, 735
 Efcortesol, 723
 efficacy, 116, 118
 efflux, 428
 Efudix, 723
 EGF, *see* epidermal growth factor
 Ehrlich, Paul, 413–14
 elacridar, 523
 Eldepryl, 723
 Eldisine, 724
 electric potential, 712
 electric ray, 594
 electronic fields, 402
 electronic screening, 366
 electrostatic bonds, 5, 21
 electrostatic fields, 401
 eleutherobin, 201, 542
 elitist strategy, 351
 Elocon, 724
 Eloxatin, 724
 emetine, 202
 Emisphere Technologies Inc, 175
 emtricitabine, 478–9, 481, 718, 735
 Emtriva, 724
 enalapril, 96, 204, 259, 295–6, 320, 718, 735
 enalaprilate, 231, 259, 295–8
 synthesis, 297–8
 enantiomers, 104
 enantiospecific reactions, 105
 Enbrel, 724
 end bouton, 711

endocarditis, treatment of, 451, 453
 endocytosis, 114, 497
 endogenous compounds as drugs, 265–8
 endogenous opioids, 51, 649–50
 endometrial carcinoma, treatment of, 540
 endomorphins, 650
 endonucleases, 132, 526
 endoplasmic reticulum, 77
 endorphins, 44, 50, 190, 206, 649–50
 endosome, 257, 496–7
 endostatin, 566
Endoxana, 724
 endozepines, 206
 endpoint, 279
 energy minimization, 339, 346
 apomorphine, 340
 enfuvirtide, 135, 270, 478, 494–5, 718
 enkephalinases, 96, 206, 653
 inhibitors, 653
 enkephalins, 190, *see also Leu-enkephalin and Met-enkephalin*
 analogs, 650–1
 as lead compounds for enzyme inhibitors, 206
 binding interactions, 645
 binding theories, 652–3
 discovery of, 649
 inactivation, 650
 oral activity, 320
 production of, 650
 role in depression, 700
 structure–activity relationships, 650–1
 target receptors, 50, 649–51
 enlarged thyroid gland, treatment of, 624
 enoxacin, 458–9
 enteric nervous system, 580
Enterococcus faecalis, resistance, 462
Enterococcus faecium, treatment of, 457
 entinostat, 564
 ephedrine, 617, 629
 4-epi-amino-Neu5Ac2en, 502
 epibatidine, 201, 595
 epidermal growth factor, 54
 epidermal growth factor receptor, 54–5,
 548–9, 554, 559, 569
 kinase inhibitors, 549–52, 559
 epigallocatechin gallate, 522
 epilepsy, treatment of, 208, 259
 epinephrine, 609, *see adrenaline*
 Epipen, 616
 epipodophyllotoxin, 122, 541
 epirubicin, 524–5, 718, 735
 epitope mapping, 210
 epitopes, 209–10, 243
 Epivir, 724
 epothilones, 542
 epoxide hydrolase, 160–1
 Epstein–Barr virus, 514
 equilibrium constant, 388
 Erb-B2 receptors, 515, 551
 Erbitux, 724
 erectile dysfunction and sexual impotence, 204
 eremomycin, 449–50

ergosterol, 144–5
 Eribulin, 542–3, 718, 735
 Erivedge, 724
 erlotinib, 549, 551, 559, 564, 718, 735
 ertapenem, 443, 718, 735
 Erwinase, 724
 Erymax, 724
 Erythrocin, 724
 erythromycin, 155, 414, 455–7, 463,
 718, 735
 Erythroped, 724
 erythropoietin, 266
Escherichia coli, 82, 195, 266, 413, 715
 escitalopram, 136, 718, 735
 Esmeron, 724
 Esmolol, 624–6, 718, 735
 esomeprazole, 682, 684, 686, 718, 735
 esterases, 160, 163, 222, 256, *see also*
 acetylcholinesterase, carboxylesterases,
 and phosphodiesterases
 activation of prodrugs, 258–9, 296, 473,
 505, 637
 drug susceptibility, 542, 643
 resistance of penicillin methyl esters, 434
 susceptibility of cephalosporins, 438, 440
 esters
 as prodrugs, 259–60
 binding role, 222
 Estracyt, 724
 estradiol, 34, 109–10, 232, 528, 537–9
 estramustine, 527–8, 530, 718, 735
 estrogen receptor, 56, 106, 109–10, 115
 estrogens, 169, 537, 539
 estrone, 34, 232, 263, 539
 lysine ester, 263
 etanercept, 266, 719
 ethambutol, 460–2
 ethers, binding role, 222–3
 ethinylestradiol, 537, 540
 ethylene glycol, 88
 3-ethylmorphine, 633–4
 6-ethylmorphine, 633–4
 etiprednol dicloacetate, 698
 Etopophos, 724
 etoposide, 122, 526–7, 541, 568, 719, 735
 etorphine, 644–5, 647, 649
 etravirine, 479–81, 719, 735
 Etrivex, 724
 eukaryotic cells, 415
 Eumovate, 724
 European Agency for the Evaluation of Medicinal Products (EMEA), 283
 European Patent Convention, 281
 European Patent Office, 281
 evanescent wave, 197, 198
 everolimus, 560, 719, 735
 Evista, 724
 evolutionary programs, 350–1
 Ewing's tumour, treatment of, 525
 excess sleepiness, treatment of, 282
 Exelon, 724
 exocytosis, 614
 exons, 79–80
 exotoxin A, 570
 extended esters, 434
 extended-spectrum agent, 552
 extension, 409, 491, 616, 623
 ACE inhibitors, 293, 295
 in drug design, 231
 opioids, 638–9
 serotonin antagonists, 704
 externalization, 507
 eye diseases, treatment of, 472
 eye drops, 451, 589, 601
 fusidic acid, 462
 eye infections, treatment of, 451–4, 475
 eye lotions, 418
 ezetimibe, 184, 719, 721, 735

F

F-13640, 255
 F-15599, 255
 Fabrazyme, 724
 Fabry disease, treatment of, 266
 facilitated transport, 168
 fail-fast fail-cheap strategy, 195
 false negatives, 321
 false transmitters, 627
 famciclovir, 473–5, 719, 735
 famotidine, 677–9, 719, 735
 Famvir, 724
 Fansidar, 418, 724
 Fareston, 724
 Farlutal, 724
 farnesyl diphosphate, 544–6
 farnesyl transferase, 96, 544
 inhibitors, 544–8
 farnesylation, 546
 Faslodex, 724
 fast tracking, 284
 Faverin, 724
 FdUMP, 532
 feedback control, 36
 Femera, 724
 fenozan, 303
 fentanyl, 169, 172, 642–3, 649, 719, 735
 fermentation of penicillins, 428
 fevers, treatment of, 304
 fexofenadine, 166–7, 719, 735
 fialuridine, 275
 fibrinogen, 141
 fibroblast growth factor, 520
 fidaxomicin, 461, 719, 735
 fields, 344–5
 fight or flight response, 579, 609
 filgrastim, 267, 719
 finasteride, 522
 Firmagon, 724
 first pass effect, 167
 Fischer's lock and key hypothesis, 32
 Fishers *F*-tests, 384
 FK506 binding protein, 209, 560
 FKBP12, 560
 flagellum, 191
 Flagyl, 724
 flavin-containing monooxygenases, 160, 162

- flavopiridol, 556
 Fleming, Alexander, 212, 421–2
 Flexibases, 361
 Flexible Ligands Orientated on Grid, 361
 FlexX, 362, 364
 Flixonase, 724
 Flixotide, 724
 FLOG, 361
 Florey and Chain, 414, 421
 Floxapen, 724
 Floxin, 724
 flu epidemics, 468
 flu virus, 469
 structure, 469
 Fluanxol, 724
 flucloxacillin, 432, 719, 735
 fluconazole, 191, 249, 254, 258, 275, 719, 735
 Fludara, 534, 724
 fludarabine, 534–6, 566, 719, 736
 fludrocortisone, 690, 691
 fludroxycortide, 692–3, 719, 736
 flumetasone pivalate, 690–2, 719, 736
 flunisolide, 691–2, 719, 736
 fluocinolone acetonide, 691–2, 719, 736
 fluocinonide, 691–2, 719, 736
 fluocortolone, 692–3, 719, 736
 fluocortolone caproate, 693
 fluocortolone pivalate, 693
 fluorine
 as a metabolic blocker, 252–3, 550
 as an isostere for hydrogen, 235
 role in fluorouracil, 533
 5-fluorodeoxyuridylate, 407–8
 fluoromethalone, 692, 695–6, 719, 736
 fluoroquinolones, 123, 457–9
 5-fluorouracil, 235, 530–3, 568, 719, 736
 clinical aspects, 527, 569
 transport into cells, 155
 flourosis solid phase extraction, 323
 fluoxetine, 136, 189–90, 719, 736
 fluoxymesterone, 537, 540
 fluphenazine, 260–1, 736
 fluphenazine decanoate, 261, 719
 flutamide, 538, 540, 719, 736
 fluticasone furoate, 719, 736
 fluticasone propionate, 692, 694–5, 719, 736
 fluvastatin, 181–2, 719, 736
 fluvoxamine, 136, 719, 736
 FML, 724
 folic acid, 420, 531–2
 folinic acid, 527, 530, 533, 569
 Folotyn, 724
 folylpolyglutamate synthetase, 534
 fomivirsen, 132, 475, 719, 736
 Food and Drug Administration (FDA), 283
 foot and mouth disease, 507
 treatment of, 511
 foot infections, treatment of, 443
 force fields, 337
 formaldehyde, 263
 formestane, 539, 719
 formoterol fumarate, 717
 formulation, 173, 277
 Fortovase, 724
 Fortral, 724
 Fortum, 724
 fosamprenavir, 478, 491–2, 494, 719, 736
 Foscan, 574, 724
 fosfarnet, 474–5, 719, 736
 Foscavir, 724
 fosfestrol, 537, 540
 Fostair, 724
 foxglove, 202
 fragment based lead discovery, 209–10
 fragment evolution, 210
 fragment self-assembly, 210
 framycetin sulphate, 718
 FRAP, inhibition of, 560
 Free–Wilson approach, 397, 399
 Fries rearrangement, 619
 frog, 595
 fructose, 148
 F-test, 708
 FTI-276, 545–6
 FTI-277, 546
 Fucibet, 724
 Fucidin, 724
 Fucidin H, 724
 Fujisawa, 444
 fulvestrant, 538, 540, 719, 736
 fumagillin, 564
 fungal nail infections, treatment of, 464
 fungi, 716
 Fungilin, 724
 Fungizone, 724
 Furadantin, 724
 fusidic acid, 460–2, 717, 719, 736
Fusidium coccineum, 461
 fusion inhibitors, 478, 494
 fusion protein, 266
 Fuzeon, 724
- G**
- G cells, 660
 GABA, see γ -aminobutyric acid
 gabapentin, 719, 736
 galantamine, 106, 199, 243, 603–4, 719, 736
 dimers, 605
 galanthamine, *see* galantamine
 Galseud, 724
 ganciclovir, 473, 475, 573, 719, 736
 GAP, 67, *see* GTPase activating proteins
 garlic, 574
 gas-gangrene, treatment of, 423
 gastric acid, 659–61, 671
 gastric cancers, 685
 treatment of, 533
 gastric motility, stimulation, 265
 gastric secretion, suppression, 589
 gastrin, 660–1, 671
 gastrin receptor, 660
 gastrointestinal tract motility,
 stimulation, 115
 gastrointestinal infections, treatment of, 418
 gastrointestinal stromal tumours, treatment
 of, 559
 gastrointestinal tract, 153–4
 stimulation, 115, 586
 suppressant, 588–9
 gastrointestinal tract cancers, treatment of,
 530, 533, 540
 gastrointestinal tract infections, treatment of,
 257, 459, 461
 gatekeeper residue, 548, 551, 553–4
 gating, 49
 Gaucher's disease, treatment of, 266
 G-coupled receptors, dimerization, 53
 GDP, *see* guanosine diphosphate
 gefitinib, 249, 253, 549–51, 559, 719, 736
 gel electrophoresis, 26
 gelatinases, 561
 gemcitabine, 534–6, 719, 736
 gemtuzumab, 569, 571, 719
 Gemzar, 724
 Genasense, 724
 gene silencing, 564
 gene therapy, 81, 175, 511, 568, 572–3
 gene transcription control, 56
 gene-directed enzyme prodrug therapy
 GDEPT, 572–3
 general anaesthetics, 1, 143, 167, 170, 386
 General Medical Council, 284
 genetic algorithms, 350–1, 366
 genetic diseases, 36, 79–81, 132
 genetic engineering, 81–3
 genetic fingerprinting, 280, 522
 genetic polymorphism, 35, 56, 76
 genistein, 522
 genital herpes, 468
 treatment of, 470, 472, 475
 genital infections, treatment of, 454
 genital warts, treatment of, 474, 511, 543
 genomic research, viral diseases, 471
 genomics, 26
 Genta, 271, 529
 gentamicin, 426, 453, 719, 736
 Gentixin, 724
 Gentisone, 724
 geranylgeranyl diphosphate, 546
 geranylgeranyltransferase, 546
 Gilead Sciences, 505
 Ginko, 212
 glaucoma, 169, 586
 treatment of, 115, 586, 598, 601, 611, 624
 Glaxo pharmaceuticals, 676, 678
 GlaxoWellcome pharmaceuticals, 494, 502
 Gleevec, 552
 Gliadel, 171, 724
 Glivec, 552, 724
 global energy minima, 346
 glomerulus, 168
 glucagon, 63
 glucarpidase, 266, 719
 glucocorticoid agonist, 378
 glucocorticoid receptor, 106
 glucocorticoids, 106, 537, 689–700
 glucose, 36–7, 39, 60–2, 148, 320, 610
 glucose-1-phosphate, 36–7, 39, 61–2
 β -glucuronidase, 571–2
 glucuronidation, 165
 C-glucuronides, 162

- N-glucuronides, 162
 O-glucuronides, 162
 S-glucuronides, 162
 glucuronyltransferase, 163
 glutamate (glutamic acid), 17, 21–2,
 705, *see also* polyglutamate and
 polyglutamyltion
 acetylcholinesterase active site, 597
 acid-catalyst in enzyme mechanisms, 180
 carboxylation of prothrombin, 25
 catalyst in enzyme mechanisms source, 33
 kinase active site, 553–4, 558
 matrix metalloproteinase active site, 561
 neuraminidase active site, 499, 503, 505–6
 neurotransmitter, 44
 role in depression, 700
 glutamate receptors, 50–1
 glutamic acid, *see* glutamate
 glutamine, 17, 162, 545, 705
 glutathione, 162, 260
 glutathione conjugates, 162, 165–6
 glutathione S-transferase, 160, 162, 165
 glyceryl trinitrate, 169, 207
 glycine, 705, 712
 as neurotransmitter, 44
 glycine receptor, 48
 glycoconjugates, 148
 glycogen, 36–9, 60–2, 148, 610
 glycogen synthase, 39, 61–2
 glycogen-1-phosphate, 38
 glycolipids, 148
 glycomics, 148
 glycoproteins, 4, 148, *see also* bleomycins,
 gp40, gp120, P-glycoprotein,
 neuraminidase, haemagglutinin
 glycosidases, 495
 glycosylase, 448
 glycosylation, 25
 glycrrhetinic acid, 687
 glycyrrhizin, 687
 GNF-2, 555
 GOLD, 366
 gonadotrophin-releasing hormone, 537, 581
 antagonist of, 566
 gonorrhoea, treatment of, 435, 442, 459
 Good Clinical Practice GCP, 284
 Good Laboratory Practice GLP, 284
 Good Manufacturing Practice, 284
 goserelin, 270–1, 537, 540, 719
 gout, treatment of, 96, 136
 gp41 glycoprotein, 476–7, 494–5
 gp120 glycoprotein, 476–7, 495
 G-protein coupled receptors, 50–2, 54, 56,
 58–9, *see also* adrenergic receptors,
 opioid receptors, muscarinic receptors,
 histamine receptors, dopamine
 receptors, calcium sensing receptor,
 rhodopsin, serotonin receptors
 G-proteins, 50–1, 58–64, *see also* small
 G-proteins
 gramicidin, 145, 452, 718
 gramicidin S, 257
 Gram-negative bacteria, 715
 Gram-positive bacteria, 715
 Gram-stain, 715
 granisetron, 192, 206, 719, 736
 granzyme, 518
 grapefruit juice, 166
 Grb2 protein, 67–8
 grey baby syndrome, 280, 454
 grid program, 344–5, 361, 401, 404, 407,
 501–2
 Grignard reaction, 646
 GRIND, 404
 group shift, 253–4
 serotonin antagonists, 702
 GROW, 377
 growth factors, 54, 67–68, 517–18
 growth hormone receptor, 54–5
 GS 4071, 505
 GTPase activating proteins, 67
 guanethidine, 627–8, 719, 736
 guanine, 71–2
 alkylation of, 126
 metallation of, 126
 nucleophilic groups, 124
 guanine nucleotide exchange factors, 67
 guanosine diphosphate, 58–60, 64, 67–8
 guanosine triphosphate, 38, 58–60, 64, 67–8
 guanyl transferase, 510
 guanylate cyclase, 67–8
 N^a-guanylhistamine, 664
 Guardia infections, treatment of, 462
 Gulf War syndrome, 600
 gut infections, 413
 treatment of, 418, 451
 gynaecological infections, treatment of, 443
- H**
- H77/67, 683
 H124/26, 683
 H159/69, 683
 H⁺/K⁺-ATPase, *see* proton pump
 Haelan, 724
 haem, 539
 haemagglutinin, 469, 496–8
 haematological malignancies,
 treatment of, 525
 haemoglobin, 23, 301–2, 573
 haemophilias, 80
Haemophilus epiglottis, treatment of, 442
Haemophilus influenzae, 440, 442, 715
 treatment of, 443, 457
 haemoproteins, 158
 haemorrhagic cystitis, 530
 haemorrhagic fevers, treatment of, 470, 510
 haemorrhoids, treatment of, 299
 Halaven, 724
 halichondrin B, 201, 542–3
 halobetasol propionate, 692–3, 719, 736
 haloperidol, 164
 halothane, 386
 HAMA response, 267
 Hammerhead, 364–6
 Hammett equation, 668
 Hammett substituent constant,
 388–90, 668
 Hansch equation, 392–3
 hard drugs, 167
 HASL, 404
 hay fever, treatment of, 661
 HCV NS3-4A protease, 508–9
 inhibition of, 509
 HDM2 protein, 142–3, 519
 head cancers, treatment of, 530, 534,
 569, 574
 heart irregularities, treatment of, 116
 heavy metals, 96
 hedgehog signalling pathway, 556, 560
 helicases, 75
 inhibition, 524
Helicobacter pylori, 659, 685–7
 cause of cancer, 514
 α-helix, 18–19
 heme, 302
 Henderson–Hasselbalch equation, 154
 hepatitis, 170
 hepatitis A, 468, 507
 hepatitis B, 81
 cause of cancer, 514
 treatment of, 471, 479, 481, 511
 hepatitis C, 81, 508
 treatment of, 267, 471, 508–11
 hepatitis E, 468
 hepatocytes, 195
 Hepsera, 724
 HER2 receptor, 551, 559, 569
 HER3, 559
 HER4, 559
 herbal medicines, 212–13, 603–4, 687
 herbicides, 2
 herceptin, 522, 569, 724
 HERG potassium ion channels, 193, 275
 heroin, 1, 170, 637, 639
 herpes infections, treatment of, 475
 herpes keratitis, treatment of, 475
 herpes simplex
 life cycle, 470
 treatment of, 454
 herpes simplex encephalitis,
 treatment of, 475
 herpes simplex virus, 573
 herpes viruses, 472, 475
 Herpid, 724
 hetacillin, 264
 heterocodeine, 633–4
 heterocycles
 binding interactions, 224–5
 binding role, 223
 hexamine, *see* methenamine
 hexobarbitone, 259–60
 hexyl-insulin monoconjugate 2, 175
 Hidrasec, 724
 Higgins, Jack, 589
 high blood pressure, treatment of, 622
 high density lipoproteins, 178
 high throughput screening, 197, 321
 highly active antiretroviral therapy
 (HAART), 478
 high-throughput screening, 196
 HINT, 404

Hippocrates, 566
 Hiprex, 724
 histamine, 341–2, 660–5, 668–9, 671
 histamine antagonists, 659–62, 664–8,
 670–9, *see also* antihistamines
 histamine receptors, 50, 115, 660–2
 evolution, 52–3
 histidine, 17, 21–2, 180, 705
 acid/base catalyst, 33–4, 179, 190, 597–9
 Ames test, 194
 catalytic triad, 34, 90
 chymotrypsin, 34–5
 lipase active site, 90
 histidine kinases, 548
 histone acetylase, 564
 histone deacetylase, 96, 564
 inhibitors, 564
 histones, 76, 564
 HIV, 471, 477
 antiviral therapy, 477–8
 cause of cancer, 514
 life cycle, 476–7
 structure, 476–7
 treatment of, 470
 HIV protease, 20, 28, 143, 480–3
 cloning, 195
 role in the viral life cycle, 477
 target in HIV therapy, 477–8
 HIV protease inhibitors, 480–94
 drug–drug interactions, 462
 in HIV therapy, 478
 HIV protease substrates, 482–3
 Hivid, 724
 HMG-CoA, 33, 96, 178–9, 182–3
 HMG-CoA reductase, 33, 96, 178–80,
 183–4, 546
 HMGR, *see* HMG-CoA reductase
 Hodgkin's disease, 514
 treatment of, 522, 530
 Hodgkin's lymphoma, treatment of,
 530, 569
 Hodgkins, Dorothy, 422
 Hofmann elimination, 593
 homology modelling, 367, 702
 honey, 413
 Hong Kong flu, 496
 hormone-based therapies, 536–40
 hormones, 42, 44
 as drugs, 266–7
 HR780, 238
 HSP90, 28
 HSV, treatment of, 475
 human ether-a-go-go related gene, 193
 human genome project, 26, 82
 human granulocyte-colony stimulating
 factor, 267
 human growth factor, 82, 141, 266
 human growth hormone, 175
 human growth hormone antagonist, 267
 human immune deficiency virus, *see* HIV
 human intestinal di-/tripeptide
 transporter, 473
 human intestinal proton-dependent
 oligopeptide transporter, 473

human parathyroid hormone, 266
 human rhinovirus, 507
 Humira, 724
 hunger suppression, 629
Huperzia serrata, 604
 huperzine A, 604
 huperzine B dimers, 605
 hybrid drugs, 244
 hybridomas, 267
Hycamtin, 724
Hycamtin, 724
 hycanthone, 309
Hycodan, 724
 Hydantoins, solid phase synthesis, 318
 hydrocodone, 719, 736
 hydrocortisone, 452, 689, 693, 698–9,
 719, 736
 sustained release, 698–9
 hydrocortisone acetate, 693, 696, 719, 736
 hydrocortisone butyrate, 693, 719, 736
 hydrocortisone phosphate, 693
 hydrocortisone succinate, 693
 hydrogen bond acceptor, 6
 hydrogen bond donor, 6
 hydrogen bond flip-flop, 6
 hydrogen bonding, 6–8, 21–2
 hydrolases, 36
hydromorphone, 633–4, 719, 736
 formulation, 173
 hydrophobic interactions, 10, 22
 hydrophobicity, 385
 3-hydroxy-3-methylglutaryl
 coenzyme A, 178
 3-hydroxy-3-methylglutaryl-coenzyme A
 reductase, *see* HMG-Co reductase
 4-hydroxyandrostenedione, *see* formestane
 hydroxycarbamide, 96, 534–5
 17 α -hydroxylase-17(20)-lyase, inhibition
 of, 538
 hydroxylation
 drug metabolism, 160, 164, 684
 metabolic inhibitors, 539
 of proline, 25
 vancomycin biosynthesis, 446–7
 4-hydroxyminaprine, 205
N-(2-hydroxypropyl)methacrylamide, 174
 7-hydroxystauroporin, 556
 17 β -hydroxysteroid dehydrogenase type 1,
 34, 206, 232, 244
 4-hydroxtamoxifen, 538
 5-hydroxytryptamine, 205–6, *see* serotonin
 hyoscine, 202, 588, 719, 736
 hyoscyamine, 588
 Hyperchem, 338
 hyperpolarization, 712–13
 hypertension, 192
 treatment of, 611, 617, 620, 624–5, 627
 hypodermic syringe, 632
 hypoglycaemia, 203
 Hypovase, 724
 hypoxia, 520
 hypoxia-activated prodrug, 528
 hypoxia-inducible factors, 520
Hytrin, 724

I

ibrutumomab, 569–70, 719
 ibuprofen, 212, 522
 IC₅₀ value, 117
 ICI-D7114, 287–8
 idamycin, 524
 idarubicin, 524–5, 719, 736
 idoxuridine, 471, 473–5, 719, 736
 IFN-alpha, 511
 ifosfamide, 527–8, 530, 719, 736
 imatinib, 231, 284, 522, 549, 552–4, 559,
 719, 737
 imidazole ring, as a zinc ligand, 546
 imiglucerase, 266, 719
 Imigran, 724
 imipenem, 443, 719, 737
 imipramine, 208, 627–8, 719, 737
 imiquimod, 475, 511, 719, 737
 Immukin, 724
 immunoglobulin E, 267
 immunomodulators, 471, 511, 565
 immunostimulants, 566
 immunosuppressants, 140, 208, 260, 565
 Imodium, 644, 724
 implants, 171
 importance sampling, 348
 impurity profiling, 289
 Imuran, 724
in vitro testing, 195
in vivo testing, 195–6
 Inavir, 724
 Incas, 169, 629
 Incivek, 724
 indacaterol, 620, 719, 737
 indanyl carbenicillin, 433, 435
 Inderal, 725
 Indian cobra, 594
 indicator variable, 397, 399
 indinavir, 12, 164, 478, 489–90, 493–4,
 719, 737
 metabolism of, 164
 indometacin, 93, 95, 719, 737
 indomethacin, *see* indometacin
 induced dipole interactions, 9, 221
 induced fit, 45
 infliximab, 268, 719
 influenza, 468
 influenza A, treatment of, 471
 influenza virus structure and life cycle,
 496–8
 inhibition or inhibitory constant, 98, 117
 Innovace, 725
 inosine, 535
 inosine-5'-monophosphate
 dehydrogenase, 510
 inositol, 66
 inositol triphosphate, 59, 64–7, 595, 610
 insect bites, treatment of, 661
 insecticides, 390, 601–2
 Institutional Review Board, 284
 insulin, 28, 266
 administration, 153, 171
 control of glycogen synthesis, 39

insulin (*Continued*)
 crossing the blood brain barrier, 157
 dosing regimes, 171
 oral delivery system, 175
 production of, 82
 insulin receptor, 54–5
 integrase, 476–7
 inhibitors, 478, 494–5
 integrins, 140–1, 520–1
 Intelence, 725
 intercalating agents, 120–1, 524–5
 interferons, 266–7, 510–11, 566, 719
 interleukins, 520, 566
 intermolecular bonds, 4
 International Preliminary Examination Report, 281
 International Search Report, 281
 intestinal infections, *see* gastrointestinal infections
 intracellular receptors, 55–6
 intramolecular bonds, 4, 21
 intramuscular injection, 170
 intraperitoneal injection, 171
 intrathecal injection, 171
 intravenous drip, 170
 intravenous injection, 170
 intravitreal injection, 475
 intron, 79–80
 IntronA, 725
 Invanz, 725
 inverse agonists, 112–13
 Investigational Exemption to a New Drug Application (IND), 283
 Invirase, 725
 ion carriers, 146
 ion channel disrupters, 498
 ion channels, 47–9
 ligand gated, 49
 voltage gated, 49
 ion–dipole interactions, 8–9
 ionic bonding, 5, 21–2
 ionophores, 147
 iontophoresis, 170
 IP₃, *see* inositol triphosphate
 ipecacuanha, 202
 ipratropium, 589, 719, 737
 Ipratropium Steri-Neb, 725
 iproniazid, 629–30
 Iressa, 550, 725
 irinotecan, 272, 526–7, 529, 569, 572–3, 719, 737
 irregular heart rhythms, treatment of, 627
 irreversible enzyme inhibitors, 89–90
 Isentress, 725
 Isis/Draw, 338
 Ismelin, 725
 isoetharine, 618
 isoleucine, 17, 22, 705
 HIV protease, 483, 485, 487, 490–2
 kinase mutation, 555
 matrix metalloproteinase inhibitors, 561
 mimic, 140
 Ras protein, 545
 isoleucyl tRNA synthetase, 464

isomerasers, 36, *see also* topoisomerasers
 isoniazid, 164, 203, 208, 414, 453, 460–2
 isonicotinaldehyde thiosemicarbazone, 203
 isoprenaline, 229, 616, 618, 621–2
 isosteres, 225–6, 234–6, 252
 isothermal titration calorimetry, 198
 isoxazolyl penicillins, 432
 isozymes, 39, 93, 95, 191
 Istodax, 725

J

Jakafi, 725
 Jenner, 470
 JM-216, 529
 JM-3100, 495
 John Hopkins Clinical Compound Library, 203
 Joicela, 725
 joint infections, treatment of, 457, 459
 Joubert, 421

K

Kaletra, 725
 kanamycin, 464–5
 Kaposi's sarcoma, 514
 treatment of, 472
 Katek, 725
 Kefadim, 725
 Keflex, 725
 Keflin, 725
 Keftab, 725
 Kefurox, 725
 Kemicetine, 725
 Kenalog, 725
 ketanserin, 115, 344, 369
 ketobemidone, 642
 ketoconazole, 481
 ketones, binding role, 218
 kidney cancer, treatment of, 540, 559
 kidneys, 167–8
 killer nanotubes, 145–6
 kinase-linked receptors, 53–5, 66
 kinases, *see* protein kinases, serine–threonine kinases and tyrosine kinases
 Klaricid, 725
 Koch, 413
 Koshland's theory of induced fit, 32
 Kytril, 725

L

L-685434, 489–90
 L-704486, 489–90
 L-739750, 545–6
 L-744832, 546
 L-787257, 255
 L-791456, 255
 L-PAM, *see* L-phenylalanine mustard
 labetalol, 620–1
 β-lactamases, 422, 427–8, 463, 570, 572
 inhibition of, 92, 444–5
 β-lactams
 as acylating agents, 221
 binding role, 221
 lactate dehydrogenase, 30, 32, 35–6, 39
 lactic acid, 30, 35–6, 39
 ladostigil, 244
 lamitidine, 678
 lamivudine, 478–9, 481, 719, 737
 lanalidomide, 565
 laninamivir, 502, 719, 737
 laniquidar, 523
 Lanoxin, 725
 lansoprazole, 96, 680–2, 685, 719, 737
 Lanvis, 725
 lapatinib, 285, 551–2, 557, 559, 719, 737
 Largactil, 725
 lasalocid A, 147
 Lassa fever, 468
 treatment of, 510
 laudanum, 632
 laxative, 202
 LD₅₀ value, 274
 L-dopa, *see* levodopa
 LDZ, 262
 lead compound, 199
 lecithin, 3
 leg ulcers, treatment of, 462
 LEGEND, 377
 legionnaires disease, treatment of, 457, 462
 Lemsip, 617
 lenalidomide, 565, 719, 737
 Lentaron, 725
 leprosy, treatment of, 420, 462, 565
 leptospirosis, treatment of, 423
 Lescol, 725
 letrozole, 539–40, 719, 737
 leucine, 17, 22, 705
 interaction with capsid binding agents, 508
 interaction with statins, 183
 mimic, 140
 Ras protein, 545
 leucine tRNA synthetase, 464
 leucovorin, 527, 533, 569
 Leu-enkephalin, 174, 649, 651
 leukaemia, 468, 514, 567
 leukaemia treatments
 alkylating agents, 530
 antibodies, 569
 antibody–drug conjugates, 571
 antimetabolites, 533–5
 arsenic trioxide, 566
 asparaginase, 267, 567
 hormone-based, 540
 intercalating agents, 525
 kinase inhibitors, 555, 559
 6-mercaptopurine, 90, 534
 methotrexate, 171, 533
 pegaspargase and pegademase, 267
 vinca alkaloids, 543
 Leukeran, 725
 leuprolide, 537, 540
 levalbuterol, 619, 719, 737
 levallorphan, 641
 Levaquin, 725
 levobupivacaine, 282–3, 719, 737
 levodopa, 95, 155, 260, 265, 611–12, 719, 737

- levofloxacin, 459, 719, 737
 levorphanol, 640–1
 levothyroxine sodium, 169
 Levulan, 725
 lewisite, 96
 Lexiva, 725
 LHRH, *see* luteinizing hormone-releasing hormone
 Librium, 260, 725
 lice, treatment of, 602
 lidocaine, 170, 252, 673, 719, 737
 ligand efficiency, 211
 ligand-gated ion channels, 712
 ligases, 36, 81–2
 lignans, 540
lignocaine, see lidocaine
 Lilly Pharmaceuticals, 439, 490, 678
 lincomycin, 455–6
 lincosamides, 455–7
 linear regression analysis, 383–4
 Lineweaver–Burk plots, 40–1, 97–9
 linezolid, 456–7, 719, 737
 linkers (combinatorial synthesis), 314–17
 linoleate, 178
 lipase enzymes, 62
 lipid carrier, 445
 Lipinski's rule of five, 154–5, 211, 319, 320
 Lipitor, 725
 lipophilic efficiency, 226
 liposomes, 174–5, 520, 525, 574
 5-lipoxygenase, 96
 lipstatin, 200–1
 liquorice, 687
 lisinopril, 155, 204, 296, 719, 737
 Liskonum, 725
 Lister, 413
 lithium carbonate, 719
 lithium salts, 66
 liver cancers, 514
 liver microsomal fractions, 277
 local anaesthetics
 ability to cross cell membranes, 156
 administration, 153, 170
 development of, 237, 252
 localization of action, 265, 611, 616
 long lasting, 282
 molecular target, 49, 594
 structure comparisons, 351
 testing methods, 196
 local energy minimum, 346
 Locoid, 725
 Locorten-Vioform, 725
 $\log P$, 248, 385–7
 lollipop phase separator, 324
 lomustine, 124, 126, 530, 719, 737
 lonafarnib, 96, 546, 548
 London forces, 8
 look-up tables, 361
 loperamide, 464, 644, 719, 737
 lopinavir, 264, 478, 485, 488–9, 494, 720, 737
 Lopresor, 725
 losartan, 251, 720, 737
 Losec, 682
 Lotemax, 725
 loteprednol, 737
 loteprednol etabonate, 692, 697, 720, 737
 Lotriderm, 725
 lovastatin, 181, 200, 238, 720, 737
 low density lipoprotein receptors, 178, 184
 low density lipoproteins, 133, 178
 loxidine, 678
 lucanthone, 305, 308–9, 720, 737
 Lucentis, 725
 LUDI, 371–4
 lumiracoxib, 280, 720, 737
 lung cancer, 522
 treatment of, 527, 530, 534, 543, 559
 lupus, treatment of, 268
 Lustral, 725
 luteinizing hormone, 537
 luteinising hormone-releasing hormone (LHRH), 537
 agonists, 537–8, 540
 LY-333328, 449–50
 lyases, 36
 Lyme disease, treatment of, 423, 435, 442, 454, 457
 lymecycline, 454
 lymphomas, 514, *see also* Burkitt's lymphoma
 treatment with alkylating agents, 530
 treatment with antibodies, 569, 570
 treatment with antimetabolites, 533, 534
 treatment with drugs acting on tubulin, 543
 treatment with histone deacetylase inhibitors, 564
 treatment with hormone-based therapies, 540
 treatment with intercalators, 525
 lysine, 17, 21–2, 705
 ACE active site, 296
 acetylation, 564
 antibodies, 569
 as a nucleophilic group, 35
 carbamoylation, 124
 HMG-CoA active site, 179
 in prodrugs, 262–3
 insulin, 175
 killer nanotubes, 146
 mutation in neuraminidase, 506
 safety-catch acid-labile linker, 329
 transpeptidase active site, 429
 lysis, 415, 423
 lysosomes, 469
 Lysovir, 725
- M**
- MabCampath, 725
 MabThera, 725
 Macfarlane and Co, 632
 Macfarlane-Smith, 632
 Macrobid, 725
 Macrodantin, 725
 macrolides, 414, 452, 455, 457
 macromolecules, 4
 Macugen, 725
 Madagascar periwinkle plant, 540
 magainins, 145, 201
 magic bullet, 413
 ma-huang, 617
 maize, 3
 malaria, 189, 299
 treatment of, 418, *see also* antimalarial agents
 malathion, 601–2, 720, 737
 male erectile dysfunction, treatment of, 96
 malignant cancer, 514, 521
 Manerix, 725
 manic depressive illness, 66
 Mansil, 725
 manual docking, 356
 Map kinase, 68
 maraviroc, 194, 495, 720, 737
 Marcaine, 725
 marijuana, 170
 marimastat, 562
 marine cone snail, 202
 marine sea hare, 566
 marine worms, 566, 603
 Marketing Authorization Application, 283
 marshmallow, 687
 mass spectrometry, 26
 structure determination, 212
 matrix (M2) protein, 498
 matrix metalloproteinases, 96–7, 520–1, 561
 inhibitors, 561–3
 Maxidex, 725
 Maxitrol, 725
 Maxolon, 725
 May apple, 540
 Mayan, 202
 maytansine 1, 541
 maytansinoids, 541, 570
 MCDOCK, 366
 MDAN-21, 655
 MDM2 protein, 142–3
 me too drugs, 181, 203, 233
 measles, 468
 treatment of, 470
 me-better drugs, 181, 203, 233
 mechanism-based inhibitors, 92
 medical folklore, 202
 Medicines for Children Research Network, 280
 Medicines for Malaria Venture, 189
 Medrone, 725
 medroxyprogesterone acetate, 537, 540, 720, 737
 mefloquine, 299
 Mefoxin, 725
 Megace, 725
 megestrol acetate, 252, 537, 540, 720, 737
 Mek protein, 68
 melanin, 80, 528
 melanin-concentrating hormone, 700
 melanin-concentrating hormone receptor, 194
 melanoma, 517
 treatment, 528–30
 melarsoprol, 465, 466

- melphalan, 527–8, 530, 720, 737
membrane potential, 49
membrane tethers, 257–8
membrane type metalloproteinases, 561
memory loss, treatment of, 116
meningitis
 prophylactic, 442
 treatment of, 442–3, 453
meningococci, penicillin resistant, 462
meperidine, *see* pethidine
mephedrone, 616
S-mephenytoin hydroxylase (CYP2C19), 682
mepyramine, 661
meraviroc, 495
6-mercaptopurine, 90, 260–1, 534, 536, 720, 737
mercapturic acid conjugates, 165
mercapturic acids, 162
Merck pharmaceuticals, 12, 181, 279, 489, 491
mercury nitrate, 96
mercury poisoning, 96
Meronem, 725
meropenem, 443, 720, 737
Merrifield peptide synthesis, 314, 317
mesna, 528, 530, 720
message-address concept, 650, 653–4
messenger RNA (mRNA), 76–80
 target in antisense therapy, 132–3, 493–4
 translation, 77–9, 452
 viral, 469, 497, 510
Mestinon, 725
metabolic blockers, 252, 551
metabolically susceptible groups, 255–6
metallating agents, 125–6, 529–30
metaraminol, 627
metastasis, 514–15, 520–1, 561
metazocine, 641
Met-enkephalin, 17–18, 649–50
methacholine, 585
methadone, 643–4, 649, 720, 738
 pharmacophores, 228
Methadose, 725
methamphetamine, 169–70
methenamine, 263, 460–2, 720
methicillin, 431–2, 462
methicillin-resistant *Staphylococcus aureus*,
 see MRSA
methionine, 17, 22, 705
 Ras protein, 545
methionine aminopeptidase, 564
methisazone, 511
methoctramine, 606
methotrexate, 96, 155, 157, 171, 224, 266,
 531–3, 568
2-methoxyestradiol, 244
6-methoxypenicillin, 425
methyl mercury, 96
N-methyl transferase, 611
N-methyl-D-aspartate antagonists, 116
4-methylburimamide, 669
α-methyldopa, 627, 720, 738
methylene shuffle, 250
N⁵, N¹⁰-methylenetetrahydrofolate, 407,
 531–3
4-methylhistamine, 663
N-methylmorphinan, 640–1
α-methylnoradrenaline, 616–17, 627
6-methylpenicillin, 425
methylphenidate, 629, 720, 738
methylprednisolone, 690–3, 720, 738
methylprednisolone acetate, 693
methylprednisolone succinate, 693
methyltransferases, 162, 166
α-methyl-*m*-tyramine, 627
α-methyltyrosine, 626–7
α -methyl-*m*-tyrosine, 627
metiamide, 669–70
metoclopramide, 192, 265, 720, 738
metoprolol, 625, 720, 738
Metosyn, 725
metrifonate, 603–4
Metrolyl, 725
metronidazole, 423, 460–2, 659, 686, 720, 738
Metropolis method, 348, 349, 350, 366
Mevacor, 725
mevaldehyde, 179–80
mevaldyl CoA, 179–80, 183
mevalonate, 178–80, 184
mevastatin, 180–1, 718, 725
mevinolin, 181, 238
mezlocillin, 435
Michaelis constant, 40, 98
Michaelis-Menten equation, 39
miconazole nitrate, 719
microchips
 implantable, 171
microfluidics, 321, 325, 327
micro-RNA, 132–3
micro-RNA-protein, 133
microsomes, 195
microspheres, 175, 540
microtubules, 26–7, 136–7, 522, 539–41
 as a drug target, 525, 541–2
microwave technology, 322–3, 325–6
Mictral, 725
Migraine, treatment of, 189, 265, 624
Mildison, 725
milk thistle, 687
minaprine, 205
mineralocorticoids, 689
minipumps, 171
minocycline, 454, 464
miotine, 599
mirasan, 305–6, 309–10
Mircel D, 725
miRNA, *see* micro-RNA
miRNP, *see* micro-RNA protein
mirtazepine, 621, 720, 738
miscoding, 124
mitogen-activated protein kinase, 67
mitomycin C, 127–8, 530
MitoQ, 257
mitotane, 539–40
Mitoxana, 725
mitoxantrone, 524–5, 720, 738
Mivacron, 725
mivacurium, 592, 594, 720, 738
mix and split combinatorial synthesis, 328–9
mixed enzyme inhibition, 90
MM-13902, 445
MMR vaccine, 470
moclambemide, 96, 629–30, 720, 738
modafinil, 282, 725, 738
Modecate, 725
Modrasone, 725
modulators, 206
molar refractivity, 391
molecular dynamics, 346–7
molecular electrostatic potentials, 342–3
molecular mechanics, 337
molecular modelling, 207, 215, 227–8,
 241–3, *see also* structure-based drug
 design and *de novo* drug design
colchicine, 405
thymidylate kinase inhibitors, 407–10
molecular orbitals, 343–4
mometasone, 738
mometasone furoate, 692, 695–6, 720, 738
monensin A, 147
monoamine hypothesis, 700
monoamine oxidase, 89, 95, 160, 162, 205,
 612, 627
 inhibitors, 89, 95–6, 208, 244, 629–30, 700
monoaminergic hypothesis, 700
monobactams, 444
monoclonal antibodies, 568
monomethyl auristatin E, 569
mononucleosis, treatment of, 472
monooxygenases, 158
monosaccharides, 148
Monotrim, 725
Monte Carlo algorithms, 348–50, 366
Moraxella catarrhalis, 442
Morcap, 725
morning dip, 620
Morphgesic, 725
morphinans, 640–1
morphine, 1–2, 164, 632–9, 64–45, 647,
 649–50, 653, 720, 738
 N-methylquaternary salt, 637
 pharmacophores, 228
motion sickness, treatment of, 115, 588
motor nerves, 579
motor nervous system, 578–9
mouth infections, treatment of, 442
movement disorders, treatment of, 589
moxifloxacin, 459, 720, 738
mRNA, *see* messenger RNA
MRSA, 432, 441
 treatment of, 446, 452, 457, 462, 464
MS-275, 564
MST Cintinus, 725
MS-Whim, 404
mTOR kinase, 560
 inhibition of, 560
mucous membrane infections, treatment
 of, 418
multidrug resistance, 523
multi-kinase inhibitors, *see* multi-tyrosine
 receptor kinase inhibitors
multiple myeloma, treatment of, 530, 563, 566
multiple sclerosis, treatment of, 2, 268

multiple-target directed ligands, 605
 multi-target drug discovery, 243–5
 multi-targeted agents, 193, 195
 for AChE and M2, 606–7
 multi-tyrosine receptor kinase inhibitors, 556–8, 560
 mumps, 468
 treatment of, 470
 mupirocin, 464, 720, 738
 muscarine, 199, 582, 584–5
 muscarinic agonists, 115–16, 238, 585–7
 muscarinic antagonists, 115, 205, 587–90
 muscarinic receptor, 50–1, 53
 binding site, 583–5
 evolution, 52
 in the peripheral nervous system, 579
 location, 582
 presynaptic, 613
 regulation of, 56
 signal transduction, 62–3, 595
 subtypes, 52, 115, 582, 595
 muscle relaxant, 115
 muscle spasm, treatment of, 202
 muscular dystrophy, 81
 treatment of, 132
 mushroom, 582
 mustard, 3
 mustard gases, 124, 207
 mutagen, 514
 mutagenesis studies, 614
 mutations, 350, 428, *see also* genetic polymorphism, genetic diseases
 Ames test, 194
 cancer, 514–15, 567
 drug resistance, 241, 428, 462, 523
 drug resistance-flu virus, 498, 506
 drug resistance-fluoroquinolones, 459
 drug resistance-HIV, 477, 479–80, 489, 492
 drug resistance-kinase inhibitors, 555
 drug resistance-penicillins, 432
 drug resistance-sulphonamides, 420
 drug resistance-topoisomerase poisons, 527
 drug resistance-tubulin binders, 543
 drug resistance-viral DNA polymerase inhibitors, 475
 evolution of enzymes, 31, 420
 genetic algorithms, 350–1, 366
 mutating agents, 510
 protein studies, 82–3
 Ras proteins, 67, 544
 selectivity of ion channels, 48
 viruses, 470, 477, 499
 MXL, 725
 myalgia, 181
 myasthenia gravis, treatment of, 96, 586, 599–600
Mycobacterium tuberculosis, 463
 Mydriacyl, 725
 Mydrilate, 725
 myelin sheaths, 711
 Myleran, 726
 Mylotarg, 726
 myocardial infarction, treatment of, 624

Myotontine, 726
 myrrh, 413

N

nabiximols, 2, 720
 NAD⁺, 30, 35–6, 162
 NADH, 30, 35–6, 232
 nadolol, 624, 720, 738
 NADP⁺, 35, 38, 179
 NADPH, 35
 cofactor for aromatase, 539
 cofactor for dihydrofolate reductase, 419
 cofactor for HMG-CoA reductase, 178–80
 cytochrome P450 oxidation, 94, 158
 nitric acid synthesis, 38
 naftillin, 431–2
 nalbuphine, 649
 nalfurafine, 655–7, 720, 738
 nalidixic acid, 414, 458–9, 720, 738
 nalmefene, 639, 720, 738
 Nalorex, 726
 nalorphine, 638, 640, 647, 649
 naloxone, 638, 640, 649, 720, 738
 naltrexone, 174, 629, 638–40, 649, 651, 717, 720, 738
 dimer, 655
 naltrindole, 651
 nanospheres, 520
 nanotubes, 268
 Narcan, 726
 Nardil, 726
 narlaprevir, 509
 Nasacort, 726
 nasal congestion, treatment of, 618
 nasal decongestants, 169, 611, 617
 Nasofan, 726
 Nasonex, 726
 nasopharyngeal carcinoma, 514
 Natalizumab, 268, 720
 National Institute for Health and Clinical Excellence, 285
 natural products, 289
 as a source of lead compounds, 199–202
 in cancer treatment, 566–7
 nausea, suppression of, 206
 Navelbine, 726
 Nebcin, 726
 neck cancers, treatment of, 530, 534, 569, 574
 neem tree, 687
 Negaban, 726
 Negram, 726
 neighbouring group effect, 124
 neighbouring group participation, 430, 584–5
Neisseria gonorrhoeae, treatment of, 442
Neisseria meningitidis, treatment of, 443
 nelarabine, 533–4
 nelfinavir, 478, 481, 490–1, 493–4, 720, 738
 neomycin, 451–2, 717, 720, 738
 neomycin sulphate, 717–20
 neoplasm, 514
 Neoral, 726

neostigmine, 599–600
 nephron, 168
 Nerisone, 726
 nerve action, 711–14
 nerve agents, 600–1
 protective agent, 600
 Neu5Ac2en, *see* 2-deoxy-2,3-dehydro-N-acetylneuraminic acid
 Neulasta, 726
 Neupogen, 726
 neuraminidase, 469, 496–501, 503, 505
 inhibitors, 498–9, 501–6
 neurodegenerative disease, treatment of, 190
 neuroleptic agents, 205, 208
 neuromuscular blockers, 115, 591–4
 reversal of action, 600
 neuromuscular endplate, 711
 neuron, 42, 578, 711
 Neurontin, 726
 neuropeptides, 580, 700
 neurotransmission, adrenergic system, 612–13
 neurotransmitters, 42, 44, 578
 as drugs, 265–6
 neutrophils, 27, 137
 nevirapine, 234, 478–81, 720, 738
 new chemical entity, 283, 284
 New Drug Application, 283
 new molecular entity, 283
 Nexavar, 726
 Nexium, 684, 726
 Nicorette, 726
 nicotinamide adenine dinucleotide, *see* NAD⁺
 nicotine, 1–2, 42, 720, 738
 ability to cross placental barrier, 157
 administration, 169–70
 cholinergic agonist, 582
 excretion, 167
 source, 199, 582
 structure, 582
 nicotine patches, 169
 Nicotinell, 726
 nicotinic agonists, 115, 586–7
 nicotinic antagonists, 115, 590–4
 nicotinic receptor, 52, 594–5
 binding site, 582–5
 in the peripheral nervous system, 579
 location, 582, 590
 regulation of, 56, 106
 structure, 48, 591, 595
 subtypes, 115, 582
 types, 115
 nifedipine, formulation, 173
 nifedipine hydroxylase, 682
 nigericin, 147
 nilotinib, 285, 554–5, 559, 720, 738
 Nipent, 726
 NiQuitin CQ, 726
 nitric oxide, 38, 191, 207, 580–1
 nitric oxide synthase, 38, 191
ortho-nitrobenzylcarbamate protecting group, 464–5

nitrofurantoin, 128, 460–2, 720, 738
 nitrogen mustards, 124, 526–8
 nitroimidazoles, 128, 460, 462, 685
 nitroreductase, 571, 573
 nitrosoureas, 124, 126
 nitroveratryloxycarbonyl, 331–2
 Nivaquine, 726
 nizatidine, 677–9, 720, 738
 NO synthase, *see* nitric acid synthase
 Nobel Prize, 622
 nocardicins, 444
 nociceptin, 636, 650
 Nolvadex, 726
 non-competitive inhibitor, 90
 non-nucleoside reverse transcriptase inhibitors, 479–81
 non-steroidal anti-inflammatory drugs, 233–4, 659
 non-structural protein 5A, inhibition of, 509
 noradrenaline, 578, 609, *see also* adrenergic receptors, adrenergic agonists, adrenergic antagonists, false transmitters, selective noradrenaline reuptake inhibitors, monoamine oxidase inhibitors as a lead compound, 204, 253 binding site interactions, 614–16 biosynthesis, 611–12 in the peripheral nervous system, 43, 579, 609 metabolism, 95, 612 neurotransmission process, 612–14 overlay with desipramine, 627–8 presynaptic control systems, 580–1, 613 release from storage vesicles, 627 reuptake inhibition, 135, 189, 594, 627–9, 701 role in depression, 700 structure, 42, 44, 235, 253, 581, 611 noradrenaline reuptake inhibitors, 629, *see also* selective noradrenaline reuptake inhibitors
 norbinaltorphimine, 655–6 Norcuron, 726 nordazepam, 260–1 norepinephrine, 609, *see* noradrenaline normorphine, 637–9 Norvir, 726 Novantrone, 726 novocaine, 237 NS5B RNA-dependent RNA polymerase, 509 inhibition of, 509 nuclear hormone receptors, 55 nuclear magnetic resonance spectroscopy active conformations, 227–8, 673 enzyme mechanistic studies, 501 in drug design, 243 in lead discovery, 209–10 metabolite identification, 276 monitoring reactions, 324 predicted chemical shifts, 338 screening for lead compounds, 197 structure determination, 26, 212, 289, 329

nuclear transcription factors, *see* transcription factors nucleases, 271 nucleic acid bases, 72 nucleic acids as drug targets, 524–31 nucleocapsids, 469–70 nucleoside reverse transcriptase inhibitors, 478–9, 481 nucleosides, 71 nucleosome, 76, 519, 564 nucleus, 4 Nuelin, 726 nutlins, 142 Nuvigil, 726 Nystafom-HC, 726 nystatin, 718–19

0

obesity, *see* antiobesity agents oblimersen, 271, 529, 720 oc144-093, 523 octreotide, 540 ofatumumab, 569, 720 ofloxacin, 459, 720, 738 olanzapine, 114, 116, 194, 720, 738 olefin metathesis, 334 oligonucleotides, 175, 315 as drugs, 174, 271–2, 493–4, 529 molecular tags in combinatorial synthesis, 329–30 protein interactions, 143 olivanic acids, 445 omalizumab, 267, 720 omeprazole, 96, 659, 680–6, 720, 738 ON-012380, 555 Onbrez, 726 Oncaspar, 726 oncogenes, 514 Oncovin, 726 ondansetron, 192, 206, 530, 720, 738 Onkotrone, 726 Operation Desert Shield, 600 ophthalmic examinations, 588–9 ophthalmology, use of glucocorticoids, 696–9 opioid dependence maintenance therapy, 644 opioid receptors, 62, 115, 206, 635–6 opioids, 632–57 peripheral acting, 655 δ -selective, 650–1 opium, 632 opium poppy, 202 opportunistic pathogen, 426 oral infections, 435 treatment of, 423, 457, 462 Oramorph, 726 organoarsenicals, 465 organophosphates, 96, 601, 600–3 antidote, 602, 603 Orimeten, 726 oripavines, 644–6 pharmacophores, 228 ORL1-receptor, 650 orlistat, 89–90, 200

orphan drugs, 284, 566 orphan receptors, 191, 206, 636 orphanin-FQ, 650 ortataxel, 138 orvinols, 644–7 oseltamivir, 284, 503, 505, 720, 738 osteoporosis, treatment of, 266, 268, 540 otitis media, treatment of, 423 Otomize, 726 Otosporin, 452, 726 ovarian cancer, treatment of, 527, 530, 543 overlays, 351–2

acetylcholine and atropine, 588 cocaine and procaine, 351–2 desipramine and noradrenaline, 628 oxaburimamide, 669–70 oxacillin, 252, 432 oxalic acid, 88 oxaliplatin, 529–30, 720, 738 oxamniquine, 250, 261, 263, 276, 305, 308–10, 720, 738 synthesis, 310

oxazolidinones, 452, 456–7

Oxecta, 174, 726 oxidoreductases, 36 oximinocephalosporins, 440 oxmetidine, 674–5 6-oxomorphone, 633–4 oxotremorine, 586–7 oxprenolol, 624, 720, 738 oxycodeone, 720, 738 formulation, 174 oxymetazoline, 618 oxymorphone, 639 oxymorphone, 655 oxytetracycline, 454, 718 oxytocin, 23, 720

P

p15 protein, 517 p16 protein, 517 p21 protein, 517 p27 protein, 517 p53 protein, 142, 515, 517–19, 573 paclitaxel, 12, 137–8, 199–200, 211, 542, 720, 739 clinical aspects, 534, 543, 569 synthesis of, 289 paediatric use marketing authorisation (PUMA), 281 pain, treatment of, 611, *see also* analgesics palinavir, 490–1 palivizumab, 511, 720 Palladia, 726 Palladone, 726 pamaquine, 299 Pamergan P100, 726 pan-class resistance mutation, 479 pancratistatin, 566 *Pancratium littorale*, 566 pancreas, 171 pancreatic cancers, 544 treatment of, 530, 534

pancreatic lipase, 35, 90, 200
 pancuronium, 592–3
 pandemic, 496
 panic attacks, 237
 panitumumab, 280, 569, 720
 pantoprazole, 96, 680–2, 685, 720, 739
Papaver somniferum, 632
 papillomaviruses, 474, 514
 paracetamol, 163, 277
 parallel synthesis, 313, 322–7, 557
 Paraplatin, 726
 parasympathetic nerves, 579
 parathion, 601–2
 pargyline, 261
 Pariet, 726
 parietal cells, 659–60, 679–80
 Parkinson's disease, 192
 treatment of, 95–6, 115, 260, 588
 paroxetine, 136, 720, 739
 partial agonists, 111–13, 624
 partial charges, 341–2
 partial least squares, 402
 partition coefficients, 248, 385–8
 Pasteur, Louis, 413, 421
 patent cliff, 282
 Patent Cooperation Treaty, 281
 patents, 281–3
 pathological chaperone, 605
 pay-for-delay deals, 282
 pazopanib, 558–60, 720, 739
 PDGF, *see* platelet-derived growth factor
 PDGF-R, *see* platelet-derived growth factor receptor
 peanuts, 3
 Pearl Harbor, 1
 PEG, *see* polyethylene glycol
 pegademase, 267, 720
 pegaptanib, 143, 174, 720
 pegaspargase, 267, 720
 Pegasys, 726
 pegfilgrastim, 267, 720
 peginterferons, 267, 720
 Peg-Intron, 726
 pegvisomant, 267, 720
 pegylated alpha interferon, 508
 pelvic inflammatory disease, treatment of, 462
 pemetrexed, 532–3, 720, 739
 Penbritin, 726
 penciclovir, 261, 473–5, 720, 739
 penicillanic acid sulphones, 445
 penicillin acylase, 429
 penicillin binding protein, 428
 penicillin G, 422, *see* benzylpenicillin
 penicillin G acylase, 570
 penicillin methyl ester prodrugs, 196
 penicillin N, 433
 penicillin T, 433
 penicillin V, *see* phenoxyethylpenicillin
 penicillinas, 428
 penicillin-resistant gonococci, 462
 penicillin-resistant meningococci, 462
 penicillins, 1–2, 12, 421–36
 administration, 153

bactericidal agent, 418
 carbonyl stretching frequency, 344
 in the synthesis of cephalosporins, 439
 passage through the blood–brain barrier, 157
 role in fungal survival, 94
Penicillium chrysogenum, 428
Penicillium citrinum, 180
 pentagastrin, 671–2
 pentazocine, 641, 649, 720, 739
 pentobarbital, 173
 pentostatin, 96, 534–5, 720, 739
 Pepcid, 677, 726
 pepsin, 686
 peptic ulcers, 659
 peptidases, 160, 163, 165, 486, 537, 562, 570, 650–1, *see also* aminopeptidase, carboxypeptidase, dihydropeptidase, methionine aminopeptidase, and transpeptidase
 inhibitors, 653
 peptide antibiotics, 414
 peptide bonds, 17–18, 23
 hydrolysis, 34
 isostere, 545–6
 peptide drugs, 266–7, 270
 peptide synthesis, 314, 316
 peptidoglycan structure, 423
 peptidomimetics, 268–70
 peptoids, 317
 peramivir, 506, 720, 739
 perfused liver systems, 277
 peripheral nervous system, 578–80, 609
 periplasmic space, 415
 peritonitis, treatment of, 442, 451
 permethrexed, 96, 532
 personalized medicine, 76, 166, 280, 522
 pesticides, 2
 pethidine, 172, 642, 649, 720, 739
 pharmacophores, 228
 petopenem, 443
 petoprolol, 626
 Pfizer pharmaceuticals, 305, 308
 P-glycoprotein, 138, 523, 525, 527, 542–3
 PHA-665752, 242
 phage, 82
 pharmaceutical phase, 153, 173
 Pharmacia Biosensor, 197
 pharmacodynamic phase, 153
 pharmacodynamics, 5, 105, 215
 pharmacogenomics, 166
 pharmacognosy, 199
 pharmacokinetic phase, 153
 pharmacokinetics, 11, 105, 153, 248
 pharmacology testing, 277
 pharmacophore triangles, 227, 355–6, 362, 364, 379
 pharmacophores, 105, 209, 227–8, 354–6
 acetylcholine, 584–5
 analgesic, 635
 artemisinin, 301
 colchicine, 405
 dopamine, 355–6
 in screening for lead compounds, 366

local anaesthetics, 237, 351
 mitoxantrone, 525
 muscarinic receptor, 586
 role in docking programs, 362–4
 taxoids, 542
 tipranavir, 492
 tubocurarine, 353
 use in aligning molecules, 368, 401, 403
 use in planning combinatorial syntheses, 379
 Pharmorubicin, 726
 phase I drug metabolism, 158
 phase II drug metabolism, 158
 phase separation columns, 324
 phenazocine, 641
 phenelzine, 96, 172, 629–30, 720, 739
 Phenergan, 726
N-phenethyllevorphanol, 641
N-phenethylmorphine, 639, 647–8
 phenobarbital, 166–7
 phenobarbitone, *see* phenobarbital
 phenols, binding role, 216–17
 phenoxyethylpenicillin, 422–3, 428–31, 463, 720, 739
 phenprocoumon, 492–3
 phentermine, 616, 629, 720–1, 739
 phenylalanine, 17, 22, 705
 adrenergic receptor binding site, 614–15
 angiotensins, 296
 catecholamine binding site, 368
 endogenous opioids, 645, 649–50, 653
 farnesyl transferase inhibitors, 545
 HIV-protease inhibitors, 484
 HIV-protease mutation, 489
 HIV-protease substrates, 482, 484
 human rhinovirus, 508
 in alkylating agents, 528
 rigidification, 239
 transport protein, 155
 phenylalanine hydroxylase, 80
 L-phenylalanine mustard, 527
 phenylbutazone, 279–80
 phenylketonuria, 80
 phenylpiperidine analgesics, 642–3
 Philadelphia chromosome, 559
 phosphatase, 61–2, 66
 phosphatidylcholine, 3, 175
 phosphatidylethanolamine, 3
 phosphatidylinositol, 3, 65
 phosphatidylinositol diphosphate, 64–6
 phosphatidylserine, 3
 3'-phosphoadenosine 5'-phosphosulfate, 162, 165
 phosphodiesterase enzyme, 96
 phosphoglyceride, 3–4
 phospholipase C, 59–60, 64–5, 67
 phospholipids, 3–4
 phosphoramidase, 528
 phosphorylase a, 61
 phosphorylase b, 38, 61
 phosphorylase kinase, 61–2
 phosphorylases, 36–8, 61–2
 inhibitor, 62

phosphorylation, 25, 63–4, *see also* protein kinases, cyclin-dependent kinases, kinase-linked receptors, serine-threonine kinases, tyrosine kinases, MAP-kinase, and thymidine kinase
activation of antiviral agents, 473–4, 478, 510
activation of kinases, 549
desensitization, 114
drug resistance, 453, 464–5
photodynamic therapy, 264, 521, 573–4
photolithography, 331–2
photosensitivity, 574
photosensitizing agents, 264, 573
phyllanthoside, 540–1
physical dependence, 173
Physostigma venenosum, 598
physostigmine, 96, 598–9, 603
PI synthase, 66
PI-4-kinase, 66
PI-4-P5-kinase, 66
pi-cation interaction, 9, 221
picoprazole, 683
picornaviruses, 507
Picovir, 726
pilocarpine, 586–7, 720, 739
Pilogel, 726
pindolol, 623–5
pinocytosis, 155
PIP₂, *see* phosphatidylinositol diphosphate
piperacillin, 435, 445, 720, 739
pirenzepine, 589–90
pitavastatin, 182
Pitressin, 726
pivampicillin, 434
PKA, *see* protein kinase A
PKC, *see* protein kinase C
PKI-166, 551
placebo, 202, 278–9
placental barrier, 157
plasmids, 82, 175, 428, 463
Plasmodium falciparum, 299
Plasmodium genus, 299
plasmons, 198
platelet aggregation inhibitor, 240
platelet-derived growth factor, 515, 554
platelet-derived growth factor receptor, 554–5
inhibition of, 552
platinum drugs, 125–7, 529–30, 533
β-pleated sheet, 18–19
pleconaril, 507–8, 720, 739
plums, 3
pneumonia, 414
in AIDS patients, 470
treatment of, 435, 443, 453, 457, 459
pocket factor, 507
podophyllotoxins, 122, 128, 474–5, 526, 540–1, 543, 720, 739
podophyllum, 540, 543
Podophyllum emodi, 540
Podophyllum peltatum, 540
polar surface area, 155
polio, 468, 507
treatment of, 470

poly ADP ribose polymerase, inhibitors of, 536
polyamides, 131
polyamines, 244
polyethylene glycol, 143, 174–5, 267–8, 315
Polyfax, 726
polyglutamate, 174
polyglutamylation, 531
polymeric micelles, 574
polymyxin B, 147, 450–2, 720, 739
polymyxin B sulphate, 718–19
polypharmacology, 560, 564
porins, 427, 433, 443, 454, 459, *see also* aquaporins
porphyrins, 264, 521, 573–4
Porton Down, 600–1
Posiject, 726
post-translational modifications, 25–6
posttraumatic stress disorder, treatment of, 624
potassium ion channels, 59, 192
potency, 116, 118
PPBI, *see* protein–protein binding inhibitor
PPI, *see* proton pump inhibitor
practolol, 207–8, 279, 623, 625–6
pralatrexate, 96, 532–3, 720, 739
pralidoxime, 602–3
Pravachol, 726
pravastatin, 181, 720, 739
praziquantel, 309–10, 720, 739
prazosin, 620–1, 720, 739
pRB protein, 517
Pred Forte, 726
prednisolone, 537, 540, 690–3, 739
prednisolone acetate, 693, 696, 720, 739
prednisolone hexanoate, 693
prednisolone metasulphobenzoate, 693
prednisolone sodium phosphate, 693, 696, 720, 739
prednisone, 537, 690–1
Predsol, 726
Predsol-N, 726
pregnane, 690
premature labour, delay of, 618
prenylations, 546
presynaptic receptors, 580, 581, 613–14, 621, *see also* autoreceptors
Prexige, 726
Prezita, 726
Priadel, 726
Prilosec, 726
 primaquine, 299
Primaxin, 726
principle of chemotherapy, 413
Prinivil, 726
prinomastat, 562, 563
Prioderm, 726
 pritinamycin, 456, 457
privileged scaffolds, 319
PRO-3112, 250
Pro-Banthine, 726
probe atoms, 344–5, 364, 407
Probucid, 726
probencid, 265, 436, 475, 720, 739
procaine, 237, 252, 265, 351–2
procarcabazine, 126–7, 530
procaspase 9, 518
process development, 286, 289
Prodock, 366
prodrugs, 124, 222, 258–64
aciclovir, 472
activated by HIV protease, 493
artemisinin, 302
carbenicillin, 435
famciclovir, 473
for aciclovir, 473
for ampicillin, 434
for amprenavir, 491
for dopamine, 260
for NRTIs, 479
for penicillin G, 434
oseltamivir, 505
oxamniquine, 309
prontosil, 416
succinyl sulphathiazole, 418
sulphonamides, 416
prodynorphin, 650
proenkephalin, 650
proflavine, 120–1, 414, 459
progestins, 537, 540
prokaryotic cells, 415
PRO-LEADS, 366
Proleukin, 726
Prolia, 726
proline, 705
promethazine, 205, 720, 739
promiscuous inhibitors, 196
promiscuous ligands, 194, 244, 606
pronethalol, 206, 234–5, 622
pronociceptin/orphanin FQ, 650
prontosil, 414, 416
pro-opiomelanocortin, 650
ProPAM, 603
propantheline, 739
propantheline bromide, 589, 590, 720
property-based drug design, 226
prophylactics, 299
cefazolin, 442
cefotaxime, 442
ceftriaxone, 442
cefuroxime, 442
ertapenem, 443
for anthrax, 454
for cancer, 521
imipenem, 443
methenamine, 462
teicoplanin, 451
propiolaldehyde, 261
propranolol, 207–8, 225–6, 243, 622–4, 720, 739
prostaglandin receptors, 51, 613
prostaglandins
biosynthesis, 93, 222, 659
chemical messengers, 44
enhanced synthesis, 686
in presynaptic control, 613
prostate cancer, 522
treatment of, 530, 538, 540, 566

prostatic hyperplasia, treatment of, 611
 prosthetic groups, 35
 proteases, 265, *see also* ACE, caspases, cathepsin D, HIV protease, renin, serine proteases, and transpeptidases inhibitors, 260, 265
 proteasome, 96, 563 inhibitors, 563
 protein kinase A, 59–62
 protein kinase C, 59, 65, 67, 272, 529, 553 inhibition, 525
 protein kinases, 37–8, 547–8 inhibitors, 559, 547–60 type I inhibitors, 549 type II inhibitors, 549 type III inhibitors, 549
 protein mapping, 366–9
 protein therapy, 566
 protein–protein binding inhibitors, 135, 139–43, 266, 493, 495
 protein–protein interactions, 28, 39
 proteins as drugs, 266–67
 proteoglycans, 148, *see* glycoproteins
 proteomics, 26, 191
 Protium, 726
 protomers, 469
 proton pump, 96, 660, 679–80 inhibitors, 263, 659–60, 679–85
 proto-oncogenes, 514
 protozoa, 716
 Provera, 726
 Provigil, 726
 proviral DNA, 477
 provirus, 477
 Prozac, 136, 189, 726
 pseudoatom, 359, 360
 pseudoephedrine, 617, 720, 739
Pseudomonas aeruginosa, 425–6, 435, 570, 715 treatment of, 426, 435, 442–3, 451, 453, 459
Pseudomonas fluorescens, 464
 pseudoreceptors, 368, 404
 PS-isocyanate, 324, 325
 PS-trisamine, 324, 325
 puffer fish, 202
 Pulmicort, 726
 purgative, 202
 purine, 72
 purine antagonists, 536
 Puri-Nethol, 726
 puromycin, 139
 pyelonephritis, treatment of, 453
 pyrazinamide, 460–1
 pyridostigmine, 599–600, 721, 739
 pyridoxal phosphate, 35
 pyrimethamine, 418, 721, 739
 pyrimidine, 72
 Pyrogastrone, 726
 pyrrole ring, bioisostere for amide, 235
 pyruvic acid, 30, 32, 35–6, 39

Q

qinghao, 299
 qinghaosu, 299

Qnexa, 726
 quantitative structure activity relationships (QSAR), 383–9, 391–9, 401, 403–5, 676 statistics, 707–10
 3D QSAR, 401–5
 quantum mechanics, 337
 Quasar, 404
 quaternary ammonium ion, binding role, 221
 Queen's Award for Technological Achievement, 308
 Quellada M, 727
 Questran, 727
 quinine, 199, 202, 211, 299, 523, 739
 quinolone antibacterial agents, 123, 414, 457–9
 quinupristin, 456–7, 721, 739
 Qvar, 727

R

Rab protein, 67
 rabeprazole, 96, 680–1, 685, 721, 739
 rabies, 468
 racecadotril, 96, 653–4, 721, 739
 racemase, 423
 racemate, 104
 Radezolid, 457
 radioimmunotherapy, 569
 radioligand labelling, 116
 radioligand studies, 195
 radiotherapy, 514, 521, 569
 radishes, 3
 Raf protein, 67–8, 272, 529
 Raf-1 kinase, 557
 raloxifene, 109–10, 538, 540, 721, 740
 raltegravir, 495, 721, 739
 raltitrexed, 531, 533, 534, 721, 739
 Ran protein, 67
 ranibizumab, 268, 721
 ranitidine, 659, 676–7, 679, 721, 740
 rapamycin, 560
 Raplacta, 727
ras gene, 514, 544
 Ras protein, 67–8, 514–16, 544–6 inhibition, 544
 rasagiline, 244
 rasfonin, 200–1
 rashes, treatment of, 661
 Rebetol, 727
 reboxetine, 628–9, 721, 740
 receptor dimers and dimerization, 53–5 opioid, 654–5
 receptor mediated endocytosis, 496
 receptors, *see also* the following receptors (adrenergic, γ -aminobutyric acid, angiotensin, autoreceptors, calcium sensing, cannabinoid, CD20, chemokine, c-kit, catecholamine, cholinergic, cytokine, dihydropyridine, dopamine, epidermal growth factor, ERB B2, estrogen, fibroblast growth factor, gastrin, glutamate, glycine, growth hormone, HER2 growth factor, histamine, insulin growth factor, insulin, intracellular, kinase linked, low density lipoprotein, melanin-concentrating hormone, Met, muscarinic, nicotinic, nuclear hormone, opioid, ORL1, orphan, platelet derived growth factor, presynaptic, prostaglandin, G-protein coupled, rhodopsin, serotonin, transforming growth factor, tumour necrosis factor, tyrosine kinase, vascular endothelial growth factor, vasopressin) metabotropic glutamate like and pheromone, 52
 rhodopsin like, 51–2
 secretin-like, 52 types and subtypes, 52–3, 114 recombinant DNA technology, 81–2, 266 recommended international non-proprietary name, 12 reduced folate carrier, 533 reductases, 36, 158, 160, 163, *see also* aromatase, dihydrofolate reductase, HMG-CoA reductase, nitroreductase, ribonucleotide reductase.
 Regorafenib, 558 regression coefficient, 384 regulatory affairs, 283–5 Relenza, 501, 727 Remicade, 727 remifentanil, 643 Reminy, 727 Remitch, 727 removal or replacement of susceptible metabolic groups, 253 renal artery, 168 renal cell carcinoma, treatment of, 559–60 renin, 91, 292, 483, 624 inhibitors, 90–2, 268, 483 renin inhibitors, 292 ReoPro, 727 replacing metabolically labile groups, 253 replication, 72–3 viruses, 469 Rescriptor, 727 reserpine, 202, 627, 700 resistance aciclovir, 475 aminoglycosides, 453 antibacterial agents, 464 anticancer drugs, 523 antiflu drugs, 506 cephalosporins, 441 chloramphenicol, 454 fluoroquinolones, 459 macrolides, 457 NNRTIs, 481 penicillins, 425–8 ritonavir, 489 sulphonamides, 420 tetracyclines, 454–5 to NNRTIs, 479 trimethoprim, 420, 462 vancomycin, 447 reslizumab, 268 resonance-assisted hydrogen bonding, 225

respiratory infections, 413
 treatment of, 432, 442, 454, 457, 459
respiratory syncytial infection, treatment of, 510–11
Respontin, 727
resting potential, 712
restraining proteins, 517
restriction enzymes, 81, 82
restriction point, 516
reticuloendothelial system, 175, 267, 574
retinal, 367
retinal inflammation, treatment of, 475
retinoids, 55
Retrovir, 727
retroviral reverse transcriptase, 191
retroviruses, 476, 573
reuptake inhibitors, *see* noradrenaline
 reuptake inhibition, serotonin reuptake
 inhibitors, selective serotonin reuptake
 inhibitors, anti-obesity drugs, dopamine
 reuptake inhibitors, dual reuptake
 inhibitors
reverse transcriptase, 476–7
 inhibitors, 478, 480–1, 493
reversible enzyme inhibitors, 87–9
Revex, 727
Revlimid, 565–6, 727
Reyataz, 727
rhabdomyolysis, 181
rheumatic fever, treatment of, 423
rheumatoid arthritis, 266
 treatment of, 93, 266, 268, 279
Rhinocort Aqua, 727
rhinovirus, 507
Rho protein, 67
rhodopsin, 51–2, 367
rhodopsin receptor, 52
rhubarb, 202
riamcinolone acetonide, 692
ribavirin, 508, 510–11, 721, 740
ribonucleic acid, 76–80, *see also*
 messenger RNA, ribosomal RNA and
 transfer RNA
 as a drug target, 131–3
ribonucleotide reductase, 96, 534–5
 inhibitors, 534
ribose, 76, 148
ribosomal RNA, 76–7, 79
ribosomes, 77–8, 80, 452, 454
ribozymes, 511
ricin, 257, 570
rickettsia, treatment of, 454
rifabutin, 481
Rifadin, 727
rifampicin, 453, 460, 462, 721, 740
rifampin, 481
rifamycins, 200, 460, 462
Rifater, 727
Rifaximin, 460, 721, 740
Rifinah, 727
rigidification, 239–41
 opioids, 644–7
 oxamniquine, 306–7
 serotonin antagonists, 702
rilpivirine, 479–81, 721, 740

Rimacid, 727
Rimactane, 727
Rimactazid, 727
rimantadine, 498, 510
rimexolone, 692, 696, 721, 740
ring cleavage, 242
ring contraction, 231
 serotonin antagonists, 702
ring expansion, 231, 233
ring fusion, 234, 242
ring variation, 233, 254–5
 serotonin antagonists, 703
Rink resin, 315–17
RISC, *see* RNA induced silencing complex
Risperdal, 727
risperidone, 114, 116, 721, 740
Ritalin, 629, 727
ritonavir, 12, 264, 478, 485–9, 493–4, 721, 740
Rituxan, 727
rituximab, 569, 721
rivastigmine, 244, 603–4, 721, 740
RNA, *see* ribonucleic acid
RNA induced silencing complex, 132–3
RNA polymerase, 469, 496–7
RNA-dependent RNA polymerase, 469
Robinson, Sir Robert, 633
Rocephin, 727
Roche pharmaceuticals, 12, 484, 505
rocuronium, 150, 592–3, 721, 740
rofecoxib, 93, 95, 279, 721, 740
Roferon-A, 727
rohitukine, 556
romidepsin, 564, 721, 740
root mean square distance, 351
roscovitine, 556
rosuvastatin, 154, 181–4, 721, 740
Rous sarcoma virus, 514
Royal Navy, 632
rubella, 468
Rubex, 727
rubidomycin, 524
Russian flu, 496
ruxolitinib, 556–7, 560, 721, 740

S

safety-catch acid-labile linker, 329–30
Salamol Easi-Breathe, 727
salbutamol, 170, 205, 253–4, 619–20, 721, 740
salicin, 202
salicylic acid, 222, 261, 285–6, 717
salmefamol, 620
salmeterol, 620, 719, 721, 740
Salmonella typhimurium, 194
salt bridge, 21
salvarsan, 414, 465
Sandimmun, 727
saquinavir, 12, 269, 484–6, 491, 721, 740
 as a lead compound, 489–92
 clinical aspects, 478, 481, 493
SAR, *see* structure activity relationships
sarcolectyins, 542–3
sarin, 600–1
Sativex, 727
SB-213698, 652
SB-269652, 258
SB-269970, 703
SB-656104, 704
SB-269970, 703–4
SC-57666, 234
SC-58125, 234
scabies, treatment of, 602
scaffolds, 318–20, 333–4
Scatchard equation, 117
Scatchard plot, 117
scavenger resins, 323–4
Sch-226374, 546, 548
Schild analysis, 118
Schild plot, 118
Schistosoma haematobium, 305
Schistosoma japonicum, 305
Schistosoma mansoni, 305, 308
schistosomes, 305
schistosomiasis, 305, 310
schizophrenia, treatment of, 194, 208
SCID syndrome, treatment of, 267
scintillation proximity assay, 198
Scopoderm TTS, 727
scopolamine, 588–9
screening by NMR, 197
search and destroy drugs, 256–7
secondary messenger, 60
secondary metabolites, 199
β-secretase, 257
Sectral, 727
Securon, 727
sedation, 115
sedatives, 260, 632, 644
selective noradrenaline reuptake inhibitors, 628, 701
selective optimization of side activities, 203, 205
selective serotonin reuptake inhibitors, 136, 189–90, 630, 700, 701
selective toxicity, 3, 414
selegiline, 95, 96, 721, 740
SELEX, 143
self-destruct mechanism, 465
self-assembly, 469
self-destruct drugs, 255
self-regulation, 612
seliciclib, 549, 556
Selincro, 727
semi-empirical quantum mechanics, 337–8
semi-synthetic preparations, 289
 artemisinin analogues, 300
 paclitaxel, 289
 penicillins, 428
sensitization, 112, 114
sentry drugs, 264–5
sepsis, treatment of, 453
septicaemia, 414
 treatment of, 432, 443, 453, 459
Septrin, 727
sequential blocking, 420
serendipity, 207
Seretide, 727
Serevent, 727
serine, 17, 22, 705

- acetylcholinesterase active site, 597–9, 601–3
 acylation by β -lactam, 221
 acylation of, 90, 222
 adrenergic binding site, 614–15, 617
 alkylation, 89
 catalytic triad, 34–5, 90, 598
 catecholamine receptors, 368
 chymotrypsin, 34–5
 cyclooxygenase active site, 222
 HMG-CoA reductase, 179, 183
 β -lactamase active site, 427
 lipase active site, 90
 nucleophile, 34, 89, 92, 425, 508, 597
 phosphorylation, 25, 37, 60–1, 63–5
 Ras protein, 545
 transpeptidase active site, 221, 424–5, 437
 D-serine, 651
 serine proteases, 424–5, 508, 526
 serine-threonine kinases, 60, 63, 67, 548, 553, 556
 serotonin
 as neurotransmitter, 42
 in the enteric nervous system, 580
 metabolism of, 95
 presynaptic control, 621, 701
 reuptake inhibitors, 135–6, 189–90, 628, 630, 700–1
 role in depression, 621, 700
 structure, 44
 see also selective serotonin reuptake inhibitors
 serotonin agonists, 106, 115, 189, 205, 236
 serotonin antagonists, 115, 236, 344, 701–4
 as antidepressants, 287, 701
 as antiemetics, 192, 530
 treatment of schizophrenia, 194
 serotonin receptors, 50–1
 inherent activity, 112
 model binding site, 369
 targets for antidepressants, 701
 types and subtypes, 115, 701
 Seroxat, 727
 sertraline, 136, 721, 740
 serum paraoxonase, 698, 699
 setrobutuvir, 509, 510
 severe acute respiratory syndrome (SARS), 468
 severe combined immunodeficiency disease, 267
 Sevredol, 727
 Sheehan, John, 422, 428
 Sheppard's polyamide resin, 315
 Shingles, treatment of, 472, 475
 Shock, treatment of, 627
 siRNA—*see* small inhibitory RNA
 sialic acid, 496–7, 499–501, 506
 sialidase, 496–7
 sibutramine, 135–6
 signal proteins, 50, *see also* G-proteins and Ras
 signal transduction, 58–68
 sildenafil, 12, 96, 204, 208, 721, 740
 to improve drug access to CNS, 157
 silibinin, 687
 silichristin, 687
 silianin, 687
 silphion, 200
 silver sulphadiazine, 417
Silybum marianum, 687
 silymarin, 687
 simplification, 181, 236–9, 640–4
 anthracyclines, 524
 artemisinin analogues, 302–4
 CC 1065 analogues, 529
 glycopeptides, 449–50
 HIV-protease inhibitors, 491–2
 muscarinic antagonists, 589
 of lucanthone, 305
 opioids, 640–1, 643–4
 serotonin antagonists, 702
 statins, 181
 simulated annealing, 349, 366
 simvastatin, 96, 181, 184, 719, 721, 740
 Sinemet, 727
 singlet oxygen, 574
 sinusitis, treatment of, 435, 454, 457, 459
 sirolimus, 560
 SKF 91581, 667–8
 skin cancer, treatment of, 525, 533
 skin creams, fusidic acid, 462
 skin infections, treatment of, 442, 451–52, 457, 459, 464
 skin melanoma, *see* melanoma
 sleep medicines, 106
 sleeping agents, 573
 drug design, 264
 medicines, *see* sedatives and tranquillizers
 sleeping sickness, 191
 treatment of, 414, 465
 Slo-Phyllin, 727
 small G-proteins, 67, 544
 small inhibitory RNAs, 132–3, 175
 small interfering RNAs, 132
 small nuclear RNAs, 79
 smallpox, 468, 511
 treatment of, 470, 511
 smart drugs, 603–4
 Smith Kline and French, 660
 SmithKline Beecham, 701
 smoking
 treatment, 587
 SN-38, 526
 snake toxins, 2, 201, 293, 594–5
 snakeroot plant, 202
 SNC-80, 652
 snowdrop bulbs, 603
 snRNA, *see* small nuclear RNA
 sodium artesunate, 300–1, 303
 sodium bicarbonate, 659
 sodium ion channel, 712
 sodium-2-mercaptoethane sulphonate, 528
 Sofradex, 727
 soft drugs, 167
 soft steroids, 695, 697–9
 soft tissue infections, treatment of, 457, 459
 soft tissue sarcomas, treatment of, 530
 Solanaceae plants, 202
 solid phase extraction, 323–4
 solid phase techniques, 314–21
 solid supported reagents, 324
 Solu-Cortef, 727
 Solu-Medrone, 727
 solution phase organic synthesis, 322
 soman, 600–1
 somatic gene therapy, 83
 somatic motor nervous system, 579
 somatostatin, 540
 Somavert, 727
 SOMFA, 404
 sorafenib, 243, 283, 285, 549, 557–9, 721, 740
 soterenol, 619
 soybean curd, 413
 Spanish flu virus, 496
 spinach, 3
 spindle, 27
 spiroalkyl trioxanes, 303
 spliceosome, 79
 splicing mRNA, 80
 spongistatin 1, 540–1
 SPROUT, 374–6
 Sprycel, 727
 SQ-13297, 294
 Src kinase, 555
 inhibition of, 552
 St. John's wort, 167, 212
 stability tests, 277
 Stalevo, 727
 standard deviation, 384, 708
 standard error of estimate, 384
Staphylococcus aureus, 413, 426–8, 463, 715
 resistance, 462
 treatment of, 431–2, 441–2, 451
 starch, 148
 statins, 178–84, 243
 anticancer activity, 546
 type I statins, 181
 type II statins, 181–2
 staurosporine, 556
 stavudine, 478–9, 481, 721, 740
 steady state concentration, 172
 steric and electronic modifications, 252
 steric block, 217, 230
 steric blockers, 232
 steric factors, 390–1
 steric fields, 401–2
 steric shields, 105, 251, 252
 cephalosporins, 438
 in cholinergic agonists, 585
 in farnesyl transferase inhibitors, 546, 548
 in matrix metalloproteinase inhibitors, 562
 in penicillins, 430–2, 434
 in peptidomimetics, 269
 vancomycin, 447
 sterilizing agent, 413
 Sterimol, 391
 steroids, 12, 55–6, 536, *see also* cholesterol, fusidic acid, hormone-based therapies, estradiol, estrone, glucocorticoids, pancuronium, vecuronium
 active conformation, 403
 administration, 170
 anti-inflammatory agents, 689–99
 biosynthesis, 191
 corticosteroid, 193

steroids (*Continued*)
 nomenclature, 689
 scaffolds, 320
 substrate for aromatase, 539
stibocaptate, 305
 stomach cancer, 514
 treatment of, 559
 storage vesicles, 627
Stratter, 727
Streptococcus pneumoniae, 442
 resistance, 462
 treatment of, 457
streptogramins, 456–7
Streptomyces antibioticus, 535
Streptomyces aureofaciens, 454
Streptomyces caespitosus, 127
Streptomyces catleya, 442
Streptomyces clavuligerus, 439, 444
Streptomyces erythreus, 455
Streptomyces garyphalus, 445
Streptomyces griseus, 452
Streptomyces hygroscopicus, 560
Streptomyces lincolnensis, 456
Streptomyces mediterranei, 460
Streptomyces nodosus, 145
Streptomyces olivaceus, 445
Streptomyces orientalis, 446
Streptomyces parvullis, 121
Streptomyces peucetius, 121, 524
Streptomyces pristinaespiralis, 456
Streptomyces roseosporus, 451
Streptomyces toxytricini, 200
Streptomyces venezuela, 455
Streptomyces verticillus, 121, 525
streptomycin, 414, 452, 453, 462
streptomycin-resistant E. coli, 463
streptozotocin, 124, 126, 530
 stress, treatment of, 624
 stroke, treatment of, 116, 190
stromelysins, 561
 structural overlays, *see* overlays
 structural proteins, as drug targets, 138, 539,
 541–3
 structure determination, 212
 structure–activity relationships, 215–27
 Abelson tyrosine kinase inhibitors, 553
 acetylcholine, 583
 artemisinin, 300
 aryloxypropanolamines, 622–3
 atracurium, 593
 atropine, 589
 by NMR, 209
 catecholamines, 615–16
 cephalosporins, 437
 clavulanic acid, 444
 EGF receptor kinase inhibitors, 550
 enkephalins, 650
 famotidine, 678
 farnesyl transferase inhibitors, 547
 histamine, 662
 histamine agonists, 662
 in drug optimization, 226
 mitoxantrone analogues, 524
 morphinans, 640
 morphine, 633–4

muscarinic antagonists, 589
 neuraminidase inhibitors, 502
 penicillins, 429
 physostigmine, 598
 Raf-1 kinase inhibitors, 557
 ranitidine, 676
 sarcodictyins, 542
 serotonin analogues, 369
 sulphonamides, 416
 structure-based drug design, 241–2, 407,
 490, 508
 SU-11248, 549
 subcutaneous injection, 170
 suberoylanilide hydroxamic acid, 740, *see*
 vorinostat
Sublimaze, 727
 substance P, 581, 700
 substituent hydrophobicity constants, 386–8
 substrate, 30
Subutex, 727
 succinyl proline, 231, 293–5
 succinyl sulphathiazole, 418
Sudafed, 617, 727
 sufentanil, 643
Sugammadex, 150, 721, 740
 suicide substrates, 92–5, 445, 532–3, 539
 clavulanic acid, 445
 sulbactam, 445
 sulbactam pivoxil, 445
Suleo-M, 727
sulmazole, 387
 sulpha drugs, 414, 416
 sulphadiazine, 417
 sulphadoxine, 418, 721, 740
 sulphamethoxazole, 420
 sulphanilamide, 205, 416
 sulphate conjugation, 162
 sulphathiazole, 417–18
 sulphoconjugation, 165
 sulphonamides, 157, 203, 414, 416–20
 synthesis, 324–5
 sulphones, 160, 420
 sulphotransferases, 162, 165, 309, 682
 sultopride, 235
sumatriptan, 205–6, 721, 740
sunitinib, 557–9, 721, 740
 supercoiling, 74
 suppositories, 169
Sur-2 protein, 140
 surface plasmon resonance, 197–8
Sustanon 250, 727
Sustiva, 727
Sutent, 727
suxamethonium, 589, 592, 721, 740
Suzuki coupling, 325, 326
 sweat, 167
Swern oxidation, 325, 326
Sybyl, 338
Symbicort, 727
Symmetrel, 727
 sympathetic nervous system, 579
Synagis, 727
Synalar, 727
Synalar C, 727
Synalar N, 727

synapses, 578–9
 synaptic button, 711
 synaptic gap, 711
Synartis, 727
Synercid, 457, 727
 synergism
 antiviral agents, 477
 dalfopristin and quinupristin, 456
 herbal medicines, 212
 of penicillins, 436
 substituents, 243, 557
 synergistic effects, 231
SYNOPSIS, 377–8
Syntocinon, 727
syphilis, 463
 treatment of, 414, 454, 457

T

tabun, 600–1
tacrine, 96, 404, 603–5, 721, 740
 Taft's steric factor, 391
Tagamet, 660, 671, 727
 tagging, 329–31
talampicillin, 434
Tamiflu, 503, 505, 727
tamoxifen, 115, 538, 540, 721, 740
tarazosin, 621
Tarceva, 727
 targeting drugs, 175, 191–2, 256–7, 263, 418
 use of antibodies, 174–5, 257, 267, 568–73
 targeting viruses, 83
 targetin drugs with membrane tethers,
 257–8
Targocid, 727
tariquidar, 523
Tarivid, 727
Tasigna, 727
 tautomers, 224
Tavaborole, 464
Tavanic, 727
 taxoids, 137, 542
Taxol, 137–8, 199, 289, 542, 566, 727
Taxotere, 727
tazobactam, 435, 445, 721, 740
Tazocin, 445, 727
 tea, 2, 522
Teflaro, 727
teicoplanin, 257, 448–9, 451, 721
Tekturna, 727
telaprevir, 508–9, 721, 740
Telfast, 727
telithromycin, 456–7, 721, 740
telomerase, 519, 564
telomeres, 519
Telzir, 728
Temgesic, 728
temocillin, 425, 431–2, 721, 740
Temodal, 728
Temodar, 728
temoporfin, 574, 721, 740
temozolomide, 127, 530, 721, 741
temsirolimus, 285, 560, 721, 741
teniposide, 122, 526–7, 721, 741
tenofovir, 741

- tenofovir disoproxil, 478–9, 481, 721
 Tenormin, 728
 Tentagel resin, 315
 teprotide, 202, 293–4
 terazosin, 620, 721, 741
 terfenadine, 166–7, 193
 teriparatide, 266, 270
 terphenyl structures, 142–3
 testicular cancer, treatment of, 522, 525, 527, 530
 testosterone, 537, 539
 testosterone propionate, 537, 540, 721, 741
 tetanus, treatment of, 423
 tethers, 147
 tetracycline, 741
 tetracyclines, 414, 452, 454–5, 721
 clinical aspects, 454, 462
 interaction with calcium ions, 169
Pseudomonas aeruginosa resistance, 426
 resistance, 463
 treatment of *Helicobacter pylori*, 685–6
 tetrahydrofolate, 418–20, 531–2
 tetrazole ring, bioisostere for carboxylic acid, 250–1
 tetrodotoxin, 201, 202
 TGF, *see* transforming growth factor
 TH-302, 528
 thalassaemia, treatment of, 132
 thalidomide, 196, 236, 275, 283, 565
 thalidomide babies, 565
 thebaine, 646, 653
 theophylline, 673, 721, 741
 therapeutic index, 2, 274, 414
 therapeutic ratio, 274
 therapeutic window, 171–2
 thiaburimamide, 668–9
 thienamycin, 442, 443
 thio-dGTP, 536
 thio-GMP, 536
 thio-GTP, 536
 thioguanine, *see* 6-tioguanine
 thiols, binding role, 223
 thiophan, 653
 thorn apple, 588
 threonine, 705
 phosphorylation, 60–1, 63, 65
 thrombin, 44, 51
 thrombospondin, 520
 thymidine kinase, 472–3, 475, 573
 thymidylate kinase, 472
 thymidylate synthase, 407, 410, 531–3
 inhibitors, 407–10, 532–4
 thymidylate synthetase inhibitors, 473
 thymine, 71–2
 thyroid hormones, 55
 thyroid problems, treatment of, 106
 Tibotec, 494
 ticarcillin, 426, 433, 435, 444, 721, 741
 ticks, 468
 tienilic acid, 94, 279–80
 Timentin, 444, 728
 Timodine, 728
 timolol, 169, 623–5, 721, 741
 timoprazole, 683
 tioconazole, 249, 254, 721, 741
 6-tioguanine, 534, 536, 721, 741
 tipifarnib, 547, 721, 741
 tipranavir, 204, 478, 492–4
 tirofiban, 141–2, 721, 741
 T-lymphocytes, 518
 TNF, *see* tumour necrosis factor
 TNP-470, 564
 tobacco, 170, 582
 tobacco smoke, 515
 Tobi, 728
 Tobradex, 728
 tobramycin, 426, 718, 721, 741
 toceranib, 560, 721, 741
 Tofranil, 728
 tolbutamide, 204, 209, 253
 tolerance, 1–2, 114, 173, 266
 Tomudex, 728
 tonsillitis, treatment of, 423, 457
 tooth abscesses, treatment of, 462
 topiramate, 629, 720–1, 741
 Topliss scheme, 394–7
 topoisomerases, 74–6, 121–3, 459, 525–7, 540
 poisons, 120–2, 524, 526–7
 topomer methodology, 404
 topotecan, 526–7, 721, 741
 torcetrapib, 279
 toremifene, 531–6, 538, 540, 721, 741
 Torisel, 728
Torpedo marmorata, 594
 tositumomab, 569–70, 721
 toxicity testing, 193, 274–5
 toxins, action on enzymes, 96
 Tozasertib, 555
 TP53 gene, 515
 Tracrium, 728
 Trade Related Aspects of Intellectual Property Rights, 282
 tramadol, 164
 tranquilizers, 208
 transcriptase, 469
 transcription, 68, 77–8, 80
 control of by drugs, 130–1
 viruses, 469
 transcription factors, 55, 67–8, 536, 564
 agents affecting interactions with coactivators, 139–40, 567
 agents preventing DNA binding, 130–1
 control of the estrogen receptor, 109–10
 role in cancer, 519
 role in the cell cycle, 517
 transdermal absorption, 169
 transduction, 463
 transfer RNA, 76–7, 79–80
 transferases, 36, 162, *see also* amino acid N-acyltransferase, arabinosyl transferase, catechol O-methyltransferase, chloramphenicol acetyltransferase, choline acetyltransferase, farnesyl transferase, geranylgeranyltransferase, glucuronyltransferase, glutathione S-transferase, guanyl transferase, methyltransferases, and sulphotransferase
 transforming growth factor, 515–16
 transforming growth factor receptor, 517
 transgenic animals, 195–6, 268
 transgenic plants, 268
 transglycosidase, 445, 447
 transglycosidation, 446
 transition state, 30
 transition-state analogues, 90–2, 183, 236, 296–7, 572
 transition-state conformation, penicillins, 424
 transition-state inhibitors, 91, 483, 498, 501–2, 535
 transition-state intermediate, 297
 transition-state isosteres, 236, 483–4, 535, 562
 translation, 77–80, 452
 translocase, 445
 translocation, 78, 79
 transpeptidase, 424–6, 428, 445, 447–8
 inhibition by cephalosporin, 437
 PBP2a, 441
 transport proteins, 27–8, 259–60, 580, 613–14, 627, 701
 as drug targets, 135–6
 in drug absorption, 155
 Transtec, 728
 tranylcypromine, 629–30
 Trasicor, 728
 trastuzumab, 559, 569, 721
 trauma, treatment of, 190, 624
 traumatic memories, treatment of, 624
 travellers' diarrhoea, treatment of, 459
 Treanda, 728
 trecovirsen, 493–4
 tretinoin, 566, 721, 741
 triamcinolone, 690, 741
 triamcinolone acetonide, 691–2, 721, 741
 tricyclic antidepressants, 135, 189–90, 208, 627–8, 630, 700
 trihexethyl chloride, 589–90
 trifluridine, 473–5
 trihexyphenidyl, 589–90, 721, 741
 trimethoprim, 419–20, 462, 721, 741
 Trimopan, 728
 Trimovate, 728
 trinitroglycerine, 207–8
 triplet code, 74, 77, 79
 Tripos, 401, 405
 tripotassium dicitratabismuthate, 686
 Trisenoxy, 728
 trisubstituted indanes
 mimics for α -helices, 270
 peptidomimetic, 270
 TRK-820, 655
 tRNA, *see* transfer RNA
 Trojan horse approach, 259–60
 tropicamide, 589–90, 721, 741
 Troxyl, 728
 truth drug, 589
 Truvada, 728
 Trypanosomiasis, treatment of, 414, 465
 tryptophan, 17, 22, 705
 acetylcholinesterase enzyme, 596–7
 reverse transcriptase, 479
 safety-catch acid-labile linker, 329
 serotonin receptor binding site, 344
 transcription factor–cofactor interactions, 140

tuberculosis, 413–14
 multidrug-resistant, 462
 treatment of, 414, 451, 453, 461–2

tubocurarine, 2, 199, 353, 591

tubulin, 26–7, 135–7, 141, 405, 539–42

tubulin depolymerization, inhibition, 542–3

tubulin polymerization inhibitors, 404, 474–5, 540–2

tumour, 514

tumour necrosis factor receptors, 518

tumour necrosis factor-related apoptosis inducing ligand, 566

tumour suppression genes, 515

tumour-necrosis factor, 268, 565

tumour-necrosis factor receptors, 518

β -turn, 18, 20

Tykerb, 728

typhoid, 413
 treatment of, 435, 454

tyramine, 616, 629–30

tyrosinase, 79

tyrosine, 17, 22, 611, 705
 biosynthesis, 80
 biosynthetic precursor, 611
 endogenous opioids, 650–1
 muscarinic receptor, 584
 phosphorylation, 25, 37, 53–4, 63, 66
 proton source in enzyme mechanism, 33
 reverse transcriptase, 480
 ribonucleotide reductase, 535
 topoisomerase II, 75, 76

tyrosine hydroxylase, 564, 611–12, 626
 inhibitor, 626

tyrosine kinase receptors, 54–5, 517–18,
see also epidermal growth factor receptor, growth hormone linked receptor, insulin receptor, protein kinase inhibitors

tyrosine kinases, 63, 66–8, 96, 514, 517–18, 548

tyrosine tRNA synthetase, 464

Tysabri, 728

U

ubiquitin, 477, 563

UDFP-glucuronate, 162–3

UH-301, 236, 238

UK-46245, 233–4

UK-47265, 258, 275

UK-143220, 256

UK-157147, 256

ulcers, 659
 treatment of, 212, *see also* antiulcer agents

Ultralanum Plain, 728

Ultrasound, CNS access, 157

Ultravate, 728

Unasyn, 445

uncompetitive inhibitors, 90

Uniphyltin Continus, 728

uracil, 76, 235, 532–3

uracil mustard, 257, 527–8, 530

urease, 685

ureidopenicillins, 435–6

uremic pruritus, treatment of, 655

Uriben, 728

uridine triphosphate, 510

urinary tract infections, treatment of, 418, 432, 435, 442–3, 457–9, 461–2

urinary tract stimulation, 586

Uromitexan, 728

US National Cancer Institute, 137

V

vaccinations, 413, 470
 flu, 497
 smallpox, 511

vaginosis, treatment of, 462

valaciclovir, 473, 475, 721, 741

Valcyte, 728

valdecoxib, 93, 95, 721, 741

Valentino, Rudolph, 659

valganciclovir, 473, 475, 721, 741

valine, 17, 22, 705
 biosynthetic precursor for β -lactams, 422, 436

HIV-protease, 484, 489–90

HIV-protease inhibitors, 486, 489

HMG-CoA reductase, 183
 in prodrugs, 434, 473, 475

Ras protein, 545

valinomycin, 146

valinomycin, 146–7, 414, 452

Valium, 172, 260–1, 728

Valtrex, 728

vampire, 574

van der Waals interactions, 8, 22

van Leeuwenhoek, 413

Vancocin, 728

vancomycin, 445–8, 451, 462, 721, 741
 affinity screening, 197
 dynamic combinatorial synthesis, 334
 mechanism of action, 138–9, 446–7
 source, 200, 446

vancomycin-resistant enterococci (VRE), 447

vancomycin-resistant *Enterococcus faecalis*, 462

vancomycin-resistant *Enterococcus faecium*, 457

vancomycin-resistant *Staphylococcus aureus*, 447

Vandetanib, 552, 559, 721, 741

vanillylmandelic acid, 612

Vansil, 728

Varenicline, 587, 721, 741

variation of alkyl substituents, 228–31, 249, 306, 638

variation of *N*-alkyl substituents, 250, 618, 638

variation of aromatic substituent patterns, 306

variation of aromatic substituent positions, 229–31, 258, 308, 703

variation of aromatic substituents, 229–31, 250, 254–5, 258

design of oxamniquine, 305–8

serotonin antagonists, 703–4

variation of heterocyclic substituents, 684

variation of polar functional groups, 249

variation of polar substituents, 249

variation of pyridine substituents, 683

varicella–zoster virus, treatment of, 475

Vascace, 728

vascular endothelial growth factor, 143, 520, 561, 566, 569

vascular endothelial growth factor receptor inhibition of kinase, 552

vasoactive intestinal peptide, 581

vasoconstrictors, *see* adrenaline, adrenergic agonists, angiotensin II, clonidine, noradrenaline

vasodilators, *see* adrenaline, adrenergic antagonists, β -blockers, glyceryl trinitrate, histamine, sildenafil

vasopressin, 23, 63, 700, 721

vasopressin receptors, 63

vasopressor, 617

vatalanib, 549, 558, 560

Veasnoid, 728

Veber's parameters, 155, 211, 319

Vectavir, 728

Vectibix, 728

vecuronium, 592–3, 721, 741

VEGF, *see* vascular endothelial growth factor

vedotin, 569

Velbe, 728

Velcade, 728

vemurafenib, 556–7, 560, 721, 741

venlafaxine, 628, 721, 741

Ventmax, 728

Ventodisks, 728

Ventolin, 728

Vepesid, 728

verapamil, 523, 721, 741

Verloop steric parameters, 391

Vertex Pharmaceuticals, 491

vesicles, 614, 711

Viagra, 204, 208, 728

Vibramycin, 728

Victrelis, 728

vidarabine, 471, 473–5

Videx, 728

Vigamox, 728

vinblastine, 137, 208, 540, 543, 721, 741

Vinca alkaloids, 137, 543, 568
 resistance, 523

Vinca rosea, 540

vincristine, 137, 208, 540, 543, 566, 721, 741

vindesine, 137, 540, 543, 721, 741

vinorelbine, 137, 154, 540, 543, 721, 742

vinyloxycarbonyl chloride, 220, 223, 229, 639

VIOXX, 279, 728

Viracept, 728

Viraferon, 728

viral DNA polymerases, 129, 191, 472, 475
 inhibitors, 472–5

viral gastroenteritis, 468

viral pneumonia, 468

viral RNA polymerase, 497

viral RNA-dependent RNA polymerase, 510

Viramune, 728
 Virazole, 728
 Viread, 728
 virion, 469–70
 Viormone, 728
 Virovir, 728
 virtual screening, 198
 virus vector, 573
 viruses, 468
 cause of cancer, 514
 life cycles, *see* herpes simplex virus, HIV, influenza virus
 structure, 468–9, 476
 Vismodegib, 556–7, 560, 721, 742
 Vistamethasone, 728
 Vistide, 728
 vitamin K, 25, 454
 Vitravene, 728
 Volmax, 728
 voltage-gated ion channels, 714
 von Braun degradation, 639
 Voraxaze, 728
 vorinostat, 96, 564, 721, 742
 Votrient, 728
 VRSA, *see* vancomycin-resistant *Staphylococcus aureus*
 Vumon, 728
 VX, 600–1
 Vytorin, 184, 728
 VZV, *see* varicella-zoster virus

W

Walter Reed Army Institute of Research, 300
 Wang resin, 315–16
 warfarin, 157, 166–7, 169, 204, 212, 280, 492, 673
 Warticon, 728
 Watson and Crick, 71, 224
 weighted probe interaction energies, 404
 Wellcome Trust, 189
 whisky, 3
 whooping cough, treatment of, 457
 wild chervil, 540
 willow tree, 202
 Wilms' tumour, treatment of, 525
 WIN-54954, 508
 wine, 413
 witches, 588
 withdrawal symptoms, 114, 173, 266, 633, 643

World Health Organization, 413, 514, 700
 World Trade Organisation, 282
 wrenchnolol, 140–1

X

Xalkori, 728
 xamoterol, 205
 xanomeline, 604
 xanthine oxidase, 96, 473
 Xeloda, 728
Xenopus laevis, 201
 Xifaxin, 728
 Xolair, 728
 Xopenex, 728
 X-ray crystallography
 acetylcholinesterase-inhibitor complexes, 404
 active conformations, 352–3
 adrenergic receptors, 53, 367, 614
 angiotensin-lisinopril complex, 296
 bacteriorhodopsin and rhodopsin, 367
 design of anticold agents, 508
 design of HIV-protease inhibitors, 480, 482, 484–5, 487, 489, 491–2
 design of kinase inhibitors, 551
 design of neuraminidase inhibitors, 498, 501, 503, 505–6
 design of NNRTIs, 479–80
 drug design, 109, 207, 242, 269, 370, 407, 409, 410
 fragment-based lead discovery, 210
 HMG-CoA reductase, 183
 pharmacophores, 355
 protein-drug complexes, 215, 227–8, 241
 protein kinases, 548
 protein structure, 26, 242–3, 357
 structural databases, 339, 353
 structure determination, 212, 422, 436, 507, 633, 670
 Xylocaine, 728
 xylometazoline, 618

Y

yeast alanine tRNA, 77
 yellow fever, 468
 treatment of, 470
 Yentreve, 728
 yew tree, 199, 289
 yingzhaosu A, 304

Z

Zactima, 728
 zalcitabine, 478–9, 481, 721, 742
 zanamivir, 345, 501–3, 506, 721, 742
 Zantac, 676, 728
 Zarnestra, 728
 Zavedos, 728
 ZD-9331, 534
 Zeffix, 728
Zeftera/Zevtera, 729
 Zelapar, 728
 Zelboraf, 728
 Zenapax, 729
 Zerit, 729
 Zestril, 729
 Zetia, 729
 Zevalin, 729
 Ziagen, 729
 ziconotide, 202
 zidovudine, 95, 478–9, 481, 721, 742
 zileutin, 96
 Zinacef, 729
 zinc cofactor, 564
 zinc finger domains, 56
 zinc ions
 cofactors, 35, *see also* zinc
 metalloproteinases
 intracellular receptors, 56
 ligands, 221, 223, 546, 562, 564
 zinc metalloenzyme, 544
 zinc metalloproteinases, 221, 292
 Zinnat, 729
 Zispin, 729
Zithromax, 729
 Zocor, 729
 Zofran, 729
 Zoladex, 729
 Zolinza, 729
 Zomorph, 729
 zoonoses, 468
 Zortress, 729
 zosuquidar, 523
 Zosyn, 445, 729
 Zoton, 729
 Zovirax, 729
 Zulus, 541
 Zyban, 204, 629, 729
 Zyloric, 729
 Zyprexa, 729
 Zytiga, 729
 Zyvox, 729